

# LockedMe source code

App.java

```
package mainfile;

import java.util.*;
import ascending.Ascending;
import operations.Operations;

public class App {
    static Scanner sn = new Scanner(System.in);

    public static void info() {

        String appHeader =
String.format("*****\n"
                + "***** Welcome to LockedMe.com
                *****\n"
                +
                "*****\n");

        String developerName = "Dev - Aman Pawar\n";

        String developerEmail = "DevEmail -
amanpawar8412@gmail.com\n";

        String appDetails = "You can use this application to :-\n" + "-->
Retrieve all file names in a given folder\n"
                + "--> Add, delete or search files\n";
```

```
        System.out.println(appHeader);

        System.out.println(developerName);

        System.out.println(developerEmail);

        System.out.println(appDetails);

    }

    public static void main() {

        System.out.println("");
        System.out.println("Main Menu");
        System.out.println("Press 1 to show file in Ascending Order");
        System.out.println("Press 2 to view file operations");
        System.out.println("Press 3 to Exit from the application");

        int choice = sn.nextInt();

        handle(choice);

    }

    public static void handle(int num) {

        switch(num) {

            case 1:

                Ascending.ascendingOrder();

                break;

            case 2:

                Operations.FileOperations();

                break;

            case 3:

                System.out.println("Terminated :( ");

            default:

                System.out.println("Invalid choice");

            }

    }

}
```

```

        System.exit(0);
        break;
    default:
        System.out.println("Invalid input");
    }
    main();
}

public static void main(String[] args) {
    info();
    main();
}
}

```

#### Ascending.java

```

package ascending;

import java.io.*;
import java.util.*;

public class Ascending {

    static String directory=
"/Users/amapawar/Desktop/LockedMe/AmanStorage";

    public static void ascendingOrder() {

```

```

        File[] files = new File(directory).listFiles();
        Set<String> a = new TreeSet<>();
        for(File file : files) {
            if (!file.isFile()) {
                continue;
            }
            a.add(file.getName());
        }
        a.forEach(i->System.out.println(i));
    }
}

```

#### Operations.java

```

package operations;

import java.io.*;
import java.nio.file.*;
import java.util.*;
import mainfile.App;

public class Operations {

    static Scanner sn = new Scanner(System.in);
    static String directory =
"/Users/amapawar/Desktop/LockedMe/AmanStorage";

    public static void FileOperations() {

```

```
System.out.println("");
System.out.println("Press 1 to Add a file");
System.out.println("Press 2 to Delete a file");
System.out.println("Press 3 to Search a file");
System.out.println("Press 4 to go Back to the Main Menu");

String choice = sn.nextLine();
    handle(choice);
}

public static void handle(String num) {
    switch(num) {
        case "1":
            System.out.println("You selected Add Operation");
            add();
            break;
        case "2":
            System.out.println("You selected Delete
Operation");
            delete();
            break;
        case "3":
            System.out.println("You selected Search
Operation");
            search();
            break;
        case "4":
            System.out.println("Going Back to Main Menu");
```

```

        App.main();
        break;
    default:
        System.out.println("Invalid input");
    }
    FileOperations();
}

// to add a file

public static void add() throws InvalidPathException {
    System.out.println("Enter the file path (ex: /Users/Desktop/t.txt);");
    String input = sn.nextLine();
    Path path;
    try {
        path = Paths.get(input);
    } catch (Exception e) {
        System.out.println("Invalid input");
        return;
    }

    if (!Files.exists(path)) {
        System.out.println("No such file exist");
        return;
    } else {
        System.out.println("File is present");
    }
}

```

```

String newPath = directory + "/" + path.getFileName();
int i = 0;
while (Files.exists(Paths.get(newPath))) {
    i++;
    newPath = directory + "/" + i + "_" + path.getFileName();
}

try {
    Files.copy(path, Paths.get(newPath));
    System.out.println("file has been stored");
} catch (IOException e) {
    System.out.println("Not able to store the file");
    System.out.println(e);
}
}

```

// to delete a file

```

public static void delete() throws InvalidPathException {
    System.out.println("Enter the file path (ex: c.txt);");
    String input = sn.nextLine();
    String Path = directory + "/" + input;
    Path path;

    try {
        path = Paths.get(Path);
    } catch (Exception e) {
        System.out.println("Invalid input");
    }
}

```

```

        return;
    }

    if (!Files.exists(path)) {
        System.out.println("No such file existed,thus cannot be
deleted");

        return;
    } else {
        System.out.println("File is present");
    }

    File Delete = new File(Path);
    try {
        Delete.delete();
        System.out.println("File is deleted");
    }
    catch (Exception e) {

        System.out.println("Not able to delete file");
        System.out.println(e);
    }
}

```

//to search a file

```

public static void search() throws InvalidPathException{
    System.out.println("Enter the file to search (ex: a.txt)");
    String input = sn.nextLine();
    String Path = directory + "/" + input;
}

```



```
Path path;

try {
    path = Paths.get(Path);
} catch (Exception e) {
    System.out.println("Invalid input");
    return;
}

if(!Files.exists(path)) {
    System.out.println("No such file exist");
    return;
} else {
    System.out.println("File is present");
}

}
```