

<h3>Rectangle</h3>

## SCTR's PUNE INSTITUTE OF COMPUTER TECHNOLOGY, PUNE - 411043

## DEPARTMENT OF ELECTRONICS & TELECOMMUNICATION ENGINEERING

Lab Practice -2 [404184C] : ELECTIVE-III(C) - JavaScript							
ACADEMIC YEAR: 2024-25							
CLASS	: BE	DIV	: 7	Batch	: R-7	DATE	:
Roll No	42315	ABC ID	: 187-311-403-781			SEMESTER	: I

## **Experiment No.: 1**

```
HTML →
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>Area Calculator</title>
 <!-- Link to external CSS -->
 <link rel="stylesheet" href="style_1.css">
</head>
<body>
 <div class="container">
  <h2>Area Calculator</h2>
  <!-- Triangle -->
  <h3>Triangle (Heron's Formula)</h3>
  <input type="number" id="sideA" placeholder="Enter side A">
  <input type="number" id="sideB" placeholder="Enter side B">
  <input type="number" id="sideC" placeholder="Enter side C">
  <button onclick="calculateTriangleArea()">Calculate Triangle Area</button>
  <div class="result" id="triangleResult"></div>
  <!-- Rectangle -->
```

```
CSS →
body {
 font-family: Arial, sans-serif;
 display: flex;
justify-content: center;
 align-items: center;
 height: 100vh;
 margin: 0;
 background-color: #f4f4f4;
.container {
 text-align: center;
 padding: 20px;
 background-color: #ffffff;
 border-radius: 10px;
 box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
}
h2 {
 color: #333;
 margin-bottom: 20px;
}
input {
 margin: 10px 0;
 padding: 8px;
 width: 80%;
 border: 1px solid #ccc;
 border-radius: 5px;
```


```
button {
 padding: 10px 20px;
 background-color: #28a745;
 color: white;
 border: none;
 border-radius: 5px;
 cursor: pointer;
 margin-top: 10px;
button:hover {
 background-color: #218838;
}
.result {
 margin-top: 20px;
 font-size: 18px;
color: #555;
.result.error {
color: red;
.result.success {
color: green;
```


```
JavaScript →
// Function to check if the triangle is valid
function is ValidTriangle(a, b, c) {
 return a + b > c & a + c > b & b + c > a;
// Function to calculate the area of the triangle using Heron's formula
function calculateTriangleArea() {
 const a = parseFloat(document.getElementById("sideA").value);
 const b = parseFloat(document.getElementById("sideB").value);
 const c = parseFloat(document.getElementById("sideC").value);
 if (isNaN(a) \parallel isNaN(b) \parallel isNaN(c)) {
  document.getElementById("triangleResult").innerHTML =
   "Please enter valid numbers for all sides.";
  document.getElementById("triangleResult").classList.add("error");
  return;
 if (!isValidTriangle(a, b, c)) {
  document.getElementById("triangleResult").innerHTML =
   "The sides do not form a valid triangle.";
  document.getElementById("triangleResult").classList.add("error");
  return;
 const s = (a + b + c) / 2;
 const area = Math.sqrt(s * (s - a) * (s - b) * (s - c));
```

```
document.getElementById(
  "triangleResult"
 ).innerHTML = `Area of the triangle is: ${area.toFixed(2)} square units`;
 document.getElementById("triangleResult").classList.remove("error");
 document.getElementById("triangleResult").classList.add("success");
}
// Function to calculate the area of a rectangle
function calculateRectangleArea() {
 const length = parseFloat(document.getElementById("length").value);
 const width = parseFloat(document.getElementById("width").value);
 if (isNaN(length) || isNaN(width)) {
  document.getElementById("rectangleResult").innerHTML =
   "Please enter valid numbers for length and width.";
  document.getElementById("rectangleResult").classList.add("error");
  return;
 const area = length * width;
 document.getElementById(
  "rectangleResult"
 ).innerHTML = `Area of the rectangle is: ${area.toFixed(2)} square units`;
 document.getElementById("rectangleResult").classList.remove("error");
 document.getElementById("rectangleResult").classList.add("success");
```

```
// Function to calculate the area of a circle
function calculateCircleArea() {
 const radius = parseFloat(document.getElementById("radius").value)
 if (isNaN(radius)) {
  document.getElementById("circleResult").innerHTML =
   "Please enter a valid radius.";
  document.getElementById("circleResult").classList.add("error");
  return;
 const area = Math.PI * Math.pow(radius, 2);
 document.getElementById(
  "circleResult"
 ).innerHTML = `Area of the circle is: ${area.toFixed(2)} square units`;
 document.getElementById("circleResult").classList.remove("error");
 document.getElementById("circleResult").classList.add("success");
```

## Output 🗲





Date: Course Teacher Sign