EXPERIMENT NO. 2

FRAGMENT

ActivityMain.java

```
package com.example.fragmentdisplay;

import androidx.appcompat.app.AppCompatActivity;
import androidx.fragment.app.FragmentManager;

import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.TextView;

public class MainActivity extends AppCompatActivity {
Button b1,b2; TextView tv;
    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);
        b1=findViewById(R.id.button);
        b2=findViewById(R.id.button2);
        b1.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View view) {
                FragmentManager fm =getSupportFragmentManager();
                fm.beginTransaction()

.replace(R.id.fragmentContainerView,A1Fragment.class,null)
                        .addToBackStack("Fragment")
                        .setReorderingAllowed(true)
                        .commit();
            }
        });
        b2.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View view) {
                FragmentManager fm =getSupportFragmentManager();

fm.beginTransaction().replace(R.id.fragmentContainerView,A2Fragment.class,
null)
                        .addToBackStack("Fragment")
                        .setReorderingAllowed(true)
                        .commit();
            }
        });
    }
}
```

Activity_main.xml

```xml
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity">

    <FrameLayout
        android:layout_width="match_parent"
        android:layout_height="93dp">

    </FrameLayout>

    <Button
        android:id="@+id/button"
        android:layout_width="363dp"
        android:layout_height="81dp"
        android:text="webseries" />

    <Button
        android:id="@+id/button2"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:text="Button" />

    <Button
        android:id="@+id/button3"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:text="Button" />

    <Button
        android:id="@+id/button4"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:text="Button" />

    <FrameLayout
        android:layout_width="match_parent"
        android:layout_height="match_parent">

    </FrameLayout>

    <Button
        android:id="@+id/button5"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:text="Button" />

    <androidx.constraintlayout.widget.ConstraintLayout
        android:layout_width="match_parent"
        android:layout_height="match_parent">
```

```
    </androidx.constraintlayout.widget.ConstraintLayout>

    <androidx.constraintlayout.widget.ConstraintLayout
        android:layout_width="match_parent"
        android:layout_height="match_parent"
        tools:layout_editor_absoluteX="1597dp">

    </androidx.constraintlayout.widget.ConstraintLayout>

    <Button
        android:id="@+id/button6"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:text="Button" />

    <TextView
        android:id="@+id/textView"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:text="TextView" />

</LinearLayout>
```

OUTPUT:


Fragment
Movies Fragment activated
FG1
FG2
TODO
Problems
Terminal


Fragment
Music Fragment activated
FG1
FG2
Build
TODO
Problems
Terminal
Services

ON_CLICK METHOD:

ActivityMain.java

```
package com.example.onclick;

import androidx.appcompat.app.AppCompatActivity;

import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.ImageView;
import android.widget.Toast;

public class MainActivity extends AppCompatActivity {

  @Override
  protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity_main);
    Button button = findViewById(R.id.button);
    button.setOnClickListener(new View.OnClickListener() {
      @Override
      public void onClick(View view) {
        ImageView iv=(ImageView) findViewById(R.id.imageView2);
        iv.setImageResource(R.drawable.smile);
      }
    });
  }
}
```

activity_main.xml

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
  xmlns:app="http://schemas.android.com/apk/res-auto"
  xmlns:tools="http://schemas.android.com/tools"
  android:layout_width="match_parent"
  android:layout_height="match_parent"
  android:background="#FAF9F9"
  android:backgroundTint="#FBF5F7"
  tools:context=".MainActivity">

  <Button
    android:id="@+id/button"
```

```
        android:layout_width="145dp"
        android:layout_height="60dp"
        android:layout_marginTop="247dp"
        android:layout_marginBottom="460dp"
        android:background="#D9BEDD"
        android:text="Cilck"
        android:textAlignment="center"
        android:textSize="34sp"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.466"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent"
        app:layout_constraintVertical_bias="0.388" />

    <ImageView
        android:id="@+id/imageView2"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_marginBottom="216dp"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.438"
        app:layout_constraintStart_toStartOf="parent"
        tools:srcCompat="@tools:sample/avatars" />

    <TextView
        android:id="@+id/textView"
        android:layout_width="395dp"
        android:layout_height="91dp"
        android:layout_marginStart="11dp"
        android:layout_marginEnd="58dp"
        android:text="WELCOME TO ANDROID STUDIO"
        android:textAlignment="center"
        android:textSize="34sp"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.0"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent"
        app:layout_constraintVertical_bias="0.197" />

</androidx.constraintlayout.widget.ConstraintLayout>
```


Running Devices:
Pixel 3a API 34 extension level 7 x86 64
Cilck
Notifications
Device Manager
Gradle
Running Devices
Device Explorer
Layout Inspector
24:12 LF UTF-8 4 spaces


Running Devices:
Pixel 3a API 34 extension level 7 x86 64
WELCOME TO ANDROID STUDIO
Cilck
Notifications
Device Manager
Gradle
Layout Validation
Running Devices
Device Explorer
Layout Inspector
55:53 LF UTF-8 4 spaces

ACTIVITY_LIFE_CYCLE:

MainActivity.java

```java
package com.example.mad_pra2;

import androidx.appcompat.app.AppCompatActivity;

import android.os.Bundle;
import android.util.Log;

public class MainActivity extends AppCompatActivity {

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);

    }
    protected void onStart(){
        super.onStart();
        Log.d("Lifecycle","onStart Started");
    }
    protected void onResume(){
        super.onResume();
        Log.d("Lifecycle","onResume Started");
    }
    protected void onPause(){
        super.onPause();
        Log.d("Lifecycle","onPause Started");
    }
    protected void onStop(){
        super.onStop();
        Log.d("Lifecycle","onStop Started");
    }
    protected void onDestroy(){
        super.onDestroy();
        Log.d("Lifecycle","onDestroy Started");
    }
}
```

activity_main.xml

```xml
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:background="#1F1E20"
    android:backgroundTintMode="screen"
    tools:context=".MainActivity">

    <Button
        android:id="@+id/button4"
        android:layout_width="184dp"
        android:layout_height="52dp"
        android:text="Click"
        android:textAlignment="center"
        android:textColor="#2196F3"
        android:textSize="34sp"
        tools:layout_editor_absoluteX="113dp"
        tools:layout_editor_absoluteY="257dp" />

    <ImageView
        android:id="@+id/imageView"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        app:srcCompat="@drawable/Android1"
        tools:layout_editor_absoluteX="123dp"
        tools:layout_editor_absoluteY="398dp" />

    <TextView
        android:id="@+id/textView3"
        android:layout_width="312dp"
        android:layout_height="64dp"
        android:text="Activity Life Cycle"
        android:textAlignment="center"
        android:textColor="#DF0851"
        android:textSize="34sp"
        tools:layout_editor_absoluteX="49dp"
        tools:layout_editor_absoluteY="79dp" />
</androidx.constraintlayout.widget.ConstraintLayout>
```

LOGCAT :


Frag - MainActivity.java [Frag.app.main]
chatFragment.java
fragment_status.xml
statusFragment.java
MainActivity.java
package com.example.frag;
import ...
Logcat
Pixel API 34 (emulator-5554) Android 14, API 34
package:mine
2023-10-28 09:35:57.899 3956-4021 OpenGLRenderer com.example.frag W Failed to initi
2023-10-28 09:35:57.985 3956-4021 Gralloc4 com.example.frag I mapper 4.x is n
2023-10-28 09:35:58.041 3956-4021 OpenGLRenderer com.example.frag E Unable to match
2023-10-28 09:35:58.662 3956-3956 Choreographer com.example.frag I Skipped 67 fram
2023-10-28 09:35:58.695 3956-3978 OpenGLRenderer com.example.frag I Davey! duration
2023-10-28 09:35:58.751 3956-3973 OpenGLRenderer com.example.frag I Davey! duration
2023-10-28 09:36:04.821 3956-3956 WindowOnBackDispatcher com.example.frag W sendCancelIfRun
2023-10-28 09:36:05.371 3956-3956 Choreographer com.example.frag I Skipped 33 fram
2023-10-28 09:36:05.518 3956-4021 OpenGLRenderer com.example.frag E Unable to match
2023-10-28 09:36:05.633 3956-3973 OpenGLRenderer com.example.frag I Davey! duration
2023-10-28 09:36:18.927 3956-3965 om.example.frag com.example.frag W Cleared Referen
Install successfully finished in 14 s 439 ms. (a minute ago)
Type here to search
24°C Sunny
9:36 AM
10/28/2023

EXPERIMENT NO.3

Thread:

activity_main.xml:

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
   xmlns:app="http://schemas.android.com/apk/res-auto"
   xmlns:tools="http://schemas.android.com/tools"
   android:layout_width="match_parent"
   android:layout_height="match_parent"
   android:background="#F48CAF"
   tools:context=".MainActivity">

   <TextView
      android:id="@+id/textView2"
      android:layout_width="410dp"
      android:layout_height="111dp"
      android:layout_marginBottom="484dp"
      android:gravity="center"
      android:text="view"
      android:textSize="30dp"
      app:layout_constraintBottom_toBottomOf="parent"
      app:layout_constraintEnd_toEndOf="parent"
      app:layout_constraintHorizontal_bias="1.0"
      app:layout_constraintStart_toStartOf="parent" />

   <Button
      android:id="@+id/button2"
      android:layout_width="136dp"
      android:layout_height="96dp"
      android:layout_marginBottom="16dp"
      android:text="click"
      android:textSize="20sp"
      app:layout_constraintBottom_toBottomOf="parent"
      app:layout_constraintEnd_toEndOf="parent"
      app:layout_constraintHorizontal_bias="0.533"
      app:layout_constraintStart_toStartOf="parent" />
```

```
    <ImageView
        android:id="@+id/imageView"
        android:layout_width="395dp"
        android:layout_height="309dp"
        android:layout_marginBottom="168dp"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.515"
        app:layout_constraintStart_toStartOf="parent"
        tools:srcCompat="@tools:sample/avatars" />

    <TextView
        android:id="@+id/textView3"
        android:layout_width="406dp"
        android:layout_height="110dp"
        android:layout_marginTop="4dp"
        android:gravity="center"
        android:text="Thread Activity"
        android:textColor="#A2093D"
        android:textSize="50dp"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.4"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent" />

</androidx.constraintlayout.widget.ConstraintLayout>
```

MainActivity.java

```
package com.example.experiment3;

import androidx.appcompat.app.AppCompatActivity;

import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.ImageView;
import android.widget.TextView;
```

```java
public class MainActivity extends AppCompatActivity {

    @Override
    protected void onCreate(Bundle savedInstanceState) {
      super.onCreate(savedInstanceState);
       setContentView(R.layout.activity_main);
       Button btn=(Button) findViewById(R.id.button2);
       TextView tv=findViewById(R.id.textView2);
       ImageView iv=findViewById(R.id.imageView);
       btn.setOnClickListener(new View.OnClickListener() {
          @Override
          public void onClick(View view) {
             try {
                Thread.sleep(500);
             }
             catch (Exception e){
                e.printStackTrace();
             }
             tv.setText("Beautiful Environment!!!!!");
             iv.setImageResource(R.drawable.natur);
          }
       });
    }
}
```

OUTPUT:


Pixel
34
Experiment3
Thread Activity
view
click
Problems
Terminal
Services
App Inspection


Running Devices:
app
Thread Activity
view
click
Device Manager
Notifications
Gradle
Device Explorer
Terminal
Services
App Inspection
Layout Inspector

Running Devices:
app
Thread Activity
Beautiful Environment!!!!!
click
Device Manager
Notifications
Gradle
Device Explorer
Terminal
Services
App Inspection
Layout Inspector

INTENT:

IMPLICIT INTENT:

Implicit Intent:

activity_main.xml:

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
   xmlns:app="http://schemas.android.com/apk/res-auto"
   xmlns:tools="http://schemas.android.com/tools"
   android:layout_width="match_parent"
   android:layout_height="match_parent"
   android:background="#F6F2F6"
   tools:context=".MainActivity">

   <TextView
      android:layout_width="319dp"
      android:layout_height="130dp"
      android:text="Implicit Intent"
      android:textAlignment="center"
      android:textSize="50sp"
      android:textStyle="bold"
      app:layout_constraintBottom_toBottomOf="parent"
      app:layout_constraintEnd_toEndOf="parent"
      app:layout_constraintHorizontal_bias="0.458"
      app:layout_constraintStart_toStartOf="parent"
      app:layout_constraintTop_toTopOf="parent"
      app:layout_constraintVertical_bias="0.134" />

   <EditText
      android:id="@+id/editTextText"
      android:layout_width="349dp"
      android:layout_height="75dp"
      android:layout_marginBottom="376dp"
      android:ems="10"
      android:hint="enter url"
      android:textColor="@color/black"
      android:inputType="text"
```

```
        android:textSize="30sp"
        android:textStyle="bold"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.437"
        app:layout_constraintStart_toStartOf="parent" />

    <Button
        android:id="@+id/button"
        android:layout_width="148dp"
        android:layout_height="83dp"
        android:layout_marginBottom="200dp"
        android:text="Search"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent" />

</androidx.constraintlayout.widget.ConstraintLayout>
```

MainActivity.java:

```
package com.example.implicitintent;

import androidx.appcompat.app.AppCompatActivity;

import android.content.Intent;
import android.net.Uri;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;

public class MainActivity extends AppCompatActivity {
Button b1;
EditText ed;
@Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);
        b1=findViewById(R.id.button);
        ed=findViewById(R.id.editTextText);
```

```
        b1.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View view) {
                String url=ed.getText().toString();
                Intent intent=new Intent(Intent.ACTION_VIEW, Uri.parse(url));
                startActivity(intent);
            }
        });

    }
}
```

OUTPUT:




Running Devices:
app
YouTube
Install
Shorts
1:1

EXPLICIT INTENT:

Activity_main.xml1:-

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
   xmlns:app="http://schemas.android.com/apk/res-auto"
   xmlns:tools="http://schemas.android.com/tools"
   android:layout_width="match_parent"
   android:layout_height="match_parent"
   android:background="#E18CA9"
   android:backgroundTint="#B55072"
   tools:context=".MainActivity">

   <TextView
      android:id="@+id/textView"
      android:layout_width="369dp"
      android:layout_height="147dp"
      android:layout_marginStart="182dp"
      android:layout_marginTop="97dp"
      android:layout_marginEnd="171dp"
      android:layout_marginBottom="615dp"
      android:background="#739CBD"
      android:gravity="center"
      android:text="EXPLICIT INTENT"
      android:textColor="@color/black"
      android:textSize="50dp"
      android:textStyle="bold"
      app:layout_constraintBottom_toBottomOf="parent"
      app:layout_constraintEnd_toEndOf="parent"
      app:layout_constraintStart_toStartOf="parent"
      app:layout_constraintTop_toTopOf="parent" />

   <Button
      android:id="@+id/btn1"
      android:layout_width="160dp"
      android:layout_height="59dp"
      android:text="LASTPAGE"
      android:textSize="20sp"
      app:layout_constraintBottom_toBottomOf="parent"
      app:layout_constraintEnd_toEndOf="parent"
      app:layout_constraintHorizontal_bias="0.107"
      app:layout_constraintStart_toStartOf="parent"
      app:layout_constraintTop_toTopOf="parent"
      app:layout_constraintVertical_bias="0.971" />

   <Button
      android:id="@+id/btn2"
```

```
    android:layout_width="153dp"
    android:layout_height="62dp"
    android:layout_marginTop="367dp"
    android:text="NEXTPAGE"
    android:textSize="20sp"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.941"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.947" />
</androidx.constraintlayout.widget.ConstraintLayout>
```

MainActivity1.java:-

```
package com.example.explicitintent;

import androidx.appcompat.app.AppCompatActivity;

import android.content.Intent;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;

public class MainActivity extends AppCompatActivity {

  @Override
  protected void onCreate(Bundle savedInstanceState) {
    super.onCreate(savedInstanceState);
    setContentView(R.layout.activity_main);
    Button b1=(Button) findViewById(R.id.btn1);
    b1.setOnClickListener(new View.OnClickListener() {
      @Override
      public void onClick(View view) {
        Intent intent= new Intent(getApplicationContext(), MainActivity3.class);
        startActivity(intent);
      }
    });
    Button b2=(Button) findViewById(R.id.btn2);
    b2.setOnClickListener(new View.OnClickListener() {
      @Override
      public void onClick(View view) {
        Intent intent= new Intent(getApplicationContext(), MainActivity2.class);
        startActivity(intent);
      }
    });
  }
}
```

OutPut:-


activity_main.xml
Pixel
34
ExplicitIntent
EXPLICIT INTENT
LASTPAGE
NEXTPAGE
Layout
Build
TODO
Problems
Terminal
Services
App Inspecti


Running Devices:
Pixel 5 API 34
EXPLICIT INTENT
LASTPAGE
NEXTPAGE
Device Manager
Notifications
Gradle
Layout Validation
Device Explorer
App Inspection
Layout Inspector


Running Devices:
Pixel 5 API 34
INTENT ARRIVED
PREVIOUS
CLICK
Device Manager
Notifications
Gradle
Layout Validation
Device Explorer
App Inspection
Layout Inspector


Running Devices:
Pixel 5 API 34
LAST PAGE
START
HOME
Device Manager
Notifications
Gradle
Layout Validation
Device Explorer
App Inspection
Layout Inspector

Activity_main.xml2:-

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
   xmlns:app="http://schemas.android.com/apk/res-auto"
   xmlns:tools="http://schemas.android.com/tools"
   android:layout_width="match_parent"
   android:layout_height="match_parent"
   android:background="#64E1F1"
   android:backgroundTint="#00BCD4"
   tools:context=".MainActivity2">

   <TextView
      android:id="@+id/textView2"
      android:layout_width="356dp"
      android:layout_height="127dp"
      android:layout_marginStart="184dp"
      android:layout_marginTop="115dp"
      android:layout_marginEnd="169dp"
      android:layout_marginBottom="597dp"
      android:background="#739CBD"
      android:gravity="center"
      android:text="INTENT ARRIVED"
      android:textColor="@color/black"
      android:textSize="50dp"
      android:textStyle="bold"
      app:layout_constraintBottom_toBottomOf="parent"
      app:layout_constraintEnd_toEndOf="parent"
      app:layout_constraintHorizontal_bias="0.526"
      app:layout_constraintStart_toStartOf="parent"
      app:layout_constraintTop_toTopOf="parent"
      app:layout_constraintVertical_bias="0.796" />

   <ImageView
      android:id="@+id/imageView"
      android:layout_width="397dp"
      android:layout_height="435dp"
      app:layout_constraintBottom_toBottomOf="parent"
      app:layout_constraintEnd_toEndOf="parent"
      app:layout_constraintHorizontal_bias="0.498"
```

```
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent"
        app:layout_constraintVertical_bias="0.597"
        tools:srcCompat="@tools:sample/avatars" />

    <Button
        android:id="@+id/btn3"
        android:layout_width="134dp"
        android:layout_height="69dp"
        android:text="CLICK"
        android:textSize="20sp"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.985"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent"
        app:layout_constraintVertical_bias="0.924" />

    <Button
        android:id="@+id/btn7"
        android:layout_width="160dp"
        android:layout_height="67dp"
        android:layout_marginEnd="228dp"
        android:text="PREVIOUS"
        android:textSize="20sp"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="@+id/btn3"
        app:layout_constraintHorizontal_bias="0.944"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent"
        app:layout_constraintVertical_bias="0.921" />

</androidx.constraintlayout.widget.ConstraintLayout>
```

MainActivity2.java:-

```
package com.example.explicitintent;

import androidx.appcompat.app.AppCompatActivity;

import android.content.Intent;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.ImageView;

public class MainActivity2 extends AppCompatActivity {
    @Override
    protected void onCreate(Bundle savedInstanceState) {
```

```
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main2);
        Button b3=findViewById(R.id.btn3);
        b3.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View view) {
              ImageView im=findViewById(R.id.imageView);
               im.setImageResource(R.drawable.puppy);
            }
        });
        Button b7=(Button) findViewById(R.id.btn7);
        b7.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View view) {
               Intent intent= new Intent(getApplicationContext(), MainActivity.class);
               startActivity(intent);
            }
        });
    }
}
```

OUTPUT:-



Activity_main.xml3:-

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
   xmlns:app="http://schemas.android.com/apk/res-auto"
   xmlns:tools="http://schemas.android.com/tools"
   android:layout_width="match_parent"
   android:layout_height="match_parent"
   android:background="#EC8CAC"
   tools:context=".MainActivity3">

   <TextView
      android:id="@+id/textView3"
      android:layout_width="356dp"
      android:layout_height="186dp"
      android:layout_marginStart="108dp"
      android:layout_marginTop="67dp"
      android:layout_marginEnd="155dp"
      android:layout_marginBottom="554dp"
      android:background="#739CBD"
      android:gravity="center"
      android:text="LAST PAGE"
      android:textSize="50dp"
      android:textStyle="bold"
      app:layout_constraintBottom_toBottomOf="parent"
      app:layout_constraintEnd_toEndOf="parent"
      app:layout_constraintHorizontal_bias="0.441"
      app:layout_constraintStart_toStartOf="parent"
      app:layout_constraintTop_toTopOf="parent"
      app:layout_constraintVertical_bias="0.525" />

   <Button
      android:id="@+id/btn4"
      android:layout_width="124dp"
      android:layout_height="67dp"
      android:text="HOME"
      android:textSize="20sp"
      app:layout_constraintBottom_toBottomOf="parent"
      app:layout_constraintEnd_toEndOf="parent"
      app:layout_constraintHorizontal_bias="0.909"
      app:layout_constraintStart_toStartOf="parent"
      app:layout_constraintTop_toTopOf="parent"
```

```
        app:layout_constraintVertical_bias="0.917" />

    <ImageView
        android:id="@+id/imageView2"
        android:layout_width="405dp"
        android:layout_height="371dp"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent"
        app:layout_constraintVertical_bias="0.609"
        tools:srcCompat="@tools:sample/avatars" />

    <Button
        android:id="@+id/btn5"
        android:layout_width="139dp"
        android:layout_height="71dp"
        android:text="START"
        android:textSize="20sp"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.132"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent"
        app:layout_constraintVertical_bias="0.916" />
</androidx.constraintlayout.widget.ConstraintLayout>
```

MainActivity3.java:-

```
package com.example.explicitintent;

import androidx.appcompat.app.AppCompatActivity;

import android.annotation.SuppressLint;
import android.content.Intent;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.ImageView;

public class MainActivity3 extends AppCompatActivity {
Button b6;
ImageView im1;
    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main3);
        Button b4=(Button) findViewById(R.id.btn4);
        b4.setOnClickListener(new View.OnClickListener() {
```

```
        @Override
        public void onClick(View view) {
            Intent intent= new Intent(getApplicationContext(), MainActivity.class);
            startActivity(intent);
        }
    });
    b6=findViewById(R.id.btn5);
    b6.setOnClickListener(new View.OnClickListener() {
        @Override
        public void onClick(View view) {
            im1=findViewById(R.id.imageView2);
            im1.setImageResource(R.drawable.cats);
        }
    });
  }

}
```

OUTPUT:-



BROADCAST_RECEIVERS:

AeroplaneMode

activity_main.xml:

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
   xmlns:app="http://schemas.android.com/apk/res-auto"
   xmlns:tools="http://schemas.android.com/tools"
   android:layout_width="match_parent"
   android:layout_height="match_parent"
   tools:context=".MainActivity">

   <TextView
      android:layout_width="186dp"
      android:layout_height="54dp"
      app:layout_constraintBottom_toBottomOf="parent"
      app:layout_constraintEnd_toEndOf="parent"
      app:layout_constraintStart_toStartOf="parent"
      app:layout_constraintTop_toTopOf="parent" />

</androidx.constraintlayout.widget.ConstraintLayout>
```

MainActivity.java:

```
package com.example.broadcast;

import androidx.appcompat.app.AppCompatActivity;

import android.content.Intent;
import android.content.IntentFilter;
import android.os.Bundle;

public class MainActivity extends AppCompatActivity {
   AeroplaneModeChange aeroplaneModeChange= new AeroplaneModeChange();
   @Override
   protected void onCreate(Bundle savedInstanceState) {
      super.onCreate(savedInstanceState);
      setContentView(R.layout.activity_main);
   }

   @Override
   protected void onStart() {
      super.onStart();
      IntentFilter intentFilter= new IntentFilter(Intent.ACTION_AIRPLANE_MODE_CHANGED);
```

```
        registerReceiver(aeroplaneModeChange,intentFilter);
    }

    @Override
    protected void onStop() {
        super.onStop();
        unregisterReceiver(aeroplaneModeChange);
    }
}
```

AndroidManifest.xml:

```
<?xml version="1.0" encoding="utf-8"?>
<manifest xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:tools="http://schemas.android.com/tools">

    <application
        android:allowBackup="true"
        android:dataExtractionRules="@xml/data_extraction_rules"
        android:fullBackupContent="@xml/backup_rules"
        android:icon="@mipmap/ic_launcher"
        android:label="@string/app_name"
        android:roundIcon="@mipmap/ic_launcher_round"
        android:supportsRtl="true"
        android:theme="@style/Theme.Broadcast"
        tools:targetApi="31">
        <activity
            android:name=".MainActivity"
            android:exported="true">
            <intent-filter>
                <action android:name="android.intent.action.MAIN" />
                <category android:name="android.intent.category.LAUNCHER" />
            </intent-filter>
        </activity>
    </application>

</manifest>
```

AeroplaneModeChange.java:

```
package com.example.broadcast;

import android.content.BroadcastReceiver;
import android.content.Context;
import android.content.Intent;
import android.provider.Settings;
import android.widget.Toast;

public class AeroplaneModeChange extends BroadcastReceiver {
    @Override
```

```
    public void onReceive(Context context, Intent intent) {
        if (isAirplaneModeOn(context.getApplicationContext())) {
            Toast.makeText(context, "AirPlane mode is on", Toast.LENGTH_SHORT).show();
        } else {
            Toast.makeText(context, "AirPlane mode is off", Toast.LENGTH_SHORT).show();
        }
    }

    private boolean isAirplaneModeOn(Context applicationContext) {
        return Settings.System.getInt(applicationContext.getContentResolver(),
Settings.Global.AIRPLANE_MODE_ON, 0) != 0;
    }


}
```

OUTPUT:





TELEPHONY:

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
```

TELEPHONY:

Activity_Main.xml:

```
xmlns:app="http://schemas.android.com/apk/res-auto"
   xmlns:tools="http://schemas.android.com/tools"
   android:layout_width="match_parent"
   android:layout_height="match_parent"
   android:background="#51EBDD"
   tools:context=".MainActivity">

   <Button
      android:id="@+id/button"
      android:layout_width="212dp"
      android:layout_height="88dp"
      android:backgroundTint="#4BAB4F"
      android:gravity="center"
      android:text="Dial"
      android:textSize="30sp"
      app:layout_constraintBottom_toBottomOf="parent"
      app:layout_constraintEnd_toEndOf="parent"
      app:layout_constraintStart_toStartOf="parent"
      app:layout_constraintTop_toTopOf="parent"
      app:layout_constraintVertical_bias="0.621" />

</androidx.constraintlayout.widget.ConstraintLayout>
```

MainActivity:

```
package com.example.telephony;

import androidx.appcompat.app.AppCompatActivity;

import android.content.Intent;
import android.net.Uri;
```

```
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;

public class MainActivity extends AppCompatActivity {

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);
        Button btn=(Button) findViewById(R.id.button);
        btn.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View view) {
                Intent i=new Intent(Intent.ACTION_DIAL, Uri.parse("tel:9545772345"));
                startActivity(i);

            }
        });

    }
}
```

OUTPUT:

Dial


Create new contact
Add to a contact
Send a message
(852) 369-8521
1
2
3
4
5
6
7
8
9
*
0
#
Call


(852) 674-1528
00:09
Mute
Keypad
Speaker
Add call
Hold

EXPERIMENT NO. 5

SQLite:

SQLITE EMPOLYEES DETAILS:

Activity_Main.xml:

```
<?xml version="1.0" encoding="utf-8"?>
<RelativeLayout xmlns:android="http://schemas.android.com/apk/res/android"
   xmlns:app="http://schemas.android.com/apk/res-auto"
   xmlns:tools="http://schemas.android.com/tools"
   android:layout_width="match_parent"
   android:layout_height="match_parent"
   android:padding="10dp"
   tools:context=".MainActivity">

   <EditText
      android:id="@+id/emp_salary"
      android:layout_width="match_parent"
      android:layout_height="wrap_content"
      android:layout_below="@+id/emp_id"
      android:layout_centerHorizontal="true"
      android:layout_marginTop="62dp"
      android:hint="Emp salary"
      android:inputType="number"
      android:textSize="24dp" />

   <TextView
      android:id="@+id/texttitle"
      android:layout_width="match_parent"
      android:layout_height="wrap_content"
      android:text="Please enter the Employees details below"
      android:textSize="24dp"
      android:layout_marginTop="20dp"/>
   <EditText
      android:id="@+id/name"
      android:layout_width="match_parent"
      android:layout_height="wrap_content"
      android:hint=" Emp Name"
```

```
    android:textSize="24dp"
    android:layout_below="@+id/texttitle"
    android:inputType="textPersonName"/>
<EditText
    android:id="@+id/emp_id"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:hint="Emp id"
    android:textSize="24dp"
    android:layout_below="@+id/name"
    android:inputType="number"/>
<EditText
    android:id="@+id/Emp_dept"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:hint="Emp department"
    android:textSize="24dp"
    android:layout_below="@+id/emp_id"
    android:inputType="textPersonName"/>

<Button
    android:id="@+id/btnInsert"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_below="@id/Emp_dept"
    android:layout_centerHorizontal="true"
    android:layout_marginTop="143dp"
    android:text="Insert New Data"
    android:textSize="24dp" />

<Button
    android:id="@+id/btnUpdate"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_below="@id/btnInsert"
    android:layout_alignParentEnd="true"
    android:layout_marginTop="4dp"
    android:text="Update Data"
    android:textSize="24dp" />

<Button
```

```
        android:id="@+id/btnDelete"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:layout_below="@id/btnUpdate"
        android:layout_centerHorizontal="true"
        android:layout_marginTop="2dp"
        android:text="Delete Existing Data"
        android:textSize="24dp" />

    <Button
        android:id="@+id/btnView"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:layout_below="@id/btnDelete"
        android:layout_alignParentStart="true"
        android:layout_marginStart="2dp"
        android:layout_marginTop="5dp"
        android:text="View Data"
        android:textSize="24dp" />

</RelativeLayout>
```

MainActivity.java:

```
package com.example.sqlite;

import androidx.appcompat.app.AppCompatActivity;

import android.annotation.SuppressLint;
import android.app.AlertDialog;
import android.database.Cursor;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.Toast;

public class MainActivity extends AppCompatActivity {
    EditText Emp_name, Emp_id,Emp_dept,Emp_salary;
    Button insert, update, delete, view;
    DBHelper DB;
```

```
    @SuppressLint("MissingInflatedId")
    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);
        Emp_name = findViewById(R.id.name);
        Emp_id= findViewById(R.id.emp_id);
        Emp_dept = findViewById(R.id.Emp_dept);
        Emp_salary = findViewById(R.id.emp_salary);
        insert = findViewById(R.id.btnInsert);
        update = findViewById(R.id.btnUpdate);
        delete = findViewById(R.id.btnDelete);
        view = findViewById(R.id.btnView);
        DB = new DBHelper(MainActivity.this);
        insert.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View view) {
                String nameTXT = Emp_name.getText().toString();
                String IdTXT = Emp_id.getText().toString();
                String deptTXT = Emp_dept.getText().toString();
                String salaryTXT = Emp_salary.getText().toString();

                Boolean checkinsertdata = DB.insertuserdata(nameTXT, IdTXT, deptTXT,salaryTXT);
                if(checkinsertdata==true)
                    Toast.makeText(MainActivity.this, "New Entry Inserted",
Toast.LENGTH_SHORT).show();
                else
                    Toast.makeText(MainActivity.this, "New Entry Not Inserted",
Toast.LENGTH_SHORT).show();

                Emp_name.setText("");
                Emp_id.setText("");
                Emp_dept.setText("");
                Emp_salary.setText("");

            }
        });
        update.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View view) {
```

```
            String nameTXT = Emp_name.getText().toString();
            String IdTXT = Emp_id.getText().toString();
            String deptTXT = Emp_dept.getText().toString();
            String salaryTXT = Emp_salary.getText().toString();

            Boolean checkupdatedata = DB.updateuserdata(nameTXT, IdTXT,
deptTXT,salaryTXT);
            if(checkupdatedata==true)
                Toast.makeText(MainActivity.this, "Entry Updated",
Toast.LENGTH_SHORT).show();
            else
                Toast.makeText(MainActivity.this, "New Entry Not Updated",
Toast.LENGTH_SHORT).show();
        }
    });
    delete.setOnClickListener(new View.OnClickListener() {
        @Override
        public void onClick(View view) {
            String IdTXT = Emp_id.getText().toString();
            Boolean checkudeletedata = DB.deletedata(IdTXT);
            if(checkudeletedata==true)
                Toast.makeText(MainActivity.this, "Entry Deleted",
Toast.LENGTH_SHORT).show();
            else
                Toast.makeText(MainActivity.this, "Entry Not Deleted",
Toast.LENGTH_SHORT).show();

        }
    });
    view.setOnClickListener(new View.OnClickListener() {
        @Override
        public void onClick(View view) {
            Cursor res = DB.getdata();
            if(res.getCount()==0){
                Toast.makeText(MainActivity.this, "No Entry Exists",
Toast.LENGTH_SHORT).show();
                return;
            }
            StringBuffer buffer = new StringBuffer();
            while(res.moveToNext()){
                buffer.append("Name :"+res.getString(0)+"\n");
```

```
            buffer.append("Id:"+res.getString(1)+"\n");
            buffer.append("Dept :"+res.getString(2)+"\n\n");
            buffer.append("Salary:"+res.getString(3)+"\n\n");
        }

        AlertDialog.Builder builder = new AlertDialog.Builder(MainActivity.this);
        builder.setCancelable(true);
        builder.setTitle("User Entries");
        builder.setMessage(buffer.toString());
        builder.show();

      }
    });

  }
}
```

DBHelper.java:

```
package com.example.sqlite;

import android.content.ContentValues;
import android.content.Context;
import android.database.Cursor;
import android.database.sqlite.SQLiteDatabase;
import android.database.sqlite.SQLiteOpenHelper;

public class DBHelper extends SQLiteOpenHelper {
  public DBHelper(Context context) {
    super(context, "Userdata.db", null, 1);
  }

  @Override
  public void onCreate(SQLiteDatabase DB) {
    DB.execSQL("create Table Userdetails" +
        "(name TEXT, Id TEXT primary key, Dept TEXT,salary TEXT)");
  }

  @Override
  public void onUpgrade(SQLiteDatabase DB, int i, int i1) {
```

```
        DB.execSQL("drop Table if exists Userdetails");
    }
    public Boolean insertuserdata(String Emp_name, String Emp_id, String Emp_dept,String
Emp_salary)
    {
        SQLiteDatabase DB = this.getWritableDatabase();
        ContentValues contentValues = new ContentValues();
        contentValues.put("name",Emp_name);
        contentValues.put("Id",Emp_id);
        contentValues.put("dept", Emp_dept);
        contentValues.put("salary", Emp_salary);
        long result=DB.insert("Userdetails", null, contentValues);
        if(result==-1){
            return false;
        }else{
            return true;
        }
    }
    public Boolean updateuserdata(String Emp_name, String Emp_id, String Emp_dept,String
Emp_salary)
    {
        SQLiteDatabase DB = this.getWritableDatabase();
        ContentValues contentValues = new ContentValues();
        contentValues.put("name", Emp_name);
        contentValues.put("dept", Emp_dept);
        contentValues.put("salary", Emp_salary);
        Cursor cursor = DB.rawQuery("Select * from Userdetails where id = ?", new
String[]{Emp_id});
        if (cursor.getCount() > 0) {
            long result = DB.update("Userdetails", contentValues, "id=?", new String[]{Emp_id});
            if (result == -1) {
                return false;
            } else {
                return true;
            }
        } else {
            return false;
        }
    }
    public Boolean deletedata (String Emp_id)
    {
```

```
        SQLiteDatabase DB = this.getWritableDatabase();
        Cursor cursor = DB.rawQuery("Select * from Userdetails where id = ?", new
String[]{Emp_id});
        if (cursor.getCount() > 0) {
            long result = DB.delete("Userdetails", "id=?", new String[]{Emp_id});
            if (result == -1) {
                return false;
            } else {
                return true;
            }
        } else {
            return false;
        }
    }
    public Cursor getdata ()
    {
        SQLiteDatabase DB = this.getWritableDatabase();
        Cursor cursor = DB.rawQuery("Select * from Userdetails", null);
        return cursor;
    }
}
```

OUTPUT:





Inserted Data in table



	name	Id	Dept	salary
1	abc	21	CSE	5000
2	pqr	35	entc	1000
3	ABC	20	Civil	15000
4	XYZ	10	MECH	12000
5	WXY	12	EE	14000

Updated Data of pqr empolyee name





Deleted Data of abc empolyee





View Data of empolyees