

Create an Azure Key Vault

Home - Microsoft Azure

portal.azure.com/?ocid=AIDcmmf1ej9v5_SEM_k_EAlaIQobChMlwOPijevOkwMVjRZ7Bx2F-AJKEAAYASAAEgI9WPD_BwE_k_#home

Microsoft Azure

Copilot

lovemaths404@gmail.c...
DEFAULT DIRECTORY (LOVEMAT...

Create a resource

Cost Management

Educator

Recent

Favorite

Name

Azure for Students

See all

Navigate

Subscriptions

Tools

101

Microsoft Learn

Learn Azure with free online training from Microsoft

Useful links

Technical Documentation

Azure Migration Tools

Azure Services

Find an Azure expert

Recent Azure Updates

Quickstart Center

Azure mobile app

Download on the App Store

GET IT ON Google Play

key vault

AllServices (9)Marketplace (9)More (4)

Services

Key vaults

Azure Key Vault Managed HSMs

Backup vaults
Keywords: Recovery Services Vaults

Recovery Services vaults
Resource type: Microsoft.RecoveryServices/vaults

Marketplace

Key Vault

Azure Key Vault Managed HSM

Azure Key Vault solution for Sentinel

EZCA EU PKI SaaS For Azure

Documentation

What is Azure Key Vault?

Keys

Authenticate to Azure Key Vault

Manage keys in a Managed HSM

Continue searching in Microsoft Entra ID

Searching all subscriptions.

See more

See more

See more

Give feedback

Notification Hubs

More services

Last Viewed

4 days ago

Dashboard

Cost Management

Analyze and optimize your cloud spend for free

https://portal.azure.com/?ocid=AIDcmmf1ej9v5_SEM_k_EAlaIQobChMlwOPijevOkwMVjRZ7Bx2F-AJKEAAYASAAEgI9WPD_BwE_k_#home

Key vaults - Microsoft Azure

portal.azure.com/?ocid=AIDcmmf1elj9v5_SEM__k_EAlaIQobChMIwOPijevOkwMVjRZ7Bx2F-AJKEAAYASAAEgl9WPD_BwE_k_#browse/Microsoft.KeyVault%2Fvaults

Microsoft Azure

Search resources, services, and docs (G+/)

Copilot

lovemaths404@gmail.c...
DEFAULT DIRECTORY (LOVEMAT...

Home

Key vaults

Default Directory (lovemaths404gmail.onmicrosoft.com)

Identify non-compliant Key Vaults in my environment. How many Key Vaults do I have in total? Sort Key Vaults by creation date.

+ Create

Manage deleted vaults

Manage view

Refresh

Export to CSV

Open query

Assign tags

Add to service group

Group by none

Create new key vault

field...

Subscription equals all

Resource Group equals all

Location equals all

Add filter

No key vaults to display

Safeguard cryptographic keys and other secrets used by cloud apps and services.

+ Create

[Learn more](#)

Showing 1 - 0 of 0. Display count: auto

[Give feedback](#)

https://portal.azure.com/#blade/Microsoft_Azure_KeyVault/CreateKeyVaultBlade

Home

Create a key vault

- Basics
- Access configuration
- Networking
- Tags
- Review + create

Azure Key Vault is a cloud service used to manage keys, secrets, and certificates. Key Vault eliminates the need for developers to store security information in their code. It allows you to centralize the storage of your application secrets which greatly reduces the chances that secrets may be leaked. Key Vault also allows you to securely store secrets and keys backed by Hardware Security Modules or HSMs. The HSMs used are Federal Information Processing Standards (FIPS) 140-2 Level 2 validated. In addition, key vault provides logs of all access and usage attempts of your secrets so you have a complete audit trail for compliance.

Project details

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription * Azure for Students

Resource group * (New) azurekeyvault

Create new

Instance details

Key vault name * ① azurekeyvault1 ✓

Region * East Asia

Pricing tier * ① Standard

Recovery options

Soft delete protection will automatically be enabled on this key vault. This feature allows you to recover or permanently delete a key vault and secrets for the duration of the retention period. This protection applies to the key vault and the secrets stored within the key vault.

To enforce a mandatory retention period and prevent the permanent deletion of key vaults or secrets prior to the retention period elapsing, you can turn on purge protection. When purge protection is enabled, secrets cannot be purged by users or by Microsoft.

Home

Create a key vault ...

X

- Basics
- Access configuration
- Networking
- Tags
- Review + create

[View Automation Template](#)

Basics

Subscription	Azure for Students
Resource group	azurekeyvault
Key vault name	azurekeyvault1
Region	East Asia
Pricing tier	Standard
Soft-delete	Enabled
Purge protection during retention period	Disabled
Days to retain deleted vaults	90 days

Access configuration

Azure Virtual Machines for deployment	Disabled
Azure Resource Manager for template deployment	Disabled
Azure Disk Encryption for volume encryption	Disabled
Permission model	Azure role-based access control

Networking

Connectivity method	Public endpoint (all networks)
---------------------	--------------------------------

azurekeyvault1 - Microsoft Azure

portal.azure.com/?ocid=AIDcmmf1elj9v5_SEM_k_EAlaIQobChMIwOPijevOkwMVjRZ7Bx2F-AJKEAAYASAAEgl9WPD_BwE_k_#view/HubsExtension/DeploymentDetailsBlade/~/_/overview/id/%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb8...

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

lovemaths404@gmail.c...
DEFAULT DIRECTORY (LOVEMAT...

Home

azurekeyvault1 | Overview

Deployment

Search

DeleteCancelRedeployDownloadRefresh

Overview

Inputs

Outputs

Template

✓ Your deployment is complete

Deployment name : azurekeyvault1

Subscription : Azure for Students

Resource group : azurekeyvault

> Deployment details

< Next steps

Go to resource

Start time : 4/7/2026, 11:37:46 AM

Correlation ID : 9204059d-4ee5-48c9-855d-4371922cc28d

Cost management

Get notified to stay within your budget and prevent unexpected charges on your bill.

Set up cost alerts >

Microsoft Defender for Cloud

Secure your apps and infrastructure

Go to Microsoft Defender for Cloud >

Free Microsoft tutorials

Start learning today >

Work with an expert

Azure experts are service provider partners who can help manage your assets on Azure and be your first line of support.

Find an Azure expert >

Notifications

More events in the activity log →Dismiss all

✓ Deployment succeeded

Deployment 'azurekeyvault1' to resource group 'azurekeyvault' was successful.

Go to resourceGo to resource group

a few seconds ago

Add or remove favorites by pressing Ctrl+Shift+F

Add role assignment

Role Members Conditions **Review + assign**

Role	Key Vault Administrator		
Scope	/subscriptions/6796613d-1f98-44b9-a9fe-a1fb80a5dfca/resourceGroups/azurekeyvault/providers/Microsoft.KeyVault/vaults/azurekeyvault1		
Members	Name	Object ID	Type
	Aman Rajput(Guest)	0cfbb096-97bf-47fe-9404-64bedbf4d122	User
Description	No description		

Add a Secret to the Key Vault

azurekeyvault1 - Microsoft Azure

portal.azure.com/?ocid=AIDcmmf1elj9v5_SEM_k_EAlaIQobChMlwOPijevOkwMVjRZ7Bx2F-AJKEAAYASAAEgI9WPD_BwE_k_#@lovemaths404gmail.onmicrosoft.com/resource/subscriptions/6796613d-1f98-44b9-a9fe-a1fb80a5dfca/resourceGr...

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

lovemaths404@gmail.c...
DEFAULT DIRECTORY (LOVEMAT...

Home

azurekeyvault1
Key vault

What is the overall service API latency for this Key Vault? How do I troubleshoot issues with this Key Vault? Show me total service API hits metrics of this Key Vault.

Search

Delete Move Refresh Open in mobile

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Access policies

Resource visualizer

Events

Objects

Keys

Secrets

Certificates

Settings

Monitoring

Automation

Help

Essentials

Resource group (move) : azurekeyvault

Location : East Asia

Subscription (move) : Azure for Students

Subscription ID : 6796613d-1f98-44b9-a9fe-a1fb80a5dfca

Tags (edit) : Add tags

Vault URI : https://azurekeyvault1.vault.azure.net/

Sku (Pricing tier) : Standard

Directory ID : 335316d3-bdfb-40cf-bb1a-bab47f8d4b38

Directory Name : Default Directory

Soft-delete : Enabled

Purge protection : Disabled

JSON View

Get started

Properties

Monitoring

Tools + SDKs

Tutorials

Manage keys and secrets used by apps and services

Our recommendation is to use a vault per application per environment (Development, Pre-Production and Production). This helps you to not share secrets across environments and also reduces the threat in case of a breach.

Control access to key vault

Assign access policy and determine whether a given service principal, namely an application or user group, can perform different operations on key vault keys, secrets or certificates.

Access configuration

Access policies

Access control (IAM)

Enable logging and set up alerts

Enable logging to monitor how, when and by whom your key vaults are accessed. Monitor performance and configure alerts for key vault metrics e.g., service API latency, error code, throttling.

View

Turn on recovery options

For protection against accidental or malicious deletion, soft-delete is enabled. Turn on purge protection to guard against manual purging of deleted key vaults and items. [Learn more](#)

Explore

https://portal.azure.com/?ocid=AIDcmmf1elj9v5_SEM_k_EAlaIQobChMlwOPijevOkwMVjRZ7Bx2F-AJKEAAYASAAEgI9...

Home > azurekeyvault1

azurekeyvault1 | Secrets

Key vault

Search

+ Generate/Import

Refresh

Restore Backup

Manage deleted secrets

View sample code

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Access policies

Resource visualizer

Events

Objects

Keys

Secrets

Certificates

Settings

Access configuration

Networking

Microsoft Defender for Cloud

Properties

Locks

Monitoring

Alerts

Metrics

Diagnostic settings

Logs

Name	Type	Status	Expiration date
There are no secrets available.			

Give feedback

Home > azurekeyvault1 | Secrets

Create a secret

Upload options

Manual

Name *

MyApiKey

Secret value *

.....

Content type (optional)

Set activation date

☐

Set expiration date

☐

Enabled

Yes

No

Tags

0 tags

Home > azurekeyvault1

azurekeyvault1 | Secrets

Key vault

Search

- Overview
- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Access policies
- Resource visualizer
- Events
- Objects
 - Keys
 - Secrets**
 - Certificates
- Settings
 - Access configuration
 - Networking
 - Microsoft Defender for Cloud
 - Properties
 - Locks
- Monitoring
 - Alerts
 - Metrics
 - Diagnostic settings
 - Logs

+ Generate/Import Refresh Restore Backup Manage deleted secrets View sample code

The secret 'MyApiKey' has been successfully created.

Name	Type	Status	Expiration date
MyApiKey		✓ Enabled	

Retrieve a Secret from the Key Vault (display the secret value in plain text)

Set Access Policies for the Key Vault. Give read access to a user/group.

Resource Manager - Microsoft

portal.azure.com/?ocid=AIDcmmf1elj9v5_SEM__k_EAlaIQobChMlwOPijevOkwMVjRZ7Bx2F-AJKEAAYASAAEgI9WPD_BwE_k_#servicemenu/Microsoft_Azure_Resources/ResourceManager/resourcegroups

Microsoft Azure

Home > Resource Manager

Resource Manager | Resource groups

Export resource groups using...

Search

CreateManage viewRefreshExport to CSV

Filter for any field...Subscription equals allLocation

Resource Manager

All resources

Favorite resources

Recent resources

Resource groups

Tags

Organization

Tools

Deployments

Help

Name ↑

azurekeyvault

logic app

AllServices (42)Marketplace (11)More (4)

ServicesSee more

Logic apps

Logic Apps Custom Connector

Logic Apps TemplatesPREVIEW

App ServicesKeywords: app service,web app,webapp,web application,web apps,webapps,mobile apps,mobileapp...

Microsoft Entra ID

Azure Logic AppsService Principal

MarketplaceSee more

Logic App

Logic Apps Custom Connector

Logic Apps Template

Logic Apps Management (Preview)

DocumentationSee more

Microsoft.Logic/workflows - Bicep, ARM template & Terraform AzAPI reference

B2B Enterprise Integration Workflows - Azure Logic Apps

Quickstart - Deploy Consumption Workflows with ARM Templates - Azure Logic A...

Azure serverless - Azure Logic Apps

Continue searching in Microsoft Entra ID

Searching all subscriptions.

Give feedback


ment tools?

Group by none

LocationEast Asia

Showing 1 - 1 of 1. Display count: auto

Give feedback



Home

Create Logic App ...

X

Select a hosting option

These hosting plans determine the resource allocation, scaling and pricing for your app. [Learn more about Logic App hosting options](#)

Hosting plans	Consumption	Standard		
	Multi-tenant Fully managed and easy to get started.	Workflow Service Plan Single tenant runtime with in-app connectors and scaling features.	App Service Environment V3 Single tenant runtime with full isolation and scale out feature across App Service plans.	Hybrid Local processing and multi-cloud support with Kubernetes Event-Driven Autoscaling.
Compute	Shared	Dedicated	Dedicated	Customer managed
Networking	Public cloud	VNET Integration	VNET Integration	Local network access
Pricing	Pay-per-operation	Per workflow service plan instance	Per App Service for App Service Environment instance	Per vCPU hour of Kubernetes cluster

Select

Home > Logic apps

Create Logic App (Multi-tenant) ...

Basics Tags Review + create

Summary



Details

Subscription	6796613d-1f98-44b9-a9fe-a1fb80a5dfca
Resource Group	azurekeyvault
Name	displayingthekey
Region	eastasia
Log analytics	Disabled
Workflow Type	Stateful

Microsoft.Web-LogicAppConsumption-Portal-8fdb5fd0-91b7 | Overview

Deployment

Search

DeleteCancelRedeployDownloadRefresh

Overview

Inputs

Outputs

Template

✓ Your deployment is complete

Deployment name : Microsoft.Web-LogicAppConsumption-Portal-8fdb5fd0-91b7

Subscription : Azure for Students

Resource group : azurekeyvault

> Deployment details

> Next steps

Go to resource

Start time : 4/7/2026, 12:07:06 PM

Correlation ID : 76ed83ab-138c-439a-b383-891461a94cf4

Deployment succeeded

Deployment 'Microsoft.Web-LogicAppConsumption-Portal-8fdb5fd0-91b7' to resource group 'azurekeyvault' was successful.

Go to resourceGo to resource group

Cost management

Get notified to stay within your budget and prevent unexpected charges on your bill.

Set up cost alerts >

Microsoft Defender for Cloud

Secure your apps and infrastructure

Go to Microsoft Defender for Cloud >

Free Microsoft tutorials

Start learning today >

Work with an expert

Azure experts are service provider partners who can help manage your assets on Azure and be your first line of support.

Find an Azure expert >

Add or remove favorites by pressing Ctrl+Shift+F

displayingthekey | Identity ☆ ...
Logic app

Search

- Overview
- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Resource visualizer
- Development Tools
 - Logic app designer
 - Logic app code view
 - Logic app templates
 - Run history
 - Chat (Preview)
 - Versions
 - API connections
 - Quick start guides
- Settings
 - Settings
 - Authorization
 - Access keys
 - Identity
 - Properties
 - Locks
- Monitoring

System assigned User assigned

A system assigned managed identity is restricted to one per resource and is tied to the lifecycle of this resource. You can grant permissions to the managed identity by using Azure role-based access control (Azure RBAC). The managed identity is authenticated with Microsoft Entra ID, so you don't have to store any credentials in code.

Save Discard Refresh Got feedback?

Status ⓘ

Off On

displayingthekey | Identity ☆ ...

Logic app

- Search
- Tags
- Diagnose and solve problems
- Resource visualizer
- Development Tools
- Logic app designer
- Logic app code view
- Logic app templates
- Run history
- Chat (Preview)
- Versions
- API connections
- Quick start guides
- Settings
- Settings
- Authorization
- Access keys
- Identity
- Properties
- Locks
- Monitoring
- Alerts
- Metrics
- Diagnostic settings
- Insights

System assigned User assigned

A system assigned managed identity is restricted to one per resource and is tied to the lifecycle of this resource. You can grant permissions to the managed identity by using Azure role-based access control (Azure RBAC). The managed identity is authenticated with Microsoft Entra ID, so you don't have to store any credentials in code.

Save Discard Refresh Got feedback?

Status ⓘ

Off On

displayingthekey - Microsoft Azazurekeyvault1 - Microsoft Az

portal.azure.com/?ocid=AIDcmmf1elj9v5_SEM_k_EAlaIQobChMlwOPijevOkwMVjRZ7Bx2F-AJKEAAYASAAEgI9WPD_BwE_k_#@lovemaths404gmail.onmicrosoft.com/resource/subscriptions/6796613d-1f98-44b9-a9fe-a1fb80a5dfca/resour...

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

lovemaths404@gmail.c...
DEFAULT DIRECTORY (LOVEMAT...

Home > Microsoft.Web-LogicAppConsumption-Portal-8fdb5fd0-91b7 | Overview > displayingthekey

displayingthekey | Identity

Logic app

Search

Tags

Diagnose and solve problems

Resource visualizer

Development Tools

Logic app designer

Logic app code view

Logic app templates

Run history

Chat (Preview)

Versions

API connections

Quick start guides

Settings

Settings

Authorization

Access keys

Identity

Properties

Locks

Monitoring

Alerts

Metrics

Diagnostic settings

Insights

Enable system assigned managed identity

'displayingthekey' will be registered with Microsoft Entra ID. Once it is registered, 'displayingthekey' can be granted permissions to access resources protected by Microsoft Entra ID. Do you want to enable the system assigned managed identity for 'displayingthekey'?

YesNo

Status ⓘ

OffOn

permissions to the managed identity by using Azure role-based access control (Azure RBAC). The managed identity is authenticated with Microsoft Entra

Add or remove favorites by pressing Ctrl+Shift+F

displayingthekey | Identity

Logic app

- Search
- Tags
- Diagnose and solve problems
- Resource visualizer
- Development Tools
 - Logic app designer
 - Logic app code view
 - Logic app templates
- Run history
- Chat (Preview)
- Versions
- API connections
- Quick start guides
- Settings
 - Settings
 - Authorization
 - Access keys
 - Identity
 - Properties
 - Locks
- Monitoring
 - Alerts
 - Metrics
 - Diagnostic settings
- Insights

System assigned User assigned

A system assigned managed identity is restricted to one per resource and is tied to the lifecycle of this resource. You can grant permissions to the managed identity by using Azure role-based access control (Azure RBAC). The managed identity is authenticated with Microsoft Entra ID, so you don't have to store any credentials in code.

Save Discard Refresh Got feedback?

Status
 Off On

Object (principal) ID
 3099f2ce-5c5e-41d0-be92-9bf4c96fbd1e
 Copy to clipboard

Permissions
 Azure role assignments

This resource is registered with Microsoft Entra ID. The managed identity can be configured to allow access to other resources. Be careful when making changes to the access settings for the managed identity because it can result in failures. [Learn more](#)

Enabled system assigned managed identity
 Successfully registered 'displayingthekey' with Microsoft Entra ID.

Home > Resource Manager | Resource groups > azurekeyvault > azurekeyvault1

azurekeyvault1 | Access control (IAM)

Search + Add Download role assignments Edit columns Refresh Delete Feedback

- Overview
- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Access policies
- Resource visualizer
- Events
- Objects
 - Keys
 - Secrets
 - Certificates
- Settings
 - Access configuration
 - Networking
 - Microsoft Defender for Cloud
 - Properties
 - Locks
- Monitoring
 - Alerts
 - Metrics
 - Diagnostic settings
 - Logs

Check access Role assignments Roles Deny assignments Classic administrators

My access

View my level of access to this resource.

View my access

Check access

Review the level of access a user, group, service principal, or managed identity has to this resource. [Learn more](#)

Check access

Grant access to this resource

Grant access to resources by assigning a role.

[Learn more](#)

Add role assignment

View access to this resource

View the role assignments that grant access to this and other resources.

[Learn more](#)

View

View deny assignments

View the role assignments that have been denied access to specific actions at this scope.

[Learn more](#)

View

Add role assignment...

X

RoleMembersConditionsReview + assign

A role definition is a collection of permissions. You can use the built-in roles or you can create your own custom roles. [Learn more](#)

Copilot can help pick a role

Job function rolesPrivileged administrator roles

Grant access to Azure resources based on job function, such as the ability to create virtual machines.

key vault secrets userType : AllCategory : All

Name ↑↓	Description ↑↓	Type ↑↓	Category ↑↓	Details
Key Vault Certificate User	Read certificate contents. Only works for key vaults that use the 'Azure role-based access control' permission model.	BuiltInRole	None	View
Key Vault Data Access Administrator	Manage access to Azure Key Vault by adding or removing role assignments for the Key Vault Administrator, Key Vault Certificates Officer, Key Vault Crypto Off...	BuiltInRole	None	View
Key Vault Secrets User	Read secret contents. Only works for key vaults that use the 'Azure role-based access control' permission model.	BuiltInRole	Security	View

Showing 1 - 3 of 3 results.

Add role assignment ...

Role **Members** Conditions Review + assign

Selected role Key Vault Secrets User

Assign access to ☐ User, group, or service principal ☒ Managed identity

Members + Select members

Name	Object ID	Type
No members selected		

Description Optional

Select managed identities

Some results might be hidden due to your ABAC condition.

Subscription *
Azure for Students

Managed identity
Logic app (1)

Search by name

Selected members:
displayingthekey
/subscriptions/6796613d-1f98-44b9-a9fe-a1fb80a5dfca/resourceGroups/a... Remove

Add role assignment ...

Role Members Conditions Review + assign

Role	Key Vault Secrets User		
Scope	/subscriptions/6796613d-1f98-44b9-a9fe-a1fb80a5dfca/resourceGroups/azurekeyvault/providers/Microsoft.KeyVault/vaults/azurekeyvault1		
Members	Name	Object ID	Type
	displayingthekey	3099f2ce-5c5e-41d0-be92-9bf4c96fbd1e	Logic app ⓘ
Description	No description		

displayingthekey

Logic app

Search

- Run
- Refresh
- Edit
- Delete
- Disable
- Clone to Standard
- Open in mobile
- Export
- Provide feedback

Clone to Standard You can now clone a Consumption logic app to a Standard logic app.

Clone

Essentials

Resource group (move)	: azurekeyvault	Definition	: 0 triggers, 0 actions
Location (move)	: East Asia	Status	: Enabled
Subscription (move)	: Azure for Students	Runs last 24 hours	: 0 successful, 0 failed
Subscription ID	: 6796613d-1f98-44b9-a9fe-a1fb80a5dfca	Integration Account	: --
Workflow URL	: --	Workflow Type	: Stateful
Tags (edit)	: Add tags		

- Get started
- Run history
- Trigger history
- Metrics

Create workflow using the innovative visual designer

Build mission critical workflow with connectors for hundreds of services from Azure, Microsoft, and 3rd parties.
[Learn more](#)

Edit in designer
Start creating the workflow using visual designer. Choose from one of the templates to match.

Open designer

Start from template
Choose from a template to start your workflow.

Choose template

Quickstarts
Read the quickstart guide on how to create your first Logic App.
[Open quickstart guide](#)

displayingthekey | Logic app designer

Logic app

Search

A new Logic Apps experience is available for preview! Try it now

- Overview
- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Resource visualizer
- Development Tools
 - Logic app designer
 - Logic app code view
 - Logic app templates
 - Run history
 - Chat (Preview)
 - Versions
 - API connections
 - Quick start guides
- Settings
 - Settings
 - Authorization
 - Access keys
 - Identity
 - Properties
 - Locks
- Monitoring

Run Save Discard Parameters Code view Connections Errors Info

When an HTTP request is received

Add an action

key vault

All Built-in Shared Custom

Searching for results...

Azure Key Vault

Decrypt data with key

Encrypt data with key

Get secret

Decrypt data with key version

Encrypt data with key version

Get key metadata

Get key version metadata

Get secret metadata

Muhimbi PDF

Extract Key Value Pairs

Add composite watermark

Add ellipse watermark

Add image watermark

Add line watermark

Add Linear Barcode watermark

displayingthekey | Logic app designer


Logic app

Search

A new Logic Apps experience is available for preview! Try it now

- Overview
- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Resource visualizer
- Development Tools

- Logic app designer
- Logic app code view
- Logic app templates
- Run history
- Chat (Preview)
- Versions
- API connections
- Quick start guides
- Settings
 - Settings
 - Authorization
 - Access keys
 - Identity
 - Properties
 - Locks
- Monitoring



Create connection

Get secret

Create a new connection

Connection Name *	new_conn_5764b
Authentication Type *	Managed identity
Vault Name *	azurekeyvault1

Create new

displayingthekey | Logic app designer

Logic app

Search

A new Logic Apps experience is available for preview! Try it now

- Overview
- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Resource visualizer
- Development Tools

- Logic app designer
- Logic app code view
- Logic app templates
- Run history
- Chat (Preview)
- Versions
- API connections
- Quick start guides

- Settings
 - Settings
 - Authorization
 - Access keys
 - Identity
 - Properties
 - Locks
- Monitoring

Run

Save

Discard


Parameters

Code view

Connections

Errors

Info



Get secret

Parameters

Settings

Code view

Testing

About

Name of the secret *

MyApiKey

Connected to new_conn_5764b. Change connection

Managed identity System-assigned managed identity

displayingthekey | Logic app designer


Search

- Overview
- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Resource visualizer
- Development Tools

- Logic app designer
 - Logic app code view
 - Logic app templates
 - Run history
 - Chat (Preview)
 - Versions
 - API connections
 - Quick start guides
- Settings
 - Settings
 - Authorization
 - Access keys
 - Identity
 - Properties
 - Locks
- Monitoring

A new Logic Apps experience is available for preview! Try it now

Run Save Discard Parameters Code view Connections Errors Info



Get secret

Parameters Settings Code view Testing About

Name of the secret *
MyApiKey

Connected to new_conn_5764b. Change connection
Managed identity System-assigned managed identity

Successfully saved workflow
Successfully saved workflow 'displayingthekey'

displayingthekey - Microsoft Az

azurekeyvault1 - Microsoft Azu

+

portal.azure.com/?ocid=AIDcmmf1elj9v5_SEM_k_EAlaIQobChMlwOPijevOkwMVjRZ7Bx2F-AJKEAAYASAAEgl9WPD_BwE_k_#view/Microsoft_Azure_EMA/DesignerEditorConsumption.ReactView/id/%2Fsubscriptions%2F6796613d-1f98-44...

Microsoft Azure

Search resources, services, and docs (G+/)

Copilot

lovemaths404@gmail.c...
DEFAULT DIRECTORY (LOVEMAT...

Home

displayingthekey

A new Logic Apps experience is available for preview!

Try it now

Run details

Resubmit

Edit

Cancel run

Refresh

Info

0s

When an HTTP request is received

0.1s

Get secret

Get secret

Submit from this action

ParametersSettingsCode viewAbout

Inputs

Show raw inputs

Name of the secret

MyApiKey

Outputs

Show raw outputs

value

eastorwestamanisthebest

name

MyApiKey

version

0a8321b9f15f4558a7a74b60d7ac750c

isEnabled

true

createdTime

2026-04-07T06:28:55Z

lastUpdatedTime