

# Lifecycle Management

Set up a lifecycle management to

1. Move to cool tier after 30 days
2. Move to archive tier after 90 days
3. Delete after 1 year



amanlakehouse  
Storage account

[Improve storage account data protection](#)

[Help me save costs on my storage](#)

[Help me write an LCM rule for this storage account](#)

Search

- Data storage
  - Containers
  - File shares
  - Queues
  - Tables
- Security + networking
  - Networking
  - Access keys
  - Shared access signature
  - Encryption
  - Microsoft Defender for Cloud
- Data management
  - Storage Actions
  - Redundancy
  - Data protection
  - Blob inventory
  - Static website
  - Lifecycle management**
  - Settings
  - Monitoring
  - Monitoring (classic)
  - Automation
  - Help

Upload Open in Explorer Delete Move Refresh Open in mobile CLI / PS Feedback

Essentials

Resource group (move): AF\_azure\_storage

Location: eastasia

Primary/Secondary Location: Primary: East Asia, Secondary: Southeast Asia

Subscription (move): Azure for Students

Subscription ID: 6796613d-1f98-44b9-a9fe-a1fb80a5dfca

Disk state: Primary: Available, Secondary: Available

Tags (edit): Add tags

Performance: Standard

Replication: Read-access geo-redundant storage (RA-GRS)

Account kind: StorageV2 (general purpose v2)

Provisioning state: Succeeded

Created: 4/3/2026, 9:30:34 AM

JSON View

Properties Monitoring Capabilities (5) Recommendations (0) Tutorials Tools + SDKs

Data Lake Storage

|                           |                  |
|---------------------------|------------------|
| Hierarchical namespace    | Enabled          |
| Default access tier       | Hot              |
| Blob anonymous access     | Disabled         |
| Blob soft delete          | Enabled (7 days) |
| Container soft delete     | Enabled (7 days) |
| Versioning                | Disabled         |
| Change feed               | Disabled         |
| NFS v3                    | Disabled         |
| SFTP                      | Disabled         |
| Storage tasks assignments | None             |

File service

|                                 |                  |
|---------------------------------|------------------|
| Identity-based access           | Not configured   |
| Default share-level permissions | Disabled         |
| Soft delete                     | Enabled (7 days) |

Security

|                                                 |             |
|-------------------------------------------------|-------------|
| Require secure transfer for REST API operations | Enabled     |
| Storage account key access                      | Enabled     |
| Minimum TLS version                             | Version 1.2 |
| Infrastructure encryption                       | Disabled    |

Networking

|                              |                           |
|------------------------------|---------------------------|
| Public network access        | Enabled                   |
| Public network access scope  | Enable from all networks  |
| Private endpoint connections | 0                         |
| Network routing              | Microsoft network routing |
| Endpoint type                | Standard                  |

amanlakehouse - Microsoft Azure

portal.azure.com/?ocid=AIDcmmf1elj9v5\_SEM\_k\_EAlaIQobChMlwOPijevOkwMVjRZ7Bx2F-AJKEAAYASAAEgl9WPD\_BwE\_k\_#@lovemaths404gmail.onmicrosoft.com/resource/subscriptions/6796613d-1f98-44b9-a9fe-a1fb80a5dfca/resourceGr...

Microsoft Azure

Search resources, services, and docs (G+/)

Copilot

lovemaths404@gmail.c...  
DEFAULT DIRECTORY (LOVEMAT...

Home > Resource Manager | Resource groups > AF\_azure\_storage > amanlakehouse

amanlakehouse | Lifecycle management

Storage account

Help me save costs by tiering unused blobs

Search

+ Add a rule

✓ Enable

□ Disable

↻ Refresh

🗑 Delete

🗨 Give feedback

✓ Data storage

Containers

File shares

Queues

Tables

✓ Security + networking

Networking

Access keys

Shared access signature

Encryption

Microsoft Defender for Cloud

✓ Data management

Storage Actions

Redundancy

Data protection

Blob inventory

Static website

Lifecycle management

> Settings

> Monitoring

> Monitoring (classic)

> Automation

> Help

Lifecycle management offers a rich, rule-based policy for general purpose v2 and blob storage accounts. Use the policy to transition your data to the appropriate access tiers or expire at the end of the data's lifecycle. A new or updated rule can take up to 24 hours to go into effect.  
[Learn more](#)

List View

Code View

Enable access tracking ⓘ

□

| Name     | Status | Blob type |
|----------|--------|-----------|
| No rules |        |           |

Add or remove favorites by pressing Ctrl+Shift+F

10:06  
03-04-2026

Add a rule - Microsoft Azure

portal.azure.com/?ocid=AIDcmmf1elj9v5\_SEM\_k\_EAlaIQobChMlwOPijevOkwMVjRZ7Bx2F-AJKEAAYASAAEgl9WPD\_BwE\_k\_#view/Microsoft\_Azure\_Storage/AddRuleView.ReactView/storageAccountId/%2Fsubscriptions%2F6796613d-1f98-44b...

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

lovemaths404@gmail.c...  
DEFAULT DIRECTORY (LOVEMAT...

Home > Resource Manager | Resource groups > AF\_azure\_storage > amanlakehouse | Lifecycle management

Add a rule

1 Details

2 Base blobs

A rule is made up of one or more conditions and actions that apply to the entire storage account. Optionally, specify that rules will apply to particular blobs by limiting with filters.

Rule name \*

lifecyclemanagementassignment

Rule scope \*

☒ Apply rule to all blobs in your storage account

☐ Limit blobs with filters

Blob type \*

☒ Block blobs

☐ Append blobs

Blob subtype \*

☒ Base blobs

☐ Snapshots

☐ Versions

Previous

Next

10:08

03-04-2026

# Add a rule

Details 2 Base blobs

Lifecycle management uses your rules to automatically move blobs to cooler tiers or to delete them. If you create multiple rules, the associated actions must be implemented in tier order (from hot to cool storage, then archive, then deletion).



+ Add conditions



