


Creating Virtual Network



Azure services


Create a resource


Storage browser


Storage account


Virtual machines


More services

Resources

Recent	Favorite
Name	
 myapp-ns (myapp-ns/myapp-ns)	
 myapp-ns	
 new-cars	
 amanazureeventgrid	
 Azure for Students	
 NetworkWatcherRG	
 NetworkWatcher_eastasia	
 vm1	
 vm1_group	
 vm1-nsg	
 vm1-ip	
 vm1-vnet	
See all	

All

Services (37)

Marketplace (31)

More (4)

Services

Virtual machines

Virtual networks

Virtual Appointments Builder

Virtual clusters

Microsoft Entra ID

AzureVirtualNetworkManager

Marketplace

Virtual machine

Virtual network

Free account virtual machine

Virtual network gateway

Documentation

Secure your Virtual Network deployment

Overview of virtual machines in Azure - Azure Virtual Machines

Azure Virtual Network FAQ

Deploy Azure Virtual Desktop - Azure Virtual Desktop

Continue searching in Microsoft Entra ID


See more

See more

See more

Give feedback

Navigate



Home

Create virtual network

- Basics
- Security
- IP addresses
- Tags
- Review + create

Azure Virtual Network (VNet) is the fundamental building block for your private network in Azure. VNet enables many types of Azure resources, such as Azure Virtual Machines (VM), to securely communicate with each other, the internet, and on-premises networks. VNet is similar to a traditional network that you'd operate in your own data center, but brings with it additional benefits of Azure's infrastructure such as scale, availability, and isolation.

[Learn more.](#)

Project details

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription *

Azure for Students

Resource group *

(New) azurevirtualnetwork

Create new

Instance details

Virtual network name *

virtualnetwork1

Region * ⓘ

(Asia Pacific) East Asia

Deploy to an Azure Extended Zone

Home

Create virtual network

...

Validation passed

- Basics
- Security
- IP addresses
- Tags
- Review + create

[View automation template](#)

Basics

Subscription	Azure for Students
Resource Group	azurevirtualnetwork
Name	virtualnetwork1
Region	East Asia

Security

Azure Bastion	Disabled
Azure Firewall	Disabled
Azure DDoS Network Protection	Disabled

IP addresses

Address space	10.0.0.0/16 (65,536 addresses)
Subnet	default (10.0.0.0/24) (256 addresses)
- Private subnet	Enabled

Tags

Home

virtualnetwork1-1775478553525 | Overview

Deployment

Search

Delete

Cancel

Redeploy

Download

Refresh

- Overview
- Inputs
- Outputs
- Template

✔ Your deployment is complete

Deployment name : virtualnetwork1-1775478553525
Subscription : [Azure for Students](#)
Resource group : [azurevirtualnetwork](#)

Start time : 4/6/2026, 5:59:18 PM
Correlation ID : a6f34ca9-8b0f-4865-8d5f-015230853476

> Deployment details

✓ Next steps

Go to resource

✔ Deployment succeeded

Deployment 'virtualnetwork1-1775478553525' to resource group 'azurevirtualnetwork' was successful.

Go to resource

Go to resource group



Cost management

Get notified to stay within your budget and prevent unexpected charges on your bill.
[Set up cost alerts >](#)



Microsoft Defender for Cloud

Secure your apps and infrastructure
[Go to Microsoft Defender for Cloud >](#)

Free Microsoft tutorials

[Start learning today >](#)

Work with an expert

Azure experts are service provider partners who can help manage your assets on Azure and be your first line of support.

[Find an Azure expert >](#)

Activate Windows
Go to Settings to activate Windows.

Creating Subnets

virtualnetwork1 - Microsoft Azure

portal.azure.com/?ocid=AIDcmmf1ej9v5_SEM_k_EAlaIQobChMlwOPijevOkwMVjRZ7Bx2F-AJKEAAYASAAEgI9WPD_BwE_k_#@lovemaths404gmail.onmicrosoft.com/resource/subscriptions/6796613d-1f98-44b9-a9fe-a1fb80a5dfca/resourcecgr...

Microsoft Azure

Search resources, services, and docs (G+/)

Copilot

lovemaths404@gmail.c...
DEFAULT DIRECTORY (LOVEMAT...

Home > virtualnetwork1-1775478553525 | Overview

virtualnetwork1
Virtual network

Suggest ways to lower costs in managing virtual networks. Review flow metrics for my Virtual Network Guide me on setting up virtual networks for hybrid environments.

Search

Move Delete Refresh Give feedback

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Resource visualizer

Settings

Address space

Connected devices

Subnets

Bastion

DDoS protection

Firewall

Microsoft Defender for Cloud

Network manager

DNS

Peerings

Service endpoints

Private endpoints

Properties

Locks

Monitoring

Automation

Essentials

Resource group (move) : azurevirtualnetwork

Location (move) : East Asia

Subscription (move) : Azure for Students

Subscription ID : 6796613d-1f98-44b9-a9fe-a1fb80a5dfca

Address space : 10.0.0.0/16

Subnets : 1 subnet

DNS servers : Azure provided DNS service

BGP community string : Configure

Virtual network ID : 979653ed-0b4b-495b-b327-c9ab787a2ff7

Tags (edit) : Add tags

Topology Properties Capabilities Recommendations Tutorials

Network configuration

Address space 10.0.0.0/16

Subnets 1

DNS servers Azure provided DNS service

Virtual network ID 979653ed-0b4b-495b-b327-c9ab787a2ff7

Security

Encryption Disabled

DDoS protection plan Configure

Connectivity

BGP virtual network community Configure

BGP regional community -

Connected devices 0

Flow timeout Configure

Peerings Add peerings

Activate Windows
Go to Settings to activate Windows.

https://portal.azure.com/?ocid=AIDcmmf1ej9v5_SEM_k_EAlaIQobChMlwOPijevOkwMVjRZ7Bx2F-AJKEAAYASAAEgI9...

portal.azure.com/?ocid=AIDcmmf1elj9v5_SEM_k_EAlaIQobChMlwOPijevOkwMVjRZ7Bx2F-AJKEAAYASAAEgl9WPD_BwE_k_#@lovemaths404gmail.onmicrosoft.com/resource/subscriptions/6796613d-1f98-44b9-a9fe-a1fb80a5dfca/resourcecgr...

Microsoft Azure

Search resources, services, and docs (G+/)

Copilot

lovemaths404@gmail.c...
DEFAULT DIRECTORY (LOVEMAT...

Home > virtualnetwork1-1775478553525 | Overview > virtualnetwork1

virtualnetwork1 | Subnets

Virtual network

Search

+ Subnet

Refresh

Manage users

Delete

Export to CSV

Create subnets to segment the virtual network address space into smaller ranges for use by your applications. When you deploy resource

Search subnets

	Name ↑	IPv4	IPv6	Available IPs
	No items found			

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Resource visualizer

Settings

Address space

Connected devices

Subnets

Bastion

DDoS protection

Firewall

Microsoft Defender for Cloud

Network manager

DNS

Peerings

Service endpoints

Private endpoints

Properties

Locks

Monitoring

Automation

No subnets

Add or remove favorites by pressing Ctrl+Shift+F

Add a subnet

Select an address space and configure your subnet. You can customize a default subnet or select from subnet templates if you plan to add select services later. [Learn more](#)

Subnet purpose

Default

Name *

default

IPv4

Include an IPv4 address space

IPv4 address range

10.0.0/16

10.0.0.0 - 10.0.255.255

Starting address *

10.0.0.0

Size

/24 (256 addresses)

Subnet address range

10.0.0.0 - 10.0.255

IPv6

Include an IPv6 address space

This virtual network has no IPv6 address ranges.

Private subnet

Private subnets enhance security by not providing default outbound access. To enable outbound connectivity for virtual machines to access the internet, it is necessary to explicitly grant outbound access. A NAT gateway is the recommended way to provide outbound connectivity for virtual machines in the subnet. [Learn more](#)

Enable private subnet (no default outbound access)

After March 31, 2026, private subnet will be the default selection for new virtual networks. [Learn more](#)

Security

Simplify internet access for virtual machines by using a network address translation gateway. Filter subnet traffic using a network security group. [Learn more](#)

NAT gateway

None

Add

Cancel

Activate Windows

Go to Settings to activate Windows.

Give feedback

virtualnetwork1 | Subnets

Virtual network

- Search
- Overview
- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Resource visualizer
- Settings
- Address space
- Connected devices
- Subnets
- Bastion
- DDoS protection
- Firewall
- Microsoft Defender for Cloud
- Network manager
- DNS
- Peerings
- Service endpoints
- Private endpoints
- Properties
- Locks
- Monitoring
- Automation

+ Subnet

Refresh

Manage users

Delete

Export to CSV

Create subnets to segment the virtual network address space into smaller ranges for use by your applications. When you deploy resources into a subnet, Azure assigns the resource an IP address from the subnet.

Search subnets

☐	Name ↑	IPv4	IPv6	Available IPs	Delegated to	Security group	Route table	
☐	default	10.0.0.0/24	-	251	-	-	-	

Showing 1 subnet

Successfully added subnet

Successfully added subnet 'default' to virtual network 'virtualnetwork1'.

virtualnetwork1 | Subnets

Virtual network

Search

+ Subnet

Refresh

Manage users

Delete

Export to CSV

- Overview
- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Resource visualizer
- Settings
 - Address space
 - Connected devices
 - Subnets**
 - Bastion
 - DDoS protection
 - Firewall
 - Microsoft Defender for Cloud
 - Network manager
 - DNS
 - Peerings
 - Service endpoints
 - Private endpoints
 - Properties
 - Locks
- Monitoring
- Automation

Create subnets to segment the virtual network address space into smaller ranges for use by your applications. When you deploy resources into a subnet, Azure assigns the resource an IP address from the subnet.

Search subnets

☐	Name ↑	IPv4	IPv6	Available IPs	Delegated to	Security group	Route table	
☐	default	10.0.0.0/24	-	251	-	-	-	

Showing 1 subnet

portal.azure.com/?ocid=AIDcmmf1elj9v5_SEM_k_EAlaIQobChMlwOPijevOkwMVjRZ7Bx2F-AJKEAAYASAAEgl9WPD_BwE_k_#@lovemaths404gmail.onmicrosoft.com/resource/subscriptions/6796613d-1f98-44b9-a9fe-a1fb80a5dfca/resourcecgr...

Microsoft Azure

Search resources, services, and docs (G+/)

Copilot

lovemaths404@gmail.c...
DEFAULT DIRECTORY (LOVEMAT...

Home > virtualnetwork1-1775478553525 | Overview > virtualnetwork1

virtualnetwork1 | Subnets

Virtual network

Search

+ Subnet

Refresh

Manage users

Delete

Export to CSV

Create subnets to segment the virtual network address space into smaller ranges for use by your applications. When you deploy resource

Search subnets

	Name ↑	IPv4	IPv6	Available IPs
☐	default	10.0.0.0/24	-	251

Showing 1 subnet

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Resource visualizer

Settings

Address space

Connected devices

Subnets

Bastion

DDoS protection

Firewall

Microsoft Defender for Cloud

Network manager

DNS

Peerings

Service endpoints

Private endpoints

Properties

Locks

Monitoring

Automation

Add a subnet

Select an address space and configure your subnet. You can customize a default subnet or select from subnet templates if you plan to add select services later. [Learn more](#)

Subnet purpose

Default

Name *

subnet2

IPv4

Include an IPv4 address space

☒

IPv4 address range

10.0.0.0/16

10.0.0.0 - 10.0.255.255

Starting address *

10.0.1.0

Size

/24 (256 addresses)

Subnet address range

10.0.1.0 - 10.0.1.255

IPv6

Include an IPv6 address space

☐ This virtual network has no IPv6 address ranges.

Private subnet

Private subnets enhance security by not providing default outbound access. To enable outbound connectivity for virtual machines to access the internet, it is necessary to explicitly grant outbound access. A NAT gateway is the recommended way to provide outbound connectivity for virtual machines in the subnet. [Learn more](#)

Enable private subnet (no default outbound access)

☒

After March 31, 2026, private subnet will be the default selection for new virtual networks. [Learn more](#)

Security

Simplify internet access for virtual machines by using a network address translation gateway. Filter subnet traffic using a network security group. [Learn more](#)

NAT gateway

None

Add

Cancel

Activate Windows

Go to Settings to activate Windows.

Give feedback

Add or remove favorites by pressing Ctrl+Shift+F

Home > virtualnetwork1-1775478553525 | Overview > virtualnetwork1

virtualnetwork1 | Subnets

Virtual network

Search

- Overview
- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Resource visualizer
- Settings
 - Address space
 - Connected devices
 - Subnets**
 - Bastion
 - DDoS protection
 - Firewall
 - Microsoft Defender for Cloud
 - Network manager
 - DNS
 - Peerings
 - Service endpoints
 - Private endpoints
 - Properties
 - Locks
- Monitoring
- Automation

+ Subnet

Refresh

Manage users

Delete

Export to CSV

Create subnets to segment the virtual network address space into smaller ranges for use by your applications. When you deploy resources into a subnet, Azure assigns the resource an IP address from the subnet.

Search subnets

☐	Name ↑	IPv4	IPv6	Available IPs	Delegated to	Security group	Route table		
☐	default	10.0.0.0/24	-	251	-	-	-		
☐	subnet2	10.0.1.0/24	-	251	-	-	-		

Showing 2 subnets

Successfully added subnet

Successfully added subnet 'subnet2' to virtual network 'virtualnetwork1'.

Creating Virtual machine in each of the subnets

Compute infrastructure - Micro

portal.azure.com/?ocid=AIDcmmf1elj9v5_SEM_k_EAlaIQobChMlwOPijevOkwMVjRZ7Bx2F-AJKEAAYASAAEgl9WPD_BwE_k_#view/Microsoft_Azure_ComputeHub/ComputeHubMenuBlade/~-/virtualMachinesBrowse

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

lovemaths404@gmail.c...
DEFAULT DIRECTORY (LOVEMAT...

Home > Compute infrastructure

Compute infrastructure | Virtual machines

Recommend VM sizes for my workloads

Create a replica from the VM list

Show me protected VMs in XXX region

Search

Virtual machines

Get started

Overview

All resources

Infrastructure

Virtual machines

Virtual Machine Scale Set (VMSS)

Compute Fleet

Arc Machines

> Disks + images

> Capacity + placement

> Related services

> Monitoring+Operations

> Help

+ Create

Reservations

Manage view

Refresh

Export to CSV

Open query

Assign tags

Start

Restart

Stop

Delete

Services

Maintenance

Group by none

Filter for any field...

Subscription equals all

Type equals all

Resource Group equals all

Location equals all

+ Add filter

No virtual machines to display

Create a virtual machine that runs Linux or Windows. Select an image from the marketplace or use your own customized image.

+ Create

[Learn more about Windows virtual machines](#)

[Learn more about Linux virtual machines](#)

Showing 1 - 0 of 0. Display count: auto

Activate Windows
Go to Settings to activate Windows.

Give feedback

Add or remove favorites by pressing Ctrl+Shift+F

Create a virtual machine

Help me choose the right VM size for my workload

Help me create a VM optimized for high availability

Help me create a low cost VM

- Basics
- Disks
- Networking
- Management
- Monitoring
- Advanced
- Tags
- Review + create

Define network connectivity for your virtual machine by configuring network interface card (NIC) settings. You can control ports, inbound and outbound connectivity with security group rules, or place behind an existing load balancing solution.

[Learn more](#)

Network interface

When creating a virtual machine, a network interface will be created for you.

Virtual network *

virtualnetwork1

Create new

Subnet *

default (10.0.0.0/24)

Filter subnets

default (10.0.0.0/24)

subnet2 (10.0.1.0/24)

NIC network security group

None

Basic

Advanced

Public inbound ports *

None

Allow selected ports

Select inbound ports *

SSH (22)

This will allow all IP addresses to access your virtual machine. This is only recommended for testing. Use the Advanced controls in the Networking tab to create rules to limit inbound traffic to known IP addresses.

Delete public IP and NIC when VM is deleted

☐

Create a virtual machine

Help me choose the right VM size for my workload

Help me create a VM optimized for high availability

Help me create a low cost VM

Validation passed

- Basics
- Disks
- Networking
- Management
- Monitoring
- Advanced
- Tags
- Review + create

Price

1 X Standard B2ats v2
by Microsoft
[Terms of use](#) | [Privacy policy](#)

Subscription credits apply ⓘ
0.0131 USD/hr
[Pricing for other VM sizes](#)

TERMS

By clicking "Create", I (a) agree to the legal terms and privacy statement(s) associated with the Marketplace offering(s) listed above; (b) authorize Microsoft to bill my current payment method for the fees associated with the offering(s), with the same billing frequency as my Azure subscription; and (c) agree that Microsoft may share my contact, usage and transactional information with the provider(s) of the offering(s) for support, billing and other transactional activities. Microsoft does not provide rights for third-party offerings. See the [Azure Marketplace Terms](#) for additional details.

Name

Aman Rajput

Preferred e-mail address

lovemaths404@gmail.com

Preferred phone number

⚠ You have set SSH port(s) open to the internet. This is only recommended for testing. If you want to change this setting, go back to Basics tab.

Basics

Subscription

Azure for Students

Resource group

azurevirtualnetwork

CreateVm-canonical.ubuntu-24

portal.azure.com/?ocid=AIDcmmf1elj9v5_SEM_k_EAlaIQobChMlwOPijevOkwMVjRZ7Bx2F-AJKEAAYASAAEgl9WPD_BwE_k_#view/HubsExtension/DeploymentDetailsBlade/~/_/overview/id/%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-...

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

lovemaths404@gmail.c...
DEFAULT DIRECTORY (LOVEMAT...

Home

CreateVm-canonical.ubuntu-24_04-lts-server-20260406180912 | Overview

Search

DeleteCancelRedeployDownloadRefresh

Overview

Inputs

Outputs

Template

✓

Your deployment is complete

Deployment name : CreateVm-canonical.ubuntu-24_04-lts-server-20260406180912

Subscription : Azure for Students

Resource group : azurevirtualnetwork

Start time : 4/6/2026, 6:11:13 PM

Correlation ID : 506c6dee-ea71-4f54-87db-7a1c03c565ab

> Deployment details

▼ Next steps

Set up auto-shutdown Recommended

Monitor VM health, performance, and network dependencies Recommended

Run a script inside the virtual machine Recommended

Go to resource

Create another VM

Scale out your VM

Give feedback

Tell us about your experience with deployment

✓ Deployment succeeded

Deployment 'CreateVm-canonical.ubuntu-24_04-lts-server-20260406180912' to resource group 'azurevirtualnetwork' was successful.

Go to resource

Pin to dashboard

\$

Cost management

Get notified to stay within your budget and prevent unexpected charges on your bill.

Set up cost alerts >

Activate Windows

Go to Settings to activate Windows.

Add or remove favorites by pressing Ctrl+Shift+F

azureuser@vm1: ~

System information as of Mon Apr 6 12:45:57 UTC 2026

System load:	0.13	Processes:	137
Usage of /:	5.7% of 28.02GB	Users logged in:	0
Memory usage:	33%	IPv4 address for eth0:	10.0.0.4
Swap usage:	0%		

Expanded Security Maintenance for Applications is not enabled.

0 updates can be applied immediately.

Enable ESM Apps to receive additional future security updates.
See <https://ubuntu.com/esm> or run: `sudo pro status`

The list of available updates is more than a week old.
To check for new updates run: `sudo apt update`

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in `/usr/share/doc/*/copyright`.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

To run a command as administrator (user "root"), use "`sudo <command>`".
See "`man sudo_root`" for details.

azureuser@vm1:~\$ |



Home > Compute infrastructure

Compute infrastructure | Virtual machines

Search

- Overview
- All resources
- Infrastructure
 - Virtual machines**
 - Virtual Machine Scale Set (VMSS)
 - Compute Fleet
 - Arc Machines
- > Disks + images
- > Capacity + placement
- > Related services
- > Monitoring+Operations
- > Help

+ Create

Reservations

Manage view

Refresh

Export to CSV

Open query

Assign tags

Start

Restart

Stop

Delete

Services

Maintenance

Group by none

Filter for any field... Subscription equals all Type equals all Resource Group equals all Location equals all Add filter

	Name ↑		Subscription	Resource Group	Location	Status	Operating system	Size	Public IP address	Disks	Update status
	vm1	...	Azure for Students	azurevirtualnetwork	East Asia	Running	Linux	Standard_B2ats_v2	52.175.55.38	1	Enable periodic ass...

Create a virtual machine

Help me create a VM optimized for high availability

Help me create a low cost VM

Help me choose the right VM size for my workload

- Basics
- Disks
- Networking
- Management
- Monitoring
- Advanced
- Tags
- Review + create

Define network connectivity for your virtual machine by configuring network interface card (NIC) settings. You can control ports, inbound and outbound connectivity with security group rules, or place behind an existing load balancing solution.

[Learn more](#)

Network interface

When creating a virtual machine, a network interface will be created for you.

Virtual network *

virtualnetwork1

Create new

Subnet *

subnet2 (10.0.1.0/24)

Filter subnets

default (10.0.0.0/24)

subnet2 (10.0.1.0/24)

Public IP

default (10.0.0.0/24)

subnet2 (10.0.1.0/24)

NIC network security group

None

Basic

Advanced

Public inbound ports *

None

Allow selected ports

Select inbound ports *

SSH (22)

⚠ This will allow all IP addresses to access your virtual machine. This is only recommended for testing. Use the Advanced controls in the Networking tab to create rules to limit inbound traffic to known IP addresses.

Delete public IP and NIC when VM is deleted

☐

Create a virtual machine

Help me create a VM optimized for high availability Help me create a low cost VM Help me choose the right VM size for my workload

Validation passed

- Basics
- Disks
- Networking
- Management
- Monitoring
- Advanced
- Tags
- Review + create

Price

1 X Standard B2ats v2
by Microsoft
[Terms of use](#) | [Privacy policy](#)

Subscription credits apply ⓘ
0.0131 USD/hr
[Pricing for other VM sizes](#)

TERMS

By clicking "Create", I (a) agree to the legal terms and privacy statement(s) associated with the Marketplace offering(s) listed above; (b) authorize Microsoft to bill my current payment method for the fees associated with the offering(s), with the same billing frequency as my Azure subscription; and (c) agree that Microsoft may share my contact, usage and transactional information with the provider(s) of the offering(s) for support, billing and other transactional activities. Microsoft does not provide rights for third-party offerings. See the [Azure Marketplace Terms](#) for additional details.

Name

Aman Rajput

Preferred e-mail address

lovemaths404@gmail.com

Preferred phone number

You have set SSH port(s) open to the internet. This is only recommended for testing. If you want to change this setting, go back to Basics tab.

Basics

Subscription

Azure for Students

Resource group

azurevirtualnetwork

Home

CreateVm-canonical.ubuntu-24_04-lts-server-20260406181625 | Overview

Search

Delete Cancel Redeploy Download Refresh

- Overview
- Inputs
- Outputs
- Template

✓ Your deployment is complete

Deployment name : CreateVm-canonical.ubuntu-24_04-lts-server-20260406181625

Subscription : [Azure for Students](#)

Resource group : [azurevirtualnetwork](#)

Start time : 4/6/2026, 6:17:48 PM

Correlation ID : 34b0f701-cc46-4ec4-8e55-6432a7a5a524

> Deployment details

< Next steps

- [Set up auto-shutdown](#) Recommended
- [Monitor VM health, performance, and network dependencies](#) Recommended
- [Run a script inside the virtual machine](#) Recommended

Go to resource

Create another VM

Scale out your VM

Give feedback

[Tell us about your experience with deployment](#)

Cost management

Get notified to stay within your budget and prevent unexpected charges on your bill.

[Set up cost alerts >](#)

azureuser@vm1: ~



azureuser@vm2: ~



System information as of Mon Apr 6 12:49:28 UTC 2026

System load:	0.68	Processes:	135
Usage of /:	5.7% of 28.02GB	Users logged in:	0
Memory usage:	33%	IPv4 address for eth0:	10.0.1.4
Swap usage:	0%		

Expanded Security Maintenance for Applications is not enabled.

0 updates can be applied immediately.

Enable ESM Apps to receive additional future security updates.
See <https://ubuntu.com/esm> or run: `sudo pro status`

The list of available updates is more than a week old.
To check for new updates run: `sudo apt update`

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in `/usr/share/doc/*/copyright`.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

To run a command as administrator (user "root"), use "`sudo <command>`".
See "`man sudo_root`" for details.

azureuser@vm2:~\$ |

Virtual on the same Vnet but on the different subnet pinging each other

azureuser@vm1: ~



azureuser@vm2: ~



To run a command as administrator (user "root"), use "sudo <command>".
See "man sudo_root" for details.

azureuser@vm2:~\$ ip a

1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000

link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00

inet 127.0.0.1/8 scope host lo

valid_lft forever preferred_lft forever

inet6 ::1/128 scope host noprefixroute

valid_lft forever preferred_lft forever

2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc mq state UP group default qlen 1000

link/ether 00:22:48:ec:e2:ab brd ff:ff:ff:ff:ff:ff

inet 10.0.1.4/24 metric 100 brd 10.0.1.255 scope global eth0

valid_lft forever preferred_lft forever

inet6 fe80::222:48ff:feec:e2ab/64 scope link

valid_lft forever preferred_lft forever

3: enP35112s1: <BROADCAST,MULTICAST,SLAVE,UP,LOWER_UP> mtu 1500 qdisc mq master eth0 state UP group default qlen 1000

link/ether 00:22:48:ec:e2:ab brd ff:ff:ff:ff:ff:ff

altname enP35112p0s2

azureuser@vm2:~\$ ping 10.0.0.4

PING 10.0.0.4 (10.0.0.4) 56(84) bytes of data.

64 bytes from 10.0.0.4: icmp_seq=1 ttl=64 time=0.395 ms

64 bytes from 10.0.0.4: icmp_seq=2 ttl=64 time=0.480 ms

64 bytes from 10.0.0.4: icmp_seq=3 ttl=64 time=0.416 ms

64 bytes from 10.0.0.4: icmp_seq=4 ttl=64 time=0.450 ms

^C

--- 10.0.0.4 ping statistics ---

4 packets transmitted, 4 received, 0% packet loss, time 3086ms

rtt min/avg/max/mdev = 0.395/0.435/0.480/0.032 ms

azureuser@vm2:~\$ |

```
azureuser@vm1: ~  X  azureuser@vm2: ~  X  +  v  -  □  X
--- 10.0.1.4 ping statistics ---
34 packets transmitted, 34 received, 0% packet loss, time 33799ms
rtt min/avg/max/mdev = 0.447/0.845/6.367/1.294 ms
azureuser@vm1:~$ ip a
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1000
    link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
    inet 127.0.0.1/8 scope host lo
        valid_lft forever preferred_lft forever
    inet6 ::1/128 scope host noprefixroute
        valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc mq state UP group default qlen 1000
    link/ether 60:45:bd:5a:cf:92 brd ff:ff:ff:ff:ff:ff
    inet 10.0.0.4/24 metric 100 brd 10.0.0.255 scope global eth0
        valid_lft forever preferred_lft forever
    inet6 fe80::6245:bdff:fe5a:cf92/64 scope link
        valid_lft forever preferred_lft forever
3: enP7653s1: <BROADCAST,MULTICAST,SLAVE,UP,LOWER_UP> mtu 1500 qdisc mq master eth0 state UP group default qlen 1000
    link/ether 60:45:bd:5a:cf:92 brd ff:ff:ff:ff:ff:ff
    altname enP7653p0s2
azureuser@vm1:~$ ping 10.0.1.4
PING 10.0.1.4 (10.0.1.4) 56(84) bytes of data.
64 bytes from 10.0.1.4: icmp_seq=1 ttl=64 time=0.534 ms
64 bytes from 10.0.1.4: icmp_seq=2 ttl=64 time=0.698 ms
64 bytes from 10.0.1.4: icmp_seq=3 ttl=64 time=0.555 ms
64 bytes from 10.0.1.4: icmp_seq=4 ttl=64 time=0.505 ms
^C
--- 10.0.1.4 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 3089ms
rtt min/avg/max/mdev = 0.505/0.573/0.698/0.074 ms
azureuser@vm1:~$ |
```