



Create a **simple Azure HTTP-triggered Function** that accepts a parameter called name as input and returns a greeting message.





Home

Create Function App

Select a hosting option

These options determine how your app scales, resources available per instance, and pricing. [Learn more about Functions hosting options](#)

Hosting plans	Flex Consumption Get high scalability with compute choices, virtual networking, and pay-as-you-go billing.	Functions Premium Deploy multiple function apps on the same plan with event-driven scaling.	App Service Run web apps and function apps on the same plan with more compute choices and pay for the instances of the plan.	Container Apps environment Host function apps with other containerized microservices and pay for compute capacity.	Consumption (Windows) Pay for compute resources when your functions are running (pay-as-you-go).
Scale to zero	✓	-	-	✓	✓
Scale behavior	Fast event-driven	Event-driven	Metrics based	Event-driven with KEDA	Event-driven
Virtual networking	✓	✓	✓	✓	-
Dedicated compute and prevent cold start	Optional with Always Ready	Minimum of 1 instance required	Minimum of 1 instance required	Optional with minimum replicas	-
Max scale out (instances)	1000	100	30	300	200


Select

Home > Function App

Create Function App (Flex Consumption) ...

- Basics
- Storage
- Azure OpenAI
- Networking
- Monitoring
- Durable Functions
- Deployment
- Authentication
- Tags
- Review + create

Summary



Basic authentication for this app is currently disabled and may impact deployments. Click to learn more.

Details

Subscription	6796613d-1f98-44b9-a9fe-a1fb80a5dfca
Resource Group	azurefunctionassignment
Name	myfunction
Secure unique default hostname	Enabled
Runtime stack	Python 3.13
Instance size	512 MB

Hosting

Storage (New)

Storage account	azurefunctionassignma86e
-----------------	--------------------------

Plan (New)

Hosting options and plans	Flex Consumption
Name	ASP-azurefunctionassignment-a98f
Operating System	Linux
Region	East Asia

Microsoft.Web-FunctionApp-Portal-4e970a28-a93b | Overview

Deployment

Search

DeleteCancelRedeployDownloadRefresh

Overview

Inputs

Outputs

Template

✓ Your deployment is complete

Deployment name : Microsoft.Web-FunctionApp-Portal-4e970a28-a93b

Subscription : Azure for Students

Resource group : azurefunctionassignment

> Deployment details

< Next steps

Go to resource

Start time : 4/8/2026, 12:32:56 PM

Correlation ID : e968f97e-1fe5-43df-b5d2-09389586d23f

Deployment succeeded

Deployment 'Microsoft.Web-FunctionApp-Portal-4e970a28-a93b' to resource group 'azurefunctionassignment' was successful.

Go to resourceGo to resource group

Cost management

Get notified to stay within your budget and prevent unexpected charges on your bill.

Set up cost alerts >

Microsoft Defender for Cloud

Secure your apps and infrastructure

Go to Microsoft Defender for Cloud >

Free Microsoft tutorials

Start learning today >

Work with an expert

Azure experts are service provider partners who can help manage your assets on Azure and be your first line of support.

Find an Azure expert >

Activate Windows
Go to Settings to activate Windows.

Add or remove favorites by pressing Ctrl+Shift+F

myfunction
Function App

Search

Browse Refresh Stop Restart Swap Get publish profile Reset publish profile Download app content Delete Send us your feedback

Overview

- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Microsoft Defender for Cloud
- Events (preview)
- Resource visualizer
- Functions
- Deployment
- Settings
- Performance
- Development Tools
- API
- Monitoring
- Automation
- Support + troubleshooting

Essentials

Resource group (move)	: azurefunctionassignment	Default domain	: myfunction-hbcshec0guatcgay.eastasia-01.azurewebsites.net
Status	: Running	Operating System	: Linux
Location (move)	: East Asia	Plan type	: Flex Consumption
Subscription (move)	: Azure for Students	Instance Memory	: 512 MB
Subscription ID	: 6796613d-1f98-44b9-a9fe-a1fb80a5dfca		
Tags (edit)	: Add tags		

Functions Properties Notifications (0)

Create functions in your preferred environment



VS Code Desktop
Best optimized for:

- Local development within VS Code
- Custom development tool requirements

Create with VS Code Desktop



Other editors or CLI
Best optimized for:

- Using preferred editor for development
- Visual Studio, IntelliJ, command line

Set up your editor

Common uses:

1. Create a project

❏ Bash

```
func init myproject --python
```



2. Create a function (this is what you need)

❏ Bash

```
func new
```




This is where templates (HTTP trigger, Timer, etc.) appear


3. Run locally

❏ Bash

```
func start
```







Home > Resource Manager | Resource groups > amanfunctionappassignmen > amanfunctionappassignment

helloworld | Code + Test

amanfunctionappassignment

Code + Test Integration Function Keys Invocations Logs Metrics

Save Discard Refresh Test/Run Get function URL Disable Delete Upload Resource JSON Send us your feedback


amanfunctionappassignment / function_app.py

```
3 import json
4 import logging
5
6 app = func.FunctionApp()
7
8 @app.route(route="helloworld", auth_level=func.AuthLevel.FUNCTION)
9 def helloworld(req: func.HttpRequest) -> func.HttpResponse:
10     logging.info('Python HTTP trigger function processed a request.')
11
12     name = req.params.get('name')
13     if not name:
14         try:
15             req_body = req.get_json()
16         except ValueError:
17             pass
18         else:
19             name = req_body.get('name')
20
21     if name:
22         return func.HttpResponse(f"Hello, {name}. welcome to Azure Functions!")
23     else:
24         return func.HttpResponse(
25             "This HTTP triggered function executed successfully. Pass a name in the query string or in the request body for a personalized response.",
26             status_code=200
27         )
```


Logs App Insights Logs Log Level Stop Copy Clear Maximize Send us your feedback

Connecting to Application Insights...

Activate Windows
Go to Settings to activate Windows.



This HTTP triggered function executed successfully. Pass a name in the query string or in the request body for a personalized response.



Hello, AmanRajput. welcome to Azure Functions!