


Creating a Storage Account and upgrading it to Data Lake Gen 2



Create a storage account

- Basics
- Advanced
- Networking
- Data protection
- Encryption
- Tags
- Review + create

[View automation template](#)

Basics

Subscription	Azure for Students
Resource group	amanazuredf_rg
Location	East Asia
Storage account name	strgacctdf
Preferred storage type	Azure Blob Storage or Azure Data Lake Storage Gen 2
Primary workload	
Performance	Standard
Replication	Locally-redundant storage (LRS)

Advanced

Enable hierarchical namespace	Disabled
Enable SFTP	Disabled
Enable network file system v3	Disabled
Allow cross-tenant replication	Disabled
Access tier	Hot
Managed Identity for SMB	Disabled

Security

Secure transfer	Enabled
Blob anonymous access	Disabled
Allow storage account key access	Enabled
Default to Microsoft Entra authorization in the Azure portal	Disabled

Home

 **strgacctndf_1776076397303** | Overview ...

Deployment

Delete Cancel Redeploy Download Refresh

- Overview
- Inputs
- Outputs
- Template

✔ Your deployment is complete

Deployment name : strgacctndf_1776076397303
Subscription : [Azure for Students](#)
Resource group : [amanazuredf_rg](#)

Start time : 4/13/2026, 4:03:31 PM
Correlation ID : 2ce3a5b8-8c38-4a70-97cb-9b49498d9b6f

> Deployment details

✓ Next steps

[Go to resource](#)

✔ Deployment succeeded

Deployment 'strgacctndf_1776076397303' to resource group 'amanazuredf_rg' was successful.

[Go to resource](#) [Go to resource group](#)



Cost management

Get notified to stay within your budget and prevent unexpected charges on your bill.
[Set up cost alerts >](#)



Microsoft Defender for Cloud

Secure your apps and infrastructure
[Go to Microsoft Defender for Cloud >](#)

Free Microsoft tutorials

[Start learning today >](#)

Work with an expert

Azure experts are service provider partners who can help manage your assets on Azure and be your first line of support.
[Find an Azure expert >](#)

Activate Windows
Go to Settings to activate Windows.

Creating a container

strgacctdf - Microsoft Azure

portal.azure.com/?ocid=AIDcmmf1ej9v5_SEM_k_EAlaIQobChMlwOPijevOkwMVjRZ7Bx2F-AJKEAAYASAAEgI9WPD_BwE_k_#@lovemaths404gmail.onmicrosoft.com/resource/subscriptions/6796613d-1f98-44b9-a9fe-a1fb80a5dfca/resourcecgr...

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

lovemaths404@gmail.c...
DEFAULT DIRECTORY (LOVEMAT...

Home > strgacctdf_1776076397303 | Overview

strgacctdf

Storage account

Search

UploadOpen in ExplorerDeleteMoveRefreshOpen in mobileCLI / PSFeedback

Overview

Activity log

Tags

Diagnose and solve problems

Access Control (IAM)

Data migration

Events

Storage browser

Storage Mover

Partner solutions

Resource visualizer

Data storage

Containers

File shares

Queues

Tables

Security + networking

Data management

Settings

Monitoring

Automation

Help

Essentials

Resource group (move)

Location

Subscription (move)

Subscription ID

Disk state

Tags (edit)

amanazuredf_rg

eastasia

Azure for Students

6796613d-1f98-44b9-a9fe-a1fb80a5dfca

Available

Add tags

Performance

Replication

Account kind

Provisioning state

Created

Standard

Locally-redundant storage (LRS)

StorageV2 (general purpose v2)

Succeeded

4/13/2026, 4:03:37 PM

Properties

Monitoring

Capabilities (7)

Recommendations (0)

Tutorials

Tools + SDKs

Blob service

Hierarchical namespace

Default access tier

Blob anonymous access

Blob soft delete

Container soft delete

Versioning

Change feed

NFS v3

Allow cross-tenant replication

Storage tasks assignments

Disabled

Hot

Disabled

Enabled (7 days)

Enabled (7 days)

Disabled

Disabled

Disabled

Disabled

None

File service

Identity-based access

Default share-level permissions

Soft delete

Not configured

Disabled

Enabled (7 days)

Security

Require secure transfer for REST API operations

Storage account key access

Minimum TLS version

Infrastructure encryption

Enabled

Enabled

Version 1.2

Disabled

Networking

Public network access

Public network access scope

Private endpoint connections

Network routing

Endpoint type

Enabled

Enable from all networks

0

Microsoft network routing

Standard

Activate Windows

Go to Settings to activate Windows.

https://portal.azure.com/?ocid=AIDcmmf1ej9v5_SEM_k_EAlaIQobChMlwOPijevOkwMVjRZ7Bx2F-AJKEAAYASAAEgI9...

Home > strgacctdf_1776076397303 | Overview > strgacctdf

strgacctdf | Containers

Storage account

Search

+ Add container

Upload

Refresh

Delete

Change access level

Restore containers

Edit columns

- Overview
- Activity log
- Tags
- Diagnose and solve problems
- Access Control (IAM)
- Data migration
- Events
- Storage browser
- Storage Mover
- Partner solutions
- Resource visualizer
- Data storage

Search containers by prefix

Only show active containers

Showing all 1 items

☐	Name	Last modified	Anonymous access level	Lease state	Storage connector
☐	 \$logs	4/13/2026, 4:04:02 PM	Private	Available	-

- Containers
- File shares
- Queues
- Tables
- > Security + networking
- > Data management
- > Settings
- > Monitoring
- > Automation
- > Help

strgacctdf | Containers

Storage account

Search

+ Add container ↑ Upload ↺ Refresh 🗑 Delete 🔒 Change access level ↶ Restore containers 🛠 Edit columns

Search containers by prefix

Only show active containers

Showing all 2 items

☐	Name	Last modified	Anonymous access level	Lease state	Storage connector	
☐	 \$logs	4/13/2026, 4:04:02 PM	Private	Available	-	...
☐	 input	4/13/2026, 4:04:55 PM	Private	Available	-	...

✓ Successfully created storage container
Successfully created storage container 'input'.

- Overview
- Activity log
- Tags
- Diagnose and solve problems
- Access Control (IAM)
- Data migration
- Events
- Storage browser
- Storage Mover
- Partner solutions
- Resource visualizer
- Data storage
- Containers**

- File shares
- Queues
- Tables
- > Security + networking
- > Data management
- > Settings
- > Monitoring
- > Automation
- > Help

Activate Windows
Go to Settings to activate Windows.

Uploading CSV file into input
container

input

Container

Search

+ Add Directory

Upload

Change access level

Refresh

Delete

Copy

Paste

Rename

Acquire lease

Break lease

Edit columns

- Overview
- Diagnose and solve problems
- Access Control (IAM)
- Settings

input

Authentication method: Access key ([Switch to Microsoft Entra user account](#))

Add filter

Search blobs by prefix (case-sensitive)

Only show active blobs

Showing all 0 items

	Name	Last modified	Access tier	Blob type	Size	Lease state
No items found						

Home > strgacctndf_1776076397303 | Overview > strgacctndf | Containers

input
Container

Search

- Overview
- Diagnose and solve problems
- Access Control (IAM)
- Settings

- + Add Directory
- ↑ Upload
- 🔒 Change access level
- 🔄 Refresh
- 🗑️ Delete
- 📄 Copy
- 📄 Paste
- 🔄 Rename
- 🔒 Acquire lease
- 🔒 Break lease
- 🔧 Edit co

input

Authentication method: Access key ([Switch to Microsoft Entra user account](#))

🔍 Add filter

🔍 Search blobs by prefix (case-sensitive)

Showing all 0 items

☐	Name	Last modified	Acce
No items found			

Upload blob



1 file(s) selected: cars.csv

Drag and drop files here or [Browse for files](#)

☐ Overwrite if files already exist

⌵ Advanced

Upload

 Give feedback

input

Container

Search

+ Add Directory | ↑ Upload | 🔒 Change access level | ↻ Refresh | 🗑 Delete | 📄 Copy | 📄 Paste | 🔄 Rename | 🔒 Acquire lease | 🔒 Break lease | 📄 Edit columns

- Overview
- Diagnose and solve problems
- Access Control (IAM)
- Settings

input

Authentication method: Access key (Switch to Microsoft Entra user account)

+ Add filter

Search blobs by prefix (case-sensitive)

Only show active blobs

Showing all 1 items

☐	Name	Last modified	Access tier	Blob type	Size	Lease state
☐	 cars.csv	4/13/2026, 4:05:39 PM	Hot (Inferred)	Block blob	18.58 KiB	Available

Creating SQL server and database

Home - Microsoft Azure

portal.azure.com/?ocid=AIDcmmf1elj9v5_SEM_k_EAlaIQobChMlwOPijevOkwMVjRZ7Bx2F-AJKEAAYASAAEgI9WPD_BwE_k_#home

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

lovemaths404@gmail.c...
DEFAULT DIRECTORY (LOVEMAT...

Azure services

Create a resource



SQL server



Resource groups



Storage accounts



Data factories



Education



Virtual machines



Network security groups



Private endpoints



More services

Resources

Recent

Favorite

Name	Type	Last Viewed
 strgacctdf	Storage account	3 minutes ago
 amanazuredf_rg	Resource group	4 minutes ago
 amanazuredfdemo	Data factory (V2)	an hour ago
 dfdemodb	SQL database	5 hours ago
 strgactdfdemo	Storage account	5 hours ago
 amanazuredfserver	SQL server	5 hours ago
 Azure for Students	Subscription	a week ago

See all

Navigate

 Subscriptions

 Resource groups

 All resources

 Dashboard

Tools

 Microsoft Learn
Learn Azure with free online training from Microsoft

 Azure Monitor
Monitor your apps and infrastructure

 Microsoft Defender for Cloud
Secure your apps and infrastructure

 Cost Management
Analyze and optimize your cloud spend for free

Activate Windows

Go to Settings to activate Windows.

https://portal.azure.com/?ocid=AIDcmmf1elj9v5_SEM_k_EAlaIQobChMlwOPijevOkwMVjRZ7Bx2F-AJKEAAYASAAEgI9...

Home > Azure SQL | SQL logical servers

Create SQL Database Server

Microsoft

⚠ Changing Basic options may reset selections you have made. Review all options prior to creating the resource.

Basics Networking Security Additional settings Tags Review + create

SQL database server is a logical container for managing databases and elastic pools. Complete the Basic tab, then go to Review + Create to provision with smart defaults, or visit each tab to customize. [Learn more](#)

Project details

Select the subscription to manage deployed resources and costs. Use resource groups like folders to organize and manage all your resources.

Subscription * ⓘ Azure for Students

Resource group * ⓘ amanazuredf_rg

[Create new](#)

Server details

Enter required settings for this server, including providing a name and location.

Server name * azuredserver ✓
.database.windows.net

Location * (Asia Pacific) East Asia

Authentication

ℹ Azure Active Directory (Azure AD) is now Microsoft Entra ID. [Learn more](#)

Select your preferred authentication methods for accessing this server. We recommend using only Microsoft Entra authentication [Learn more](#) using an existing Microsoft Entra user, group, or application as Microsoft Entra admin [Learn more](#)

Activate Windows
Go to Settings to activate Windows.

Review + create

Next : Networking >

Home > Azure SQL | SQL logical servers

Create SQL Database Server

Microsoft

- Basics
- Networking
- Security
- Additional settings
- Tags
- Review + create**

Product details

SQL Database Server
by Microsoft
[Terms of use](#) | [Privacy policy](#)

Estimated cost per month
No additional charges

Terms

By clicking "Create", I (a) agree to the legal terms and privacy statement(s) associated with the Marketplace offering(s) listed above; (b) authorize Microsoft to bill my current payment method for the fees associated with the offering(s), with the same billing frequency as my Azure subscription; and (c) agree that Microsoft may share my contact, usage and transactional information with the provider(s) of the offering(s) for support, billing and other transactional activities. Microsoft does not provide rights for third-party offerings. For additional details see [Azure Marketplace Terms](#).

Basics

Subscription	Azure for Students
Resource group	amanazuredf_rg
Server name	azuredfserver
Authentication method	SQL authentication
Server admin login	sqladmin
Location	East Asia

Networking

Allow Azure services to access server	Yes
---------------------------------------	-----

Security

Identity	Not enabled
Transparent data encryption	Service-managed key selected

Additional settings

azuredfserver - Microsoft Azure

portal.azure.com/?ocid=AIDcmmf1elj9v5_SEM_k_EAlaIQobChMlwOPijevOkwMVjRZ7Bx2F-AJKEAAYASAAEgl9WPD_BwE_k_#@lovemaths404gmail.onmicrosoft.com/resource/subscriptions/6796613d-1f98-44b9-a9fe-a1fb80a5dfca/resour...

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

lovemaths404@gmail.c...
DEFAULT DIRECTORY (LOVEMAT...

Home > Microsoft.SQLServer.createServer_1f09f4b1fa964451aca385b67c57085 | Overview

azuredfserver
SQL server

Find query store timeouts

Optimize MAXDOP configuration

Diagnose login failure errors

Search

+ Create database

+ New elastic pool

+ New dedicated SQL pool (formerly SQL DW)

Import database

Reset password

Move

Delete

Feedback

Overview

Activity log

Access control (IAM)

Tags

Quick start

Diagnose and solve problems

Resource visualizer

Settings

Microsoft Entra ID

SQL databases

SQL elastic pools

Properties

Locks

Data management

Backups

Deleted databases

Failover groups

Delete protection (preview)

Import/Export history

Security

Networking

Microsoft Defender for Cloud

Transparent data encryption

Essentials

Create database

JSON View

Resource group (move) : amanazuredf_rg

Status : Available

Location : East Asia

Subscription (move) : Azure for Students

Subscription ID : 6796613d-1f98-44b9-a9fe-a1fb80a5dfca

Tags (edit) : Add tags

Server admin : sqladmin

Networking : Show networking settings

Microsoft Entra admin : Not configured

Server name : azuredfserver.database.windows.net

Notifications (0)

Features (6)

AllSecurity (4)Performance (1)Recovery (1)

Microsoft Entra admin

Allows you to centrally manage identity and access to your Azure SQL databases.

NOT CONFIGURED

Microsoft Defender for SQL

Vulnerability Assessment and Advanced Threat Protection.

NOT CONFIGURED

Automatic tuning

Monitors and tunes your database automatically to optimize performance.

CONFIGURED

Auditing

Track database events and writes them to an audit log in Azure storage.

NOT CONFIGURED

Failover groups

Automatically manages replication, connectivity and failover for a set of databases.

NOT CONFIGURED

Transparent data encryption

Encryption at rest for your databases, backups, and logs.

SERVICE-MANAGED KEY

Available resources

Filter by name

All types

0 record

Name	Type	Status	Pricing tier
No resources found.			

Activate Windows
Go to Settings to activate Windows.

Add or remove favorites by pressing Ctrl+Shift+F

Create SQL Database

Microsoft

- Basics
- Networking
- Security
- Additional settings
- Tags
- Review + create

Product details

SQL database
by Microsoft
[Terms of use](#) | [Privacy policy](#)

Estimated cost per month
4.90 USD

Terms

By clicking "Create", I (a) agree to the legal terms and privacy statement(s) associated with the Marketplace offering(s) listed above; (b) authorize Microsoft to bill my current payment method for the fees associated with the offering(s), with the same billing frequency as my Azure subscription; and (c) agree that Microsoft may share my contact, usage and transactional information with the provider(s) of the offering(s) for support, billing and other transactional activities. Microsoft does not provide rights for third-party offerings. For additional details see [Azure Marketplace Terms](#).

Basics

Subscription	Azure for Students
Resource group	amanazuredf_rg
Region	eastasia
Database name	new-cars
Server	azuredfserver
Compute + storage	Basic: 2 GB storage
Backup storage redundancy	Locally-redundant backup storage

Networking

Allow Azure services and resources to access this server	No
Private endpoint	None



Cost summary

Basic (Basic)	
Cost per DTU (in USD)	0.98
DTUs selected	x 5
ESTIMATED COST / MONTH	4.90 USD

new-cars (azuredfserver/new-cars) | Query editor (preview)

SQL database

Search

Feedback Classic experience

- Overview
- Activity log
- Tags
- Diagnose and solve problems
- Query editor (preview)
- Mirror database in Fabric (preview)
- Resource visualizer
- Settings
 - Compute + storage
 - Connection strings
 - Maintenance
 - Properties
 - Locks
- Data management
 - Replicas
 - Sync to other databases
- Integrations
 - Azure Synapse Link
 - Stream analytics (preview)
 - Add Azure AI Search
- Power Platform
 - Power BI



Query Editor

Run queries on your database directly in the browser [Learn more](#)

Connecting to new-cars on azuredfserver

Microsoft Entra authentication

SQL authentication

Username *

sqladmin

Password *

.....

Connect

[Forgot password? Reset in logical server settings](#)

Activate Windows
Go to Settings to activate Windows.

new-cars (azuredfserver/new-cars) | Query editor (preview)

Search New query Templates Open in Feedback Sign out Classic experience

- Overview
- Activity log
- Tags
- Diagnose and solve problems
- Query editor (preview)
- Mirror database in Fabric (preview)
- Resource visualizer
- Settings
 - Compute + storage
 - Connection strings
 - Maintenance
 - Properties
 - Locks
- Data management
 - Replicas
 - Sync to other databases
- Integrations
 - Azure Synapse Link
 - Stream analytics (preview)
 - Add Azure AI Search
- Power Platform
 - Power BI

Explorer

new-cars

- dbo
- Queries
 - SQL query 1

```
SQL query 1
```

Run Save as view

Your queries will be lost when your session ends. Use **Save as view** to keep results as a database view, or copy your query text to save it externally.

```
1 CREATE TABLE Cars (  
2     Make nvarchar(100),  
3     Model nvarchar(200),  
4     Type nvarchar(100),  
5     Origin nvarchar(100),  
6     DriveTrain nvarchar(100),  
7     Length decimal(18,0)  
8 )
```

Creating a Key Vault

amanazuredf_rg - Microsoft Azure

portal.azure.com/?ocid=AIDcmmf1elj9v5_SEM_k_EAlaIQobChMlwOPijevOkwMVjRZ7Bx2F-AJKEAAYASAAEgI9WPD_BwE_k_#@lovemaths404gmail.onmicrosoft.com/resource/subscriptions/6796613d-1f98-44b9-a9fe-a1fb80a5dfca/resour...

Microsoft Azure

Home > Resource Manager | Resource groups

Resource Manager | Resource groups

Default Directory

Search

CreateManage view

Resource Manager

All resources

Favorite resources

Recent resources

Resource groups

Tags

Organization

Tools

Deployments

Help

Name ↑

amanazuredf_rg

Overview

Activity log

Access control

Tags

Resource visualization

Events

Settings

Cost Management

Monitoring

Automation

Help

amanazuredf_rg

Resource group

Search

KEY

AllServices (9)Marketplace (31)More (4)

Services

Key vaults

SSH keys

BitLocker Keys

Azure Key Vault Managed HSMs

Microsoft Entra ID

Azure Key Vault

Azure Key Vault Managed HSM Key Governance Service

Azure Key Vault Managed HSM

Marketplace

Key Vault

Language service

Document Intelligence (form recognizer)

SSH Key

Documentation

Find and claim product keys in subscriptions - Visual Studio Subscription

Validate Azure Managed HSM keys with key attestation

Key Class

Azure Quickstart - Set and retrieve a key from Key Vault using Azure portal

Continue searching in Microsoft Entra ID

Searching all subscriptions.

Give feedback

with deployment tools?

Help me generate Terraform for this resource group configuration.

Refresh

Export to CSV

Open query

Assign tags

Group by none

JSON View

Deployments : 3 Succeeded

Location : East Asia

location equals all

Add filter


Type	Location
SQL server	East Asia
SQL database	East Asia
Storage account	East Asia

Showing 1 - 1 of 1. Display count: auto

Showing 1 - 3 of 3. Display count: auto

Activate Windows
Go to Settings to activate Windows.

Give feedback



Home

Create a key vault ...

×

- Basics
- Access configuration
- Networking
- Tags
- Review + create

[View Automation Template](#)

Basics

Subscription	Azure for Students
Resource group	amanazuredf_rg
Key vault name	keyvaultdatafact
Region	East Asia
Pricing tier	Standard
Soft-delete	Enabled
Purge protection during retention period	Disabled
Days to retain deleted vaults	90 days

Access configuration

Azure Virtual Machines for deployment	Disabled
Azure Resource Manager for template deployment	Disabled
Azure Disk Encryption for volume encryption	Disabled
Permission model	Azure role-based access control

Networking

Connectivity method	Public endpoint (all networks)
---------------------	--------------------------------

Storing the credentials

Home > Resource Manager | Resource groups > amanazuredf_rg > strgacctndf

strgacctndf | Access keys ☆ ...

Storage account

Search

- Overview
- Activity log
- Tags
- Diagnose and solve problems
- Access Control (IAM)
- Data migration
- Events
- Storage browser
- Storage Mover
- Partner solutions
- Resource visualizer
- Data storage
 - Containers
 - File shares
 - Queues
 - Tables
- Security + networking
 - Networking
 - Front Door and CDN
 - Access keys
 - Shared access signature
 - Encryption
 - Microsoft Defender for Cloud

Set rotation reminder Refresh Give feedback

Access keys authenticate your applications' requests to this storage account. Keep your keys in a secure location like Azure Key Vault, and replace them often with new keys. The two keys allow you to replace one while still using the other.

Remember to update the keys with any Azure resources and apps that use this storage account.
[Learn more about managing storage account access keys](#)

Storage account name

strgacctndf

Copy to clipboard

key1 Rotate key

Last rotated: 4/13/2026 (0 days ago)

Key

.....

Show

Connection string

DefaultEndpointsProtocol=https;AccountName=strgacctndf;AccountKey=nvVEh...

Hide

key2 Rotate key

Last rotated: 4/13/2026 (0 days ago)

Key

.....

Show

Connection string

.....

Show

Activate Windows
Go to Settings to activate Windows.

Create a secret

Upload options

Manual

Name *

adls-account-key

Secret value *

Content type (optional)

Set activation date

☐

Set expiration date

☐

Enabled

Yes No

Tags

0 tags

Create a secret

Upload options

Manual

Name *

sql-server-password

Secret value *

.....

Content type (optional)

Set activation date

☐

Set expiration date

☐

Enabled

Yes

No

Tags

0 tags

Home > keyvaultdatafact

keyvaultdatafact | Secrets ☆ ...

Key vault

Search

+ Generate/Import

Refresh

Restore Backup

Manage deleted secrets

View sample code

The secret 'sql-server-password' has been successfully created.

Name	Type	Status	Expiration date
sql-server-password		✓ Enabled	
adls-account-key		✓ Enabled	

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Access policies

Resource visualizer

Events

Objects

Keys

Secrets

Certificates

Settings

Access configuration

Networking

Microsoft Defender for Cloud

Properties

Locks

Monitoring


Alerts

Metrics

Diagnostic settings

Logs

Creating data factory instance



Home

Create Data Factory ...

- Basics
- Git configuration
- Networking
- Advanced
- Tags
- Review + create

View automation template

Basics

Subscription	Azure for Students
Resource group	amanazuredf_rg
Name	amanazuredatafactory
Region	East Asia
Version	V2

Networking

Connect via	Public endpoint
-------------	-----------------

Adding the Roles in Key Vault

Home > keyvaultdatafact

keyvaultdatafact | Access control (IAM)

Search + Add Download role assignments Edit columns Refresh Delete Feedback

- Overview
- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Access policies
- Resource visualizer
- Events
- Objects
 - Keys
 - Secrets
 - Certificates
- Settings
 - Access configuration
 - Networking
 - Microsoft Defender for Cloud
 - Properties
 - Locks
- Monitoring
 - Alerts
 - Metrics
 - Diagnostic settings
 - Logs

Add role assignment

Role assignments Roles Deny assignments Classic administrators

My access
View my level of access to this resource.
[View my access](#)

Check access
Review the level of access a user, group, service principal, or managed identity has to this resource. [Learn more](#)
[Check access](#)

Grant access to this resource
Grant access to resources by assigning a role.
[Learn more](#)
[Add role assignment](#)

View access to this resource
View the role assignments that grant access to this and other resources.
[Learn more](#)
[View](#)

View deny assignments
View the role assignments that have been denied access to specific actions at this scope.
[Learn more](#)
[View](#)

Add role assignment

A role definition is a collection of permissions. You can use the built-in roles or you can create your own custom roles. [Learn more.](#)

Copilot can help pick a role

Job function roles

Privileged administrator roles

Grant access to Azure resources based on job function, such as the ability to create virtual machines.

key vault

Type : All

Category : All

Name ↑↓	Description ↑↓	Type ↑↓	Category ↑↓	Details
Key Vault Administrator	Perform all data plane operations on a key vault and all objects in it, including certificates, keys, and secrets. Cannot manage key vault resources or manage ...	BuiltInRole	Security	View
Key Vault Certificate User	Read certificate contents. Only works for key vaults that use the 'Azure role-based access control' permission model.	BuiltInRole	None	View
Key Vault Certificates Officer	Perform any action on the certificates of a key vault, except manage permissions. Only works for key vaults that use the 'Azure role-based access control' pe...	BuiltInRole	Security	View
Key Vault Contributor	Lets you manage key vaults, but not access to them.	BuiltInRole	Security	View
Key Vault Crypto Officer	Perform any action on the keys of a key vault, except manage permissions. Only works for key vaults that use the 'Azure role-based access control' permissio...	BuiltInRole	Security	View
Key Vault Crypto Service Encryption User	Read metadata of keys and perform wrap/unwrap operations. Only works for key vaults that use the 'Azure role-based access control' permission model.	BuiltInRole	Security	View
Key Vault Crypto Service Release User	Release keys. Only works for key vaults that use the 'Azure role-based access control' permission model.	BuiltInRole	None	View
Key Vault Crypto User	Perform cryptographic operations using keys. Only works for key vaults that use the 'Azure role-based access control' permission model.	BuiltInRole	Security	View
Key Vault Data Access Administrator	Manage access to Azure Key Vault by adding or removing role assignments for the Key Vault Administrator, Key Vault Certificates Officer, Key Vault Crypto O...	BuiltInRole	None	View
Key Vault Purge Operator	Allows permanent deletion of soft-deleted vaults.	BuiltInRole	None	View
Key Vault Reader	Read metadata of key vaults and its certificates, keys, and secrets. Cannot read sensitive values such as secret contents or key material. Only works for key va...	BuiltInRole	Security	View
Key Vault Secrets Officer	Perform any action on the secrets of a key vault, except manage permissions. Only works for key vaults that use the 'Azure role-based access control' permis...	BuiltInRole	Security	View
Key Vault Secrets User	Read secret contents. Only works for key vaults that use the 'Azure role-based access control' permission model.	BuiltInRole	Security	View
Operator Nexus Key Vault Writer Service Role (Preview)	(Preview) Provides Azure Operator Nexus services the ability to write to a Key Vault. This role is in preview and subject to change.	BuiltInRole	None	View

Showing 1 - 14 of 14 results.

Add role assignment

Role **Members** Conditions Review + assign

Selected role Key Vault Secrets User

Assign access to ☐ User, group, or service principal
☒ Managed identity

Members [+ Select members](#)

Name	Object ID	Type
No members selected		

Description

Select managed identities

Some results might be hidden due to your ABAC condition.

Subscription *

Managed identity

Selected members:
 amanazuredatafactory
/subscriptions/6796613d-1f98-44b9-a9fe-a1fb80a5dfca/resourceGroups/a... [Remove](#)

Add role assignment

RoleMembersConditionsReview + assign

Role

Key Vault Secrets User

Scope

/subscriptions/6796613d-1f98-44b9-a9fe-a1fb80a5dfca/resourceGroups/amanazuredf_rg/providers/Microsoft.KeyVault/vaults/keyvaultdatafact

Members

Name	Object ID	Type
amanazuredatafactory	845151aa-88d2-44c3-8f30-93ca5bdb5a5b	Data factory (V2) ⓘ

Description

No description

Creating the Linked Services

amanazuredatafactory - Micros...amanazuredf_rg - Microsoft Az...+portal.azure.com/?ocid=AIDcmmf1elj9v5_SEM_k_EAlaIQobChMlwOPijevOkwMVjRZ7Bx2F-AJKEAAYASAAEgl9WPD_BwE_k_#@lovemaths404gmail.onmicrosoft.com/resource/subscriptions/6796613d-1f98-44b9-a9fe-a1fb80a5dfca/resourceGr...Microsoft AzureSearch resources, services, and docs (G+/)Copilotlovemaths404@gmail.c...DEFAULT DIRECTORY (LOVEMAT...)

Home > Resource Manager | Resource groups > amanazuredf_rg

amanazuredatafactoryData factory (V2)

Search

Delete

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Resource visualizer

Settings

Getting started

Monitoring

Automation

Help

Essentials

Resource group (move) : amanazuredf_rg

Status : Succeeded

Location : East Asia

Subscription (move) : Azure for Students

Subscription ID : 6796613d-1f98-44b9-a9fe-a1fb80a5dfca

Type : Data factory (V2)

Getting started : Quick start

JSON View

Azure Data Factory Studio

Launch studio

Quick Starts

Tutorials

Template Gallery

Training Modules

Monitoring

PipelineRuns

100

80

60

40

ActivityRuns

100

80

60

40

20

TriggerRuns

100

80

60


40

20

Activate Windows

Go to Settings to activate Windows.

https://adf.azure.com/en/home?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2Fresource...



The screenshot shows the Azure portal interface. At the top, there are two tabs: 'Data store' (which is selected and underlined) and 'Compute'. Below the tabs is a search bar containing the text 'vault'. Under the search bar, there are several category filters: '< All', 'Azure', 'Database', 'File', 'Generic protocol', and '>'. The 'All' filter is currently selected. Below the filters, a single result is displayed: 'Azure Key Vault'. This result is represented by a yellow key icon inside a blue circle, with the text 'Azure Key Vault' underneath it. The entire result card is highlighted with a red rectangular border. At the bottom of the screen, there is a blue 'Continue' button on the left and a 'Cancel' button on the right. In the center of the bottom, there is a message that says 'Activate Windows' followed by 'Go to Settings to activate Windows.'

keyvaultdatafact - Microsoft Az...

amanazuredatafactory - Azure

amanazuredf_rg - Microsoft Az...

+

adf.azure.com/en/management/datalinkedservices?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2Famanazuredf_rg%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2Famanazuredatafactory

Microsoft Azure | Data Factory ▶ amanazuredatafactory

Search

lovemaths404@gmail.com
DEFAULT DIRECTORY

»

Data Factory

Validate all

Publish all 1

Home

Connector upgrade advisor

Factory settings

Connections

Linked services

Integration runtimes

Microsoft Purview

ADF in Microsoft Fabric

Source control

Git configuration

ARM template

Author

Triggers

Global parameters

Data flow libraries

Security

Credentials

Customer managed key

Outbound rules

Managed private endpoints

Workflow orchestration manager

Apache Airflow

Linked services

Linked service defines the connection information to a data store or compute. [Learn more](#)

+ New

Filter by name

Annotations : Any

Showing 1 - 1 of 1 items

Name ↑↓	Type ↑↓	Related ↑↓	Annotations ↑↓
LS_AzureKeyVault	Azure Key Vault	0	

Will be created

LS_AzureKeyVault (Linked service) will be created when publishing.

Activate Windows
Go to Settings to activate Windows.

keyvaultdatafact - Microsoft Az...

amanazuredat - Azure

amanazuredf_rg - Microsoft Az...

adf.azure.com/en/management/datalinkedservices?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2Famanazuredf_rg%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2Famanazuredat

Microsoft Azure | Data Factory | amanazuredat

Search

lovemaths404@gmail.com
DEFAULT DIRECTORY

Data Factory

Validate all

Publish all 1

General

Connector upgrade advisor

Factory settings

Connections

Linked services

Integration runtimes

Microsoft Purview

ADF in Microsoft Fabric

Source control

Git configuration

ARM template

Author

Triggers

Global parameters

Data flow libraries

Security

Credentials

Customer managed key

Outbound rules

Managed private endpoints

Workflow orchestration manager

Apache Airflow

Linked services

Linked service defines the connection information to a data store or compute. [Learn more](#)

+ New

Filter by name

Annotations : Any

Showing 1 - 1 of 1 items

Name	Type	Relationship
LS_AzureKeyVault	Azure Key Vault	0

New linked service

Data store | Compute

Data

All | Azure | Database | File | Generic protocc

Azure Data Explorer (Kusto)

Azure Data Lake Storage Gen2

Azure Database for MySQL

Azure Database for PostgreSQL

Azure Databricks Delta Lake

Azure SQL Database

Azure SQL Database Managed Instance

Dataverse (Common Data Service for Apps)

OData

teradata.

Activate Windows
Go to Settings to activate Windows.

Continue

Cancel

keyvaultdatafact - Microsoft Az

amanazuredatafactory - Azure

strgacntdf - Microsoft Azure

adf.azure.com/en/management/datalinkedservices?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2Famanazuredf_rg%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2Famanazuredatafactory

Microsoft Azure | Data Factory | amanazuredatafactory

Search

lovemaths404@gmail.com
DEFAULT DIRECTORY

Data Factory

Validate all

Publish all 1

General

Connector upgrade advisor

Factory settings

Connections

Linked services

Integration runtimes

Microsoft Purview

ADF in Microsoft Fabric

Source control

Git configuration

ARM template

Author

Triggers

Global parameters

Data flow libraries

Security

Credentials

Customer managed key

Outbound rules

Managed private endpoints

Workflow orchestration manager

Apache Airflow

Linked services

Linked service defines the connection information to a data store or compute. [Learn more](#)

+ New

Filter by name

Annotations : Any

Showing 1 - 1 of 1 items

Name	Type	Relationship
LS_AzureKeyVault	Azure Key Vault	0

New linked service

Azure Data Lake Storage Gen2 [Learn more](#)

Name *
AzureDataLakeStorage1

Description

Connect via integration runtime * ⓘ
AutoResolveIntegrationRuntime

Authentication type
Account key

Account selection method ⓘ
From Azure subscription Enter manually

Azure subscription ⓘ
Azure for Students (6796613d-1f98-44b9-a9fe-a1fb80a5dfca)

Storage account name *
strgacntdf

Test connection ⓘ
To linked service To file path

Annotations
+ New
> Parameters
> Advanced ⓘ

Create Back

Activate Windows
Go to Settings to activate Windows.
Connection successful
Test connection Cancel

keyvaultdatafact - Microsoft Az

amanazuredatafactory - Azure

strgacntdf - Microsoft Azure

adf.azure.com/en/management/datalinkedservices?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2Famanazuredf_rg%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2Famanazuredatafactory

Microsoft Azure | Data Factory | amanazuredatafactory

Search

»

Data Factory

Validate all

Publish all

»

General

Connector upgrade advisor

Factory settings

Connections

Linked services

Integration runtimes

Microsoft Purview

ADF in Microsoft Fabric

Source control

Git configuration

ARM template

Author

Triggers

Global parameters

Data flow libraries

Security

Credentials

Customer managed key

Outbound rules

Managed private endpoints

Workflow orchestration manager

Apache Airflow

Linked services

Linked service defines the connection information to a data store or compute. [Learn more](#)

+ New

Filter by name

Annotations : Any

Showing 1 - 2 of 2 items

Name	Type	Rela
AzureDataLakeStorage1	Azure Data Lake Storage Gen2	0
LS_AzureKeyVault	Azure Key Vault	0

Edit linked service

Azure Data Lake Storage Gen2 [Learn more](#)

Name

AzureDataLakeStorage1

Description

Connect via integration runtime

AutoResolveIntegrationRuntime

Authentication type

Account key

Account selection method

From Azure subscription

Enter manually

URL

https://strgacntdf.dfs.core.windows.net/

Storage account key

Azure Key Vault

AKV linked service

LS_AzureKeyVault

Secret name

adls-account-key

Edit

Secret version

Latest version

Edit

Add dynamic content [Alt+Shift+D]

Test connection

To linked service

To file path

Annotations

Save

Cancel

Test connection

Activate Windows
Go to Settings to activate Windows.

keyvaultdatafact - Microsoft Az...

amanazuredatafactory - Azure

strgacctndf - Microsoft Azure

adf.azure.com/en/management/datalinkedservices?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2Famanazuredf_rg%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2Famanazuredatafactory

Microsoft Azure | Data Factory | amanazuredatafactory

Search

lovemaths404@gmail.com
DEFAULT DIRECTORY

Data Factory

Validate all

Publish all 2

General

Connector upgrade advisor

Factory settings

Connections

Linked services

Integration runtimes

Microsoft Purview

ADF in Microsoft Fabric

Source control

Git configuration

ARM template

Author

Triggers

Global parameters

Data flow libraries

Security

Credentials

Customer managed key

Outbound rules

Managed private endpoints

Workflow orchestration manager

Apache Airflow

Linked services

Linked service defines the connection information to a data store or compute. [Learn more](#)

+ New

Filter by name

Annotations : Any

Showing 1 - 2 of 2 items

Name	Type	Related	Annotations
AzureDataLakeStorage1	Azure Data Lake Storage Gen2	0	
LS_AzureKeyVault	Azure Key Vault	1	

Will be applied

Changes to AzureDataLakeStorage1 (Linked service) will be applied when publishing.

Activate Windows
Go to Settings to activate Windows.

keyvaultdatafact - Microsoft Az...

amanazuredatafactory - Azure

strgacntdf - Microsoft Azure

adf.azure.com/en/management/datalinkedservices?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2Famanazuredf_rg%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2Famanazuredatafactory

Microsoft Azure | Data Factory ▶ amanazuredatafactory

Search

1 3 ?

lovemaths404@gmail.com
DEFAULT DIRECTORY

»

Data Factory

Validate all

Publish all 2

General

Connector upgrade advisor

Factory settings

Connections

Linked services

Integration runtimes

Microsoft Purview

ADF in Microsoft Fabric

Source control

Git configuration

ARM template

Author

Triggers

Global parameters

Data flow libraries

Security

Credentials

Customer managed key

Outbound rules

Managed private endpoints

Workflow orchestration manager

Apache Airflow

Linked services

Linked service defines the connection information to a data store or compute. [Learn more](#)

+ New

Filter by name

Annotations : Any

Showing 1 - 2 of 2 items

Name ↑↓	Type ↑↓	Rela
AzureDataLakeStorage1	Azure Data Lake Storage Gen2	0
LS_AzureKeyVault	Azure Key Vault	1

New linked service

Data store | Compute

sql

< All Azure Database File Generic protocol >


Amazon RDS for SQL Server


Azure Cosmos DB for NoSQL


Azure Database for MySQL


Azure Database for PostgreSQL


Azure SQL Database


Azure SQL Database Managed Instance


MySQL


PostgreSQL


SQL Server

Activate Windows
Go to Settings to activate Windows.

Continue

Cancel

keyvaultdatafact - Microsoft Az...

amanazuredatafactory - Azure

strgacntdf - Microsoft Azure

adf.azure.com/en/management/datalinkedservices?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2Famanazuredf_rg%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2Famanazuredatafactory

Microsoft Azure | Data Factory ▶ amanazuredatafactory

Search

lovemaths404@gmail.com
DEFAULT DIRECTORY

»

Data Factory

Validate all

Publish all 2

General

Connector upgrade advisor

Factory settings

Connections

Linked services

Integration runtimes

Microsoft Purview

ADF in Microsoft Fabric

Source control

Git configuration

ARM template

Author

Triggers

Global parameters

Data flow libraries

Security

Credentials

Customer managed key

Outbound rules

Managed private endpoints

Workflow orchestration manager

Apache Airflow

Linked services

Linked service defines the connection information to a data store or compute. [Learn more](#)

+ New

Filter by name

Annotations : Any

Showing 1 - 2 of 2 items

Name ↑↓	Type ↑↓	Rela
AzureDataLakeStorage1	Azure Data Lake Storage Gen2	0
LS_AzureKeyVault	Azure Key Vault	1

New linked service

Azure SQL Database [Learn more](#)

Name *

LS_SQLServer

Description

Connect via integration runtime * ⓘ

AutoResolveIntegrationRuntime

Version

2.0 (Recommended) 1.0

Import from connection string

Account selection method ⓘ

From Azure subscription Enter manually

Azure subscription

Azure for Students (6796613d-1f98-44b9-a9fe-a1fb80a5dfca)

Server name *

azuredfserver

Database name *

new-cars

Authentication type *

SQL authentication

User name *

sqladmin

Password Azure Key Vault

AKV linked service * ⓘ

LS_AzureKeyVault

Activate Windows

Go to Settings to activate Windows.

Create Back Test connection Cancel

keyvaultdatafact - Microsoft Az...

amanazuredatafactory - Azure

strgacntdf - Microsoft Azure

adf.azure.com/en/management/datalinkedservices?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2Famanazuredf_rg%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2Famanazuredatafactory

Microsoft Azure | Data Factory ▶ amanazuredatafactory

Search

lovemaths404@gmail.com
DEFAULT DIRECTORY

Validate all

Publish all 3

Migrate to Fabric (Preview)

»

Data Factory

Validate all

Publish all 3

»

General

Connector upgrade advisor

Factory settings

Connections

Linked services

Integration runtimes

Microsoft Purview

ADF in Microsoft Fabric

Source control

Git configuration

ARM template

Author

Triggers

Global parameters

Data flow libraries

Security

Credentials

Customer managed key

Outbound rules

Managed private endpoints

Workflow orchestration manager

Apache Airflow

Linked services

Linked service defines the connection information to a data store or compute. [Learn more](#)

+ New

Filter by name

Annotations : Any

Showing 1 - 3 of 3 items

Name ↑↓	Type ↑↓	Related ↑↓	Annotations ↑↓
• AzureDataLakeStorage1	Azure Data Lake Storage Gen2	0	
• LS_AzureKeyVault	Azure Key Vault	2	
• LS_SQLServer	  Azure SQL Database	0	

Activate Windows
Go to Settings to activate Windows.

Publishing the changes

keyvaultdatafact - Microsoft Az

amanazuredatafactory - Azure

strgacntdf - Microsoft Azure

adf.azure.com/en/management/datalinkedservices?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2Famanazuredf_rg%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2Famanazuredatafactory

Microsoft Azure | Data Factory | amanazuredatafactory

Search

1 5 ?

lovemaths404@gmail.com
DEFAULT DIRECTORY

»

Data Factory

Validate all

Publishing 3

General

Connector upgrade advisor

Factory settings

Connections

Linked services

Integration runtimes

Microsoft Purview

ADF in Microsoft Fabric

Source control

Git configuration

ARM template

Author

Triggers

Global parameters

Data flow libraries

Security

Credentials

Customer managed key

Outbound rules

Managed private endpoints

Workflow orchestration manager

Apache Airflow

Linked services

Linked service defines the connection information to a data store or compute. [Learn more](#)

+ New

Filter by name

Annotations : Any

Showing 1 - 3 of 3 items

Name	Type	Rela
AzureDataLakeStorage1	Azure Data Lake Storage Gen2	0
LS_AzureKeyVault	Azure Key Vault	2
LS_SQLServer	Azure SQL Database	0

Publish all

You are about to publish all pending changes to the live environment. [Learn more](#)

Pending changes (3)

NAME	CHANGE	EXISTING
Linked services		
LS_AzureKeyVault	(New)	-
AzureDataLakeStorage1	(Edited)	AzureDataLakeStorage1
LS_SQLServer	(New)	-

Activate Windows
Go to Settings to activate Windows.

Publish

Cancel