

Creating a pipeline for copying
data from a CSV file to SQL db

Create a Data Factory

Home

Create Data Factory

×

- Basics
- Git configuration
- Networking
- Advanced
- Tags
- Review + create

View automation template

Basics

Subscription	Azure for Students
Resource group	azuredftutorial
Name	amanazuredfdemo
Region	East Asia
Version	V2

Networking

Connect via	Public endpoint
-------------	-----------------

Home

Microsoft.DataFactory-20260413103104 | Overview

Search

Delete Cancel Redeploy Download Refresh

- Overview
- Inputs
- Outputs
- Template

✓ Your deployment is complete

Deployment name : Microsoft.DataFactory-20260413103104
Subscription : Azure for Students
Resource group : azuredftutorial

Start time : 4/13/2026, 10:34:11 AM
Correlation ID : 300b361c-f074-4e75-892f-810f666091dd

> Deployment details

> Next steps

Go to resource

Give feedback

Tell us about your experience with deployment

✓ Deployment succeeded

Deployment 'Microsoft.DataFactory-20260413103104' to resource group 'azuredftutorial' was successful.

Pin to dashbo... Go to resource gr...

- Cost management**
Get notified to stay within your budget and prevent unexpected charges on your bill.
[Set up cost alerts >](#)
- Microsoft Defender for Cloud**
Secure your apps and infrastructure
[Go to Microsoft Defender for Cloud >](#)
- Free Microsoft tutorials**
[Start learning today >](#)
- Work with an expert**
Azure experts are service provider partners who can help manage your assets on Azure and be your first line of support.
[Find an Azure expert >](#)

Create a SQL Server and Database

amanazuredfserver - Microsoft

portal.azure.com/?ocid=AIDcmmf1ej9v5_SEM_k_EAlaIQobChMlwOPijevOkwMVjRZ7Bx2F-AJKEAAYASAAEgl9WPD_BwE_k_#@lovemaths404gmail.onmicrosoft.com/resource/subscriptions/6796613d-1f98-44b9-a9fe-a1fb80a5dfca/resour...

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

lovemaths404@gmail.c...
DEFAULT DIRECTORY (LOVEMAT...

Home

amanazuredfserver
SQL server

Analyze query performance bottlenecks

Ensure disaster recovery readiness

Check query store mode

Search

Create database

New elastic pool

New dedicated SQL pool (formerly SQL DW)

Import database

Reset password

Move

Delete

Feedback

Overview

Activity log

Access control (IAM)

Tags

Quick start

Diagnose and solve problems

Resource visualizer

Settings

Microsoft Entra ID

SQL databases

SQL elastic pools

Properties

Locks

Data management

Backups

Deleted databases

Failover groups

Delete protection (preview)

Import/Export history

Security

Networking

Microsoft Defender for Cloud

Essentials

Resource group (move) : [azuredtutorial](#)

Status : Available

Location : East Asia

Subscription (move) : [Azure for Students](#)

Subscription ID : 6796613d-1f98-44b9-a9fe-a1fb80a5dfca

Tags (edit) : [Add tags](#)

Server admin : sqladmin

Networking : [Show networking settings](#)

Microsoft Entra admin : [lovemaths404@gmail.com](#)

Server name : amanazuredfserver.database.windows.net

Notifications (0)

Features (6)

AllSecurity (4)Performance (1)Recovery (1)

Microsoft Entra admin

Allows you to centrally manage identity and access to your Azure SQL databases.

CONFIGURED

Microsoft Defender for SQL

Vulnerability Assessment and Advanced Threat Protection.

NOT CONFIGURED

Automatic tuning

Monitors and tunes your database automatically to optimize performance.

CONFIGURED

Auditing

Track database events and writes them to an audit log in Azure storage.

NOT CONFIGURED

Failover groups

Automatically manages replication, connectivity and failover for a set of databases.

NOT CONFIGURED

Transparent data encryption

Encryption at rest for your databases, backups, and logs.

SERVICE-MANAGED KEY

Available resources

Filter by name

All types

0 record

Name	Type	Status	Pricing tier
No resources found.			

Add or remove favorites by pressing Ctrl+Shift+F

Home > amanazuredfserver

Create SQL Database

Microsoft

- Basics
- Networking
- Security
- Additional settings
- Tags
- Review + create

Product details

SQL database
by Microsoft
[Terms of use](#) | [Privacy policy](#)

Estimated cost per month
4.90 USD

Terms

By clicking "Create", I (a) agree to the legal terms and privacy statement(s) associated with the Marketplace offering(s) listed above; (b) authorize Microsoft to bill my current payment method for the fees associated with the offering(s), with the same billing frequency as my Azure subscription; and (c) agree that Microsoft may share my contact, usage and transactional information with the provider(s) of the offering(s) for support, billing and other transactional activities. Microsoft does not provide rights for third-party offerings. For additional details see [Azure Marketplace Terms](#).

Basics

Subscription	Azure for Students
Resource group	azuredftutorial
Region	eastasia
Database name	dfdemodb
Server	amanazuredfserver
Compute + storage	Basic: 2 GB storage
Backup storage redundancy	Locally-redundant backup storage

Networking

Allow Azure services and resources to access this server	Yes
Private endpoint	None



Cost summary

Basic (Basic)	
Cost per DTU (in USD)	0.98
DTUs selected	x 5
ESTIMATED COST / MONTH	4.90 USD

amanazuredfserver | Networking

SQL server

- Search
- Resource visualizer
- Settings
- Microsoft Entra ID
- SQL databases
- SQL elastic pools
- Properties
- Locks
- Data management
- Backups
- Deleted databases
- Failover groups
- Delete protection (preview)
- Import/Export history
- Security

- Networking
- Microsoft Defender for Cloud
- Transparent data encryption
- Identity
- Auditing
- Intelligent performance
- Monitoring
- Automation

Feedback

Public accessPrivate accessConnectivity

Public network access

Public Endpoints allow access to this resource through the internet using a public IP address. An application or resource that is granted access with the following network rules still requires proper authorization to access this resource. [Learn more](#)

Public network access

☐ Disable

☒ Selected networks

Connections from the IP addresses configured in the Firewall rules section below will have access to this database. By default, no public IP addresses are allowed. [Learn more](#)

Virtual networks

Allow virtual networks to connect to your resource using service endpoints. [Learn more](#)

+ Add a virtual network rule

Rule	Virtual network	Subnet	Address range	Endpoint status	Resource group	Subscription	State
------	-----------------	--------	---------------	-----------------	----------------	--------------	-------

Firewall rules

Allow certain public internet IP addresses to access your resource. [Learn more](#)

+ Add your client IPv4 address (49.200.158.22) + Add a firewall rule

Rule name ↓	Start IPv4 address	End IPv4 address	
ClientIPAddress_2026-4-13_10-50-25	49.200.158.22	49.200.158.22	

Exceptions

☒ Allow Azure services and resources to access this server ⓘ

SaveDiscard

Create a Storage Account and
a Container

Home - Microsoft Azure

portal.azure.com/?ocid=AIDcmmf1elj9v5_SEM_k_EAlaIQobChMlwOPijevOkwMVjRZ7Bx2F-AJKEAAYASAAEgI9WPD_BwE_k_#home

Microsoft Azure

storage acc

Copilot

lovemaths404@gmail.c...
DEFAULT DIRECTORY (LOVEMAT...

Azure services

Create a resource

Resource groups

SQL se

Resources

Recent

Favorite

Name

amanazuredfserver

azuredftutorial

dfdmodb

amanazuredfdemo

Azure for Students

See all

Navigate

Subscriptions

Tools

Microsoft Learn

Learn Azure with free online training from Microsoft

Azure Monitor

Monitor your apps and infrastructure

Microsoft Defender for Cloud

Secure your apps and infrastructure

Cost Management

Analyze and optimize your cloud spend for free

All

Services (29)

Marketplace (5)

More (4)

Services

Storage accounts

Storage accounts (classic)

Storage center

Azure Storage Actions

Microsoft Entra ID

Diagnostics Trusted Storage Access

Marketplace

Storage account

Storage task - Azure Storage Actions

Azure Storage Mover

Storage Account Using ARM

Documentation

Create an Azure storage account - Azure Storage

Manage storage account resources with the Azure Storage management library fo...

Create Storage Account

Recover a deleted storage account - Azure Storage

Continue searching in Microsoft Entra ID

See more

See more

See more

See more

Give feedback

Last Viewed

5 minutes ago

5 minutes ago

6 minutes ago

19 minutes ago

a week ago

Dashboard

https://portal.azure.com/?ocid=AIDcmmf1elj9v5_SEM_k_EAlaIQobChMlwOPijevOkwMVjRZ7Bx2F-AJKEAAYASAAEgI9WPD_BwE_k_#view/Microsoft_Azure_StorageHub/StorageHub.MenuView/~/_StorageAccountsBrowse

Create a storage account

Blob anonymous access	Disabled
Allow storage account key access	Enabled
Default to Microsoft Entra authorization in the Azure portal	Disabled
Minimum TLS version	Version 1.2
Permitted scope for copy operations	From any storage account

Networking

Public network access	Enabled
Public network access scope	Enabled from all networks
Default routing tier	Microsoft network routing

Data protection

Point-in-time restore	Disabled
Blob soft delete	Enabled
Blob retainment period in days	7
Container soft delete	Enabled
Container retainment period in days	7
File share soft delete	Enabled
File share retainment period in days	7
Versioning	Disabled
Blob change feed	Disabled
Version-level immutability support	Disabled

Encryption

Encryption type	Microsoft-managed keys (MMK)
Enable support for customer-managed keys	Blobs and files only
Enable infrastructure encryption	Disabled

Submitting deployment...

Submitting the deployment template for resource group 'azuredftutorial'.

input

Container

- Search
- Overview
- Diagnose and solve problems
- Access Control (IAM)
- Settings

+ Add Directory

Upload

Change access level

Refresh

Delete

Copy

Paste

Rename

Acquire lease

Break lease

Edit columns

input

Authentication method: Access key (Switch to Microsoft Entra user account)

Add filter

Search blobs by prefix (case-sensitive)

Only show active blobs

Showing all 1 items

	Name	Last modified	Access tier	Blob type	Size	Lease state
	 cars.csv	4/13/2026, 10:59:20 AM	Hot (Inferred)	Block blob	18.58 KiB	Available

Successfully uploaded blob(s)
Successfully uploaded 1 blob(s).

cars.csv - Microsoft Azure

portal.azure.com/?ocid=AIDcmmf1elj9v5_SEM_k_EAlaIQobChMlwOPijevOkwMVjRZ7Bx2F-AJKEAAYASAAEgl9WPD_BwE_k_#view/Microsoft_Azure_Storage/ContainerMenuBlade/~~/overview/storageAccountId/%2Fsubscriptions%2F6796613d-...

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

lovemaths404@gmail.c...
DEFAULT DIRECTORY (LOVEMAT...

Home > strgactdfdemo_1776058021792 | Overview > strgactdfdemo | Containers

input

Container

Search

+ Add Directory + Upload Change access level Refresh Delete

Overview

Diagnose and solve problems

Access Control (IAM)

Settings

Authentication method: Access key (Switch to Microsoft Entra user account)

Add filter

Search blobs by prefix (case-sensitive)

Showing all 1 items

☒ Name

☒ cars.csv

cars.csv

Blob

Save Discard Download Refresh Delete

Overview Versions Snapshots Edit Generate SAS

1 Make,Model,Type,Origin,DriveTrain,Length

2 Acura,MDX,SUV,Asia,All,4451

3 Acura,RSX Type S 2dr,Sedan,Asia,Front,2778

4 Acura,TSX 4dr,Sedan,Asia,Front,3230

5 Acura,TL 4dr,Sedan,Asia,Front,3575

6 Acura,3.5 RL 4dr,Sedan,Asia,Front,3880

7 Acura,3.5 RL w/Navigation 4dr,Sedan,Asia,Front,3893

8 Acura,NXS coupe 2dr manual S,Sports,Asia,Rear,3153

9 Audi,A4 1.8T 4dr,Sedan,Europe,Front,3252

10 Audi,A41.8T convertible 2dr,Sedan,Europe,Front,3638

11 Audi,A4 3.0 4dr,Sedan,Europe,Front,3462

12 Audi,A4 3.0 Quattro 4dr manual,Sedan,Europe,All,3583

13 Audi,A4 3.0 Quattro 4dr auto,Sedan,Europe,All,3627

14 Audi,A6 3.0 4dr,Sedan,Europe,Front,3561

15 Audi,A6 3.0 Quattro 4dr,Sedan,Europe,All,3880

16 Audi,A4 3.0 convertible 2dr,Sedan,Europe,Front,3814

17 Audi,A4 3.0 Quattro convertible 2dr,Sedan,Europe,All,4013

18 Audi,A6 2.7 Turbo Quattro 4dr,Sedan,Europe,All,3836

19 Audi,A6 4.2 Quattro 4dr,Sedan,Europe,All,4024

20 Audi,A8 L Quattro 4dr,Sedan,Europe,All,4399

21 Audi,S4 Quattro 4dr,Sedan,Europe,All,3825

22 Audi,RS 6 4dr,Sports,Europe,Front,4024

23 Audi,TT 1.8 convertible 2dr (coupe),Sports,Europe,Front,3131

24 Audi,TT 1.8 Quattro 2dr (convertible),Sports,Europe,All,2921

25 Audi,TT 3.2 coupe 2dr (convertible),Sports,Europe,All,3351

26 Audi,A6 3.0 Avant Quattro,Wagon,Europe,All,4035

27 Audi,S4 Avant Quattro,Wagon,Europe,All,3936

28 BMW,X3 3.0i,SUV,Europe,All,4023

29 BMW,X5 4.4i,SUV,Europe,All,4824

30 BMW,325i 4dr,Sedan,Europe,Rear,3219

31 BMW,325Ci 2dr,Sedan,Europe,Rear,3197

32 BMW,325Ci convertible 2dr,Sedan,Europe,Rear,3560

33 BMW,325xi 4dr,Sedan,Europe,All,3461

Csv Preview

Add or remove favorites by pressing Ctrl+Shift+F

Building a schema for db

dfdemodb (amanazuredfserver/dfdemodb) | Query editor (preview) ☆ ... SQL database

Search New query Templates Open in Feedback Sign out Classic experience

- Overview
- Activity log
- Tags
- Diagnose and solve problems

Query editor (preview)

Mirror database in Fabric (preview)

Resource visualizer

Settings

Compute + storage

Connection strings

Maintenance

Properties

Locks

Data management

Replicas

Sync to other databases

Integrations

Azure Synapse Link

Stream analytics (preview)

Add Azure AI Search

Power Platform

Power BI

Add or remove favorites by pressing Ctrl+Shift+F

Explorer

Search

dfdemodb

dbo

Queries



Start exploring your data

Write and run SQL queries, create database objects with a template, or open a table or view to preview your data.

New query

dfdemodb (amanazuredfserver/dfdemodb) | Query editor (preview)

SQL database

Search New query Templates Open in Feedback Sign out Classic experience

- Overview
- Activity log
- Tags
- Diagnose and solve problems
- Query editor (preview)
- Mirror database in Fabric (preview)
- Resource visualizer
- Settings
- Compute + storage
- Connection strings
- Maintenance
- Properties
- Locks
- Data management
- Replicas
- Sync to other databases
- Integrations
- Azure Synapse Link
- Stream analytics (preview)
- Add Azure AI Search
- Power Platform
- Power BI

Explorer

- Search
- dfdemodb
 - dbo
 - Tables
 - Views
 - Stored Procedures
 - Functions
 - Queries
- SQL query 1

SQL query 1

Run Save as view

Your queries will be lost when your session ends. Use **Save as view** to keep results as a database view, or copy your query text to save it externally.

```
1 CREATE TABLE Cars (  
2     Make nvarchar(100),  
3     Model nvarchar(200),  
4     Type nvarchar(100),  
5     Origin nvarchar(100),  
6     DriveTrain nvarchar(100),  
7     Length decimal(18,0)  
8 )
```


Launching Data Factory Studio

amanazuredfdemo - Microsoft

portal.azure.com/?ocid=AIDcmmf1elj9v5_SEM__k_EAlaIQobChMlwOPijevOkwMVjRZ7Bx2F-AJKEAAYASAAEgl9WPD_BwE_k_#@lovemaths404gmail.onmicrosoft.com/resource/subscriptions/6796613d-1f98-44b9-a9fe-a1fb80a5dfca/resour...

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

lovemaths404@gmail.c...
DEFAULT DIRECTORY (LOVEMAT...

Home > Resource Manager | Resource groups > azuredftutorial

amanazuredfdemo

Data factory (V2)

Summarize the properties of this Data factory (V2).

How do I troubleshoot pipeline failures in this Data factory (V2)?

Show me integration runtime metrics for this Data factory (V2).

Search

Delete

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Resource visualizer

Settings

Getting started

Monitoring

Automation

Help

Essentials

Resource group (move) : [azuredftutorial](#)

Status : Succeeded

Location : East Asia

Subscription (move) : [Azure for Students](#)

Subscription ID : 6796613d-1f98-44b9-a9fe-a1fb80a5dfca

Type : Data factory (V2)

Getting started : [Quick start](#)

JSON View



Azure Data Factory Studio

Launch studio

Quick Starts

Tutorials

Template Gallery

Training Modules

Monitoring

PipelineRuns

100

80

60

40

ActivityRuns

100

80

60

40

20

TriggerRuns

100


80


60

40

20

https://adf.azure.com/en/home?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2Fresource...





amanazuredfdemo - Microsoft

amanazuredfdemo - Azure Data

adf.azure.com/en/management/datalinkedservices?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2Fazuredftutorial%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2Famanazuredfdemo

Microsoft Azure | Data Factory | amanazuredfdemo

Search

lovemaths404@gmail.com
DEFAULT DIRECTORY

Data Factory

Validate all

Publish all 1

General

Connector upgrade advisor

Factory settings

Connections

Linked services

Integration runtimes

Microsoft Purview

ADF in Microsoft Fabric

Source control

Git configuration

ARM template

Author

Triggers

Global parameters

Data flow libraries

Security

Credentials

Customer managed key

Outbound rules

Managed private endpoints

Workflow orchestration manager

Apache Airflow

Linked services

Linked service defines the connection information to a data store or compute. [Learn more](#)

+ New

Filter by name

Annotations : Any

No linked service to show

If you expected to see results, try changing your filters or create a new linked service

Create linked service

New linked service

Data storeCompute

Amazon RDS for Oracle

Amazon RDS for SQL Server

Amazon Redshift

Amazon S3

Amazon S3 Compatible

Apache Impala

AppFigures (Preview)

Asana (Preview)

Azure AI Search

Azure Blob Storage

Azure Cosmos DB for MongoDB

Azure Cosmos DB for NoSQL

Continue

Cancel

amanazuredfdemo - Microsoft

amanazuredfdemo - Azure Data

adf.azure.com/en/management/datalinkedservices?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2Fazuredftutorial%2Fproviders%2FMicrosoft.DataFactory%2FFactories%2Famanazuredfdemo

Microsoft Azure | Data Factory | amanazuredfdemo

Search

lovemaths404@gmail.com
DEFAULT DIRECTORY

Data Factory

Validate all

Publish all 1

General

Connector upgrade advisor

Factory settings

Connections

Linked services

Integration runtimes

Microsoft Purview

ADF in Microsoft Fabric

Source control

Git configuration

ARM template

Author

Triggers

Global parameters

Data flow libraries

Security

Credentials

Customer managed key

Outbound rules

Managed private endpoints

Workflow orchestration manager

Apache Airflow

Linked services

Linked service defines the connection information to a data store or compute. [Learn more](#)

+ New

Filter by name

Annotations : Any

No linked service to show

If you expected to see results, try changing your filters or create a new linked

Create linked service

New linked service

Azure Blob Storage [Learn more](#)

input0000

Description

Connect via integration runtime * ⓘ

AutoResolveIntegrationRuntime

Authentication type

Account key

Connection string

Azure Key Vault

Account selection method ⓘ

From Azure subscription

Enter manually

Azure subscription ⓘ

Azure for Students (6796613d-1f98-44b9-a9fe-a1fb80a5dfca)

Storage account name *

strgactdfdemo

Additional connection properties

+ New

Test connection ⓘ

To linked service

To file path

Annotations

+ New

Parameters

Advanced ⓘ

Create

Back

Connection successful

Test connection

Cancel

amanazuredfdemo - Microsoft

amanazuredfdemo - Azure Data

adf.azure.com/en/management/datalinkedservices?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2Fazuredftutorial%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2Famanazuredfdemo

Microsoft Azure | Data Factory | amanazuredfdemo

Search

lovemaths404@gmail.com
DEFAULT DIRECTORY

Data Factory

Validate all

Publish all 1

General

Connector upgrade advisor

Factory settings

Connections

Linked services

Integration runtimes

Microsoft Purview

ADF in Microsoft Fabric

Source control

Git configuration

ARM template

Author

Triggers

Global parameters

Data flow libraries

Security

Credentials

Customer managed key

Outbound rules

Managed private endpoints

Workflow orchestration manager

Apache Airflow

Linked services

Linked service defines the connection information to a data store or compute. [Learn more](#)

+ New

Filter by name

Annotations : Any

Showing 1 - 1 of 1 items

Name	Type	Related	Annotations
inputblob	Azure Blob Storage	0	

Successfully created

Successfully created inputblob (Linked service).

amanazuredfdemo - Microsoft

amanazuredfdemo - Azure Data

adf.azure.com/en/authoring/pipeline/BlobtoSQL?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2Fazuredftutorial%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2Famanazuredfdemo

Microsoft Azure | Data Factory | amanazuredfdemo

Search

lovemaths404@gmail.com
DEFAULT DIRECTORY

Data Factory

Validate all

Publish all 1

Factory Resources

Filter resources by name

Pipelines1

BlobtoSQL

Change Data Capture (preview)0

Datasets0

Data flows

Power Query

New dataset

New folder

Activities

Search activities

Move and transform

Synapse

Azure Data Explorer

Databricks

Data Lake Analytics

General

HDInsight

Iteration & conditionals

Machine Learning

Power Query

Validate

Debug

Add trigger

Parameters

Variables

Settings

Output

+ New

Properties

General

Related

Name *

BlobtoSQL

Description

Annotations

+ New

Cancel

amanazuredfdemo - Microsoft

amanazuredfdemo - Azure Data

adf.azure.com/en/authoring/pipeline/BlobtoSQL?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2Fazuredftutorial%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2Famanazuredfdemo

Microsoft Azure | Data Factory | amanazuredfdemo

Search

lovemaths404@gmail.com
DEFAULT DIRECTORY

Data Factory

Validate all

Publish all 1

Factory Resources

Filter resources by name

Pipelines1

BlobtoSQL

Change Data Capture (preview)0

Datasets0

Data flows0

Power Query0

Activities

Search activities

Move and transform

Synapse

Azure Data Explorer

Azure Function

Batch Service

Databricks

Data Lake Analytics

General

HDInsight

Iteration & conditionals

Machine Learning

Power Query

Validate

Debug

Add trigger

Parameters

Variables

Settings

Output

+ New

New dataset

In pipeline activities and data flows, reference a dataset to specify the location and structure of your data within a data store. [Learn more](#)

Select a data store

Search

AllAzureDatabaseFileGeneric protocol

Amazon RDS for Oracle

Amazon RDS for SQL Server

Amazon Redshift

Amazon S3

Amazon S3 Compatible

Apache Impala

Azure AI Search

Azure Blob Storage

Azure Cosmos DB for MongoDB

Azure Cosmos DB for NoSQL

Azure Data Explorer (Kusto)

Azure Data Lake Storage Gen2

Continue

Cancel

amanazuredfdemo - Microsoft

amanazuredfdemo - Azure Data

adf.azure.com/en/authoring/pipeline/BlobtoSQL?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2Fazuredftutorial%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2Famanazuredfdemo

Microsoft Azure | Data Factory | amanazuredfdemo

Search

lovemaths404@gmail.com
DEFAULT DIRECTORY

Data Factory

Validate all

Publish all 1

Factory Resources

Filter resources by name

Pipelines1

BlobtoSQL

Change Data Capture (preview)0

Datasets0

Data flows0

Power Query0

BlobtoSQL

Search activities

Move and transform

Synapse

Azure Data Explorer

Azure Function

Batch Service

Databricks

Data Lake Analytics

General

HDInsight

Iteration & conditionals

Machine Learning

Power Query

Validate

Debug

Add trigger

Parameters

Variables

Settings

Output

+ New

Select format

Choose the format type of your data



Avro



Binary



DelimitedText



Excel



JSON



ORC



Parquet



XML

Continue

Back

Cancel

amanazuredfdemo - Microsoft

amanazuredfdemo - Azure Data

adf.azure.com/en/authoring/pipeline/BlobtoSQL?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2Fazuredftutorial%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2Famanazuredfdemo

Microsoft Azure | Data Factory | amanazuredfdemo

Search

lovemaths404@gmail.com
DEFAULT DIRECTORY

»

Data Factory

Validate all

Publish all 1

Factory Resources

Filter resources by name

Pipelines1

BlobtoSQL

Change Data Capture (preview)0

Datasets0

Data flows0

Power Query0

BlobtoSQL

Search activities

Move and transform

Synapse

Azure Data Explorer

Azure Function

Batch Service

Databricks

Data Lake Analytics

General

HDInsight

Iteration & conditionals

Machine Learning

Power Query

Validate

Debug

Add trigger

Parameters

Variables

Settings

Output

+ New

Set properties

Name

CarsCSV

Linked service *

inputblob

File path

input

/

Directory

/

cars.csv

First row as header

☒

Import schema

☒ From connection/store

☐ From sample file

☐ None

OK

Back

Cancel

amanazuredfdemo - Microsoft

amanazuredfdemo - Azure Data

adf.azure.com/en/authoring/dataset/CarsCSV?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2Fazuredftutorial%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2Famanazuredfdemo

Microsoft Azure | Data Factory | amanazuredfdemo

Search

lovemaths404@gmail.com

Migrate to Fabric (Preview)

Factory Resources

Filter resources by name

Pipelines1

BlobtoSQL

Change Data Capture (preview)0

Datasets1

CarsCSV

Data flows0

Power Query0

BlobtoSQL

CarsCSV

DelimitedText

CarsCSV

Connection

Schema

Parameters

Linked service *

inputblob

Test connection

Edit

New

Learn more

File path *

input

Directory

cars.csv

Browse

Preview data

Detect format

Compression type

No compression

Column delimiter ①

Comma (,)

Row delimiter ①

Default (\r,\n, or \r\n)

Encoding ①

Default(UTF-8)

Quote character ①

Double quote (")

Escape character ①

Backslash (\)

First row as header ①

☒

Null value ①

Properties

General

Related

Name *

CarsCSV

Description

Annotations

New

Cancel

amanazuredfdemo - Microsoft

amanazuredfdemo - Azure Data

adf.azure.com/en/authoring/dataset/CarsCSV?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2Fazuretutorial%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2Famanazuredfdemo

Microsoft Azure | Data Factory | amanazuredfdemo

Search

lovemaths404@gmail.com

Migrate to Fabric (Preview)

Factory Resources

Filter resources by name

Pipelines1

BlobtoSQL

Change Data Capture (preview)0

Datasets1

CarsCSV

Data flows0

Power Query0

DelimitedText

CarsCSV

Preview data

Linked service: inputblob

Object: cars.csv

	Make	Model	Type	Origin	DriveTrain	Length
1	Acura	MDX	SUV	Asia	All	4451
2	Acura	RSX Type S 2dr	Sedan	Asia	Front	2778
3	Acura	TSX 4dr	Sedan	Asia	Front	3230
4	Acura	TL 4dr	Sedan	Asia	Front	3575
5	Acura	3.5 RL 4dr	Sedan	Asia	Front	3880
6	Acura	3.5 RL w/Navigation 4dr	Sedan	Asia	Front	3893
7	Acura	NSX coupe 2dr manual S	Sports	Asia	Rear	3153
8	Audi	A4 1.8T 4dr	Sedan	Europe	Front	3252
9	Audi	A41.8T convertible 2dr	Sedan	Europe	Front	3638
10	Audi	A4 3.0 4dr	Sedan	Europe	Front	3462

new data

Detect format

Connection

Schema

Properties

Linked service *

File path *

Compression type

Column delimiter ①

Row delimiter ①

Encoding ①

Quote character ①

Escape character ①

First row as header ①

Null value ①

Properties

General

Related

Name *

CarsCSV

Description

Annotations

+ New

Cancel

amanazuredfdemo - Microsoft

amanazuredfdemo - Azure Data

adf.azure.com/en/authoring/dataset/CarsCSV?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2Fazuredftutorial%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2Famanazuredfdemo

Microsoft Azure | Data Factory | amanazuredfdemo

Search

lovemaths404@gmail.com
DEFAULT DIRECTORY

»

Data Factory

Validate all

Publish all 2

Factory Resources

Filter resources by name

Pipelines1

BlobtoSQL

Change Data Capture (preview)0

Datasets1

CarsCSV

Data flows0

Power Query0

BlobtoSQL

CarsCSV

DelimitedText

CarsCSV

Connection

Schema

Parameters

Import schema

Clear

Column name	Type
Make	String
Model	String
Type	String
Origin	String
DriveTrain	String
Length	String

Properties

General

Related

Name *

CarsCSV

Description

Annotations

+ New

Cancel

amanazuredfdemo - Microsoft

amanazuredfdemo - Azure Data

adf.azure.com/en/management/datalinkedservices?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2Fazuredftutorial%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2Famanazuredfdemo

Microsoft Azure | Data Factory ▶ amanazuredfdemo

Search

lovemaths404@gmail.com
DEFAULT DIRECTORY

Validate all

Publish all 2

Migrate to Fabric (Preview)

»

Data Factory

«

General

Connector upgrade advisor

Factory settings

Connections

Linked services

Integration runtimes

Microsoft Purview

ADF in Microsoft Fabric

Source control

Git configuration

ARM template

Author

Triggers

Global parameters

Data flow libraries

Security

Credentials

Customer managed key

Outbound rules

Managed private endpoints

Workflow orchestration manager

Apache Airflow

Linked services

Linked service defines the connection information to a data store or compute. [Learn more](#)

+ New

Filter by name

Annotations : Any

Showing 1 - 1 of 1 items

Name ↑↓	Type ↑↓	Related ↑↓	Annotations ↑↓
inputblob	Azure Blob Storage	1	

amanazuredfdemo - Microsoft

amanazuredfdemo - Azure Data

adf.azure.com/en/management/datalinkedservices?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2Fazuredftutorial%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2Famanazuredfdemo

Microsoft Azure | Data Factory | amanazuredfdemo

Search

lovemaths404@gmail.com
DEFAULT DIRECTORY

Data Factory

Validate all

Publish all 2

General

Connector upgrade advisor

Factory settings

Connections

Linked services

Integration runtimes

Microsoft Purview

ADF in Microsoft Fabric

Source control

Git configuration

ARM template

Author

Triggers

Global parameters

Data flow libraries

Security

Credentials

Customer managed key

Outbound rules

Managed private endpoints

Workflow orchestration manager

Apache Airflow

Linked services

Linked service defines the connection information to a data store or compute. [Learn more](#)

+ New

Filter by name

Annotations : Any

Showing 1 - 1 of 1 items

Name	Type	Relationship
inputblob	Azure Blob Storage	1

New linked service

Data store | Compute

sql

All | Azure | Database | File | Generic protocol

Amazon RDS for SQL Server

Azure Cosmos DB for NoSQL

Azure Database for MySQL

Azure Database for PostgreSQL

Azure SQL Database

Azure SQL Database Managed Instance


MySQL


PostgreSQL

SQL Server

Continue

Cancel





amanazuredfdemo - Microsoft

amanazuredfdemo - Azure Data

adf.azure.com/en/authoring/pipeline/BlobtoSQL?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2Fazuredftutorial%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2Famanazuredfdemo

Microsoft Azure | Data Factory | amanazuredfdemo

Search

lovemaths404@gmail.com
DEFAULT DIRECTORY

Data Factory

Validate all

Publish all 2

Factory Resources

Filter resources by name

Pipelines1

BlobtoSQL

Change Data Capture (preview)0

Datasets1

CarsCSV

Data flows0

Power Query0

BlobtoSQL

CarsCSV

Activities

Search activities

Move and transform

Synapse

Azure Data Explorer

Azure Function

Batch Service

Databricks

Data Lake Analytics

General

HDInsight

Iteration & conditionals

Machine Learning

Power Query

Validate

Debug

Add trigger

Parameters

Variables

Settings

Output

+ New

New dataset

In pipeline activities and data flows, reference a dataset to specify the location and structure of your data within a data store. [Learn more](#)

Select a data store

sql

All

Azure

Database

File

Generic protocol



Amazon RDS for SQL Server



Azure Cosmos DB for NoSQL



Azure Database for MySQL



Azure Database for PostgreSQL



Azure SQL Database



Azure SQL Database Managed Instance



MySQL



PostgreSQL



SQL Server

Continue

Cancel

amanazuredfdemo - Microsoft

amanazuredfdemo - Azure Data

adf.azure.com/en/authoring/pipeline/BlobtoSQL?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2Fazuredtutorial%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2Famanazuredfdemo

Microsoft Azure | Data Factory | amanazuredfdemo

Search

1

2

lovemaths404@gmail.com

DEFAULT DIRECTORY

»

Data Factory

Validate all

Publish all 2

Factory Resources

Filter resources by name

Pipelines1

BlobtoSQL

Change Data Capture (preview)0

Datasets1

CarsCSV

Data flows0

Power Query0

BlobtoSQL

CarsCSV

Activities

Search activities

Move and transform

Synapse

Azure Data Explorer

Azure Function

Batch Service

Databricks

Data Lake Analytics

General

HDInsight

Iteration & conditionals

Machine Learning

Power Query

Validate

Debug

Add trigger

Parameters

Variables

Settings

Output

+ New

Set properties

Name

CarsTable

Linked service *

OutputSQL

Table name

dbo.Cars

Enter manually

dbo.Cars

Import schema

From connection/store

None

OK

Back

Cancel

amanazuredfdemo - Microsoft

amanazuredfdemo - Azure Data

adf.azure.com/en/authoring/pipeline/BlobtoSQL?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2Fazuredftutorial%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2Famanazuredfdemo

Microsoft Azure | Data Factory | amanazuredfdemo

Search

1

2

?

lovemaths404@gmail.com

DEFAULT DIRECTORY

3

Migrate to Fabric (Preview)

3

Factory Resources

Filter resources by name

+

Pipelines1

BlobtoSQL

Change Data Capture (preview)0

Datasets2

CarsCSV

CarsTable

Data flows0

Power Query0

Activities

Search activities

Move and transform

Copy data

Data flow

Synapse

Azure Data Explorer

Azure Function

Batch Service

Databricks

Data Lake Analytics

General

HDInsight

Iteration & conditionals

Machine Learning

Power Query

Validate

Debug

Add trigger

Properties

General

Related

Name *

BlobtoSQL

Description

Annotations

+ New

Parameters

Variables

Settings

Output

+ New

Cancel

amanazuredfdemo - Microsoft

amanazuredfdemo - Azure Data

adf.azure.com/en/authoring/pipeline/BlobtoSQL?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2Fazuredftutorial%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2Famanazuredfdemo

Microsoft Azure | Data Factory | amanazuredfdemo

Search

lovemaths404@gmail.com

Migrate to Fabric (Preview)

Factory Resources

Filter resources by name

Pipelines1

BlobtoSQL

Change Data Capture (preview)0

Datasets2

CarsCSV

CarsTable

Data flows0

Power Query0

Activities

Search activities

Move and transform

Copy data

Data flow

Synapse

Azure Data Explorer

Azure Function

Batch Service

Databricks

Data Lake Analytics

General

HDInsight

Iteration & conditionals

Machine Learning

Power Query

Validate

Validate copy runtime

Debug

Add trigger

Copy data

Copy data1

General

Source1

Sink1

Mapping

Settings

User properties

Name *

Copy data1

Description

Activity state ①

Activated

Deactivated

Timeout ①

0.12:00:00

Retry ①

0

Retry interval (sec) ①

30

Secure output ①

Secure input ①

Properties

General

Related

Name *

BlobtoSQL

Description

Annotations

New

Cancel

amanazuredfdemo - Microsoft

amanazuredfdemo - Azure Data

adf.azure.com/en/authoring/pipeline/BlobtoSQL?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2Fazuredtutorial%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2Famanazuredfdemo

Microsoft Azure | Data Factory | amanazuredfdemo

Search

lovemaths404@gmail.com

Migrate to Fabric (Preview)

Factory Resources

Filter resources by name

Pipelines1

BlobtoSQL

Change Data Capture (preview)0

Datasets2

CarsCSV

CarsTable

Data flows0

Power Query0

Activities

Search activities

Move and transform

Copy data

Data flow

Synapse

Azure Data Explorer

Azure Function

Batch Service

Databricks

Data Lake Analytics

General

HDInsight

Iteration & conditionals

Machine Learning

Power Query

Validate

Validate copy runtime

Debug

Add trigger

Copy data

Cars CSV to SQL

General

Source

Sink

Mapping

Settings

User properties

Source dataset *

Select...

CarsCSV

CarsTable

New

Properties

General

Related

Name *

BlobtoSQL

Description

Annotations

New

Cancel

amanazuredfdemo - Microsoft

amanazuredfdemo - Azure Data

adf.azure.com/en/authoring/pipeline/BlobtoSQL?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2Fazuredtutorial%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2Famanazuredfdemo

Microsoft Azure | Data Factory | amanazuredfdemo

Search

lovemaths404@gmail.com

Migrate to Fabric (Preview)

Factory Resources

Filter resources by name

Pipelines1

BlobtoSQL

Change Data Capture (preview)0

Datasets2

CarsCSV

CarsTable

Data flows0

Power Query0

Activities

Search activities

Move and transform

Copy data

Data flow

Synapse

Azure Data Explorer

Azure Function

Batch Service

Databricks

Data Lake Analytics

General

HDInsight

Iteration & conditionals

Machine Learning

Power Query

Validate

Validate copy runtime

Debug

Add trigger

Copy data

Cars CSV to SQL

General

Source

Sink

Mapping

Settings

User properties

Sink dataset *

Select...

CarsCSV

CarsTable

New

Properties

General

Related

Name *

BlobtoSQL

Description

Annotations

New

Cancel

amanazuredfdemo - Microsoft

amanazuredfdemo - Azure Data

adf.azure.com/en/authoring/pipeline/BlobtoSQL?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2Fazuredftutorial%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2Famanazuredfdemo

Microsoft Azure | Data Factory | amanazuredfdemo

Search

lovemaths404@gmail.com

Migrate to Fabric (Preview)

Factory Resources

Filter resources by name

Pipelines1

BlobtoSQL

Change Data Capture (preview)0

Datasets2

CarsCSV

CarsTable

Data flows0

Power Query0

Activities

Search activities

Move and transform

Copy data

Data flow

Synapse

Azure Data Explorer

Azure Function

Batch Service

Databricks

Data Lake Analytics

General

HDInsight

Iteration & conditionals

Machine Learning

Power Query

Validate

Validate copy runtime

Debug

Add trigger

Copy data

Cars CSV to SQL

General

Source

Sink

Mapping

Settings

User properties

Type conversion settings

Import schemas

Preview source

New mapping

Clear

Reset

Delete

Add dynamic content [Alt+Shift+D]

Properties

General

Related

Name

BlobtoSQL

Description

Annotations

New

Cancel

amanazuredfdemo - Microsoft

amanazuredfdemo - Azure Data

adf.azure.com/en/authoring/pipeline/BlobtoSQL?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2Fazuredtutorial%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2Famanazuredfdemo

Microsoft Azure | Data Factory | amanazuredfdemo

Search

1

2

?

lovemaths404@gmail.com

DEFAULT DIRECTORY

3

Validate all

Publish all 3

Migrate to Fabric (Preview)

3

Factory Resources

Filter resources by name

+

Pipelines 1

• BlobtoSQL

Change Data Capture (preview) 0

Datasets 2

• CarsCSV

• CarsTable

Data flows 0

Power Query 0

Activities

Search activities

Move and transform

Copy data

Data flow

Synapse

Azure Data Explorer

Azure Function

Batch Service

Databricks

Data Lake Analytics

General

HDInsight

Iteration & conditionals

Machine Learning

Power Query

Validate

Debug

Add trigger

Copy data

Cars CSV to SQL

+

—

Properties

General

Related

Name *

BlobtoSQL

Description

Annotations

+ New

Parameters

Variables

Settings

Output

Pipeline run ID

2a7f047c-0fe0-4d29-8905-804181b22d46

Pipeline status

Queued

All status

Monitor in Azure Metrics

Export to CSV

Showing 0 - 0 of 0 items

Activity name

Activity st...

Activit...

Run start

Duration

Integration runtime

Us

Cancel

amanazuredfdemo - Microsoft

amanazuredfdemo - Azure Data

adf.azure.com/en/authoring/pipeline/BlobtoSQL?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2Fazuredtutorial%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2Famanazuredfdemo

Microsoft Azure | Data Factory | amanazuredfdemo

Search

1

2

?

lovemaths404@gmail.com

DEFAULT DIRECTORY

3

Validate all

Publish all 3

Migrate to Fabric (Preview)

Factory Resources

Filter resources by name

Pipelines 1

BlobtoSQL

Change Data Capture (preview) 0

Datasets 2

CarsCSV

CarsTable

Data flows 0

Power Query 0

Activities

Search activities

Move and transform

Copy data

Data flow

Synapse

Azure Data Explorer

Azure Function

Batch Service

Databricks

Data Lake Analytics

General

HDInsight

Iteration & conditionals

Machine Learning

Power Query

Validate

Debug

Add trigger

Copy data

Cars CSV to SQL

Properties

General

Related

Name *

BlobtoSQL

Description

Annotations

New

Parameters

Variables

Settings

Output

Pipeline run ID

2a7f047c-0fe0-4d29-8905-804181b22d46

Pipeline status

Succeeded

View debug run consumption

All status

Monitor in Azure Metrics

Export to CSV

Showing 1 - 1 of 1 items

Activity name	Activity st...	Activit...	Run start	Duration	Integration runtime	Us
Cars CSV to SQL	Succeeded	Copy data	4/13/2026, 11:24:58 AM	16s	AutoResolveIntegrationRuntime (East Asia)	

Cancel

dfdemodb (amanazuredfserver/dfdemodb) | Query editor (preview) ☆ ...

SQL database

Search

New query | Templates | Open in | Feedback | Sign out | Classic experience

- Overview
- Activity log
- Tags
- Diagnose and solve problems
- Query editor (preview)
- Mirror database in Fabric (preview)
- Resource visualizer
- Settings
 - Compute + storage
 - Connection strings
 - Maintenance
 - Properties
 - Locks
- Data management
 - Replicas
 - Sync to other databases
- Integrations
 - Azure Synapse Link
 - Stream analytics (preview)
 - Add Azure AI Search
- Power Platform
 - Power BI

Explorer

Search

dfdemodb

- dbo
 - Tables
 - Cars
 - Views
 - Stored Procedures
 - Functions
- Queries
 - SQL query 1

SQL query 1 | Cars

Run | Save as view

Your queries will be lost when your session ends. Use **Save as view** to keep results as a database view, or copy your query text to save it externally.

1 select * from Cars;

Messages | Results | {} | ↓

	ABC Make	ABC Model	ABC Type	ABC Origin	ABC DriveTrain	e* Length
1	Acura	MDX	SUV	Asia	All	4451
2	Acura	RSX Type S 2dr	Sedan	Asia	Front	2778
3	Acura	TSX 4dr	Sedan	Asia	Front	3230
4	Acura	TL 4dr	Sedan	Asia	Front	3575
5	Acura	3.5 RL 4dr	Sedan	Asia	Front	3880
6	Acura	3.5 RL w/Navigation 4dr	Sedan	Asia	Front	3893
7	Acura	NSX coupe 2dr manual S	Sports	Asia	Rear	3153
8	Audi	A4 1.8T 4dr	Sedan	Europe	Front	3252
9	Audi	A41.8T convertible 2dr	Sedan	Europe	Front	3638
10	Audi	A4 3.0 4dr	Sedan	Europe	Front	3462

Succeeded (0 sec 245 ms) Columns: 6 Rows: 428

dfdemodb (amanazuredserver/ x amanazuredfdemo - Azure Data x +

adf.azure.com/en/authoring/pipeline/BlobtoSQL?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2Fazuredtutorial%2Fproviders%2FMicrosoft.DataFactory%2FFactories%2Famanazuredfdemo

Microsoft Azure | Data Factory | am Validate all resources and publish them

Search

lovemaths404@gmail.com

Validate all

Publish all 3

Factory Resources

Filter resources by name

Pipelines 1

BlobtoSQL

Change Data Capture (preview) 0

Datasets 2

CarsCSV

CarsTable

Data flows 0

Power Query 0

Activities

Search activities

Move and transform

Copy data

Data flow

Synapse

Azure Data Explorer

Azure Function

Batch Service

Databricks

Data Lake Analytics

General

HDInsight

Iteration & conditionals

Machine Learning

Power Query

BlobtoSQL

CarsCSV

CarsTable

Validate

Debug

Add trigger

Copy data

Cars CSV to SQL

Properties

General

Related

Name *

BlobtoSQL

Description

Annotations

New

Cancel

Parameters

Variables

Settings

Output

Pipeline run ID

2a7f047c-0fe0-4d29-8905-804181b22d46

Pipeline status

Succeeded

View debug run consumption

Monitor in Azure Metrics

Export to CSV

Showing 1 - 1 of 1 items

Activity name	Activity st...	Activit...	Run start	Duration	Integration runtime	Us
Cars CSV to SQL	Succeeded	Copy data	4/13/2026, 11:24:58 AM	16s	AutoResolveIntegrationRuntime (East Asia)	