

Creating a trigger

strgacnt786 - Microsoft Azure

DF-demo786 - Azure Data Factory

adf.azure.com/en/management/triggers?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2FRG-demo%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2FDF-demo786

Microsoft Azure | Data Factory > DF-demo786

Search

lovemaths404@gmail.com
DEFAULT DIRECTORY

>>

Data Factory

Validate all

Publish all 1

Home

Connector upgrade advisor

Factory settings

Connections

Linked services

Integration runtimes

Microsoft Purview

ADF in Microsoft Fabric

Source control

Git configuration

ARM template

Author

Triggers

Global parameters

Data flow libraries

Security

Credentials

Customer managed key

Outbound rules

Managed private endpoints

Workflow orchestration manager

Apache Airflow

Triggers

To execute a pipeline set the trigger. Triggers represent a unit of processing that determines when a pipeline execution needs to be kicked off.

+ New

Refresh

Filter by name

Annotations : Any

Showing 1 - 1 of 1 items

Name ↑↓	Type ↑↓	Status ↑↓	Related ↑↓	Annotations ↑↓
trg_BlobCreation	Storage events	Stopped	0	

strgacnt786 - Microsoft Azure

DF-demo786 - Azure Data Factory

adf.azure.com/en/management/triggers?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2FRG-demo%2Fproviders%2FMicrosoft.DataFactory%2FFactories%2FDF-demo786

Microsoft Azure | Data Factory | DF-demo786

Search

lovemaths404@gmail.com

Data Factory

Validate all

Publish all

General

Connector upgrade advisor

Factory settings

Connections

Linked services

Integration runtimes

Microsoft Purview

ADF in Microsoft Fabric

Source control

Git configuration

ARM template

Author

Triggers

Global parameters

Data flow libraries

Security

Credentials

Customer managed key

Outbound rules

Managed private endpoints

Workflow orchestration manager

Apache Airflow

Triggers

To execute a pipeline set the trigger. Triggers represent a unit of processing that determines when a pipeline execution needs to be kicked off.

New

Refresh

Filter by name

Annotations : Any

Showing 1 - 1 of 1 items

Name	Type	Status
trg_BlobCreation	Storage events	Stopped

Edit trigger

Name

trg_BlobCreation

Description

Type

BlobEventsTrigger

Account selection method

From Azure subscription

Enter manually

Azure subscription

Azure for Students (6796613d-1f98-44b9-a9fe-a1fb80a5dfca)

Storage account name

strgacnt786

Container name

raw

Blob path begins with

Blob path ends with

.csv

Event

☒ Blob created

☐ Blob deleted

Ignore empty blobs

Yes

No

Annotations

New

Continue

Cancel

strgacnt786 - Microsoft Azure

DF-demo786 - Azure Data Factory

adf.azure.com/en/management/triggers?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2FRG-demo%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2FDF-demo786

Microsoft Azure | Data Factory > DF-demo786

Search

lovemaths404@gmail.com
DEFAULT DIRECTORY

>>

Data Factory

Validate all

Publish all 1

Home

Connector upgrade advisor

Factory settings

Connections

Linked services

Integration runtimes

Microsoft Purview

ADF in Microsoft Fabric

Source control

Git configuration

ARM template

Author

Triggers

Global parameters

Data flow libraries

Security

Credentials

Customer managed key

Outbound rules

Managed private endpoints

Workflow orchestration manager

Apache Airflow

Triggers

To execute a pipeline set the trigger. Triggers represent a unit of processing that determines when a pipeline execution needs to be kicked off.

+ New

Refresh

Filter by name

Annotations : Any

Showing 1 - 1 of 1 items

Name ↑↓	Type ↑↓	Status ↑↓	Related ↑↓	Annotations ↑↓
● trg_BlobCreation	{ } Storage events	✓ Started	0	

Creating a ADLS linked service

strgacnt786 - Microsoft Azure

DF-demo786 - Azure Data Factory

adf.azure.com/en/management/datalinkedservices?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2FRG-demo%2Fproviders%2FMicrosoft.DataFactory%2FFactories%2FDF-demo786

Microsoft Azure | Data Factory > DF-demo786

Search

lovemaths404@gmail.com
DEFAULT DIRECTORY

Data Factory

Validate all

Publish all 2

General

Connector upgrade advisor

Factory settings

Connections

Linked services

Integration runtimes

Microsoft Purview

ADF in Microsoft Fabric

Source control

Git configuration

ARM template

Author

Triggers

Global parameters

Data flow libraries

Security

Credentials

Customer managed key

Outbound rules

Managed private endpoints

Workflow orchestration manager

Apache Airflow

Linked services

Linked service defines the connection information to a data store or compute. [Learn more](#)

+ New

Filter by name

Annotations : Any

No linked service to show

If you expected to see results, try changing your filters or create a new linked service

Create linked service

New linked service

Data store | Compute

data

All | Azure | Database | File | Generic protocols

Azure Data Explorer (Kusto)

Azure Data Lake Storage Gen2

Azure Database for MySQL

Azure Database for PostgreSQL

Azure Databricks Delta Lake

Azure SQL Database

Azure SQL Database Managed Instance

Dataverse (Common Data Service for Apps)

OData

teradata.

Continue

Cancel

strgacnt786 - Microsoft Azure

DF-demo786 - Azure Data Factory

adf.azure.com/en/management/datalinkedservices?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2FRG-demo%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2FDF-demo786

Microsoft Azure | Data Factory | DF-demo786

Search

lovemaths404@gmail.com
DEFAULT DIRECTORY

»

Data Factory

Validate all

Publish all 2

Home

1

2

3

4

5

6

7

8

9

10

11

12

General

Connector upgrade advisor

Factory settings

Connections

Linked services

Integration runtimes

Microsoft Purview

ADF in Microsoft Fabric

Source control

Git configuration

ARM template

Author

Triggers

Global parameters

Data flow libraries

Security

Credentials

Customer managed key

Outbound rules

Managed private endpoints

Workflow orchestration manager

Apache Airflow

Linked services

Linked service defines the connection information to a data store or compute. [Learn more](#)

+ New

Filter by name

Annotations : Any

No linked service to show

If you expected to see results, try changing your filters or create a new linked service

Create linked service

New linked service

Azure Data Lake Storage Gen2 [Learn more](#)

Name *
AzureDataLakeStorage

Description

Connect via integration runtime * ⓘ
AutoResolveIntegrationRuntime

Authentication type
Account key

Account selection method ⓘ
☒ From Azure subscription ☐ Enter manually

Azure subscription ⓘ
Azure for Students (6796613d-1f98-44b9-a9fe-a1fb80a5dfca)

Storage account name *
strgacnt786

Test connection ⓘ
☒ To linked service ☐ To file path

Annotations
+ New
> Parameters
> Advanced ⓘ

CreateBack

Connection successful
Test connectionCancel

Creating a ADLS dataset

strgacnt786 - Microsoft Azure

DF-demo786 - Azure Data Factory

adf.azure.com/en/authoring/pipeline/trg_blob_pipeline?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2FRG-demo%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2FDf-demo786

Microsoft Azure | Data Factory | DF-demo786

Search

»

Data Factory

Validate all

Publish all 2

Factory Resources

Filter resources by name

Pipelines1

trg_blob_pipeline

Change Data Capture (preview)0

Datasets0

Data flows0

Power Query0

trg_blob_pipeline

Search activities

Move and transform

Synapse

Azure Data Explorer

Azure Function

Batch Service

Databricks

Data Lake Analytics

General

HDInsight

Iteration & conditionals

Machine Learning

Power Query

Validate

Debug

Add trigger

Parameters

Variables

Settings

Output

+ New

New dataset

In pipeline activities and data flows, reference a dataset to specify the location and structure of your data within a data store. [Learn more](#)

Select a data store

data

All

Azure

Database

File

Generic protocol



Azure Data Explorer (Kusto)



Azure Data Lake Storage Gen2



Dataverse (Common Data Service for Apps)

Continue

Cancel

strgacnt786 - Microsoft Azure

DF-demo786 - Azure Data Factory

adf.azure.com/en/authoring/dataset/param_source_dataset_csv?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2FRG-demo%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2FDF-demo786

Microsoft Azure | Data Factory | DF-demo786

Search

lovemaths404@gmail.com

Validate all

Publish all 3

Migrate to Fabric (Preview)

Factory Resources

Filter resources by name

Pipelines1

trg_blob_pipeline

Change Data Capture (preview)0

Datasets...

param_source_dataset_csv

Datasets Actions

Data flows0

Power Query0

trg_blob_pipeline

param_source_dataset_csv

DelimitedText

param_source_dataset_csv

Connection

Schema

Parameters

Linked service *

AzureDataLakeStorage

Test connection

Edit

New

Learn more

File path

File system

Directory

File name

Browse

Preview data

Detect format

Compression type

No compression

Column delimiter

Comma (,)

Row delimiter

Default (\r,\n, or \r\n)

Encoding

Default(UTF-8)

Quote character

Double quote (")

Escape character

Backslash (\)

First row as header

Null value

Properties

General

Related

Name *

param_source_dataset_csv

Description

Annotations

New

Cancel

Creating a SQL server linked service

dest - Microsoft Azure

DF-demo786 - Azure Data Factory

dbdemoaman (sqlserveraman/...

adf.azure.com/en/management/datalinkedservices?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2FRG-demo%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2FDF-demo786

Microsoft Azure | Data Factory > DF-demo786

Search

lovemaths404@gmail.com
DEFAULT DIRECTORY

Data Factory

Validate all

Publish all 2

General

Connector upgrade advisor

Factory settings

Connections

Linked services

Integration runtimes

Microsoft Purview

ADF in Microsoft Fabric

Source control

Git configuration

ARM template

Author

Triggers

Global parameters

Data flow libraries

Security

Credentials

Customer managed key

Outbound rules

Managed private endpoints

Workflow orchestration manager

Apache Airflow

Linked services

Linked service defines the connection information to a data store or compute. [Learn more](#)

+ New

Filter by name

Annotations : Any

Showing 1 - 1 of 1 items

Name	Type	Relationship
AzureDataLakeStorage	Azure Data Lake Storage Gen2	1

New linked service

Data store | Compute

sql

All | Azure | Database | File | Generic protocol

Amazon RDS for SQL Server

Azure Cosmos DB for NoSQL

Azure Database for MySQL

Azure Database for PostgreSQL

Azure SQL Database

Azure SQL Database Managed Instance

MySQL

PostgreSQL

SQL Server

Continue

Cancel

dest - Microsoft Azure

DF-demo786 - Azure Data Factory

dbdemoaman (sqlserveraman/...

adf.azure.com/en/management/datalinkedservices?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2FRG-demo%2Fproviders%2FMicrosoft.DataFactory%2FFactories%2FDF-demo786

Microsoft Azure | Data Factory > DF-demo786

Search

lovemaths404@gmail.com
DEFAULT DIRECTORY

»

Data Factory

Validate all

Publish all 2

General

Connector upgrade advisor

Factory settings

Connections

Linked services

Integration runtimes

Microsoft Purview

ADF in Microsoft Fabric

Source control

Git configuration

ARM template

Author

Triggers

Global parameters

Data flow libraries

Security

Credentials

Customer managed key

Outbound rules

Managed private endpoints

Workflow orchestration manager

Apache Airflow

Linked services

Linked service defines the connection information to a data store or compute. [Learn more](#)

+ New

Filter by name

Annotations : Any

Showing 1 - 1 of 1 items

Name ↑↓	Type ↑↓	Relationships
AzureDataLakeStorage	Azure Data Lake Storage Gen2	1

New linked service

Azure SQL Database [Learn more](#)

Name *

AzureSqlDatabase

Description

Connect via integration runtime * ⓘ

AutoResolveIntegrationRuntime

Version

2.0 (Recommended) 1.0

Import from connection string

Account selection method ⓘ

From Azure subscription Enter manually

Azure subscription

Azure for Students (6796613d-1f98-44b9-a9fe-a1fb80a5dfca)

Server name *

sqlserveraman

Database name *

dbdemoaman

Authentication type *

SQL authentication

User name *

sqladmin

Password Azure Key Vault

Password *

.....

Create Back Test connection Cancel

Creating a SQL server dataset

dest - Microsoft Azure

DF-demo786 - Azure Data Factory

dbdemoaman (sqlserveraman/

adf.azure.com/en/authoring/pipeline/trg_blob_pipeline?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2FRG-demo%2Fproviders%2FMicrosoft.DataFactory%2FFactories%2FDF-demo786

Microsoft Azure | Data Factory | DF-demo786

Search

Data Factory

Validate all

Publish all 2

Factory Resources

Filter resources by name

Pipelines1

trg_blob_pipeline

Change Data Capture (preview)0

Datasets1

param_source_dataset_csv

Data flows0

Power Query0

Activities

Search activities

Move and transform

Synapse

Azure Data Explorer

Azure Function

Batch Service

Databricks

Data Lake Analytics

General

HDInsight

Iteration & conditionals

Machine Learning

Power Query

trg_blob_pipeline

Validate

Debug

Trigger (1)

Copy data

Copy data1

Parameters

Variables

Settings

Output

+ New

Delete

Name	Type	Default value
filename	String	Value

New dataset

In pipeline activities and data flows, reference a dataset to specify the location and structure of your data within a data store. [Learn more](#)

Select a data store

sql

All

Azure

Database

File

Generic protocol

Amazon RDS for SQL Server

Azure Cosmos DB for NoSQL

Azure Database for MySQL

Azure Database for PostgreSQL

Azure SQL Database

Azure SQL Database Managed Instance

MySQL

PostgreSQL

SQL Server

Continue

Cancel

dest - Microsoft Azure

DF-demo786 - Azure Data Factory

dbdemoaman (sqlserveraman/...

adf.azure.com/en/authoring/dataset/AzureSqlTable?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2FRG-demo%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2FDF-demo786

Microsoft Azure | Data Factory > DF-demo786

Search

lovmaths404@gmail.com

Data Factory

Validate all

Publish all 3

Factory Resources

Filter resources by name

Pipelines1

trg_blob_pipeline

Change Data Capture (preview)0

Datasets2

AzureSqlTable

param_source_dataset_csv

Data flows0

Power Query0

trg_blob_pipeline

AzureSqlTable

param_source_datas...

SQL

Azure SQL Database

AzureSqlTable

Connection

Schema

Parameters

Linked service *

AzureSqlDatabase

Test connection

Edit

New

Learn more

Table

dbo

@dataset().tablename

Preview data

☒ Enter manually

Properties

General

Related

Name *

AzureSqlTable

Description

Annotations

New

Cancel

Attaching the trigger to the
pipeline and setting the
pipeline parameter

DF-demo786 - Microsoft Azure

DF-demo786 - Azure Data Factory

adf.azure.com/en/authoring/pipeline/trg_blob_pipeline?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2FRG-demo%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2FDF-demo786

Microsoft Azure | Data Factory | DF-demo786

Search

»

Data Factory

Validate all

Publish all

Factory Resources

Filter resources by name

Pipelines1

trg_blob_pipeline

Change Data Capture (preview)0

Datasets2

Data flows0

Power Query0

Activities

Search activities

Move and transform

Synapse

Azure Data Explorer

Azure Function

Batch Service

Databricks

Data Lake Analytics

General

HDInsight

Iteration & conditionals

Machine Learning

Power Query

trg_blob_pipeline

Validate

Debug

Trigger (1)

Copy data

Copy data1

Parameters

Variables

Settings

Output

+ New

Delete

Name

Type

Default value

filename

String

Value

Edit trigger

Trigger Run Parameters

Parameters that are not provided a value will not be included in the trigger.

Name

Type

Value

filename

string

@trigger().outputs.body.fileName

Make sure to "Publish" for trigger to be activated after clicking "OK"

OK

Cancel

Creating a copy activity

dest - Microsoft Azure

DF-demo786 - Azure Data Factory

dbdemoaman (sqlserveraman/...

adf.azure.com/en/authoring/pipeline/trg_blob_pipeline?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2FRG-demo%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2FDf-demo786

Microsoft Azure | Data Factory | DF-demo786

Search

lovemaths404@gmail.com
DEFAULT DIRECTORY

Data Factory

Validate all

Publish all 3

Factory Resources

Filter resources by name

Pipelines1

trg_blob_pipeline

Change Data Capture (preview)0

Datasets2

AzureSqlTable

param_source_dataset_csv

Data flows0

Power Query0

trg_blob_pipeline

AzureSqlTable

param_source_datas...

Activities

Search activities

Move and transform

Synapse

Azure Data Explorer

Azure Function

Batch Service

Databricks

Data Lake Analytics

General

HDInsight

Iteration & conditionals

Machine Learning

Power Query

Validate

Validate copy runtime

Debug

Trigger (1)

Copy data

Copy data1

Copy data1

General

Source

Sink

Mapping

Settings

User properties

Sink dataset *

AzureSqlTable

Open

New

Learn more

Dataset properties

Name	Value	Type
tablename	@pipeline().parameters.filename	string

Write behavior

Insert

Upsert

Stored procedure

Bulk insert table lock

Yes

No

Table option

Use existing

Auto create table

Pre-copy script

Write batch timeout

e.g. 00:30:00

Write batch size

Max concurrent connections

Disable performance metrics

Uploading the file in the
raw container

Home > Resource Manager | Resource groups > RG-demo > strgacnt786 | Containers

raw

Container

Search

+ Add Directory | ↑ Upload | ↻ Refresh | 🗑 Delete | 📄 Copy | 📄 Paste | 🔄 Rename | 🔑 Acquire lease | 🔑 Break lease | 📄 Edit columns

- Overview
- Diagnose and solve problems
- Access Control (IAM)
- Settings
- Shared access tokens
- Manage ACL
- Access policy
- Properties
- Metadata

raw

Authentication method: Access key (Switch to Microsoft Entra user account)

Search blobs by prefix (case-sensitive)

Only show active objects

Showing all 1 items

	Name	Last modified	Access tier	Blob type	Size	Lease state
	 cars.csv	4/20/2026, 11:24:49 AM	Hot (Inferred)	Block blob	18.58 KiB	Available

Monitoring the trigger and
pipeline run

raw - Microsoft Azure

DF-demo786 - Azure Data Factory

dbdemoaman (sqlserveraman/...

adf.azure.com/en/monitoring/triggerruns?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2FRG-demo%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2FDF-demo786

Microsoft Azure | Data Factory > DF-demo786

Search

lovemaths404@gmail.com
DEFAULT DIRECTORY

Dashboards

Runs

Pipeline runs

Trigger runs

Change Data Capture (previ...

Runtimes & sessions

Integration runtimes

Data flow debug

Notifications

Alerts & metrics

Trigger runs

AllScheduleTumbling windowStorage eventsCustom events

RefreshEdit columns

Chennai, Kolkata, Mu... : Last 24 hoursTrigger name : AllStatus : AllRuns : Latest runs

Export to CSV

Showing 1 - 2 items

Trigger name ↑↓	Trigger type	Trigger time ↑↓	Status ↑↓	Pipelines	Run	Message	Properties	Run ID
trg_BlobCreation	Storage events trigger	4/20/2026, 11:24:53 AM	Succeeded	1	Original			cf6ca5ac-5c73-49be-8e24...
trg_BlobCreation	Storage events trigger	4/20/2026, 10:49:15 AM	Succeeded	1	Original			455c9671-909a-4afd-b03...

raw - Microsoft Azure

DF-demo786 - Azure Data Facto

dbdemoaman (sqlserveraman/c

adf.azure.com/en/monitoring/pipeline...?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2FRG-demo%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2FDF-demo786

Microsoft Azure | Data Factory > DF-demo786

Search

lovemaths404@gmail.com
DEFAULT DIRECTORY

Dashboards

Runs

Pipeline runs

Trigger runs

Change Data Capture (previ...

Runtimes & sessions

Integration runtimes

Data flow debug

Notifications

Alerts & metrics

Pipeline runs

Triggered | Debug

Rerun | Cancel options | Refresh | Edit columns

List | Gantt

Filter by run ID or name

Chennai, Kolkata, Mu... : Last 24 hours

Pipeline name : All

Status : All

Runs : Latest runs

Triggered by : All

Add filter

Copy filters

Export to CSV

Showing 1 - 2 items

Last refreshed 10 minutes ago

☐ Pipeline name ↑↓	Run start ↑↓	Run end ↑↓	Duration	Triggered by	Status ↑↓	Run	Parameters	Annotations	Run ID
☐ trg_blob_pipeline	4/20/2026, 11:24:53 AM	4/20/2026, 11:25:14 AM	21s	trg_BlobCreation	✔ Succeeded	Original	@		12df6d66-32b4-4806-b4e3-429247f75c
☐ trg_blob_pipeline	4/20/2026, 10:49:15 AM	4/20/2026, 10:49:33 AM	18s	trg_BlobCreation	✔ Succeeded	Original	@		67a69e0f-32c6-498b-9f59-5d70e8e0f61

Search

Overview

Activity log

Tags

Diagnose and solve problems

Query editor (preview)

Mirror database in Fabric (preview)

Resource visualizer

Settings

Compute + storage

Connection strings

Maintenance

Properties

Locks

Data management

Replicas

Sync to other databases

Integrations

Azure Synapse Link

Stream analytics (preview)

Add Azure AI Search

Power Platform

Power BI

New query

Templates

Open in

Feedback

Sign out

Classic experience

Explorer

Search

Tables

Cars

Columns

Indexes

cars.csv

Columns

Make (nvarchar, null)

Model (nvarchar, null)

Type (nvarchar, null)

Origin (nvarchar, null)

DriveTrain (nvarchar, null)

Length (nvarchar, null)

Indexes

Views

Stored Procedures

Functions

Queries

SQL query 1

SQL query 1

SQL query 2

Run

Save as view

Your queries will be lost when your session ends. Use **Save as view** to keep results as a database view, or copy your query text to save it externally.

1 SELECT TOP (1000) * FROM [dbo].[cars.csv]

Messages

Results

Search

	ABC Make	ABC Model	ABC Type	ABC Origin	ABC DriveTrain	ABC Length
1	Acura	MDX	SUV	Asia	All	4451
2	Acura	RSX Type S 2dr	Sedan	Asia	Front	2778
3	Acura	TSX 4dr	Sedan	Asia	Front	3230
4	Acura	TL 4dr	Sedan	Asia	Front	3575
5	Acura	3.5 RL 4dr	Sedan	Asia	Front	3880
6	Acura	3.5 RL w/Navigation 4dr	Sedan	Asia	Front	3893
7	Acura	NSX coupe 2dr manual S	Sports	Asia	Rear	3153
8	Audi	A4 1.8T 4dr	Sedan	Europe	Front	3252
9	Audi	A41.8T convertible 2dr	Sedan	Europe	Front	3638
10	Audi	A4 3.0 4dr	Sedan	Europe	Front	3462

Succeeded (0 sec 269 ms)

Columns: 6 Rows: 428