


Create a logic app



Home > Logic apps

Create Logic App

Select a hosting option

These hosting plans determine the resource allocation, scaling and pricing for your app. [Learn more about Logic App hosting options](#)

Hosting plans	Consumption	Standard		
	Multi-tenant Fully managed and easy to get started.	Workflow Service Plan Single tenant runtime with in-app connectors and scaling features.	App Service Environment V3 Single tenant runtime with full isolation and scale out feature across App Service plans.	Hybrid Local processing and multi-cloud support with Kubernetes Event-Driven Autoscaling.
Compute	Shared	Dedicated	Dedicated	Customer managed
Networking	Public cloud	VNET Integration	VNET Integration	Local network access
Pricing	Pay-per-operation	Per workflow service plan instance	Per App Service for App Service Environment instance	Per vCPU hour of Kubernetes cluster

Select

adf-pipeline-notifier - Microsoft

portal.azure.com/#@lovemaths404gmail.onmicrosoft.com/resource/subscriptions/6796613d-1f98-44b9-a9fe-a1fb80a5dfca/resourcegroups/RG-demo/providers/Microsoft.Logic/workflows/adf-pipeline-notifier/logicApp

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

lovemaths404@gmail.c...
DEFAULT DIRECTORY (LOVEMAT...

Home > Microsoft.Web-LogicAppConsumption-Portal-b524e906-b3d3 | Overview

adf-pipeline-notifier

Logic app

Search

Run Refresh Edit Delete Disable Clone to Standard Open in mobile Export Provide feedback

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Resource visualizer

Development Tools

Logic app designer

Logic app code view

Logic app templates

Run history

Chat (Preview)

Versions

API connections

Quick start guides

Settings

Settings

Authorization

Access keys

Identity

Properties

Locks

Monitoring

Clone to Standard You can now clone a Consumption logic app to a Standard logic app.

Essentials

Resource group (move) : RG-demo

Location (move) : East Asia

Subscription (move) : Azure for Students

Subscription ID : 6796613d-1f98-44b9-a9fe-a1fb80a5dfca

Workflow URL : --

Tags (edit) : Add tags

Definition : 0 triggers, 0 actions

Status : Enabled

Runs last 24 hours : 0 successful, 0 failed

Integration Account : --

Workflow Type : Stateful

Get started

Run history

Trigger history

Metrics

Resubmit

Add filter

Specify the run identifier to open monitor view directly

Identifier	Status	Start time (Local Time)	Duration	Static Results
------------	--------	-------------------------	----------	----------------

JSON View

Activate Windows

Go to Settings to activate Windows.

Designing the logic app

adf-pipeline-notifier - Microsoft

portal.azure.com/#@lovemaths404gmail.onmicrosoft.com/resource/subscriptions/6796613d-1f98-44b9-a9fe-a1fb80a5dfca/resourcegroups/RG-demo/providers/Microsoft.Logic/workflows/adf-pipeline-notifier/designer

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

lovemaths404@gmail.c...
DEFAULT DIRECTORY (LOVEMAT...

Home > Microsoft.Web-LogicAppConsumption-Portal-b524e906-b3d3 | Overview > adf-pipeline-notifier

adf-pipeline-notifier | Logic app designer

Logic app

Search

Run Save Discard Parameters Code view Connections Errors Info

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Resource visualizer

Development Tools

Logic app designer

Logic app code view

Logic app templates

Run history

Chat (Preview)

Versions

API connections

Quick start guides

Settings

Settings

Authorization

Access keys

Identity

Properties

Locks

Monitoring

+

+

-

↻

🔍

📖

Add a trigger

Add a trigger

Add a trigger

When an HTTP re... Trigger ⓘ ☆

Return to search

Request Built-in ☆

Activate Windows

Go to Settings to activate Windows.

adf-pipeline-notifier | Logic app designer ☆ ...

Search Run Save Discard Parameters Code view Connections Errors Info

- Overview
- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Resource visualizer
- Development Tools
- Logic app designer**
- Logic app code view
- Logic app templates
- Run history
- Chat (Preview)
- Versions
- API connections
- Quick start guides
- Settings
 - Settings
 - Authorization
 - Access keys
 - Identity
 - Properties
 - Locks
- Monitoring

Vertical toolbar with icons for zooming and other editing tools.

When an HTTP request is received

When an HTTP request is received

Changing the trigger name updates the callback URL when you save the workflow.

Add a description

Parameters Settings Code view About

HTTP URL

URL will be generated after save

Method

Default (Allow All Methods)

Request Body JSON Schema

Empty JSON schema editor area.


Use sample payload to generate schema

Advanced parameters

Showing 0 of 1 Show all Clear all

Activate Windows Go to Settings to activate Windows.


Generating the
schema through
sample payload



adf-pipeline-notifier | Logic app designer ☆ ...

Search Run Save Discard Parameters Code view Connections Errors Info

- Overview
- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Resource visualizer
- Development Tools
- Logic app designer
- Logic app code view
- Logic app templates
- Run history
- Chat (Preview)
- Versions
- API connections
- Quick start guides
- Settings
 - Settings
 - Authorization
 - Access keys
 - Identity
 - Properties
 - Locks
- Monitoring



When an HTTP request is received

Changing the trigger name updates the callback URL when you save the workflow.

Add a description

Parameters Settings Code view About

```
{
  "type": "object",
  "properties": {
    "pipelineName": {
      "type": "string"
    },
    "status": {
      "type": "string"
    },
    "dataFactoryName": {
      "type": "string"
    },
    "runId": {
      "type": "string"
    }
  }
}
```

Use sample payload to generate schema

Advanced parameters

Showing 0 of 1

Activate Windows
Go to Settings to activate Windows.
Show all Clear all


adf-pipeline-notifier | Logic app designer

Search << ▶ Run **Save** ✕ Discard @ Parameters {} Code view ⌵ Connections ⚠ Errors ⓘ Info ⌵

- Overview
- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Resource visualizer
- Development Tools

- Logic app designer**
- Logic app code view
- Logic app templates
- Run history
- Chat (Preview)
- Versions
- API connections
- Quick start guides

- Settings
 - Settings
 - Authorization
 - Access keys
 - Identity
 - Properties
 - Locks
- Monitoring



When an HTTP request is received

Changing the trigger name updates the callback URL when you save the workflow.

Add a description

Parameters Settings Code view About

HTTP URL

URL will be generated after save

Method

Default (Allow All Methods)

Request Body JSON Schema

```
{  "type": "object",  "properties": {    "pipelineName": {      "type": "string"    },    "status": {      "type": "string"    },    "dataFactoryName": {      "type": "string"    },    "runId": {      "type": "string"    }  }}
```

Activate Windows
Go to Settings to activate Windows.

Use sample payload to generate schema

Taking the http url

adf-pipeline-notifier - Microsoft

portal.azure.com/#@lovemaths404gmail.onmicrosoft.com/resource/subscriptions/6796613d-1f98-44b9-a9fe-a1fb80a5dfca/resourcegroups/RG-demo/providers/Microsoft.Logic/workflows/adf-pipeline-notifier/designer

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

lovemaths404@gmail.c...
DEFAULT DIRECTORY (LOVEMAT...

Home > Microsoft.Web-LogicAppConsumption-Portal-b524e906-b3d3 | Overview > adf-pipeline-notifier

adf-pipeline-notifier | Logic app designer

Logic app

Search

Run Save Discard Parameters Code view Connections Errors Info

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Resource visualizer

Development Tools

Logic app designer

Logic app code view

Logic app templates

Run history

Chat (Preview)

Versions

API connections

Quick start guides

Settings

Settings

Authorization

Access keys

Identity

Properties

Locks

Monitoring

Alerts

When an HTTP request is received

+

When an HTTP request is received

Changing the trigger name updates the callback URL when you save the workflow.

Add a description

Parameters Settings Code view About

HTTP URL

https://prod-06.eastasia.logic.azure.com:443/workflows/6aa8a2e286b44ae4b1d98c3b19723f63/trigg

Method

POST

Request Body JSON Schema

```
{  "type": "object",  "properties": {    "pipelineName": {      "type": "string"    },    "status": {      "type": "string"    },    "dataFactoryName": {      "type": "string"    },    "runId": {      "type": "string"    }  }}
```

Activate Windows
Go to Settings to activate Windows.

Use sample payload to generate schema

Creating the
conditions

adf-pipeline-notifier | Logic app designer

Logic app

Search


Run Save Discard Parameters Code view Connections Errors Info

- Overview
- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Resource visualizer
- Development Tools

- Logic app designer
 - Logic app code view
 - Logic app templates
 - Run history
 - Chat (Preview)
 - Versions
 - API connections
 - Quick start guides

- Settings
 - Settings
 - Authorization
 - Access keys
 - Identity
 - Properties
 - Locks
- Monitoring

Add or remove favorites by pressing Ctrl+Shift+F



Add an action

Return to search

Control Built-in

- | | |
|-----------|----------|
| Condition | For each |
| Scope | Switch |
| Terminate | Until |

Activate Windows
Go to Settings to activate Windows.


adf-pipeline-notifier | Logic app designer

Logic app

Search

Run Save Discard Parameters Code view Connections Errors Info

- Overview
- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Resource visualizer
- Development Tools
- Logic app designer
- Logic app code view
- Logic app templates
- Run history
- Chat (Preview)
- Versions
- API connections
- Quick start guides
- Settings
 - Settings
 - Authorization
 - Access keys
 - Identity
 - Properties
 - Locks
- Monitoring



Condition

Parameters Settings Code view About

Condition expression *
Provide the values to compare and select the operator to use.

AND status = Succeeded

+ New item

Activate Windows
Go to Settings to activate Windows.

For condition to be
true and false send
an email

adf-pipeline-notifier - Microsoft

portal.azure.com/#@lovemaths404gmail.onmicrosoft.com/resource/subscriptions/6796613d-1f98-44b9-a9fe-a1fb80a5dfca/resourcegroups/RG-demo/providers/Microsoft.Logic/workflows/adf-pipeline-notifier/designer

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

lovemaths404@gmail.c...
DEFAULT DIRECTORY (LOVEMAT...

Home > Microsoft.Web-LogicAppConsumption-Portal-b524e906-b3d3 | Overview > adf-pipeline-notifier

adf-pipeline-notifier | Logic app designer

Logic app

Search

Run Save Discard Parameters Code view Connections Errors Info

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Resource visualizer

Development Tools

Logic app designer

Logic app code view

Logic app templates

Run history

Chat (Preview)

Versions

API connections

Quick start guides

Settings

Settings

Authorization

Access keys

Identity

Properties

Locks

Monitoring

When request received

Condition

True

Add an action

outlook

All Built-in Shared Custom

Outlook.com

See more

Create contact

Create event (V3)

Send an email (V2)

Send approval email

Delete contact

Delete email

Delete event

Flag email

Office 365 Outlook

See more

Assigns an Outlook category

Get Outlook category names

Assign a category to multiple ...

Create contact (V2)

Create event (V4)

Draft an email message

Send a Draft message

Send an email (V2)

Activate Windows
Go to Settings to activate Windows.

adf-pipeline-notifier | Logic app designer

Search Run Save Discard Parameters Code view Connections Errors Info

- Overview
- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Resource visualizer
- Development Tools

Logic app designer


- Logic app code view
- Logic app templates
- Run history
- Chat (Preview)
- Versions
- API connections
- Quick start guides

Settings

- Settings
- Authorization
- Access keys
- Identity
- Properties
- Locks

Monitoring

Alerts Add or remove favorites by pressing Ctrl+Shift+F



Send an email (V2)

Parameters Settings Code view Testing About

To * aman.rajput@simformsolutions.com

Subject * Pipeline Succeeded: pipelineName x

Body *
pipelineName x
runId x
dataFactoryName x

Advanced parameters
Search Show all Clear all

Importance Normal

Connected to Outlook.com. Change connection

adf-pipeline-notifier | Logic app designer

Logic app

Search

Run Save Discard Parameters Code view Connections Errors Info

- Overview
- Activity log
- Access control (IAM)
- Tags
- Diagnose and solve problems
- Resource visualizer
- Development Tools


Logic app designer

- Logic app code view
- Logic app templates
- Run history
- Chat (Preview)
- Versions
- API connections
- Quick start guides

Settings

- Settings
- Authorization
- Access keys
- Identity
- Properties
- Locks
- Monitoring

Add or remove favorites by pressing Ctrl+Shift+F



Add an action

Q outlook

All Built-in Shared Custom

Outlook.com

See more

- | | |
|--------------------|---------------------|
| Create contact | Create event (V3) |
| Send an email (V2) | Send approval email |
| Delete contact | Delete email |
| Delete event | Flag email |

Office 365 Outlook

- | | |
|-----------------------------------|----------------------------|
| Assigns an Outlook category | Get Outlook category names |
| Assign a category to multiple ... | Create contact (V2) |
| Create event (V4) | Draft an email message |
| Send a Draft message | Send an email (V2) |

adf-pipeline-notifier - Microsoft

portal.azure.com/#@lovemaths404gmail.onmicrosoft.com/resource/subscriptions/6796613d-1f98-44b9-a9fe-a1fb80a5dfca/resourcegroups/RG-demo/providers/Microsoft.Logic/workflows/adf-pipeline-notifier/designer

Microsoft Azure

Search resources, services, and docs (G+)

Copilot

lovemaths404@gmail.c...
DEFAULT DIRECTORY (LOVEMAT...

Home > Microsoft.Web-LogicAppConsumption-Portal-b524e906-b3d3 | Overview > adf-pipeline-notifier

adf-pipeline-notifier | Logic app designer

Search

Run Save Discard Parameters Code view Connections Errors Info

OverviewActivity logAccess control (IAM)TagsDiagnose and solve problemsResource visualizerDevelopment ToolsLogic app designerLogic app code viewLogic app templatesRun historyChat (Preview)VersionsAPI connectionsQuick start guidesSettingsSettingsAuthorizationAccess keysIdentityPropertiesLocksMonitoring

When an HTTP request is received

Condition

TrueFalse

Send an email for successful pipelineSend an email for failed pipeline

Send an email for failed pipeline

ParametersSettingsCode viewTestingAbout

To *
aman.rajput@simformsolutions.com

Subject *
Pipeline Failed: pipelineName

Body *
pipelineName
runId
dataFactoryName

Advanced parameters
Search Show all Clear all

Importance
Normal

Connected to Outlook.com. Change connection

If the activity is successful send
the payload to the http url

adf-pipeline-notifier - Microsoft

dfdemoforlogicapp - Microsoft

dfdemoforlogicapp - Azure Data

adf.azure.com/en/authoring/pipeline/pipeline1?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2FRG-demo%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2Fdfdemoforlogicapp

Microsoft Azure | Data Factory | dfdemoforlogicapp

Data Factory

Validate all

Publish all 1

Factory Resources

Filter resources by name

Pipelines1

Change Data Capture (preview)0

Datasets0

Data flows0

Power Query0

pipeline1

Search activities

Delete

Execute Pipeline

Execute SSIS package

Fail

Get Metadata

Lookup

Stored procedure

Script

Set variable

Validation

Web

WebHook

Wait

Azure key vault (Prev...

HDInsight

Iteration & conditionals

Machine Learning

Power Query

pipeline1

Validate

Debug

Add trigger

Wait

Web

General

Settings

User properties

URL * ⓘ

Method * ⓘ

Body

Authentication ⓘ

Headers ⓘ

Advanced

Pipeline expression builder

Add dynamic content below using any combination of expressions, functions and system variables.

```
{  "pipelineName": "@pipeline().Pipeline",  "status": "Succeeded",  "dataFactoryName": "@pipeline().DataFactory",  "runId": "@pipeline().RunId"}
```

Clear contents

Parameters

System variables

Functions

Variables

Search

+

Activate Windows

Go to Settings to activate Windows.

OK

Cancel

If the activity is failed send
the payload to the http url

adf-pipeline-notifier - Microsoft

dfdemoforlogicapp - Microsoft

dfdemoforlogicapp - Azure Data

adf.azure.com/en/authoring/pipeline/pipeline1?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2FRG-demo%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2Fdfdemoforlogicapp

Microsoft Azure | Data Factory | dfdemoforlogicapp

Search

lovemaths404@gmail.com

Migrate to Fabric (Preview)

Data Factory

Validate all

Publish all

Factory Resources

Filter resources by name

Pipelines

1

pipeline1

Change Data Capture (preview)

0

Datasets

0

Data flows

0

Power Query

0

pipeline1

web

General

Web

WebHook

Web

Send status to logic app for successful...

Fail

Fail1

Web

Send status to logic app for failure

General

Settings

User properties

URL *

https://prod-06.eastasia.logic.azure.com:...

Information will be sent to the URL specified. Please ensure you trust the URL entered.

Method *

POST

Body

{

"pipelineName": "@pipeline().Pipeline",

"status": "Failed",

"dataFactoryName": "@pipeline().DataFactory",

"runId": "@pipeline().RunId"

}

Authentication

None

Headers

+ New

> Advanced

Properties

General

Related

Name *

pipeline1

Description

Annotations

+ New

Activate Windows

Go to Settings to activate Windows.

Cancel

adf-pipeline-notifier - Microsoft

dfdemoforlogicapp - Microsoft

dfdemoforlogicapp - Azure Dat

adf.azure.com/en/authoring/pipeline/pipeline1?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2FRG-demo%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2Fdfdemoforlogicapp

Microsoft Azure | Data Factory > dfdemoforlogicapp

Search

Data Factory

Validate all

Publishing 1

Factory Resources

Filter resources by name

Pipelines 1

pipeline1

Change Data Capture (preview) 0

Datasets 0

Data flows 0

Power Query 0

pipeline1

web

General

Web

WebHook

Web

Send status to logic app for successful...

Wait

Wait1

Fail

Fail1

Parameters

Variables

Settings

Output

+ New

Publish all

You are about to publish all pending changes to the live environment. [Learn more](#)

Pending changes (1)

NAME	CHANGE	EXISTING
Pipelines		
pipeline1	(New)	-

Publish

Cancel

Activate Windows
Go to Settings to activate Windows.

Result

adf-pipeline-notifier - Microsoft

dfdemoforlogicapp - Microsoft

dfdemoforlogicapp - Azure Data

adf.azure.com/en/authoring/pipeline/pipeline1?factory=%2Fsubscriptions%2F6796613d-1f98-44b9-a9fe-a1fb80a5dfca%2FresourceGroups%2FRG-demo%2Fproviders%2FMicrosoft.DataFactory%2Ffactories%2Fdfdemoforlogicapp

Microsoft Azure | Data Factory | dfdemoforlogicapp

Data Factory

Validate all

Publish all

Factory Resources

Filter resources by name

Pipelines1

pipeline1

Change Data Capture (preview)0

Datasets0

Data flows0

Power Query0

pipeline1

web

General

Web

WebHook

Validate

Debug

Add trigger

Wait

Wait1

Web

Send status to logic app for successful...

Fail

Fail1

Web

Send status to logic app for failure

Properties

General

Related

Name *

pipeline1

Description

Annotations

New

Parameters

Variables

Settings

Output

Pipeline run ID

09008cc3-5d5b-4c66-9958-24498bb60085

Pipeline status

Succeeded

View debug run consumption

All status

Monitor in Azure Metrics

Export to CSV

Showing 1 - 4 of 4 items

Activity name	Activity st...	Activit...	Run start	Duration	Integration runtime
Send status to logic app for fail	✔ Succeeded	Web	4/20/2026, 2:54:49 PM	3s	AutoResolveIntegrationRuntime (East Asia)
Fail1	✖ Failed	Fail	4/20/2026, 2:54:48 PM	Less than 1s	
Send status to logic app for suc	✔ Succeeded	Web	4/20/2026, 2:54:36 PM	10s	AutoResolveIntegrationRuntime (East Asia)
Wait1	✔ Succeeded	Wait	4/20/2026, 2:54:34 PM	2s	

Activate Windows

Go to Settings to activate Windows.

Cancel

