

1000 Web Development MCQs

4 options • Correct answer • Explanation • 20 categories

HTML

1. Which HTML element is used for the largest heading?

- A. <head>
- B. <h6>
- C. <h1>
- D. <header>

Answer: C — <h1>

Explanation: The h1 element represents the highest-level heading.

2. Which element creates a hyperlink — Variant 2?

- A. <link>
- B. <a>
- C. <url>
- D. <href>

Answer: B — <a>

Explanation: The a element creates a hyperlink.

3. Which attribute provides alternative text for an image — Variant 3?

- A. alt
- B. title
- C. href
- D. src

Answer: A — alt

Explanation: The alt attribute provides alternative text for an image.

4. Which element creates an unordered list — Variant 4?

- A. <list>
- B.
- C.
- D.

Answer: B —

Explanation: The ul element creates an unordered list.

5. Which HTML element is used to define a paragraph — Variant 5?

- A. <paragraph>
- B. <p>
- C. <para>
- D. <text>

Answer: B — <p>

Explanation: The p element defines a paragraph.

6. Which HTML element is used for the largest heading — Variant 6?

- A. <h1>
- B. <header>

C. <head>

D. <h6>

Answer: A — <h1>

Explanation: The h1 element represents the highest-level heading.

7. Which element creates a hyperlink — Variant 7?

A. <url>

B. <a>

C. <link>

D. <href>

Answer: B — <a>

Explanation: The a element creates a hyperlink.

8. Which attribute provides alternative text for an image — Variant 8?

A. alt

B. title

C. href

D. src

Answer: A — alt

Explanation: The alt attribute provides alternative text for an image.

9. Which element creates an unordered list — Variant 9?

A.

B.

C. <list>

D.

Answer: B —

Explanation: The ul element creates an unordered list.

10. Which HTML element is used to define a paragraph — Variant 10?

A. <p>

B. <paragraph>

C. <para>

D. <text>

Answer: A — <p>

Explanation: The p element defines a paragraph.

11. Which HTML element is used for the largest heading — Variant 11?

A. <h6>

B. <head>

C. <header>

D. <h1>

Answer: D — <h1>

Explanation: The h1 element represents the highest-level heading.

12. Which element creates a hyperlink — Variant 12?

A. <href>

B. <url>

C. <a>

D. <link>

Answer: C — <a>

Explanation: The a element creates a hyperlink.

13. Which attribute provides alternative text for an image — Variant 13?

- A. title
- B. src
- C. href
- D. alt

Answer: D — alt

Explanation: The alt attribute provides alternative text for an image.

14. Which element creates an unordered list — Variant 14?

- A. <list>
- B.
- C.
- D.

Answer: B —

Explanation: The ul element creates an unordered list.

15. Which HTML element is used to define a paragraph — Variant 15?

- A. <text>
- B. <paragraph>
- C. <para>
- D. <p>

Answer: D — <p>

Explanation: The p element defines a paragraph.

16. Which HTML element is used for the largest heading — Variant 16?

- A. <header>
- B. <h1>
- C. <head>
- D. <h6>

Answer: B — <h1>

Explanation: The h1 element represents the highest-level heading.

17. Which element creates a hyperlink — Variant 17?

- A. <link>
- B. <a>
- C. <url>
- D. <href>

Answer: B — <a>

Explanation: The a element creates a hyperlink.

18. Which attribute provides alternative text for an image — Variant 18?

- A. title
- B. href
- C. src
- D. alt

Answer: D — alt

Explanation: The alt attribute provides alternative text for an image.

19. Which element creates an unordered list — Variant 19?

- A.
- B.
- C.
- D. <list>

Answer: C —

Explanation: The ul element creates an unordered list.

20. Which HTML element is used to define a paragraph — Variant 20?

- A. <text>
- B. <p>
- C. <para>
- D. <paragraph>

Answer: B — <p>

Explanation: The p element defines a paragraph.

21. Which HTML element is used for the largest heading — Variant 21?

- A. <h1>
- B. <h6>
- C. <header>
- D. <head>

Answer: A — <h1>

Explanation: The h1 element represents the highest-level heading.

22. Which element creates a hyperlink — Variant 22?

- A. <href>
- B. <url>
- C. <a>
- D. <link>

Answer: C — <a>

Explanation: The a element creates a hyperlink.

23. Which attribute provides alternative text for an image — Variant 23?

- A. src
- B. title
- C. href
- D. alt

Answer: D — alt

Explanation: The alt attribute provides alternative text for an image.

24. Which element creates an unordered list — Variant 24?

- A.
- B.
- C. <list>
- D.

Answer: A —

Explanation: The ul element creates an unordered list.

25. Which HTML element is used to define a paragraph — Variant 25?

- A. <para>

B. <paragraph>

C. <text>

D. <p>

Answer: D — <p>

Explanation: The p element defines a paragraph.

26. Which HTML element is used for the largest heading — Variant 26?

A. <h1>

B. <head>

C. <h6>

D. <header>

Answer: A — <h1>

Explanation: The h1 element represents the highest-level heading.

27. Which element creates a hyperlink — Variant 27?

A. <a>

B. <url>

C. <link>

D. <href>

Answer: A — <a>

Explanation: The a element creates a hyperlink.

28. Which attribute provides alternative text for an image — Variant 28?

A. href

B. src

C. alt

D. title

Answer: C — alt

Explanation: The alt attribute provides alternative text for an image.

29. Which element creates an unordered list — Variant 29?

A. <list>

B.

C.

D.

Answer: C —

Explanation: The ul element creates an unordered list.

30. Which HTML element is used to define a paragraph — Variant 30?

A. <para>

B. <text>

C. <paragraph>

D. <p>

Answer: D — <p>

Explanation: The p element defines a paragraph.

31. Which HTML element is used for the largest heading — Variant 31?

A. <h6>

B. <h1>

C. <header>

D. <head>

Answer: B — <h1>

Explanation: The h1 element represents the highest-level heading.

32. Which element creates a hyperlink — Variant 32?

A. <a>

B. <href>

C. <url>

D. <link>

Answer: A — <a>

Explanation: The a element creates a hyperlink.

33. Which attribute provides alternative text for an image — Variant 33?

A. title

B. src

C. href

D. alt

Answer: D — alt

Explanation: The alt attribute provides alternative text for an image.

34. Which element creates an unordered list — Variant 34?

A.

B.

C.

D. <list>

Answer: C —

Explanation: The ul element creates an unordered list.

35. Which HTML element is used to define a paragraph — Variant 35?

A. <p>

B. <paragraph>

C. <text>

D. <para>

Answer: A — <p>

Explanation: The p element defines a paragraph.

36. Which HTML element is used for the largest heading — Variant 36?

A. <h6>

B. <header>

C. <h1>

D. <head>

Answer: C — <h1>

Explanation: The h1 element represents the highest-level heading.

37. Which element creates a hyperlink — Variant 37?

A. <url>

B. <a>

C. <link>

D. <href>

Answer: B — <a>

Explanation: The a element creates a hyperlink.

38. Which attribute provides alternative text for an image — Variant 38?

- A. title
- B. href
- C. alt
- D. src

Answer: C — alt

Explanation: The alt attribute provides alternative text for an image.

39. Which element creates an unordered list — Variant 39?

- A.
- B. <list>
- C.
- D.

Answer: C —

Explanation: The ul element creates an unordered list.

40. Which HTML element is used to define a paragraph — Variant 40?

- A. <para>
- B. <p>
- C. <paragraph>
- D. <text>

Answer: B — <p>

Explanation: The p element defines a paragraph.

41. Which HTML element is used for the largest heading — Variant 41?

- A. <h6>
- B. <h1>
- C. <header>
- D. <head>

Answer: B — <h1>

Explanation: The h1 element represents the highest-level heading.

42. Which element creates a hyperlink — Variant 42?

- A. <link>
- B. <url>
- C. <href>
- D. <a>

Answer: D — <a>

Explanation: The a element creates a hyperlink.

43. Which attribute provides alternative text for an image — Variant 43?

- A. src
- B. href
- C. alt
- D. title

Answer: C — alt

Explanation: The alt attribute provides alternative text for an image.

44. Which element creates an unordered list — Variant 44?

- A. <list>
- B.
- C.
- D.

Answer: D —

Explanation: The ul element creates an unordered list.

45. Which HTML element is used to define a paragraph — Variant 45?

- A. <text>
- B. <para>
- C. <paragraph>
- D. <p>

Answer: D — <p>

Explanation: The p element defines a paragraph.

46. Which HTML element is used for the largest heading — Variant 46?

- A. <head>
- B. <h1>
- C. <header>
- D. <h6>

Answer: B — <h1>

Explanation: The h1 element represents the highest-level heading.

47. Which element creates a hyperlink — Variant 47?

- A. <href>
- B. <link>
- C. <url>
- D. <a>

Answer: D — <a>

Explanation: The a element creates a hyperlink.

48. Which attribute provides alternative text for an image — Variant 48?

- A. src
- B. title
- C. href
- D. alt

Answer: D — alt

Explanation: The alt attribute provides alternative text for an image.

49. Which element creates an unordered list — Variant 49?

- A.
- B. <list>
- C.
- D.

Answer: D —

Explanation: The ul element creates an unordered list.

50. Which HTML element is used to define a paragraph — Variant 50?

- A. <para>

- B. <p>
- C. <paragraph>
- D. <text>

Answer: B — <p>

Explanation: The p element defines a paragraph.

CSS

51. Which property changes text color?

- A. foreground
- B. text-color
- C. font-color
- D. color

Answer: D — color

Explanation: The color property sets the foreground text color.

52. Which property controls an element's background color — Variant 2?

- A. background-style
- B. color-background
- C. background-color
- D. bg

Answer: C — background-color

Explanation: background-color sets the background color.

53. Which CSS layout system is designed for two-dimensional layouts — Variant 3?

- A. Grid
- B. Flexbox
- C. Inline
- D. Float

Answer: A — Grid

Explanation: CSS Grid is designed for two-dimensional row-and-column layouts.

54. Which property changes the font size — Variant 4?

- A. text-size
- B. size
- C. font-height
- D. font-size

Answer: D — font-size

Explanation: font-size controls the size of text.

55. Which property adds space inside an element's border — Variant 5?

- A. spacing
- B. gap
- C. padding
- D. margin

Answer: C — padding

Explanation: Padding is the space between content and the border.

56. Which property changes text color — Variant 6?

- A. text-color

- B. color
- C. font-color
- D. foreground

Answer: B — color

Explanation: The color property sets the foreground text color.

57. Which property controls an element's background color — Variant 7?

- A. color-background
- B. bg
- C. background-color
- D. background-style

Answer: C — background-color

Explanation: background-color sets the background color.

58. Which CSS layout system is designed for two-dimensional layouts — Variant 8?

- A. Flexbox
- B. Grid
- C. Inline
- D. Float

Answer: B — Grid

Explanation: CSS Grid is designed for two-dimensional row-and-column layouts.

59. Which property changes the font size — Variant 9?

- A. font-size
- B. size
- C. font-height
- D. text-size

Answer: A — font-size

Explanation: font-size controls the size of text.

60. Which property adds space inside an element's border — Variant 10?

- A. gap
- B. padding
- C. margin
- D. spacing

Answer: B — padding

Explanation: Padding is the space between content and the border.

61. Which property changes text color — Variant 11?

- A. color
- B. font-color
- C. foreground
- D. text-color

Answer: A — color

Explanation: The color property sets the foreground text color.

62. Which property controls an element's background color — Variant 12?

- A. background-style
- B. background-color
- C. color-background

D. bg

Answer: B — background-color

Explanation: background-color sets the background color.

63. Which CSS layout system is designed for two-dimensional layouts — Variant 13?

A. Inline

B. Grid

C. Flexbox

D. Float

Answer: B — Grid

Explanation: CSS Grid is designed for two-dimensional row-and-column layouts.

64. Which property changes the font size — Variant 14?

A. font-height

B. text-size

C. font-size

D. size

Answer: C — font-size

Explanation: font-size controls the size of text.

65. Which property adds space inside an element's border — Variant 15?

A. padding

B. gap

C. margin

D. spacing

Answer: A — padding

Explanation: Padding is the space between content and the border.

66. Which property changes text color — Variant 16?

A. font-color

B. foreground

C. text-color

D. color

Answer: D — color

Explanation: The color property sets the foreground text color.

67. Which property controls an element's background color — Variant 17?

A. color-background

B. bg

C. background-style

D. background-color

Answer: D — background-color

Explanation: background-color sets the background color.

68. Which CSS layout system is designed for two-dimensional layouts — Variant 18?

A. Inline

B. Flexbox

C. Float

D. Grid

Answer: D — Grid

Explanation: CSS Grid is designed for two-dimensional row-and-column layouts.

69. Which property changes the font size — Variant 19?

- A. size
- B. text-size
- C. font-height
- D. font-size

Answer: D — font-size

Explanation: font-size controls the size of text.

70. Which property adds space inside an element's border — Variant 20?

- A. spacing
- B. gap
- C. padding
- D. margin

Answer: C — padding

Explanation: Padding is the space between content and the border.

71. Which property changes text color — Variant 21?

- A. foreground
- B. color
- C. text-color
- D. font-color

Answer: B — color

Explanation: The color property sets the foreground text color.

72. Which property controls an element's background color — Variant 22?

- A. bg
- B. background-color
- C. background-style
- D. color-background

Answer: B — background-color

Explanation: background-color sets the background color.

73. Which CSS layout system is designed for two-dimensional layouts — Variant 23?

- A. Float
- B. Grid
- C. Inline
- D. Flexbox

Answer: B — Grid

Explanation: CSS Grid is designed for two-dimensional row-and-column layouts.

74. Which property changes the font size — Variant 24?

- A. size
- B. text-size
- C. font-height
- D. font-size

Answer: D — font-size

Explanation: font-size controls the size of text.

75. Which property adds space inside an element's border — Variant 25?

- A. spacing
- B. margin
- C. gap
- D. padding

Answer: D — padding

Explanation: Padding is the space between content and the border.

76. Which property changes text color — Variant 26?

- A. foreground
- B. font-color
- C. color
- D. text-color

Answer: C — color

Explanation: The color property sets the foreground text color.

77. Which property controls an element's background color — Variant 27?

- A. color-background
- B. bg
- C. background-color
- D. background-style

Answer: C — background-color

Explanation: background-color sets the background color.

78. Which CSS layout system is designed for two-dimensional layouts — Variant 28?

- A. Grid
- B. Inline
- C. Float
- D. Flexbox

Answer: A — Grid

Explanation: CSS Grid is designed for two-dimensional row-and-column layouts.

79. Which property changes the font size — Variant 29?

- A. text-size
- B. font-size
- C. size
- D. font-height

Answer: B — font-size

Explanation: font-size controls the size of text.

80. Which property adds space inside an element's border — Variant 30?

- A. gap
- B. margin
- C. spacing
- D. padding

Answer: D — padding

Explanation: Padding is the space between content and the border.

81. Which property changes text color — Variant 31?

- A. foreground

- B. text-color
- C. font-color
- D. color

Answer: D — color

Explanation: The color property sets the foreground text color.

82. Which property controls an element's background color — Variant 32?

- A. background-style
- B. background-color
- C. color-background
- D. bg

Answer: B — background-color

Explanation: background-color sets the background color.

83. Which CSS layout system is designed for two-dimensional layouts — Variant 33?

- A. Grid
- B. Float
- C. Flexbox
- D. Inline

Answer: A — Grid

Explanation: CSS Grid is designed for two-dimensional row-and-column layouts.

84. Which property changes the font size — Variant 34?

- A. font-size
- B. text-size
- C. size
- D. font-height

Answer: A — font-size

Explanation: font-size controls the size of text.

85. Which property adds space inside an element's border — Variant 35?

- A. margin
- B. spacing
- C. padding
- D. gap

Answer: C — padding

Explanation: Padding is the space between content and the border.

86. Which property changes text color — Variant 36?

- A. foreground
- B. color
- C. text-color
- D. font-color

Answer: B — color

Explanation: The color property sets the foreground text color.

87. Which property controls an element's background color — Variant 37?

- A. bg
- B. background-color
- C. color-background

D. background-style

Answer: B — background-color

Explanation: background-color sets the background color.

88. Which CSS layout system is designed for two-dimensional layouts — Variant 38?

A. Inline

B. Float

C. Flexbox

D. Grid

Answer: D — Grid

Explanation: CSS Grid is designed for two-dimensional row-and-column layouts.

89. Which property changes the font size — Variant 39?

A. font-size

B. size

C. text-size

D. font-height

Answer: A — font-size

Explanation: font-size controls the size of text.

90. Which property adds space inside an element's border — Variant 40?

A. gap

B. margin

C. padding

D. spacing

Answer: C — padding

Explanation: Padding is the space between content and the border.

91. Which property changes text color — Variant 41?

A. text-color

B. foreground

C. font-color

D. color

Answer: D — color

Explanation: The color property sets the foreground text color.

92. Which property controls an element's background color — Variant 42?

A. bg

B. background-color

C. color-background

D. background-style

Answer: B — background-color

Explanation: background-color sets the background color.

93. Which CSS layout system is designed for two-dimensional layouts — Variant 43?

A. Float

B. Grid

C. Flexbox

D. Inline

Answer: B — Grid

Explanation: CSS Grid is designed for two-dimensional row-and-column layouts.

94. Which property changes the font size — Variant 44?

- A. font-size
- B. size
- C. text-size
- D. font-height

Answer: A — font-size

Explanation: font-size controls the size of text.

95. Which property adds space inside an element's border — Variant 45?

- A. padding
- B. margin
- C. spacing
- D. gap

Answer: A — padding

Explanation: Padding is the space between content and the border.

96. Which property changes text color — Variant 46?

- A. font-color
- B. text-color
- C. color
- D. foreground

Answer: C — color

Explanation: The color property sets the foreground text color.

97. Which property controls an element's background color — Variant 47?

- A. bg
- B. background-color
- C. background-style
- D. color-background

Answer: B — background-color

Explanation: background-color sets the background color.

98. Which CSS layout system is designed for two-dimensional layouts — Variant 48?

- A. Grid
- B. Float
- C. Inline
- D. Flexbox

Answer: A — Grid

Explanation: CSS Grid is designed for two-dimensional row-and-column layouts.

99. Which property changes the font size — Variant 49?

- A. font-height
- B. font-size
- C. size
- D. text-size

Answer: B — font-size

Explanation: font-size controls the size of text.

100. Which property adds space inside an element's border — Variant 50?

- A. padding
- B. margin
- C. spacing
- D. gap

Answer: A — padding

Explanation: Padding is the space between content and the border.

JavaScript

101. Which keyword declares a block-scoped variable that can be reassigned?

- A. const
- B. static
- C. let
- D. var

Answer: C — let

Explanation: let declares a block-scoped binding that can be reassigned.

102. Which operator checks strict equality — Variant 2?

- A. ==
- B. =
- C. ===
- D. !=

Answer: C — ===

Explanation: === compares value and type without coercion.

103. Which method converts a JSON string into a JavaScript value — Variant 3?

- A. JSON.stringify()
- B. JSON.convert()
- C. JSON.parse()
- D. JSON.decode()

Answer: C — JSON.parse()

Explanation: JSON.parse() parses a JSON string.

104. Which method adds an item to the end of an array — Variant 4?

- A. shift()
- B. pop()
- C. push()
- D. unshift()

Answer: C — push()

Explanation: push() adds an item to the end of an array.

105. Which value represents an intentional absence of an object value — Variant 5?

- A. NaN
- B. undefined
- C. false
- D. null

Answer: D — null

Explanation: null explicitly represents an intentional absence of a value.

106. Which keyword declares a block-scoped variable that can be reassigned — Variant 6?

- A. const
- B. let
- C. static
- D. var

Answer: B — let

Explanation: let declares a block-scoped binding that can be reassigned.

107. Which operator checks strict equality — Variant 7?

- A. !=
- B. ==
- C. =
- D. ===

Answer: D — ===

Explanation: === compares value and type without coercion.

108. Which method converts a JSON string into a JavaScript value — Variant 8?

- A. JSON.decode()
- B. JSON.convert()
- C. JSON.parse()
- D. JSON.stringify()

Answer: C — JSON.parse()

Explanation: JSON.parse() parses a JSON string.

109. Which method adds an item to the end of an array — Variant 9?

- A. unshift()
- B. pop()
- C. shift()
- D. push()

Answer: D — push()

Explanation: push() adds an item to the end of an array.

110. Which value represents an intentional absence of an object value — Variant 10?

- A. false
- B. null
- C. undefined
- D. NaN

Answer: B — null

Explanation: null explicitly represents an intentional absence of a value.

111. Which keyword declares a block-scoped variable that can be reassigned — Variant 11?

- A. let
- B. var
- C. const
- D. static

Answer: A — let

Explanation: let declares a block-scoped binding that can be reassigned.

112. Which operator checks strict equality — Variant 12?

- A. ==

- B. =
- C. ===
- D. !=

Answer: C — ===

Explanation: === compares value and type without coercion.

113. Which method converts a JSON string into a JavaScript value — Variant 13?

- A. JSON.decode()
- B. JSON.parse()
- C. JSON.stringify()
- D. JSON.convert()

Answer: B — JSON.parse()

Explanation: JSON.parse() parses a JSON string.

114. Which method adds an item to the end of an array — Variant 14?

- A. push()
- B. unshift()
- C. pop()
- D. shift()

Answer: A — push()

Explanation: push() adds an item to the end of an array.

115. Which value represents an intentional absence of an object value — Variant 15?

- A. null
- B. NaN
- C. undefined
- D. false

Answer: A — null

Explanation: null explicitly represents an intentional absence of a value.

116. Which keyword declares a block-scoped variable that can be reassigned — Variant 16?

- A. static
- B. const
- C. var
- D. let

Answer: D — let

Explanation: let declares a block-scoped binding that can be reassigned.

117. Which operator checks strict equality — Variant 17?

- A. !=
- B. =
- C. ===
- D. ==

Answer: C — ===

Explanation: === compares value and type without coercion.

118. Which method converts a JSON string into a JavaScript value — Variant 18?

- A. JSON.decode()
- B. JSON.convert()
- C. JSON.stringify()

D. JSON.parse()

Answer: D — JSON.parse()

Explanation: JSON.parse() parses a JSON string.

119. Which method adds an item to the end of an array — Variant 19?

A. pop()

B. push()

C. shift()

D. unshift()

Answer: B — push()

Explanation: push() adds an item to the end of an array.

120. Which value represents an intentional absence of an object value — Variant 20?

A. undefined

B. NaN

C. false

D. null

Answer: D — null

Explanation: null explicitly represents an intentional absence of a value.

121. Which keyword declares a block-scoped variable that can be reassigned — Variant 21?

A. var

B. let

C. static

D. const

Answer: B — let

Explanation: let declares a block-scoped binding that can be reassigned.

122. Which operator checks strict equality — Variant 22?

A. ==

B. =

C. !=

D. ===

Answer: D — ===

Explanation: === compares value and type without coercion.

123. Which method converts a JSON string into a JavaScript value — Variant 23?

A. JSON.parse()

B. JSON.stringify()

C. JSON.convert()

D. JSON.decode()

Answer: A — JSON.parse()

Explanation: JSON.parse() parses a JSON string.

124. Which method adds an item to the end of an array — Variant 24?

A. push()

B. pop()

C. shift()

D. unshift()

Answer: A — push()

Explanation: push() adds an item to the end of an array.

125. Which value represents an intentional absence of an object value — Variant 25?

- A. false
- B. undefined
- C. null
- D. NaN

Answer: C — null

Explanation: null explicitly represents an intentional absence of a value.

126. Which keyword declares a block-scoped variable that can be reassigned — Variant 26?

- A. var
- B. static
- C. let
- D. const

Answer: C — let

Explanation: let declares a block-scoped binding that can be reassigned.

127. Which operator checks strict equality — Variant 27?

- A. ==
- B. =
- C. ===
- D. !=

Answer: C — ===

Explanation: === compares value and type without coercion.

128. Which method converts a JSON string into a JavaScript value — Variant 28?

- A. JSON.stringify()
- B. JSON.decode()
- C. JSON.parse()
- D. JSON.convert()

Answer: C — JSON.parse()

Explanation: JSON.parse() parses a JSON string.

129. Which method adds an item to the end of an array — Variant 29?

- A. unshift()
- B. shift()
- C. pop()
- D. push()

Answer: D — push()

Explanation: push() adds an item to the end of an array.

130. Which value represents an intentional absence of an object value — Variant 30?

- A. undefined
- B. false
- C. NaN
- D. null

Answer: D — null

Explanation: null explicitly represents an intentional absence of a value.

131. Which keyword declares a block-scoped variable that can be reassigned — Variant 31?

- A. static
- B. const
- C. let
- D. var

Answer: C — let

Explanation: let declares a block-scoped binding that can be reassigned.

132. Which operator checks strict equality — Variant 32?

- A. =
- B. !=
- C. ==
- D. ===

Answer: D — ===

Explanation: === compares value and type without coercion.

133. Which method converts a JSON string into a JavaScript value — Variant 33?

- A. JSON.stringify()
- B. JSON.decode()
- C. JSON.parse()
- D. JSON.convert()

Answer: C — JSON.parse()

Explanation: JSON.parse() parses a JSON string.

134. Which method adds an item to the end of an array — Variant 34?

- A. shift()
- B. push()
- C. pop()
- D. unshift()

Answer: B — push()

Explanation: push() adds an item to the end of an array.

135. Which value represents an intentional absence of an object value — Variant 35?

- A. NaN
- B. undefined
- C. false
- D. null

Answer: D — null

Explanation: null explicitly represents an intentional absence of a value.

136. Which keyword declares a block-scoped variable that can be reassigned — Variant 36?

- A. static
- B. let
- C. const
- D. var

Answer: B — let

Explanation: let declares a block-scoped binding that can be reassigned.

137. Which operator checks strict equality — Variant 37?

- A. ===

- B. !=
- C. =
- D. ==

Answer: A — ===

Explanation: === compares value and type without coercion.

138. Which method converts a JSON string into a JavaScript value — Variant 38?

- A. JSON.stringify()
- B. JSON.parse()
- C. JSON.decode()
- D. JSON.convert()

Answer: B — JSON.parse()

Explanation: JSON.parse() parses a JSON string.

139. Which method adds an item to the end of an array — Variant 39?

- A. unshift()
- B. shift()
- C. pop()
- D. push()

Answer: D — push()

Explanation: push() adds an item to the end of an array.

140. Which value represents an intentional absence of an object value — Variant 40?

- A. NaN
- B. undefined
- C. false
- D. null

Answer: D — null

Explanation: null explicitly represents an intentional absence of a value.

141. Which keyword declares a block-scoped variable that can be reassigned — Variant 41?

- A. const
- B. var
- C. static
- D. let

Answer: D — let

Explanation: let declares a block-scoped binding that can be reassigned.

142. Which operator checks strict equality — Variant 42?

- A. =
- B. ===
- C. !=
- D. ==

Answer: B — ===

Explanation: === compares value and type without coercion.

143. Which method converts a JSON string into a JavaScript value — Variant 43?

- A. JSON.decode()
- B. JSON.parse()
- C. JSON.stringify()

D. JSON.convert()

Answer: B — JSON.parse()

Explanation: JSON.parse() parses a JSON string.

144. Which method adds an item to the end of an array — Variant 44?

A. push()

B. pop()

C. unshift()

D. shift()

Answer: A — push()

Explanation: push() adds an item to the end of an array.

145. Which value represents an intentional absence of an object value — Variant 45?

A. undefined

B. false

C. null

D. NaN

Answer: C — null

Explanation: null explicitly represents an intentional absence of a value.

146. Which keyword declares a block-scoped variable that can be reassigned — Variant 46?

A. const

B. var

C. let

D. static

Answer: C — let

Explanation: let declares a block-scoped binding that can be reassigned.

147. Which operator checks strict equality — Variant 47?

A. ==

B. ===

C. !=

D. =

Answer: B — ===

Explanation: === compares value and type without coercion.

148. Which method converts a JSON string into a JavaScript value — Variant 48?

A. JSON.decode()

B. JSON.parse()

C. JSON.stringify()

D. JSON.convert()

Answer: B — JSON.parse()

Explanation: JSON.parse() parses a JSON string.

149. Which method adds an item to the end of an array — Variant 49?

A. unshift()

B. shift()

C. push()

D. pop()

Answer: C — push()

Explanation: push() adds an item to the end of an array.

150. Which value represents an intentional absence of an object value — Variant 50?

- A. undefined
- B. false
- C. NaN
- D. null

Answer: D — null

Explanation: null explicitly represents an intentional absence of a value.

DOM

151. What does DOM stand for?

- A. Document Object Model
- B. Data Object Model
- C. Document Oriented Module
- D. Digital Object Map

Answer: A — Document Object Model

Explanation: DOM stands for Document Object Model.

152. Which method selects the first element matching a CSS selector — Variant 2?

- A. findElement()
- B. selectFirst()
- C. getElement()
- D. querySelector()

Answer: D — querySelector()

Explanation: querySelector() returns the first matching element.

153. Which property changes an element's text content — Variant 3?

- A. innerString
- B. contentTextOnly
- C. textContent
- D. textValue

Answer: C — textContent

Explanation: textContent gets or sets the text content of a node.

154. Which method attaches an event handler — Variant 4?

- A. attachEventOnly()
- B. listen()
- C. addEventListener()
- D. onEvent()

Answer: C — addEventListener()

Explanation: addEventListener() registers an event listener.

155. What is event bubbling — Variant 5?

- A. Event moving from target toward ancestors
- B. Event moving from parent to target only
- C. Event duplication
- D. Event deletion

Answer: A — Event moving from target toward ancestors

Explanation: Bubbling propagates an event from the target upward through ancestors.

156. What does DOM stand for — Variant 6?

- A. Digital Object Map
- B. Document Object Model
- C. Document Oriented Module
- D. Data Object Model

Answer: B — Document Object Model

Explanation: DOM stands for Document Object Model.

157. Which method selects the first element matching a CSS selector — Variant 7?

- A. selectFirst()
- B. getElement()
- C. findElement()
- D. querySelector()

Answer: D — querySelector()

Explanation: querySelector() returns the first matching element.

158. Which property changes an element's text content — Variant 8?

- A. innerString
- B. textContent
- C. textValue
- D. contentTextOnly

Answer: B — textContent

Explanation: textContent gets or sets the text content of a node.

159. Which method attaches an event handler — Variant 9?

- A. listen()
- B. attachEventOnly()
- C. addEventListener()
- D. onEvent()

Answer: C — addEventListener()

Explanation: addEventListener() registers an event listener.

160. What is event bubbling — Variant 10?

- A. Event duplication
- B. Event moving from target toward ancestors
- C. Event deletion
- D. Event moving from parent to target only

Answer: B — Event moving from target toward ancestors

Explanation: Bubbling propagates an event from the target upward through ancestors.

161. What does DOM stand for — Variant 11?

- A. Digital Object Map
- B. Document Oriented Module
- C. Document Object Model
- D. Data Object Model

Answer: C — Document Object Model

Explanation: DOM stands for Document Object Model.

162. Which method selects the first element matching a CSS selector — Variant 12?

- A. findElement()
- B. getElement()
- C. selectFirst()
- D. querySelector()

Answer: D — querySelector()

Explanation: querySelector() returns the first matching element.

163. Which property changes an element's text content — Variant 13?

- A. textContent
- B. contentTextOnly
- C. textValue
- D. innerString

Answer: A — textContent

Explanation: textContent gets or sets the text content of a node.

164. Which method attaches an event handler — Variant 14?

- A. addEventListener()
- B. listen()
- C. attachEventOnly()
- D. onEvent()

Answer: A — addEventListener()

Explanation: addEventListener() registers an event listener.

165. What is event bubbling — Variant 15?

- A. Event moving from parent to target only
- B. Event duplication
- C. Event deletion
- D. Event moving from target toward ancestors

Answer: D — Event moving from target toward ancestors

Explanation: Bubbling propagates an event from the target upward through ancestors.

166. What does DOM stand for — Variant 16?

- A. Document Oriented Module
- B. Data Object Model
- C. Document Object Model
- D. Digital Object Map

Answer: C — Document Object Model

Explanation: DOM stands for Document Object Model.

167. Which method selects the first element matching a CSS selector — Variant 17?

- A. getElement()
- B. findElement()
- C. querySelector()
- D. selectFirst()

Answer: C — querySelector()

Explanation: querySelector() returns the first matching element.

168. Which property changes an element's text content — Variant 18?

- A. innerString

- B. `textValue`
- C. `textContent`
- D. `contentTextOnly`

Answer: C — `textContent`

Explanation: `textContent` gets or sets the text content of a node.

169. Which method attaches an event handler — Variant 19?

- A. `addEventListener()`
- B. `attachEventOnly()`
- C. `onEvent()`
- D. `listen()`

Answer: A — `addEventListener()`

Explanation: `addEventListener()` registers an event listener.

170. What is event bubbling — Variant 20?

- A. Event duplication
- B. Event moving from target toward ancestors
- C. Event deletion
- D. Event moving from parent to target only

Answer: B — Event moving from target toward ancestors

Explanation: Bubbling propagates an event from the target upward through ancestors.

171. What does DOM stand for — Variant 21?

- A. Data Object Model
- B. Document Object Model
- C. Document Oriented Module
- D. Digital Object Map

Answer: B — Document Object Model

Explanation: DOM stands for Document Object Model.

172. Which method selects the first element matching a CSS selector — Variant 22?

- A. `getElement()`
- B. `findElement()`
- C. `querySelector()`
- D. `selectFirst()`

Answer: C — `querySelector()`

Explanation: `querySelector()` returns the first matching element.

173. Which property changes an element's text content — Variant 23?

- A. `textContent`
- B. `textValue`
- C. `contentTextOnly`
- D. `innerHTML`

Answer: A — `textContent`

Explanation: `textContent` gets or sets the text content of a node.

174. Which method attaches an event handler — Variant 24?

- A. `addEventListener()`
- B. `attachEventOnly()`
- C. `listen()`

D. `onEvent()`

Answer: A — `addEventListener()`

Explanation: `addEventListener()` registers an event listener.

175. What is event bubbling — Variant 25?

- A. Event moving from parent to target only
- B. Event moving from target toward ancestors
- C. Event duplication
- D. Event deletion

Answer: B — Event moving from target toward ancestors

Explanation: Bubbling propagates an event from the target upward through ancestors.

176. What does DOM stand for — Variant 26?

- A. Document Oriented Module
- B. Document Object Model
- C. Digital Object Map
- D. Data Object Model

Answer: B — Document Object Model

Explanation: DOM stands for Document Object Model.

177. Which method selects the first element matching a CSS selector — Variant 27?

- A. `querySelector()`
- B. `findElement()`
- C. `getElement()`
- D. `selectFirst()`

Answer: A — `querySelector()`

Explanation: `querySelector()` returns the first matching element.

178. Which property changes an element's text content — Variant 28?

- A. `innerHTML`
- B. `textValue`
- C. `contentTextOnly`
- D. `textContent`

Answer: D — `textContent`

Explanation: `textContent` gets or sets the text content of a node.

179. Which method attaches an event handler — Variant 29?

- A. `attachEventOnly()`
- B. `addEventListener()`
- C. `onEvent()`
- D. `listen()`

Answer: B — `addEventListener()`

Explanation: `addEventListener()` registers an event listener.

180. What is event bubbling — Variant 30?

- A. Event duplication
- B. Event moving from target toward ancestors
- C. Event deletion
- D. Event moving from parent to target only

Answer: B — Event moving from target toward ancestors

Explanation: Bubbling propagates an event from the target upward through ancestors.

181. What does DOM stand for — Variant 31?

- A. Document Object Model
- B. Data Object Model
- C. Document Oriented Module
- D. Digital Object Map

Answer: A — Document Object Model

Explanation: DOM stands for Document Object Model.

182. Which method selects the first element matching a CSS selector — Variant 32?

- A. findElement()
- B. getElement()
- C. querySelector()
- D. selectFirst()

Answer: C — querySelector()

Explanation: querySelector() returns the first matching element.

183. Which property changes an element's text content — Variant 33?

- A. textValue
- B. innerString
- C. contentTextOnly
- D. textContent

Answer: D — textContent

Explanation: textContent gets or sets the text content of a node.

184. Which method attaches an event handler — Variant 34?

- A. onEvent()
- B. listen()
- C. attachEventOnly()
- D. addEventListener()

Answer: D — addEventListener()

Explanation: addEventListener() registers an event listener.

185. What is event bubbling — Variant 35?

- A. Event moving from target toward ancestors
- B. Event deletion
- C. Event duplication
- D. Event moving from parent to target only

Answer: A — Event moving from target toward ancestors

Explanation: Bubbling propagates an event from the target upward through ancestors.

186. What does DOM stand for — Variant 36?

- A. Digital Object Map
- B. Data Object Model
- C. Document Object Model
- D. Document Oriented Module

Answer: C — Document Object Model

Explanation: DOM stands for Document Object Model.

187. Which method selects the first element matching a CSS selector — Variant 37?

- A. selectFirst()
- B. getElement()
- C. findElement()
- D. querySelector()

Answer: D — querySelector()

Explanation: querySelector() returns the first matching element.

188. Which property changes an element's text content — Variant 38?

- A. innerString
- B. contentTextOnly
- C. textValue
- D. textContent

Answer: D — textContent

Explanation: textContent gets or sets the text content of a node.

189. Which method attaches an event handler — Variant 39?

- A. attachEventOnly()
- B. addEventListener()
- C. listen()
- D. onEvent()

Answer: B — addEventListener()

Explanation: addEventListener() registers an event listener.

190. What is event bubbling — Variant 40?

- A. Event duplication
- B. Event deletion
- C. Event moving from parent to target only
- D. Event moving from target toward ancestors

Answer: D — Event moving from target toward ancestors

Explanation: Bubbling propagates an event from the target upward through ancestors.

191. What does DOM stand for — Variant 41?

- A. Data Object Model
- B. Document Oriented Module
- C. Digital Object Map
- D. Document Object Model

Answer: D — Document Object Model

Explanation: DOM stands for Document Object Model.

192. Which method selects the first element matching a CSS selector — Variant 42?

- A. querySelector()
- B. selectFirst()
- C. getElement()
- D. findElement()

Answer: A — querySelector()

Explanation: querySelector() returns the first matching element.

193. Which property changes an element's text content — Variant 43?

- A. contentTextOnly

- B. `textContent`
- C. `textValue`
- D. `innerHTML`

Answer: B — `textContent`

Explanation: `textContent` gets or sets the text content of a node.

194. Which method attaches an event handler — Variant 44?

- A. `onEvent()`
- B. `attachEventOnly()`
- C. `listen()`
- D. `addEventListener()`

Answer: D — `addEventListener()`

Explanation: `addEventListener()` registers an event listener.

195. What is event bubbling — Variant 45?

- A. Event deletion
- B. Event moving from target toward ancestors
- C. Event duplication
- D. Event moving from parent to target only

Answer: B — Event moving from target toward ancestors

Explanation: Bubbling propagates an event from the target upward through ancestors.

196. What does DOM stand for — Variant 46?

- A. Digital Object Map
- B. Document Object Model
- C. Data Object Model
- D. Document Oriented Module

Answer: B — Document Object Model

Explanation: DOM stands for Document Object Model.

197. Which method selects the first element matching a CSS selector — Variant 47?

- A. `findElement()`
- B. `getElement()`
- C. `querySelector()`
- D. `selectFirst()`

Answer: C — `querySelector()`

Explanation: `querySelector()` returns the first matching element.

198. Which property changes an element's text content — Variant 48?

- A. `textValue`
- B. `textContent`
- C. `innerHTML`
- D. `contentTextOnly`

Answer: B — `textContent`

Explanation: `textContent` gets or sets the text content of a node.

199. Which method attaches an event handler — Variant 49?

- A. `attachEventOnly()`
- B. `onEvent()`
- C. `listen()`

D. `addEventListener()`

Answer: D — `addEventListener()`

Explanation: `addEventListener()` registers an event listener.

200. What is event bubbling — Variant 50?

- A. Event deletion
- B. Event moving from target toward ancestors
- C. Event moving from parent to target only
- D. Event duplication

Answer: B — Event moving from target toward ancestors

Explanation: Bubbling propagates an event from the target upward through ancestors.

HTTP

201. Which HTTP method is commonly used to retrieve data?

- A. PATCH
- B. DELETE
- C. GET
- D. POST

Answer: C — GET

Explanation: GET is commonly used to retrieve resources.

202. Which status code means Not Found — Variant 2?

- A. 200
- B. 404
- C. 500
- D. 301

Answer: B — 404

Explanation: HTTP 404 means the requested resource was not found.

203. Which status code usually indicates a successful request — Variant 3?

- A. 400
- B. 200
- C. 503
- D. 401

Answer: B — 200

Explanation: HTTP 200 indicates successful processing.

204. Which protocol secures HTTP using TLS — Variant 4?

- A. SSH
- B. FTP
- C. HTTPS
- D. SMTP

Answer: C — HTTPS

Explanation: HTTPS is HTTP secured with TLS.

205. What does HTTP stand for — Variant 5?

- A. HyperText Transfer Protocol
- B. Hyperlink Transfer Program
- C. Host Text Transport Protocol

D. High Transfer Text Process

Answer: A — HyperText Transfer Protocol

Explanation: HTTP stands for HyperText Transfer Protocol.

206. Which HTTP method is commonly used to retrieve data — Variant 6?

A. PATCH

B. POST

C. DELETE

D. GET

Answer: D — GET

Explanation: GET is commonly used to retrieve resources.

207. Which status code means Not Found — Variant 7?

A. 301

B. 404

C. 500

D. 200

Answer: B — 404

Explanation: HTTP 404 means the requested resource was not found.

208. Which status code usually indicates a successful request — Variant 8?

A. 401

B. 200

C. 400

D. 503

Answer: B — 200

Explanation: HTTP 200 indicates successful processing.

209. Which protocol secures HTTP using TLS — Variant 9?

A. SMTP

B. SSH

C. HTTPS

D. FTP

Answer: C — HTTPS

Explanation: HTTPS is HTTP secured with TLS.

210. What does HTTP stand for — Variant 10?

A. High Transfer Text Process

B. Host Text Transport Protocol

C. Hyperlink Transfer Program

D. HyperText Transfer Protocol

Answer: D — HyperText Transfer Protocol

Explanation: HTTP stands for HyperText Transfer Protocol.

211. Which HTTP method is commonly used to retrieve data — Variant 11?

A. GET

B. POST

C. DELETE

D. PATCH

Answer: A — GET

Explanation: GET is commonly used to retrieve resources.

212. Which status code means Not Found — Variant 12?

- A. 200
- B. 404
- C. 301
- D. 500

Answer: B — 404

Explanation: HTTP 404 means the requested resource was not found.

213. Which status code usually indicates a successful request — Variant 13?

- A. 401
- B. 400
- C. 503
- D. 200

Answer: D — 200

Explanation: HTTP 200 indicates successful processing.

214. Which protocol secures HTTP using TLS — Variant 14?

- A. HTTPS
- B. FTP
- C. SMTP
- D. SSH

Answer: A — HTTPS

Explanation: HTTPS is HTTP secured with TLS.

215. What does HTTP stand for — Variant 15?

- A. High Transfer Text Process
- B. Hyperlink Transfer Program
- C. Host Text Transport Protocol
- D. HyperText Transfer Protocol

Answer: D — HyperText Transfer Protocol

Explanation: HTTP stands for HyperText Transfer Protocol.

216. Which HTTP method is commonly used to retrieve data — Variant 16?

- A. DELETE
- B. PATCH
- C. GET
- D. POST

Answer: C — GET

Explanation: GET is commonly used to retrieve resources.

217. Which status code means Not Found — Variant 17?

- A. 404
- B. 200
- C. 500
- D. 301

Answer: A — 404

Explanation: HTTP 404 means the requested resource was not found.

218. Which status code usually indicates a successful request — Variant 18?

- A. 200
- B. 400
- C. 401
- D. 503

Answer: A — 200

Explanation: HTTP 200 indicates successful processing.

219. Which protocol secures HTTP using TLS — Variant 19?

- A. SSH
- B. HTTPS
- C. SMTP
- D. FTP

Answer: B — HTTPS

Explanation: HTTPS is HTTP secured with TLS.

220. What does HTTP stand for — Variant 20?

- A. Host Text Transport Protocol
- B. High Transfer Text Process
- C. HyperText Transfer Protocol
- D. Hyperlink Transfer Program

Answer: C — HyperText Transfer Protocol

Explanation: HTTP stands for HyperText Transfer Protocol.

221. Which HTTP method is commonly used to retrieve data — Variant 21?

- A. POST
- B. PATCH
- C. GET
- D. DELETE

Answer: C — GET

Explanation: GET is commonly used to retrieve resources.

222. Which status code means Not Found — Variant 22?

- A. 301
- B. 500
- C. 200
- D. 404

Answer: D — 404

Explanation: HTTP 404 means the requested resource was not found.

223. Which status code usually indicates a successful request — Variant 23?

- A. 503
- B. 400
- C. 401
- D. 200

Answer: D — 200

Explanation: HTTP 200 indicates successful processing.

224. Which protocol secures HTTP using TLS — Variant 24?

- A. FTP

- B. SSH
- C. HTTPS
- D. SMTP

Answer: C — HTTPS

Explanation: HTTPS is HTTP secured with TLS.

225. What does HTTP stand for — Variant 25?

- A. High Transfer Text Process
- B. Host Text Transport Protocol
- C. HyperText Transfer Protocol
- D. Hyperlink Transfer Program

Answer: C — HyperText Transfer Protocol

Explanation: HTTP stands for HyperText Transfer Protocol.

226. Which HTTP method is commonly used to retrieve data — Variant 26?

- A. POST
- B. DELETE
- C. PATCH
- D. GET

Answer: D — GET

Explanation: GET is commonly used to retrieve resources.

227. Which status code means Not Found — Variant 27?

- A. 404
- B. 500
- C. 301
- D. 200

Answer: A — 404

Explanation: HTTP 404 means the requested resource was not found.

228. Which status code usually indicates a successful request — Variant 28?

- A. 200
- B. 503
- C. 400
- D. 401

Answer: A — 200

Explanation: HTTP 200 indicates successful processing.

229. Which protocol secures HTTP using TLS — Variant 29?

- A. SMTP
- B. SSH
- C. FTP
- D. HTTPS

Answer: D — HTTPS

Explanation: HTTPS is HTTP secured with TLS.

230. What does HTTP stand for — Variant 30?

- A. Hyperlink Transfer Program
- B. HyperText Transfer Protocol
- C. High Transfer Text Process

D. Host Text Transport Protocol

Answer: B — HyperText Transfer Protocol

Explanation: HTTP stands for HyperText Transfer Protocol.

231. Which HTTP method is commonly used to retrieve data — Variant 31?

A. POST

B. DELETE

C. GET

D. PATCH

Answer: C — GET

Explanation: GET is commonly used to retrieve resources.

232. Which status code means Not Found — Variant 32?

A. 301

B. 404

C. 200

D. 500

Answer: B — 404

Explanation: HTTP 404 means the requested resource was not found.

233. Which status code usually indicates a successful request — Variant 33?

A. 503

B. 401

C. 200

D. 400

Answer: C — 200

Explanation: HTTP 200 indicates successful processing.

234. Which protocol secures HTTP using TLS — Variant 34?

A. SMTP

B. FTP

C. HTTPS

D. SSH

Answer: C — HTTPS

Explanation: HTTPS is HTTP secured with TLS.

235. What does HTTP stand for — Variant 35?

A. HyperText Transfer Protocol

B. Hyperlink Transfer Program

C. High Transfer Text Process

D. Host Text Transport Protocol

Answer: A — HyperText Transfer Protocol

Explanation: HTTP stands for HyperText Transfer Protocol.

236. Which HTTP method is commonly used to retrieve data — Variant 36?

A. DELETE

B. PATCH

C. GET

D. POST

Answer: C — GET

Explanation: GET is commonly used to retrieve resources.

237. Which status code means Not Found — Variant 37?

- A. 301
- B. 500
- C. 404
- D. 200

Answer: C — 404

Explanation: HTTP 404 means the requested resource was not found.

238. Which status code usually indicates a successful request — Variant 38?

- A. 503
- B. 401
- C. 200
- D. 400

Answer: C — 200

Explanation: HTTP 200 indicates successful processing.

239. Which protocol secures HTTP using TLS — Variant 39?

- A. SMTP
- B. HTTPS
- C. FTP
- D. SSH

Answer: B — HTTPS

Explanation: HTTPS is HTTP secured with TLS.

240. What does HTTP stand for — Variant 40?

- A. Host Text Transport Protocol
- B. High Transfer Text Process
- C. Hyperlink Transfer Program
- D. HyperText Transfer Protocol

Answer: D — HyperText Transfer Protocol

Explanation: HTTP stands for HyperText Transfer Protocol.

241. Which HTTP method is commonly used to retrieve data — Variant 41?

- A. PATCH
- B. POST
- C. GET
- D. DELETE

Answer: C — GET

Explanation: GET is commonly used to retrieve resources.

242. Which status code means Not Found — Variant 42?

- A. 404
- B. 500
- C. 200
- D. 301

Answer: A — 404

Explanation: HTTP 404 means the requested resource was not found.

243. Which status code usually indicates a successful request — Variant 43?

- A. 401
- B. 200
- C. 503
- D. 400

Answer: B — 200

Explanation: HTTP 200 indicates successful processing.

244. Which protocol secures HTTP using TLS — Variant 44?

- A. SMTP
- B. HTTPS
- C. SSH
- D. FTP

Answer: B — HTTPS

Explanation: HTTPS is HTTP secured with TLS.

245. What does HTTP stand for — Variant 45?

- A. Host Text Transport Protocol
- B. HyperText Transfer Protocol
- C. High Transfer Text Process
- D. Hyperlink Transfer Program

Answer: B — HyperText Transfer Protocol

Explanation: HTTP stands for HyperText Transfer Protocol.

246. Which HTTP method is commonly used to retrieve data — Variant 46?

- A. POST
- B. PATCH
- C. GET
- D. DELETE

Answer: C — GET

Explanation: GET is commonly used to retrieve resources.

247. Which status code means Not Found — Variant 47?

- A. 404
- B. 200
- C. 301
- D. 500

Answer: A — 404

Explanation: HTTP 404 means the requested resource was not found.

248. Which status code usually indicates a successful request — Variant 48?

- A. 401
- B. 200
- C. 503
- D. 400

Answer: B — 200

Explanation: HTTP 200 indicates successful processing.

249. Which protocol secures HTTP using TLS — Variant 49?

- A. FTP

- B. SSH
- C. SMTP
- D. HTTPS

Answer: D — HTTPS

Explanation: HTTPS is HTTP secured with TLS.

250. What does HTTP stand for — Variant 50?

- A. Hyperlink Transfer Program
- B. HyperText Transfer Protocol
- C. Host Text Transport Protocol
- D. High Transfer Text Process

Answer: B — HyperText Transfer Protocol

Explanation: HTTP stands for HyperText Transfer Protocol.

Web APIs

251. What does API stand for?

- A. Automated Protocol Interface
- B. Advanced Program Integration
- C. Application Process Internet
- D. Application Programming Interface

Answer: D — Application Programming Interface

Explanation: API stands for Application Programming Interface.

252. Which format is widely used for REST API data exchange — Variant 2?

- A. EXE
- B. JSON
- C. BMP
- D. PSD

Answer: B — JSON

Explanation: JSON is widely used for structured API data exchange.

253. Which HTTP method is commonly used to create a resource — Variant 3?

- A. GET
- B. POST
- C. HEAD
- D. OPTIONS

Answer: B — POST

Explanation: POST is commonly used to create or submit a resource.

254. Which HTTP method is commonly used for partial updates — Variant 4?

- A. TRACE
- B. HEAD
- C. PATCH
- D. GET

Answer: C — PATCH

Explanation: PATCH is designed for partial modifications.

255. What is an endpoint — Variant 5?

- A. A database password

- B. A specific API URL or operation
- C. A browser extension
- D. A CSS selector

Answer: B — A specific API URL or operation

Explanation: An endpoint is a specific address through which an API operation can be accessed.

256. What does API stand for — Variant 6?

- A. Advanced Program Integration
- B. Application Programming Interface
- C. Application Process Internet
- D. Automated Protocol Interface

Answer: B — Application Programming Interface

Explanation: API stands for Application Programming Interface.

257. Which format is widely used for REST API data exchange — Variant 7?

- A. PSD
- B. JSON
- C. BMP
- D. EXE

Answer: B — JSON

Explanation: JSON is widely used for structured API data exchange.

258. Which HTTP method is commonly used to create a resource — Variant 8?

- A. POST
- B. HEAD
- C. OPTIONS
- D. GET

Answer: A — POST

Explanation: POST is commonly used to create or submit a resource.

259. Which HTTP method is commonly used for partial updates — Variant 9?

- A. HEAD
- B. PATCH
- C. TRACE
- D. GET

Answer: B — PATCH

Explanation: PATCH is designed for partial modifications.

260. What is an endpoint — Variant 10?

- A. A CSS selector
- B. A database password
- C. A specific API URL or operation
- D. A browser extension

Answer: C — A specific API URL or operation

Explanation: An endpoint is a specific address through which an API operation can be accessed.

261. What does API stand for — Variant 11?

- A. Application Process Internet
- B. Application Programming Interface
- C. Advanced Program Integration

D. Automated Protocol Interface

Answer: B — Application Programming Interface

Explanation: API stands for Application Programming Interface.

262. Which format is widely used for REST API data exchange — Variant 12?

A. PSD

B. JSON

C. EXE

D. BMP

Answer: B — JSON

Explanation: JSON is widely used for structured API data exchange.

263. Which HTTP method is commonly used to create a resource — Variant 13?

A. POST

B. GET

C. OPTIONS

D. HEAD

Answer: A — POST

Explanation: POST is commonly used to create or submit a resource.

264. Which HTTP method is commonly used for partial updates — Variant 14?

A. TRACE

B. HEAD

C. GET

D. PATCH

Answer: D — PATCH

Explanation: PATCH is designed for partial modifications.

265. What is an endpoint — Variant 15?

A. A browser extension

B. A CSS selector

C. A database password

D. A specific API URL or operation

Answer: D — A specific API URL or operation

Explanation: An endpoint is a specific address through which an API operation can be accessed.

266. What does API stand for — Variant 16?

A. Application Process Internet

B. Advanced Program Integration

C. Application Programming Interface

D. Automated Protocol Interface

Answer: C — Application Programming Interface

Explanation: API stands for Application Programming Interface.

267. Which format is widely used for REST API data exchange — Variant 17?

A. PSD

B. JSON

C. BMP

D. EXE

Answer: B — JSON

Explanation: JSON is widely used for structured API data exchange.

268. Which HTTP method is commonly used to create a resource — Variant 18?

- A. OPTIONS
- B. POST
- C. GET
- D. HEAD

Answer: B — POST

Explanation: POST is commonly used to create or submit a resource.

269. Which HTTP method is commonly used for partial updates — Variant 19?

- A. PATCH
- B. TRACE
- C. HEAD
- D. GET

Answer: A — PATCH

Explanation: PATCH is designed for partial modifications.

270. What is an endpoint — Variant 20?

- A. A specific API URL or operation
- B. A database password
- C. A browser extension
- D. A CSS selector

Answer: A — A specific API URL or operation

Explanation: An endpoint is a specific address through which an API operation can be accessed.

271. What does API stand for — Variant 21?

- A. Application Programming Interface
- B. Automated Protocol Interface
- C. Application Process Internet
- D. Advanced Program Integration

Answer: A — Application Programming Interface

Explanation: API stands for Application Programming Interface.

272. Which format is widely used for REST API data exchange — Variant 22?

- A. PSD
- B. BMP
- C. EXE
- D. JSON

Answer: D — JSON

Explanation: JSON is widely used for structured API data exchange.

273. Which HTTP method is commonly used to create a resource — Variant 23?

- A. HEAD
- B. GET
- C. POST
- D. OPTIONS

Answer: C — POST

Explanation: POST is commonly used to create or submit a resource.

274. Which HTTP method is commonly used for partial updates — Variant 24?

- A. HEAD
- B. PATCH
- C. GET
- D. TRACE

Answer: B — PATCH

Explanation: PATCH is designed for partial modifications.

275. What is an endpoint — Variant 25?

- A. A specific API URL or operation
- B. A browser extension
- C. A database password
- D. A CSS selector

Answer: A — A specific API URL or operation

Explanation: An endpoint is a specific address through which an API operation can be accessed.

276. What does API stand for — Variant 26?

- A. Application Process Internet
- B. Automated Protocol Interface
- C. Application Programming Interface
- D. Advanced Program Integration

Answer: C — Application Programming Interface

Explanation: API stands for Application Programming Interface.

277. Which format is widely used for REST API data exchange — Variant 27?

- A. JSON
- B. PSD
- C. EXE
- D. BMP

Answer: A — JSON

Explanation: JSON is widely used for structured API data exchange.

278. Which HTTP method is commonly used to create a resource — Variant 28?

- A. HEAD
- B. GET
- C. POST
- D. OPTIONS

Answer: C — POST

Explanation: POST is commonly used to create or submit a resource.

279. Which HTTP method is commonly used for partial updates — Variant 29?

- A. PATCH
- B. HEAD
- C. TRACE
- D. GET

Answer: A — PATCH

Explanation: PATCH is designed for partial modifications.

280. What is an endpoint — Variant 30?

- A. A database password

- B. A browser extension
- C. A specific API URL or operation
- D. A CSS selector

Answer: C — A specific API URL or operation

Explanation: An endpoint is a specific address through which an API operation can be accessed.

281. What does API stand for — Variant 31?

- A. Automated Protocol Interface
- B. Application Programming Interface
- C. Advanced Program Integration
- D. Application Process Internet

Answer: B — Application Programming Interface

Explanation: API stands for Application Programming Interface.

282. Which format is widely used for REST API data exchange — Variant 32?

- A. BMP
- B. PSD
- C. JSON
- D. EXE

Answer: C — JSON

Explanation: JSON is widely used for structured API data exchange.

283. Which HTTP method is commonly used to create a resource — Variant 33?

- A. GET
- B. POST
- C. OPTIONS
- D. HEAD

Answer: B — POST

Explanation: POST is commonly used to create or submit a resource.

284. Which HTTP method is commonly used for partial updates — Variant 34?

- A. HEAD
- B. GET
- C. TRACE
- D. PATCH

Answer: D — PATCH

Explanation: PATCH is designed for partial modifications.

285. What is an endpoint — Variant 35?

- A. A CSS selector
- B. A database password
- C. A browser extension
- D. A specific API URL or operation

Answer: D — A specific API URL or operation

Explanation: An endpoint is a specific address through which an API operation can be accessed.

286. What does API stand for — Variant 36?

- A. Application Programming Interface
- B. Advanced Program Integration
- C. Automated Protocol Interface

D. Application Process Internet

Answer: A — Application Programming Interface

Explanation: API stands for Application Programming Interface.

287. Which format is widely used for REST API data exchange — Variant 37?

A. JSON

B. PSD

C. BMP

D. EXE

Answer: A — JSON

Explanation: JSON is widely used for structured API data exchange.

288. Which HTTP method is commonly used to create a resource — Variant 38?

A. POST

B. HEAD

C. GET

D. OPTIONS

Answer: A — POST

Explanation: POST is commonly used to create or submit a resource.

289. Which HTTP method is commonly used for partial updates — Variant 39?

A. GET

B. HEAD

C. PATCH

D. TRACE

Answer: C — PATCH

Explanation: PATCH is designed for partial modifications.

290. What is an endpoint — Variant 40?

A. A specific API URL or operation

B. A CSS selector

C. A database password

D. A browser extension

Answer: A — A specific API URL or operation

Explanation: An endpoint is a specific address through which an API operation can be accessed.

291. What does API stand for — Variant 41?

A. Advanced Program Integration

B. Application Programming Interface

C. Automated Protocol Interface

D. Application Process Internet

Answer: B — Application Programming Interface

Explanation: API stands for Application Programming Interface.

292. Which format is widely used for REST API data exchange — Variant 42?

A. JSON

B. EXE

C. BMP

D. PSD

Answer: A — JSON

Explanation: JSON is widely used for structured API data exchange.

293. Which HTTP method is commonly used to create a resource — Variant 43?

- A. POST
- B. GET
- C. OPTIONS
- D. HEAD

Answer: A — POST

Explanation: POST is commonly used to create or submit a resource.

294. Which HTTP method is commonly used for partial updates — Variant 44?

- A. TRACE
- B. HEAD
- C. PATCH
- D. GET

Answer: C — PATCH

Explanation: PATCH is designed for partial modifications.

295. What is an endpoint — Variant 45?

- A. A database password
- B. A CSS selector
- C. A browser extension
- D. A specific API URL or operation

Answer: D — A specific API URL or operation

Explanation: An endpoint is a specific address through which an API operation can be accessed.

296. What does API stand for — Variant 46?

- A. Automated Protocol Interface
- B. Application Process Internet
- C. Advanced Program Integration
- D. Application Programming Interface

Answer: D — Application Programming Interface

Explanation: API stands for Application Programming Interface.

297. Which format is widely used for REST API data exchange — Variant 47?

- A. JSON
- B. PSD
- C. BMP
- D. EXE

Answer: A — JSON

Explanation: JSON is widely used for structured API data exchange.

298. Which HTTP method is commonly used to create a resource — Variant 48?

- A. GET
- B. HEAD
- C. POST
- D. OPTIONS

Answer: C — POST

Explanation: POST is commonly used to create or submit a resource.

299. Which HTTP method is commonly used for partial updates — Variant 49?

- A. TRACE
- B. GET
- C. HEAD
- D. PATCH

Answer: D — PATCH

Explanation: PATCH is designed for partial modifications.

300. What is an endpoint — Variant 50?

- A. A browser extension
- B. A database password
- C. A CSS selector
- D. A specific API URL or operation

Answer: D — A specific API URL or operation

Explanation: An endpoint is a specific address through which an API operation can be accessed.

React

301. What is React primarily used to build?

- A. Databases
- B. Operating systems
- C. Network drivers
- D. User interfaces

Answer: D — User interfaces

Explanation: React is primarily used to build user interfaces.

302. What are props in React — Variant 2?

- A. Server ports
- B. Inputs passed to components
- C. Database tables
- D. CSS files

Answer: B — Inputs passed to components

Explanation: Props are values passed into a component by its parent.

303. Which Hook is commonly used for local component state — Variant 3?

- A. useRouteOnly
- B. useServer
- C. useState
- D. useClass

Answer: C — useState

Explanation: useState adds state to a functional component.

304. Which Hook is commonly used for side effects — Variant 4?

- A. useEffect
- B. useStyle
- C. useComponent
- D. useHTML

Answer: A — useEffect

Explanation: useEffect is used to synchronize with external systems and perform side effects.

305. What is JSX — Variant 5?

- A. A syntax extension commonly used with JavaScript
- B. A web server
- C. A database language
- D. A CSS framework

Answer: A — A syntax extension commonly used with JavaScript

Explanation: JSX is a syntax extension that lets developers describe UI markup in JavaScript.

306. What is React primarily used to build — Variant 6?

- A. Network drivers
- B. Operating systems
- C. User interfaces
- D. Databases

Answer: C — User interfaces

Explanation: React is primarily used to build user interfaces.

307. What are props in React — Variant 7?

- A. Server ports
- B. Database tables
- C. Inputs passed to components
- D. CSS files

Answer: C — Inputs passed to components

Explanation: Props are values passed into a component by its parent.

308. Which Hook is commonly used for local component state — Variant 8?

- A. useServer
- B. useState
- C. useRouteOnly
- D. useClass

Answer: B — useState

Explanation: useState adds state to a functional component.

309. Which Hook is commonly used for side effects — Variant 9?

- A. useComponent
- B. useHTML
- C. useStyle
- D. useEffect

Answer: D — useEffect

Explanation: useEffect is used to synchronize with external systems and perform side effects.

310. What is JSX — Variant 10?

- A. A CSS framework
- B. A database language
- C. A web server
- D. A syntax extension commonly used with JavaScript

Answer: D — A syntax extension commonly used with JavaScript

Explanation: JSX is a syntax extension that lets developers describe UI markup in JavaScript.

311. What is React primarily used to build — Variant 11?

- A. Operating systems

- B. Network drivers
- C. User interfaces
- D. Databases

Answer: C — User interfaces

Explanation: React is primarily used to build user interfaces.

312. What are props in React — Variant 12?

- A. Database tables
- B. Server ports
- C. CSS files
- D. Inputs passed to components

Answer: D — Inputs passed to components

Explanation: Props are values passed into a component by its parent.

313. Which Hook is commonly used for local component state — Variant 13?

- A. useState
- B. useRouteOnly
- C. useClass
- D. useServer

Answer: A — useState

Explanation: useState adds state to a functional component.

314. Which Hook is commonly used for side effects — Variant 14?

- A. useEffect
- B. useHTML
- C. useComponent
- D. useStyle

Answer: A — useEffect

Explanation: useEffect is used to synchronize with external systems and perform side effects.

315. What is JSX — Variant 15?

- A. A database language
- B. A syntax extension commonly used with JavaScript
- C. A web server
- D. A CSS framework

Answer: B — A syntax extension commonly used with JavaScript

Explanation: JSX is a syntax extension that lets developers describe UI markup in JavaScript.

316. What is React primarily used to build — Variant 16?

- A. Databases
- B. Operating systems
- C. Network drivers
- D. User interfaces

Answer: D — User interfaces

Explanation: React is primarily used to build user interfaces.

317. What are props in React — Variant 17?

- A. Server ports
- B. Inputs passed to components
- C. CSS files

D. Database tables

Answer: B — Inputs passed to components

Explanation: Props are values passed into a component by its parent.

318. Which Hook is commonly used for local component state — Variant 18?

A. useClass

B. useState

C. useRouteOnly

D. useServer

Answer: B — useState

Explanation: useState adds state to a functional component.

319. Which Hook is commonly used for side effects — Variant 19?

A. useComponent

B. useEffect

C. useHTML

D. useStyle

Answer: B — useEffect

Explanation: useEffect is used to synchronize with external systems and perform side effects.

320. What is JSX — Variant 20?

A. A CSS framework

B. A syntax extension commonly used with JavaScript

C. A database language

D. A web server

Answer: B — A syntax extension commonly used with JavaScript

Explanation: JSX is a syntax extension that lets developers describe UI markup in JavaScript.

321. What is React primarily used to build — Variant 21?

A. User interfaces

B. Network drivers

C. Databases

D. Operating systems

Answer: A — User interfaces

Explanation: React is primarily used to build user interfaces.

322. What are props in React — Variant 22?

A. CSS files

B. Database tables

C. Inputs passed to components

D. Server ports

Answer: C — Inputs passed to components

Explanation: Props are values passed into a component by its parent.

323. Which Hook is commonly used for local component state — Variant 23?

A. useClass

B. useServer

C. useRouteOnly

D. useState

Answer: D — useState

Explanation: useState adds state to a functional component.

324. Which Hook is commonly used for side effects — Variant 24?

- A. useHTML
- B. useStyle
- C. useComponent
- D. useEffect

Answer: D — useEffect

Explanation: useEffect is used to synchronize with external systems and perform side effects.

325. What is JSX — Variant 25?

- A. A syntax extension commonly used with JavaScript
- B. A web server
- C. A CSS framework
- D. A database language

Answer: A — A syntax extension commonly used with JavaScript

Explanation: JSX is a syntax extension that lets developers describe UI markup in JavaScript.

326. What is React primarily used to build — Variant 26?

- A. Operating systems
- B. User interfaces
- C. Network drivers
- D. Databases

Answer: B — User interfaces

Explanation: React is primarily used to build user interfaces.

327. What are props in React — Variant 27?

- A. Server ports
- B. Inputs passed to components
- C. Database tables
- D. CSS files

Answer: B — Inputs passed to components

Explanation: Props are values passed into a component by its parent.

328. Which Hook is commonly used for local component state — Variant 28?

- A. useRouteOnly
- B. useClass
- C. useState
- D. useServer

Answer: C — useState

Explanation: useState adds state to a functional component.

329. Which Hook is commonly used for side effects — Variant 29?

- A. useComponent
- B. useEffect
- C. useHTML
- D. useStyle

Answer: B — useEffect

Explanation: useEffect is used to synchronize with external systems and perform side effects.

330. What is JSX — Variant 30?

- A. A syntax extension commonly used with JavaScript
- B. A database language
- C. A web server
- D. A CSS framework

Answer: A — A syntax extension commonly used with JavaScript

Explanation: JSX is a syntax extension that lets developers describe UI markup in JavaScript.

331. What is React primarily used to build — Variant 31?

- A. Network drivers
- B. Databases
- C. User interfaces
- D. Operating systems

Answer: C — User interfaces

Explanation: React is primarily used to build user interfaces.

332. What are props in React — Variant 32?

- A. CSS files
- B. Database tables
- C. Inputs passed to components
- D. Server ports

Answer: C — Inputs passed to components

Explanation: Props are values passed into a component by its parent.

333. Which Hook is commonly used for local component state — Variant 33?

- A. useServer
- B. useClass
- C. useRouteOnly
- D. useState

Answer: D — useState

Explanation: useState adds state to a functional component.

334. Which Hook is commonly used for side effects — Variant 34?

- A. useStyle
- B. useHTML
- C. useEffect
- D. useComponent

Answer: C — useEffect

Explanation: useEffect is used to synchronize with external systems and perform side effects.

335. What is JSX — Variant 35?

- A. A CSS framework
- B. A syntax extension commonly used with JavaScript
- C. A database language
- D. A web server

Answer: B — A syntax extension commonly used with JavaScript

Explanation: JSX is a syntax extension that lets developers describe UI markup in JavaScript.

336. What is React primarily used to build — Variant 36?

- A. User interfaces

- B. Network drivers
- C. Operating systems
- D. Databases

Answer: A — User interfaces

Explanation: React is primarily used to build user interfaces.

337. What are props in React — Variant 37?

- A. Inputs passed to components
- B. Server ports
- C. CSS files
- D. Database tables

Answer: A — Inputs passed to components

Explanation: Props are values passed into a component by its parent.

338. Which Hook is commonly used for local component state — Variant 38?

- A. useRouteOnly
- B. useState
- C. useServer
- D. useClass

Answer: B — useState

Explanation: useState adds state to a functional component.

339. Which Hook is commonly used for side effects — Variant 39?

- A. useStyle
- B. useEffect
- C. useComponent
- D. useHTML

Answer: B — useEffect

Explanation: useEffect is used to synchronize with external systems and perform side effects.

340. What is JSX — Variant 40?

- A. A syntax extension commonly used with JavaScript
- B. A CSS framework
- C. A database language
- D. A web server

Answer: A — A syntax extension commonly used with JavaScript

Explanation: JSX is a syntax extension that lets developers describe UI markup in JavaScript.

341. What is React primarily used to build — Variant 41?

- A. Operating systems
- B. Databases
- C. User interfaces
- D. Network drivers

Answer: C — User interfaces

Explanation: React is primarily used to build user interfaces.

342. What are props in React — Variant 42?

- A. Inputs passed to components
- B. CSS files
- C. Server ports

D. Database tables

Answer: A — Inputs passed to components

Explanation: Props are values passed into a component by its parent.

343. Which Hook is commonly used for local component state — Variant 43?

A. useState

B. useRouteOnly

C. useClass

D. useServer

Answer: A — useState

Explanation: useState adds state to a functional component.

344. Which Hook is commonly used for side effects — Variant 44?

A. useStyle

B. useHTML

C. useEffect

D. useComponent

Answer: C — useEffect

Explanation: useEffect is used to synchronize with external systems and perform side effects.

345. What is JSX — Variant 45?

A. A database language

B. A syntax extension commonly used with JavaScript

C. A web server

D. A CSS framework

Answer: B — A syntax extension commonly used with JavaScript

Explanation: JSX is a syntax extension that lets developers describe UI markup in JavaScript.

346. What is React primarily used to build — Variant 46?

A. User interfaces

B. Databases

C. Network drivers

D. Operating systems

Answer: A — User interfaces

Explanation: React is primarily used to build user interfaces.

347. What are props in React — Variant 47?

A. Server ports

B. Inputs passed to components

C. CSS files

D. Database tables

Answer: B — Inputs passed to components

Explanation: Props are values passed into a component by its parent.

348. Which Hook is commonly used for local component state — Variant 48?

A. useClass

B. useServer

C. useState

D. useRouteOnly

Answer: C — useState

Explanation: useState adds state to a functional component.

349. Which Hook is commonly used for side effects — Variant 49?

- A. useStyles
- B. useHTML
- C. useEffect
- D. useComponent

Answer: C — useEffect

Explanation: useEffect is used to synchronize with external systems and perform side effects.

350. What is JSX — Variant 50?

- A. A web server
- B. A CSS framework
- C. A syntax extension commonly used with JavaScript
- D. A database language

Answer: C — A syntax extension commonly used with JavaScript

Explanation: JSX is a syntax extension that lets developers describe UI markup in JavaScript.

Node.js

351. What is Node.js?

- A. A CSS library
- B. An HTML parser only
- C. A JavaScript runtime
- D. A database

Answer: C — A JavaScript runtime

Explanation: Node.js is a JavaScript runtime built on the V8 engine.

352. Which package manager is commonly bundled with Node.js — Variant 2?

- A. pip
- B. cargo
- C. gem
- D. npm

Answer: D — npm

Explanation: npm is the standard package manager commonly bundled with Node.js.

353. Which module system uses require() in traditional Node.js CommonJS — Variant 3?

- A. ESStyle
- B. CommonJS
- C. CSS Modules
- D. DOM Modules

Answer: B — CommonJS

Explanation: CommonJS traditionally uses require() and module.exports.

354. What does npm install do — Variant 4?

- A. Compiles CSS only
- B. Creates a database
- C. Installs dependencies
- D. Deletes Node.js

Answer: C — Installs dependencies

Explanation: npm install installs dependencies described by the project configuration.

355. What is Express — Variant 5?

- A. A browser
- B. A database engine
- C. A Node.js web framework
- D. A CSS preprocessor

Answer: C — A Node.js web framework

Explanation: Express is a popular web framework for Node.js.

356. What is Node.js — Variant 6?

- A. A JavaScript runtime
- B. A database
- C. An HTML parser only
- D. A CSS library

Answer: A — A JavaScript runtime

Explanation: Node.js is a JavaScript runtime built on the V8 engine.

357. Which package manager is commonly bundled with Node.js — Variant 7?

- A. gem
- B. cargo
- C. pip
- D. npm

Answer: D — npm

Explanation: npm is the standard package manager commonly bundled with Node.js.

358. Which module system uses require() in traditional Node.js CommonJS — Variant 8?

- A. CommonJS
- B. ESStyle
- C. CSS Modules
- D. DOM Modules

Answer: A — CommonJS

Explanation: CommonJS traditionally uses require() and module.exports.

359. What does npm install do — Variant 9?

- A. Creates a database
- B. Deletes Node.js
- C. Compiles CSS only
- D. Installs dependencies

Answer: D — Installs dependencies

Explanation: npm install installs dependencies described by the project configuration.

360. What is Express — Variant 10?

- A. A CSS preprocessor
- B. A Node.js web framework
- C. A database engine
- D. A browser

Answer: B — A Node.js web framework

Explanation: Express is a popular web framework for Node.js.

361. What is Node.js — Variant 11?

- A. An HTML parser only
- B. A CSS library
- C. A JavaScript runtime
- D. A database

Answer: C — A JavaScript runtime

Explanation: Node.js is a JavaScript runtime built on the V8 engine.

362. Which package manager is commonly bundled with Node.js — Variant 12?

- A. gem
- B. pip
- C. npm
- D. cargo

Answer: C — npm

Explanation: npm is the standard package manager commonly bundled with Node.js.

363. Which module system uses require() in traditional Node.js CommonJS — Variant 13?

- A. CommonJS
- B. DOM Modules
- C. CSS Modules
- D. ESStyle

Answer: A — CommonJS

Explanation: CommonJS traditionally uses require() and module.exports.

364. What does npm install do — Variant 14?

- A. Compiles CSS only
- B. Installs dependencies
- C. Creates a database
- D. Deletes Node.js

Answer: B — Installs dependencies

Explanation: npm install installs dependencies described by the project configuration.

365. What is Express — Variant 15?

- A. A Node.js web framework
- B. A browser
- C. A CSS preprocessor
- D. A database engine

Answer: A — A Node.js web framework

Explanation: Express is a popular web framework for Node.js.

366. What is Node.js — Variant 16?

- A. A CSS library
- B. An HTML parser only
- C. A JavaScript runtime
- D. A database

Answer: C — A JavaScript runtime

Explanation: Node.js is a JavaScript runtime built on the V8 engine.

367. Which package manager is commonly bundled with Node.js — Variant 17?

- A. gem

- B. pip
- C. npm
- D. cargo

Answer: C — npm

Explanation: npm is the standard package manager commonly bundled with Node.js.

368. Which module system uses require() in traditional Node.js CommonJS — Variant 18?

- A. DOM Modules
- B. CommonJS
- C. CSS Modules
- D. ESStyle

Answer: B — CommonJS

Explanation: CommonJS traditionally uses require() and module.exports.

369. What does npm install do — Variant 19?

- A. Creates a database
- B. Installs dependencies
- C. Compiles CSS only
- D. Deletes Node.js

Answer: B — Installs dependencies

Explanation: npm install installs dependencies described by the project configuration.

370. What is Express — Variant 20?

- A. A database engine
- B. A Node.js web framework
- C. A CSS preprocessor
- D. A browser

Answer: B — A Node.js web framework

Explanation: Express is a popular web framework for Node.js.

371. What is Node.js — Variant 21?

- A. A database
- B. A CSS library
- C. A JavaScript runtime
- D. An HTML parser only

Answer: C — A JavaScript runtime

Explanation: Node.js is a JavaScript runtime built on the V8 engine.

372. Which package manager is commonly bundled with Node.js — Variant 22?

- A. pip
- B. cargo
- C. npm
- D. gem

Answer: C — npm

Explanation: npm is the standard package manager commonly bundled with Node.js.

373. Which module system uses require() in traditional Node.js CommonJS — Variant 23?

- A. DOM Modules
- B. CSS Modules
- C. ESStyle

D. CommonJS

Answer: D — CommonJS

Explanation: CommonJS traditionally uses `require()` and `module.exports`.

374. What does npm install do — Variant 24?

- A. Installs dependencies
- B. Creates a database
- C. Deletes Node.js
- D. Compiles CSS only

Answer: A — Installs dependencies

Explanation: `npm install` installs dependencies described by the project configuration.

375. What is Express — Variant 25?

- A. A Node.js web framework
- B. A database engine
- C. A CSS preprocessor
- D. A browser

Answer: A — A Node.js web framework

Explanation: Express is a popular web framework for Node.js.

376. What is Node.js — Variant 26?

- A. A JavaScript runtime
- B. A database
- C. A CSS library
- D. An HTML parser only

Answer: A — A JavaScript runtime

Explanation: Node.js is a JavaScript runtime built on the V8 engine.

377. Which package manager is commonly bundled with Node.js — Variant 27?

- A. cargo
- B. npm
- C. pip
- D. gem

Answer: B — npm

Explanation: npm is the standard package manager commonly bundled with Node.js.

378. Which module system uses `require()` in traditional Node.js CommonJS — Variant 28?

- A. CommonJS
- B. ESStyle
- C. DOM Modules
- D. CSS Modules

Answer: A — CommonJS

Explanation: CommonJS traditionally uses `require()` and `module.exports`.

379. What does npm install do — Variant 29?

- A. Deletes Node.js
- B. Creates a database
- C. Installs dependencies
- D. Compiles CSS only

Answer: C — Installs dependencies

Explanation: npm install installs dependencies described by the project configuration.

380. What is Express — Variant 30?

- A. A database engine
- B. A CSS preprocessor
- C. A browser
- D. A Node.js web framework

Answer: D — A Node.js web framework

Explanation: Express is a popular web framework for Node.js.

381. What is Node.js — Variant 31?

- A. A JavaScript runtime
- B. A CSS library
- C. A database
- D. An HTML parser only

Answer: A — A JavaScript runtime

Explanation: Node.js is a JavaScript runtime built on the V8 engine.

382. Which package manager is commonly bundled with Node.js — Variant 32?

- A. gem
- B. pip
- C. cargo
- D. npm

Answer: D — npm

Explanation: npm is the standard package manager commonly bundled with Node.js.

383. Which module system uses require() in traditional Node.js CommonJS — Variant 33?

- A. ESStyle
- B. CSS Modules
- C. DOM Modules
- D. CommonJS

Answer: D — CommonJS

Explanation: CommonJS traditionally uses require() and module.exports.

384. What does npm install do — Variant 34?

- A. Deletes Node.js
- B. Compiles CSS only
- C. Creates a database
- D. Installs dependencies

Answer: D — Installs dependencies

Explanation: npm install installs dependencies described by the project configuration.

385. What is Express — Variant 35?

- A. A Node.js web framework
- B. A database engine
- C. A CSS preprocessor
- D. A browser

Answer: A — A Node.js web framework

Explanation: Express is a popular web framework for Node.js.

386. What is Node.js — Variant 36?

- A. A CSS library
- B. A database
- C. A JavaScript runtime
- D. An HTML parser only

Answer: C — A JavaScript runtime

Explanation: Node.js is a JavaScript runtime built on the V8 engine.

387. Which package manager is commonly bundled with Node.js — Variant 37?

- A. pip
- B. npm
- C. gem
- D. cargo

Answer: B — npm

Explanation: npm is the standard package manager commonly bundled with Node.js.

388. Which module system uses require() in traditional Node.js CommonJS — Variant 38?

- A. ESStyle
- B. CommonJS
- C. CSS Modules
- D. DOM Modules

Answer: B — CommonJS

Explanation: CommonJS traditionally uses require() and module.exports.

389. What does npm install do — Variant 39?

- A. Installs dependencies
- B. Creates a database
- C. Deletes Node.js
- D. Compiles CSS only

Answer: A — Installs dependencies

Explanation: npm install installs dependencies described by the project configuration.

390. What is Express — Variant 40?

- A. A database engine
- B. A Node.js web framework
- C. A browser
- D. A CSS preprocessor

Answer: B — A Node.js web framework

Explanation: Express is a popular web framework for Node.js.

391. What is Node.js — Variant 41?

- A. A database
- B. A CSS library
- C. A JavaScript runtime
- D. An HTML parser only

Answer: C — A JavaScript runtime

Explanation: Node.js is a JavaScript runtime built on the V8 engine.

392. Which package manager is commonly bundled with Node.js — Variant 42?

- A. npm

- B. cargo
- C. gem
- D. pip

Answer: A — npm

Explanation: npm is the standard package manager commonly bundled with Node.js.

393. Which module system uses require() in traditional Node.js CommonJS — Variant 43?

- A. CommonJS
- B. ESStyle
- C. DOM Modules
- D. CSS Modules

Answer: A — CommonJS

Explanation: CommonJS traditionally uses require() and module.exports.

394. What does npm install do — Variant 44?

- A. Compiles CSS only
- B. Installs dependencies
- C. Creates a database
- D. Deletes Node.js

Answer: B — Installs dependencies

Explanation: npm install installs dependencies described by the project configuration.

395. What is Express — Variant 45?

- A. A CSS preprocessor
- B. A database engine
- C. A browser
- D. A Node.js web framework

Answer: D — A Node.js web framework

Explanation: Express is a popular web framework for Node.js.

396. What is Node.js — Variant 46?

- A. An HTML parser only
- B. A JavaScript runtime
- C. A CSS library
- D. A database

Answer: B — A JavaScript runtime

Explanation: Node.js is a JavaScript runtime built on the V8 engine.

397. Which package manager is commonly bundled with Node.js — Variant 47?

- A. pip
- B. cargo
- C. gem
- D. npm

Answer: D — npm

Explanation: npm is the standard package manager commonly bundled with Node.js.

398. Which module system uses require() in traditional Node.js CommonJS — Variant 48?

- A. CommonJS
- B. DOM Modules
- C. CSS Modules

D. ESStyle

Answer: A — CommonJS

Explanation: CommonJS traditionally uses `require()` and `module.exports`.

399. What does npm install do — Variant 49?

- A. Deletes Node.js
- B. Installs dependencies
- C. Compiles CSS only
- D. Creates a database

Answer: B — Installs dependencies

Explanation: `npm install` installs dependencies described by the project configuration.

400. What is Express — Variant 50?

- A. A CSS preprocessor
- B. A database engine
- C. A Node.js web framework
- D. A browser

Answer: C — A Node.js web framework

Explanation: Express is a popular web framework for Node.js.

Databases

401. Which database model organizes data into tables?

- A. Graphical only
- B. Relational
- C. Document-only
- D. Pixel

Answer: B — Relational

Explanation: Relational databases organize data into tables and relationships.

402. What does SQL stand for — Variant 2?

- A. Server Query Logic
- B. Structured Query Language
- C. Simple Question Language
- D. Structured Queue List

Answer: B — Structured Query Language

Explanation: SQL stands for Structured Query Language.

403. Which SQL command retrieves data — Variant 3?

- A. SELECT
- B. GETDATA
- C. READ
- D. FETCHROWONLY

Answer: A — SELECT

Explanation: SELECT retrieves rows from database tables.

404. Which key uniquely identifies a row — Variant 4?

- A. View key
- B. Primary key
- C. Foreign key only

D. Index name

Answer: B — Primary key

Explanation: A primary key uniquely identifies a row.

405. What is MongoDB — Variant 5?

A. A document-oriented database

B. A compiler

C. A CSS framework

D. A browser engine

Answer: A — A document-oriented database

Explanation: MongoDB is a document-oriented NoSQL database.

406. Which database model organizes data into tables — Variant 6?

A. Document-only

B. Relational

C. Graphical only

D. Pixel

Answer: B — Relational

Explanation: Relational databases organize data into tables and relationships.

407. What does SQL stand for — Variant 7?

A. Structured Query Language

B. Structured Queue List

C. Simple Question Language

D. Server Query Logic

Answer: A — Structured Query Language

Explanation: SQL stands for Structured Query Language.

408. Which SQL command retrieves data — Variant 8?

A. READ

B. GETDATA

C. SELECT

D. FETCHROWONLY

Answer: C — SELECT

Explanation: SELECT retrieves rows from database tables.

409. Which key uniquely identifies a row — Variant 9?

A. View key

B. Foreign key only

C. Index name

D. Primary key

Answer: D — Primary key

Explanation: A primary key uniquely identifies a row.

410. What is MongoDB — Variant 10?

A. A browser engine

B. A document-oriented database

C. A compiler

D. A CSS framework

Answer: B — A document-oriented database

Explanation: MongoDB is a document-oriented NoSQL database.

411. Which database model organizes data into tables — Variant 11?

- A. Graphical only
- B. Relational
- C. Pixel
- D. Document-only

Answer: B — Relational

Explanation: Relational databases organize data into tables and relationships.

412. What does SQL stand for — Variant 12?

- A. Simple Question Language
- B. Server Query Logic
- C. Structured Queue List
- D. Structured Query Language

Answer: D — Structured Query Language

Explanation: SQL stands for Structured Query Language.

413. Which SQL command retrieves data — Variant 13?

- A. SELECT
- B. READ
- C. FETCHROWONLY
- D. GETDATA

Answer: A — SELECT

Explanation: SELECT retrieves rows from database tables.

414. Which key uniquely identifies a row — Variant 14?

- A. Primary key
- B. Foreign key only
- C. View key
- D. Index name

Answer: A — Primary key

Explanation: A primary key uniquely identifies a row.

415. What is MongoDB — Variant 15?

- A. A compiler
- B. A document-oriented database
- C. A browser engine
- D. A CSS framework

Answer: B — A document-oriented database

Explanation: MongoDB is a document-oriented NoSQL database.

416. Which database model organizes data into tables — Variant 16?

- A. Pixel
- B. Relational
- C. Graphical only
- D. Document-only

Answer: B — Relational

Explanation: Relational databases organize data into tables and relationships.

417. What does SQL stand for — Variant 17?

- A. Structured Queue List
- B. Simple Question Language
- C. Structured Query Language
- D. Server Query Logic

Answer: C — Structured Query Language

Explanation: SQL stands for Structured Query Language.

418. Which SQL command retrieves data — Variant 18?

- A. GETDATA
- B. SELECT
- C. READ
- D. FETCHROWONLY

Answer: B — SELECT

Explanation: SELECT retrieves rows from database tables.

419. Which key uniquely identifies a row — Variant 19?

- A. View key
- B. Foreign key only
- C. Primary key
- D. Index name

Answer: C — Primary key

Explanation: A primary key uniquely identifies a row.

420. What is MongoDB — Variant 20?

- A. A compiler
- B. A document-oriented database
- C. A CSS framework
- D. A browser engine

Answer: B — A document-oriented database

Explanation: MongoDB is a document-oriented NoSQL database.

421. Which database model organizes data into tables — Variant 21?

- A. Document-only
- B. Relational
- C. Graphical only
- D. Pixel

Answer: B — Relational

Explanation: Relational databases organize data into tables and relationships.

422. What does SQL stand for — Variant 22?

- A. Simple Question Language
- B. Structured Query Language
- C. Structured Queue List
- D. Server Query Logic

Answer: B — Structured Query Language

Explanation: SQL stands for Structured Query Language.

423. Which SQL command retrieves data — Variant 23?

- A. FETCHROWONLY

- B. READ
- C. SELECT
- D. GETDATA

Answer: C — SELECT

Explanation: SELECT retrieves rows from database tables.

424. Which key uniquely identifies a row — Variant 24?

- A. Primary key
- B. View key
- C. Index name
- D. Foreign key only

Answer: A — Primary key

Explanation: A primary key uniquely identifies a row.

425. What is MongoDB — Variant 25?

- A. A compiler
- B. A browser engine
- C. A CSS framework
- D. A document-oriented database

Answer: D — A document-oriented database

Explanation: MongoDB is a document-oriented NoSQL database.

426. Which database model organizes data into tables — Variant 26?

- A. Relational
- B. Pixel
- C. Document-only
- D. Graphical only

Answer: A — Relational

Explanation: Relational databases organize data into tables and relationships.

427. What does SQL stand for — Variant 27?

- A. Server Query Logic
- B. Structured Query Language
- C. Structured Queue List
- D. Simple Question Language

Answer: B — Structured Query Language

Explanation: SQL stands for Structured Query Language.

428. Which SQL command retrieves data — Variant 28?

- A. SELECT
- B. GETDATA
- C. FETCHROWONLY
- D. READ

Answer: A — SELECT

Explanation: SELECT retrieves rows from database tables.

429. Which key uniquely identifies a row — Variant 29?

- A. View key
- B. Foreign key only
- C. Primary key

D. Index name

Answer: C — Primary key

Explanation: A primary key uniquely identifies a row.

430. What is MongoDB — Variant 30?

A. A compiler

B. A document-oriented database

C. A CSS framework

D. A browser engine

Answer: B — A document-oriented database

Explanation: MongoDB is a document-oriented NoSQL database.

431. Which database model organizes data into tables — Variant 31?

A. Document-only

B. Graphical only

C. Relational

D. Pixel

Answer: C — Relational

Explanation: Relational databases organize data into tables and relationships.

432. What does SQL stand for — Variant 32?

A. Structured Query Language

B. Server Query Logic

C. Structured Queue List

D. Simple Question Language

Answer: A — Structured Query Language

Explanation: SQL stands for Structured Query Language.

433. Which SQL command retrieves data — Variant 33?

A. SELECT

B. FETCHROWONLY

C. READ

D. GETDATA

Answer: A — SELECT

Explanation: SELECT retrieves rows from database tables.

434. Which key uniquely identifies a row — Variant 34?

A. Index name

B. View key

C. Primary key

D. Foreign key only

Answer: C — Primary key

Explanation: A primary key uniquely identifies a row.

435. What is MongoDB — Variant 35?

A. A browser engine

B. A compiler

C. A CSS framework

D. A document-oriented database

Answer: D — A document-oriented database

Explanation: MongoDB is a document-oriented NoSQL database.

436. Which database model organizes data into tables — Variant 36?

- A. Relational
- B. Document-only
- C. Pixel
- D. Graphical only

Answer: A — Relational

Explanation: Relational databases organize data into tables and relationships.

437. What does SQL stand for — Variant 37?

- A. Structured Queue List
- B. Server Query Logic
- C. Structured Query Language
- D. Simple Question Language

Answer: C — Structured Query Language

Explanation: SQL stands for Structured Query Language.

438. Which SQL command retrieves data — Variant 38?

- A. GETDATA
- B. SELECT
- C. READ
- D. FETCHROWONLY

Answer: B — SELECT

Explanation: SELECT retrieves rows from database tables.

439. Which key uniquely identifies a row — Variant 39?

- A. View key
- B. Primary key
- C. Foreign key only
- D. Index name

Answer: B — Primary key

Explanation: A primary key uniquely identifies a row.

440. What is MongoDB — Variant 40?

- A. A browser engine
- B. A compiler
- C. A document-oriented database
- D. A CSS framework

Answer: C — A document-oriented database

Explanation: MongoDB is a document-oriented NoSQL database.

441. Which database model organizes data into tables — Variant 41?

- A. Relational
- B. Graphical only
- C. Document-only
- D. Pixel

Answer: A — Relational

Explanation: Relational databases organize data into tables and relationships.

442. What does SQL stand for — Variant 42?

- A. Structured Query Language
- B. Simple Question Language
- C. Structured Queue List
- D. Server Query Logic

Answer: A — Structured Query Language

Explanation: SQL stands for Structured Query Language.

443. Which SQL command retrieves data — Variant 43?

- A. READ
- B. FETCHROWONLY
- C. GETDATA
- D. SELECT

Answer: D — SELECT

Explanation: SELECT retrieves rows from database tables.

444. Which key uniquely identifies a row — Variant 44?

- A. View key
- B. Foreign key only
- C. Index name
- D. Primary key

Answer: D — Primary key

Explanation: A primary key uniquely identifies a row.

445. What is MongoDB — Variant 45?

- A. A compiler
- B. A browser engine
- C. A CSS framework
- D. A document-oriented database

Answer: D — A document-oriented database

Explanation: MongoDB is a document-oriented NoSQL database.

446. Which database model organizes data into tables — Variant 46?

- A. Pixel
- B. Document-only
- C. Graphical only
- D. Relational

Answer: D — Relational

Explanation: Relational databases organize data into tables and relationships.

447. What does SQL stand for — Variant 47?

- A. Server Query Logic
- B. Structured Query Language
- C. Simple Question Language
- D. Structured Queue List

Answer: B — Structured Query Language

Explanation: SQL stands for Structured Query Language.

448. Which SQL command retrieves data — Variant 48?

- A. READ

- B. GETDATA
- C. FETCHROWONLY
- D. SELECT

Answer: D — SELECT

Explanation: SELECT retrieves rows from database tables.

449. Which key uniquely identifies a row — Variant 49?

- A. Primary key
- B. Foreign key only
- C. View key
- D. Index name

Answer: A — Primary key

Explanation: A primary key uniquely identifies a row.

450. What is MongoDB — Variant 50?

- A. A browser engine
- B. A compiler
- C. A document-oriented database
- D. A CSS framework

Answer: C — A document-oriented database

Explanation: MongoDB is a document-oriented NoSQL database.

MongoDB

451. What format is MongoDB data commonly represented in?

- A. CSV rows only
- B. CSS rules
- C. BSON documents
- D. HTML tags

Answer: C — BSON documents

Explanation: MongoDB stores BSON documents.

452. What is a MongoDB collection — Variant 2?

- A. A server port
- B. A JavaScript function
- C. A group of documents
- D. A CSS class

Answer: C — A group of documents

Explanation: A collection groups related MongoDB documents.

453. Which command is commonly used to insert one document — Variant 3?

- A. createSQL()
- B. addRow()
- C. putDocumentOnly()
- D. insertOne()

Answer: D — insertOne()

Explanation: insertOne() inserts a single document.

454. Which MongoDB operation retrieves documents — Variant 4?

- A. getRows()

- B. selectSQL()
- C. readTable()
- D. find()

Answer: D — find()

Explanation: find() queries documents in a collection.

455. What is an ObjectId — Variant 5?

- A. A React Hook
- B. A CSS color
- C. A common MongoDB identifier type
- D. An HTTP method

Answer: C — A common MongoDB identifier type

Explanation: ObjectId is a BSON type commonly used as a MongoDB document identifier.

456. What format is MongoDB data commonly represented in — Variant 6?

- A. CSS rules
- B. CSV rows only
- C. HTML tags
- D. BSON documents

Answer: D — BSON documents

Explanation: MongoDB stores BSON documents.

457. What is a MongoDB collection — Variant 7?

- A. A server port
- B. A JavaScript function
- C. A CSS class
- D. A group of documents

Answer: D — A group of documents

Explanation: A collection groups related MongoDB documents.

458. Which command is commonly used to insert one document — Variant 8?

- A. createSQL()
- B. insertOne()
- C. putDocumentOnly()
- D. addRow()

Answer: B — insertOne()

Explanation: insertOne() inserts a single document.

459. Which MongoDB operation retrieves documents — Variant 9?

- A. find()
- B. selectSQL()
- C. readTable()
- D. getRows()

Answer: A — find()

Explanation: find() queries documents in a collection.

460. What is an ObjectId — Variant 10?

- A. A React Hook
- B. A common MongoDB identifier type
- C. An HTTP method

D. A CSS color

Answer: B — A common MongoDB identifier type

Explanation: ObjectId is a BSON type commonly used as a MongoDB document identifier.

461. What format is MongoDB data commonly represented in — Variant 11?

A. CSS rules

B. BSON documents

C. CSV rows only

D. HTML tags

Answer: B — BSON documents

Explanation: MongoDB stores BSON documents.

462. What is a MongoDB collection — Variant 12?

A. A CSS class

B. A server port

C. A JavaScript function

D. A group of documents

Answer: D — A group of documents

Explanation: A collection groups related MongoDB documents.

463. Which command is commonly used to insert one document — Variant 13?

A. createSQL()

B. insertOne()

C. putDocumentOnly()

D. addRow()

Answer: B — insertOne()

Explanation: insertOne() inserts a single document.

464. Which MongoDB operation retrieves documents — Variant 14?

A. readTable()

B. find()

C. selectSQL()

D. getRows()

Answer: B — find()

Explanation: find() queries documents in a collection.

465. What is an ObjectId — Variant 15?

A. A common MongoDB identifier type

B. An HTTP method

C. A CSS color

D. A React Hook

Answer: A — A common MongoDB identifier type

Explanation: ObjectId is a BSON type commonly used as a MongoDB document identifier.

466. What format is MongoDB data commonly represented in — Variant 16?

A. BSON documents

B. HTML tags

C. CSV rows only

D. CSS rules

Answer: A — BSON documents

Explanation: MongoDB stores BSON documents.

467. What is a MongoDB collection — Variant 17?

- A. A group of documents
- B. A server port
- C. A CSS class
- D. A JavaScript function

Answer: A — A group of documents

Explanation: A collection groups related MongoDB documents.

468. Which command is commonly used to insert one document — Variant 18?

- A. insertOne()
- B. putDocumentOnly()
- C. createSQL()
- D. addRow()

Answer: A — insertOne()

Explanation: insertOne() inserts a single document.

469. Which MongoDB operation retrieves documents — Variant 19?

- A. getRows()
- B. find()
- C. readTable()
- D. selectSQL()

Answer: B — find()

Explanation: find() queries documents in a collection.

470. What is an ObjectId — Variant 20?

- A. An HTTP method
- B. A CSS color
- C. A React Hook
- D. A common MongoDB identifier type

Answer: D — A common MongoDB identifier type

Explanation: ObjectId is a BSON type commonly used as a MongoDB document identifier.

471. What format is MongoDB data commonly represented in — Variant 21?

- A. BSON documents
- B. HTML tags
- C. CSV rows only
- D. CSS rules

Answer: A — BSON documents

Explanation: MongoDB stores BSON documents.

472. What is a MongoDB collection — Variant 22?

- A. A CSS class
- B. A group of documents
- C. A JavaScript function
- D. A server port

Answer: B — A group of documents

Explanation: A collection groups related MongoDB documents.

473. Which command is commonly used to insert one document — Variant 23?

- A. putDocumentOnly()
- B. insertOne()
- C. createSQL()
- D. addRow()

Answer: B — insertOne()

Explanation: insertOne() inserts a single document.

474. Which MongoDB operation retrieves documents — Variant 24?

- A. selectSQL()
- B. getRows()
- C. readTable()
- D. find()

Answer: D — find()

Explanation: find() queries documents in a collection.

475. What is an ObjectId — Variant 25?

- A. An HTTP method
- B. A CSS color
- C. A React Hook
- D. A common MongoDB identifier type

Answer: D — A common MongoDB identifier type

Explanation: ObjectId is a BSON type commonly used as a MongoDB document identifier.

476. What format is MongoDB data commonly represented in — Variant 26?

- A. HTML tags
- B. CSS rules
- C. BSON documents
- D. CSV rows only

Answer: C — BSON documents

Explanation: MongoDB stores BSON documents.

477. What is a MongoDB collection — Variant 27?

- A. A server port
- B. A CSS class
- C. A JavaScript function
- D. A group of documents

Answer: D — A group of documents

Explanation: A collection groups related MongoDB documents.

478. Which command is commonly used to insert one document — Variant 28?

- A. addRow()
- B. putDocumentOnly()
- C. createSQL()
- D. insertOne()

Answer: D — insertOne()

Explanation: insertOne() inserts a single document.

479. Which MongoDB operation retrieves documents — Variant 29?

- A. readTable()

- B. find()
- C. getRows()
- D. selectSQL()

Answer: B — find()

Explanation: find() queries documents in a collection.

480. What is an ObjectId — Variant 30?

- A. A React Hook
- B. A CSS color
- C. A common MongoDB identifier type
- D. An HTTP method

Answer: C — A common MongoDB identifier type

Explanation: ObjectId is a BSON type commonly used as a MongoDB document identifier.

481. What format is MongoDB data commonly represented in — Variant 31?

- A. HTML tags
- B. CSV rows only
- C. BSON documents
- D. CSS rules

Answer: C — BSON documents

Explanation: MongoDB stores BSON documents.

482. What is a MongoDB collection — Variant 32?

- A. A CSS class
- B. A JavaScript function
- C. A group of documents
- D. A server port

Answer: C — A group of documents

Explanation: A collection groups related MongoDB documents.

483. Which command is commonly used to insert one document — Variant 33?

- A. createSQL()
- B. insertOne()
- C. addRow()
- D. putDocumentOnly()

Answer: B — insertOne()

Explanation: insertOne() inserts a single document.

484. Which MongoDB operation retrieves documents — Variant 34?

- A. readTable()
- B. selectSQL()
- C. find()
- D. getRows()

Answer: C — find()

Explanation: find() queries documents in a collection.

485. What is an ObjectId — Variant 35?

- A. A CSS color
- B. An HTTP method
- C. A common MongoDB identifier type

D. A React Hook

Answer: C — A common MongoDB identifier type

Explanation: ObjectId is a BSON type commonly used as a MongoDB document identifier.

486. What format is MongoDB data commonly represented in — Variant 36?

A. BSON documents

B. CSV rows only

C. HTML tags

D. CSS rules

Answer: A — BSON documents

Explanation: MongoDB stores BSON documents.

487. What is a MongoDB collection — Variant 37?

A. A server port

B. A group of documents

C. A JavaScript function

D. A CSS class

Answer: B — A group of documents

Explanation: A collection groups related MongoDB documents.

488. Which command is commonly used to insert one document — Variant 38?

A. addRow()

B. createSQL()

C. insertOne()

D. putDocumentOnly()

Answer: C — insertOne()

Explanation: insertOne() inserts a single document.

489. Which MongoDB operation retrieves documents — Variant 39?

A. getRows()

B. selectSQL()

C. find()

D. readTable()

Answer: C — find()

Explanation: find() queries documents in a collection.

490. What is an ObjectId — Variant 40?

A. A React Hook

B. A common MongoDB identifier type

C. A CSS color

D. An HTTP method

Answer: B — A common MongoDB identifier type

Explanation: ObjectId is a BSON type commonly used as a MongoDB document identifier.

491. What format is MongoDB data commonly represented in — Variant 41?

A. CSV rows only

B. CSS rules

C. BSON documents

D. HTML tags

Answer: C — BSON documents

Explanation: MongoDB stores BSON documents.

492. What is a MongoDB collection — Variant 42?

- A. A server port
- B. A JavaScript function
- C. A CSS class
- D. A group of documents

Answer: D — A group of documents

Explanation: A collection groups related MongoDB documents.

493. Which command is commonly used to insert one document — Variant 43?

- A. insertOne()
- B. createSQL()
- C. putDocumentOnly()
- D. addRow()

Answer: A — insertOne()

Explanation: insertOne() inserts a single document.

494. Which MongoDB operation retrieves documents — Variant 44?

- A. getRows()
- B. readTable()
- C. find()
- D. selectSQL()

Answer: C — find()

Explanation: find() queries documents in a collection.

495. What is an ObjectId — Variant 45?

- A. A CSS color
- B. A common MongoDB identifier type
- C. A React Hook
- D. An HTTP method

Answer: B — A common MongoDB identifier type

Explanation: ObjectId is a BSON type commonly used as a MongoDB document identifier.

496. What format is MongoDB data commonly represented in — Variant 46?

- A. HTML tags
- B. CSS rules
- C. BSON documents
- D. CSV rows only

Answer: C — BSON documents

Explanation: MongoDB stores BSON documents.

497. What is a MongoDB collection — Variant 47?

- A. A group of documents
- B. A server port
- C. A CSS class
- D. A JavaScript function

Answer: A — A group of documents

Explanation: A collection groups related MongoDB documents.

498. Which command is commonly used to insert one document — Variant 48?

- A. addRow()
- B. createSQL()
- C. insertOne()
- D. putDocumentOnly()

Answer: C — insertOne()

Explanation: insertOne() inserts a single document.

499. Which MongoDB operation retrieves documents — Variant 49?

- A. getRows()
- B. readTable()
- C. find()
- D. selectSQL()

Answer: C — find()

Explanation: find() queries documents in a collection.

500. What is an ObjectId — Variant 50?

- A. A CSS color
- B. A common MongoDB identifier type
- C. An HTTP method
- D. A React Hook

Answer: B — A common MongoDB identifier type

Explanation: ObjectId is a BSON type commonly used as a MongoDB document identifier.

Git & GitHub

501. What is Git?

- A. A CSS library
- B. A database
- C. A browser
- D. A distributed version control system

Answer: D — A distributed version control system

Explanation: Git is a distributed version control system.

502. Which command creates a new Git repository — Variant 2?

- A. git new
- B. git create
- C. git init
- D. git start

Answer: C — git init

Explanation: git init initializes a new repository.

503. Which command records staged changes — Variant 3?

- A. git commit
- B. git push-only
- C. git record
- D. git save

Answer: A — git commit

Explanation: git commit creates a commit from staged changes.

504. Which command uploads commits to a remote repository — Variant 4?

- A. git publish
- B. git send
- C. git push
- D. git upload

Answer: C — git push

Explanation: git push sends local commits to a remote repository.

505. What is GitHub — Variant 5?

- A. A JavaScript runtime
- B. A database server
- C. A platform for hosting and collaborating on Git repositories
- D. A CSS compiler

Answer: C — A platform for hosting and collaborating on Git repositories

Explanation: GitHub hosts Git repositories and provides collaboration tools.

506. What is Git — Variant 6?

- A. A CSS library
- B. A distributed version control system
- C. A database
- D. A browser

Answer: B — A distributed version control system

Explanation: Git is a distributed version control system.

507. Which command creates a new Git repository — Variant 7?

- A. git start
- B. git new
- C. git init
- D. git create

Answer: C — git init

Explanation: git init initializes a new repository.

508. Which command records staged changes — Variant 8?

- A. git commit
- B. git save
- C. git push-only
- D. git record

Answer: A — git commit

Explanation: git commit creates a commit from staged changes.

509. Which command uploads commits to a remote repository — Variant 9?

- A. git send
- B. git push
- C. git upload
- D. git publish

Answer: B — git push

Explanation: git push sends local commits to a remote repository.

510. What is GitHub — Variant 10?

- A. A CSS compiler

- B. A database server
- C. A JavaScript runtime
- D. A platform for hosting and collaborating on Git repositories

Answer: D — A platform for hosting and collaborating on Git repositories

Explanation: GitHub hosts Git repositories and provides collaboration tools.

511. What is Git — Variant 11?

- A. A CSS library
- B. A database
- C. A browser
- D. A distributed version control system

Answer: D — A distributed version control system

Explanation: Git is a distributed version control system.

512. Which command creates a new Git repository — Variant 12?

- A. git create
- B. git init
- C. git start
- D. git new

Answer: B — git init

Explanation: git init initializes a new repository.

513. Which command records staged changes — Variant 13?

- A. git commit
- B. git record
- C. git push-only
- D. git save

Answer: A — git commit

Explanation: git commit creates a commit from staged changes.

514. Which command uploads commits to a remote repository — Variant 14?

- A. git send
- B. git publish
- C. git upload
- D. git push

Answer: D — git push

Explanation: git push sends local commits to a remote repository.

515. What is GitHub — Variant 15?

- A. A JavaScript runtime
- B. A CSS compiler
- C. A platform for hosting and collaborating on Git repositories
- D. A database server

Answer: C — A platform for hosting and collaborating on Git repositories

Explanation: GitHub hosts Git repositories and provides collaboration tools.

516. What is Git — Variant 16?

- A. A database
- B. A CSS library
- C. A browser

D. A distributed version control system

Answer: D — A distributed version control system

Explanation: Git is a distributed version control system.

517. Which command creates a new Git repository — Variant 17?

A. git start

B. git new

C. git init

D. git create

Answer: C — git init

Explanation: git init initializes a new repository.

518. Which command records staged changes — Variant 18?

A. git record

B. git save

C. git push-only

D. git commit

Answer: D — git commit

Explanation: git commit creates a commit from staged changes.

519. Which command uploads commits to a remote repository — Variant 19?

A. git upload

B. git send

C. git publish

D. git push

Answer: D — git push

Explanation: git push sends local commits to a remote repository.

520. What is GitHub — Variant 20?

A. A platform for hosting and collaborating on Git repositories

B. A CSS compiler

C. A JavaScript runtime

D. A database server

Answer: A — A platform for hosting and collaborating on Git repositories

Explanation: GitHub hosts Git repositories and provides collaboration tools.

521. What is Git — Variant 21?

A. A database

B. A browser

C. A distributed version control system

D. A CSS library

Answer: C — A distributed version control system

Explanation: Git is a distributed version control system.

522. Which command creates a new Git repository — Variant 22?

A. git init

B. git new

C. git create

D. git start

Answer: A — git init

Explanation: git init initializes a new repository.

523. Which command records staged changes — Variant 23?

- A. git save
- B. git push-only
- C. git record
- D. git commit

Answer: D — git commit

Explanation: git commit creates a commit from staged changes.

524. Which command uploads commits to a remote repository — Variant 24?

- A. git send
- B. git publish
- C. git upload
- D. git push

Answer: D — git push

Explanation: git push sends local commits to a remote repository.

525. What is GitHub — Variant 25?

- A. A CSS compiler
- B. A JavaScript runtime
- C. A platform for hosting and collaborating on Git repositories
- D. A database server

Answer: C — A platform for hosting and collaborating on Git repositories

Explanation: GitHub hosts Git repositories and provides collaboration tools.

526. What is Git — Variant 26?

- A. A CSS library
- B. A database
- C. A browser
- D. A distributed version control system

Answer: D — A distributed version control system

Explanation: Git is a distributed version control system.

527. Which command creates a new Git repository — Variant 27?

- A. git init
- B. git start
- C. git create
- D. git new

Answer: A — git init

Explanation: git init initializes a new repository.

528. Which command records staged changes — Variant 28?

- A. git save
- B. git commit
- C. git record
- D. git push-only

Answer: B — git commit

Explanation: git commit creates a commit from staged changes.

529. Which command uploads commits to a remote repository — Variant 29?

- A. git send
- B. git push
- C. git upload
- D. git publish

Answer: B — git push

Explanation: git push sends local commits to a remote repository.

530. What is GitHub — Variant 30?

- A. A database server
- B. A JavaScript runtime
- C. A CSS compiler
- D. A platform for hosting and collaborating on Git repositories

Answer: D — A platform for hosting and collaborating on Git repositories

Explanation: GitHub hosts Git repositories and provides collaboration tools.

531. What is Git — Variant 31?

- A. A browser
- B. A distributed version control system
- C. A CSS library
- D. A database

Answer: B — A distributed version control system

Explanation: Git is a distributed version control system.

532. Which command creates a new Git repository — Variant 32?

- A. git init
- B. git new
- C. git start
- D. git create

Answer: A — git init

Explanation: git init initializes a new repository.

533. Which command records staged changes — Variant 33?

- A. git record
- B. git push-only
- C. git save
- D. git commit

Answer: D — git commit

Explanation: git commit creates a commit from staged changes.

534. Which command uploads commits to a remote repository — Variant 34?

- A. git push
- B. git upload
- C. git publish
- D. git send

Answer: A — git push

Explanation: git push sends local commits to a remote repository.

535. What is GitHub — Variant 35?

- A. A JavaScript runtime

- B. A database server
- C. A platform for hosting and collaborating on Git repositories
- D. A CSS compiler

Answer: C — A platform for hosting and collaborating on Git repositories

Explanation: GitHub hosts Git repositories and provides collaboration tools.

536. What is Git — Variant 36?

- A. A browser
- B. A distributed version control system
- C. A CSS library
- D. A database

Answer: B — A distributed version control system

Explanation: Git is a distributed version control system.

537. Which command creates a new Git repository — Variant 37?

- A. git start
- B. git new
- C. git create
- D. git init

Answer: D — git init

Explanation: git init initializes a new repository.

538. Which command records staged changes — Variant 38?

- A. git save
- B. git record
- C. git push-only
- D. git commit

Answer: D — git commit

Explanation: git commit creates a commit from staged changes.

539. Which command uploads commits to a remote repository — Variant 39?

- A. git upload
- B. git send
- C. git push
- D. git publish

Answer: C — git push

Explanation: git push sends local commits to a remote repository.

540. What is GitHub — Variant 40?

- A. A JavaScript runtime
- B. A database server
- C. A CSS compiler
- D. A platform for hosting and collaborating on Git repositories

Answer: D — A platform for hosting and collaborating on Git repositories

Explanation: GitHub hosts Git repositories and provides collaboration tools.

541. What is Git — Variant 41?

- A. A database
- B. A browser
- C. A distributed version control system

D. A CSS library

Answer: C — A distributed version control system

Explanation: Git is a distributed version control system.

542. Which command creates a new Git repository — Variant 42?

A. git new

B. git start

C. git create

D. git init

Answer: D — git init

Explanation: git init initializes a new repository.

543. Which command records staged changes — Variant 43?

A. git record

B. git save

C. git commit

D. git push-only

Answer: C — git commit

Explanation: git commit creates a commit from staged changes.

544. Which command uploads commits to a remote repository — Variant 44?

A. git upload

B. git publish

C. git push

D. git send

Answer: C — git push

Explanation: git push sends local commits to a remote repository.

545. What is GitHub — Variant 45?

A. A platform for hosting and collaborating on Git repositories

B. A database server

C. A CSS compiler

D. A JavaScript runtime

Answer: A — A platform for hosting and collaborating on Git repositories

Explanation: GitHub hosts Git repositories and provides collaboration tools.

546. What is Git — Variant 46?

A. A browser

B. A database

C. A CSS library

D. A distributed version control system

Answer: D — A distributed version control system

Explanation: Git is a distributed version control system.

547. Which command creates a new Git repository — Variant 47?

A. git start

B. git new

C. git init

D. git create

Answer: C — git init

Explanation: git init initializes a new repository.

548. Which command records staged changes — Variant 48?

- A. git push-only
- B. git save
- C. git commit
- D. git record

Answer: C — git commit

Explanation: git commit creates a commit from staged changes.

549. Which command uploads commits to a remote repository — Variant 49?

- A. git publish
- B. git upload
- C. git push
- D. git send

Answer: C — git push

Explanation: git push sends local commits to a remote repository.

550. What is GitHub — Variant 50?

- A. A JavaScript runtime
- B. A platform for hosting and collaborating on Git repositories
- C. A database server
- D. A CSS compiler

Answer: B — A platform for hosting and collaborating on Git repositories

Explanation: GitHub hosts Git repositories and provides collaboration tools.

Authentication

551. What does authentication verify?

- A. Permissions only
- B. Database schema
- C. CSS syntax
- D. Identity

Answer: D — Identity

Explanation: Authentication verifies who a user is.

552. What does authorization determine — Variant 2?

- A. HTML validity
- B. Network speed
- C. What an authenticated user may access
- D. Whether a password exists

Answer: C — What an authenticated user may access

Explanation: Authorization determines permitted actions or resources.

553. What is a session — Variant 3?

- A. An image format
- B. A CSS rule
- C. A database table only
- D. Server-side or session-associated state for a user interaction

Answer: D — Server-side or session-associated state for a user interaction

Explanation: A session represents state associated with a user's interaction.

554. What is a password hash — Variant 4?

- A. A CSS token
- B. The original password
- C. An HTTP status
- D. A one-way derived representation used for password verification

Answer: D — A one-way derived representation used for password verification

Explanation: Password hashes are derived values used to verify passwords without storing plaintext passwords.

555. Why should passwords not be stored in plaintext — Variant 5?

- A. Plaintext is slower
- B. It prevents CSS
- C. A breach could directly expose users' passwords
- D. Browsers cannot read it

Answer: C — A breach could directly expose users' passwords

Explanation: Plaintext storage would expose the actual passwords if the database were compromised.

556. What does authentication verify — Variant 6?

- A. Identity
- B. CSS syntax
- C. Database schema
- D. Permissions only

Answer: A — Identity

Explanation: Authentication verifies who a user is.

557. What does authorization determine — Variant 7?

- A. Whether a password exists
- B. What an authenticated user may access
- C. Network speed
- D. HTML validity

Answer: B — What an authenticated user may access

Explanation: Authorization determines permitted actions or resources.

558. What is a session — Variant 8?

- A. A database table only
- B. An image format
- C. A CSS rule
- D. Server-side or session-associated state for a user interaction

Answer: D — Server-side or session-associated state for a user interaction

Explanation: A session represents state associated with a user's interaction.

559. What is a password hash — Variant 9?

- A. A CSS token
- B. A one-way derived representation used for password verification
- C. The original password
- D. An HTTP status

Answer: B — A one-way derived representation used for password verification

Explanation: Password hashes are derived values used to verify passwords without storing plaintext passwords.

560. Why should passwords not be stored in plaintext — Variant 10?

- A. Browsers cannot read it
- B. Plaintext is slower
- C. A breach could directly expose users' passwords
- D. It prevents CSS

Answer: C — A breach could directly expose users' passwords

Explanation: Plaintext storage would expose the actual passwords if the database were compromised.

561. What does authentication verify — Variant 11?

- A. CSS syntax
- B. Permissions only
- C. Identity
- D. Database schema

Answer: C — Identity

Explanation: Authentication verifies who a user is.

562. What does authorization determine — Variant 12?

- A. HTML validity
- B. What an authenticated user may access
- C. Network speed
- D. Whether a password exists

Answer: B — What an authenticated user may access

Explanation: Authorization determines permitted actions or resources.

563. What is a session — Variant 13?

- A. A database table only
- B. Server-side or session-associated state for a user interaction
- C. An image format
- D. A CSS rule

Answer: B — Server-side or session-associated state for a user interaction

Explanation: A session represents state associated with a user's interaction.

564. What is a password hash — Variant 14?

- A. The original password
- B. A one-way derived representation used for password verification
- C. An HTTP status
- D. A CSS token

Answer: B — A one-way derived representation used for password verification

Explanation: Password hashes are derived values used to verify passwords without storing plaintext passwords.

565. Why should passwords not be stored in plaintext — Variant 15?

- A. It prevents CSS
- B. Browsers cannot read it
- C. Plaintext is slower
- D. A breach could directly expose users' passwords

Answer: D — A breach could directly expose users' passwords

Explanation: Plaintext storage would expose the actual passwords if the database were compromised.

566. What does authentication verify — Variant 16?

- A. Identity

- B. Database schema
- C. Permissions only
- D. CSS syntax

Answer: A — Identity

Explanation: Authentication verifies who a user is.

567. What does authorization determine — Variant 17?

- A. Whether a password exists
- B. What an authenticated user may access
- C. HTML validity
- D. Network speed

Answer: B — What an authenticated user may access

Explanation: Authorization determines permitted actions or resources.

568. What is a session — Variant 18?

- A. A CSS rule
- B. Server-side or session-associated state for a user interaction
- C. An image format
- D. A database table only

Answer: B — Server-side or session-associated state for a user interaction

Explanation: A session represents state associated with a user's interaction.

569. What is a password hash — Variant 19?

- A. A CSS token
- B. A one-way derived representation used for password verification
- C. The original password
- D. An HTTP status

Answer: B — A one-way derived representation used for password verification

Explanation: Password hashes are derived values used to verify passwords without storing plaintext passwords.

570. Why should passwords not be stored in plaintext — Variant 20?

- A. Browsers cannot read it
- B. A breach could directly expose users' passwords
- C. Plaintext is slower
- D. It prevents CSS

Answer: B — A breach could directly expose users' passwords

Explanation: Plaintext storage would expose the actual passwords if the database were compromised.

571. What does authentication verify — Variant 21?

- A. Permissions only
- B. Database schema
- C. Identity
- D. CSS syntax

Answer: C — Identity

Explanation: Authentication verifies who a user is.

572. What does authorization determine — Variant 22?

- A. Network speed
- B. What an authenticated user may access
- C. Whether a password exists

D. HTML validity

Answer: B — What an authenticated user may access

Explanation: Authorization determines permitted actions or resources.

573. What is a session — Variant 23?

A. A database table only

B. A CSS rule

C. An image format

D. Server-side or session-associated state for a user interaction

Answer: D — Server-side or session-associated state for a user interaction

Explanation: A session represents state associated with a user's interaction.

574. What is a password hash — Variant 24?

A. An HTTP status

B. A one-way derived representation used for password verification

C. A CSS token

D. The original password

Answer: B — A one-way derived representation used for password verification

Explanation: Password hashes are derived values used to verify passwords without storing plaintext passwords.

575. Why should passwords not be stored in plaintext — Variant 25?

A. Plaintext is slower

B. A breach could directly expose users' passwords

C. It prevents CSS

D. Browsers cannot read it

Answer: B — A breach could directly expose users' passwords

Explanation: Plaintext storage would expose the actual passwords if the database were compromised.

576. What does authentication verify — Variant 26?

A. Identity

B. Database schema

C. Permissions only

D. CSS syntax

Answer: A — Identity

Explanation: Authentication verifies who a user is.

577. What does authorization determine — Variant 27?

A. HTML validity

B. What an authenticated user may access

C. Network speed

D. Whether a password exists

Answer: B — What an authenticated user may access

Explanation: Authorization determines permitted actions or resources.

578. What is a session — Variant 28?

A. A database table only

B. An image format

C. Server-side or session-associated state for a user interaction

D. A CSS rule

Answer: C — Server-side or session-associated state for a user interaction

Explanation: A session represents state associated with a user's interaction.

579. What is a password hash — Variant 29?

- A. A one-way derived representation used for password verification
- B. An HTTP status
- C. The original password
- D. A CSS token

Answer: A — A one-way derived representation used for password verification

Explanation: Password hashes are derived values used to verify passwords without storing plaintext passwords.

580. Why should passwords not be stored in plaintext — Variant 30?

- A. Plaintext is slower
- B. Browsers cannot read it
- C. A breach could directly expose users' passwords
- D. It prevents CSS

Answer: C — A breach could directly expose users' passwords

Explanation: Plaintext storage would expose the actual passwords if the database were compromised.

581. What does authentication verify — Variant 31?

- A. Identity
- B. Database schema
- C. CSS syntax
- D. Permissions only

Answer: A — Identity

Explanation: Authentication verifies who a user is.

582. What does authorization determine — Variant 32?

- A. Network speed
- B. Whether a password exists
- C. What an authenticated user may access
- D. HTML validity

Answer: C — What an authenticated user may access

Explanation: Authorization determines permitted actions or resources.

583. What is a session — Variant 33?

- A. A CSS rule
- B. An image format
- C. A database table only
- D. Server-side or session-associated state for a user interaction

Answer: D — Server-side or session-associated state for a user interaction

Explanation: A session represents state associated with a user's interaction.

584. What is a password hash — Variant 34?

- A. The original password
- B. A one-way derived representation used for password verification
- C. An HTTP status
- D. A CSS token

Answer: B — A one-way derived representation used for password verification

Explanation: Password hashes are derived values used to verify passwords without storing plaintext passwords.

585. Why should passwords not be stored in plaintext — Variant 35?

- A. Browsers cannot read it
- B. A breach could directly expose users' passwords
- C. Plaintext is slower
- D. It prevents CSS

Answer: B — A breach could directly expose users' passwords

Explanation: Plaintext storage would expose the actual passwords if the database were compromised.

586. What does authentication verify — Variant 36?

- A. Permissions only
- B. Identity
- C. CSS syntax
- D. Database schema

Answer: B — Identity

Explanation: Authentication verifies who a user is.

587. What does authorization determine — Variant 37?

- A. What an authenticated user may access
- B. Network speed
- C. HTML validity
- D. Whether a password exists

Answer: A — What an authenticated user may access

Explanation: Authorization determines permitted actions or resources.

588. What is a session — Variant 38?

- A. A database table only
- B. Server-side or session-associated state for a user interaction
- C. A CSS rule
- D. An image format

Answer: B — Server-side or session-associated state for a user interaction

Explanation: A session represents state associated with a user's interaction.

589. What is a password hash — Variant 39?

- A. A CSS token
- B. An HTTP status
- C. The original password
- D. A one-way derived representation used for password verification

Answer: D — A one-way derived representation used for password verification

Explanation: Password hashes are derived values used to verify passwords without storing plaintext passwords.

590. Why should passwords not be stored in plaintext — Variant 40?

- A. Plaintext is slower
- B. Browsers cannot read it
- C. It prevents CSS
- D. A breach could directly expose users' passwords

Answer: D — A breach could directly expose users' passwords

Explanation: Plaintext storage would expose the actual passwords if the database were compromised.

591. What does authentication verify — Variant 41?

- A. Permissions only

- B. Database schema
- C. Identity
- D. CSS syntax

Answer: C — Identity

Explanation: Authentication verifies who a user is.

592. What does authorization determine — Variant 42?

- A. HTML validity
- B. Network speed
- C. Whether a password exists
- D. What an authenticated user may access

Answer: D — What an authenticated user may access

Explanation: Authorization determines permitted actions or resources.

593. What is a session — Variant 43?

- A. A CSS rule
- B. Server-side or session-associated state for a user interaction
- C. A database table only
- D. An image format

Answer: B — Server-side or session-associated state for a user interaction

Explanation: A session represents state associated with a user's interaction.

594. What is a password hash — Variant 44?

- A. A one-way derived representation used for password verification
- B. An HTTP status
- C. The original password
- D. A CSS token

Answer: A — A one-way derived representation used for password verification

Explanation: Password hashes are derived values used to verify passwords without storing plaintext passwords.

595. Why should passwords not be stored in plaintext — Variant 45?

- A. It prevents CSS
- B. Plaintext is slower
- C. Browsers cannot read it
- D. A breach could directly expose users' passwords

Answer: D — A breach could directly expose users' passwords

Explanation: Plaintext storage would expose the actual passwords if the database were compromised.

596. What does authentication verify — Variant 46?

- A. Permissions only
- B. CSS syntax
- C. Database schema
- D. Identity

Answer: D — Identity

Explanation: Authentication verifies who a user is.

597. What does authorization determine — Variant 47?

- A. What an authenticated user may access
- B. Network speed
- C. HTML validity

D. Whether a password exists

Answer: A — What an authenticated user may access

Explanation: Authorization determines permitted actions or resources.

598. What is a session — Variant 48?

A. An image format

B. Server-side or session-associated state for a user interaction

C. A database table only

D. A CSS rule

Answer: B — Server-side or session-associated state for a user interaction

Explanation: A session represents state associated with a user's interaction.

599. What is a password hash — Variant 49?

A. A CSS token

B. An HTTP status

C. A one-way derived representation used for password verification

D. The original password

Answer: C — A one-way derived representation used for password verification

Explanation: Password hashes are derived values used to verify passwords without storing plaintext passwords.

600. Why should passwords not be stored in plaintext — Variant 50?

A. A breach could directly expose users' passwords

B. Browsers cannot read it

C. It prevents CSS

D. Plaintext is slower

Answer: A — A breach could directly expose users' passwords

Explanation: Plaintext storage would expose the actual passwords if the database were compromised.

Web Security

601. What is XSS?

A. XML secure syntax

B. Cross-server storage

C. Cross-site scripting

D. Extended session security

Answer: C — Cross-site scripting

Explanation: XSS is an attack involving execution of untrusted script in a user's browser.

602. What is SQL injection — Variant 2?

A. Manipulating database queries through unsafe input

B. Compressing tables

C. Caching queries

D. Encrypting SQL

Answer: A — Manipulating database queries through unsafe input

Explanation: SQL injection occurs when untrusted input changes the meaning of a database query.

603. What is CSRF — Variant 3?

A. Cookie security routing format

B. Cross-server request file

C. Client-side response format

D. Cross-site request forgery

Answer: D — Cross-site request forgery

Explanation: CSRF tricks a user's authenticated browser into making an unintended request.

604. What does TLS provide — Variant 4?

A. JavaScript compilation

B. CSS layout

C. Encrypted and authenticated communication

D. Database indexing

Answer: C — Encrypted and authenticated communication

Explanation: TLS helps provide confidentiality, integrity, and authentication for network communication.

605. What is input validation — Variant 5?

A. Changing HTTP to FTP

B. Encrypting every HTML tag

C. Checking input against expected rules before processing

D. Deleting all input

Answer: C — Checking input against expected rules before processing

Explanation: Input validation checks whether data meets expected requirements.

606. What is XSS — Variant 6?

A. Cross-server storage

B. Extended session security

C. XML secure syntax

D. Cross-site scripting

Answer: D — Cross-site scripting

Explanation: XSS is an attack involving execution of untrusted script in a user's browser.

607. What is SQL injection — Variant 7?

A. Caching queries

B. Compressing tables

C. Encrypting SQL

D. Manipulating database queries through unsafe input

Answer: D — Manipulating database queries through unsafe input

Explanation: SQL injection occurs when untrusted input changes the meaning of a database query.

608. What is CSRF — Variant 8?

A. Client-side response format

B. Cross-server request file

C. Cookie security routing format

D. Cross-site request forgery

Answer: D — Cross-site request forgery

Explanation: CSRF tricks a user's authenticated browser into making an unintended request.

609. What does TLS provide — Variant 9?

A. CSS layout

B. JavaScript compilation

C. Encrypted and authenticated communication

D. Database indexing

Answer: C — Encrypted and authenticated communication

Explanation: TLS helps provide confidentiality, integrity, and authentication for network communication.

610. What is input validation — Variant 10?

- A. Deleting all input
- B. Checking input against expected rules before processing
- C. Encrypting every HTML tag
- D. Changing HTTP to FTP

Answer: B — Checking input against expected rules before processing

Explanation: Input validation checks whether data meets expected requirements.

611. What is XSS — Variant 11?

- A. Cross-site scripting
- B. Cross-server storage
- C. Extended session security
- D. XML secure syntax

Answer: A — Cross-site scripting

Explanation: XSS is an attack involving execution of untrusted script in a user's browser.

612. What is SQL injection — Variant 12?

- A. Compressing tables
- B. Encrypting SQL
- C. Caching queries
- D. Manipulating database queries through unsafe input

Answer: D — Manipulating database queries through unsafe input

Explanation: SQL injection occurs when untrusted input changes the meaning of a database query.

613. What is CSRF — Variant 13?

- A. Client-side response format
- B. Cross-server request file
- C. Cross-site request forgery
- D. Cookie security routing format

Answer: C — Cross-site request forgery

Explanation: CSRF tricks a user's authenticated browser into making an unintended request.

614. What does TLS provide — Variant 14?

- A. Database indexing
- B. Encrypted and authenticated communication
- C. JavaScript compilation
- D. CSS layout

Answer: B — Encrypted and authenticated communication

Explanation: TLS helps provide confidentiality, integrity, and authentication for network communication.

615. What is input validation — Variant 15?

- A. Changing HTTP to FTP
- B. Checking input against expected rules before processing
- C. Deleting all input
- D. Encrypting every HTML tag

Answer: B — Checking input against expected rules before processing

Explanation: Input validation checks whether data meets expected requirements.

616. What is XSS — Variant 16?

- A. XML secure syntax
- B. Cross-server storage
- C. Extended session security
- D. Cross-site scripting

Answer: D — Cross-site scripting

Explanation: XSS is an attack involving execution of untrusted script in a user's browser.

617. What is SQL injection — Variant 17?

- A. Manipulating database queries through unsafe input
- B. Compressing tables
- C. Encrypting SQL
- D. Caching queries

Answer: A — Manipulating database queries through unsafe input

Explanation: SQL injection occurs when untrusted input changes the meaning of a database query.

618. What is CSRF — Variant 18?

- A. Client-side response format
- B. Cookie security routing format
- C. Cross-site request forgery
- D. Cross-server request file

Answer: C — Cross-site request forgery

Explanation: CSRF tricks a user's authenticated browser into making an unintended request.

619. What does TLS provide — Variant 19?

- A. JavaScript compilation
- B. Database indexing
- C. CSS layout
- D. Encrypted and authenticated communication

Answer: D — Encrypted and authenticated communication

Explanation: TLS helps provide confidentiality, integrity, and authentication for network communication.

620. What is input validation — Variant 20?

- A. Deleting all input
- B. Changing HTTP to FTP
- C. Encrypting every HTML tag
- D. Checking input against expected rules before processing

Answer: D — Checking input against expected rules before processing

Explanation: Input validation checks whether data meets expected requirements.

621. What is XSS — Variant 21?

- A. XML secure syntax
- B. Cross-server storage
- C. Cross-site scripting
- D. Extended session security

Answer: C — Cross-site scripting

Explanation: XSS is an attack involving execution of untrusted script in a user's browser.

622. What is SQL injection — Variant 22?

- A. Compressing tables

- B. Manipulating database queries through unsafe input
- C. Encrypting SQL
- D. Caching queries

Answer: B — Manipulating database queries through unsafe input

Explanation: SQL injection occurs when untrusted input changes the meaning of a database query.

623. What is CSRF — Variant 23?

- A. Cookie security routing format
- B. Cross-site request forgery
- C. Client-side response format
- D. Cross-server request file

Answer: B — Cross-site request forgery

Explanation: CSRF tricks a user's authenticated browser into making an unintended request.

624. What does TLS provide — Variant 24?

- A. Encrypted and authenticated communication
- B. JavaScript compilation
- C. Database indexing
- D. CSS layout

Answer: A — Encrypted and authenticated communication

Explanation: TLS helps provide confidentiality, integrity, and authentication for network communication.

625. What is input validation — Variant 25?

- A. Changing HTTP to FTP
- B. Checking input against expected rules before processing
- C. Deleting all input
- D. Encrypting every HTML tag

Answer: B — Checking input against expected rules before processing

Explanation: Input validation checks whether data meets expected requirements.

626. What is XSS — Variant 26?

- A. XML secure syntax
- B. Extended session security
- C. Cross-site scripting
- D. Cross-server storage

Answer: C — Cross-site scripting

Explanation: XSS is an attack involving execution of untrusted script in a user's browser.

627. What is SQL injection — Variant 27?

- A. Caching queries
- B. Encrypting SQL
- C. Manipulating database queries through unsafe input
- D. Compressing tables

Answer: C — Manipulating database queries through unsafe input

Explanation: SQL injection occurs when untrusted input changes the meaning of a database query.

628. What is CSRF — Variant 28?

- A. Cookie security routing format
- B. Cross-server request file
- C. Client-side response format

D. Cross-site request forgery

Answer: D — Cross-site request forgery

Explanation: CSRF tricks a user's authenticated browser into making an unintended request.

629. What does TLS provide — Variant 29?

A. CSS layout

B. Encrypted and authenticated communication

C. Database indexing

D. JavaScript compilation

Answer: B — Encrypted and authenticated communication

Explanation: TLS helps provide confidentiality, integrity, and authentication for network communication.

630. What is input validation — Variant 30?

A. Encrypting every HTML tag

B. Changing HTTP to FTP

C. Checking input against expected rules before processing

D. Deleting all input

Answer: C — Checking input against expected rules before processing

Explanation: Input validation checks whether data meets expected requirements.

631. What is XSS — Variant 31?

A. Extended session security

B. Cross-site scripting

C. XML secure syntax

D. Cross-server storage

Answer: B — Cross-site scripting

Explanation: XSS is an attack involving execution of untrusted script in a user's browser.

632. What is SQL injection — Variant 32?

A. Manipulating database queries through unsafe input

B. Encrypting SQL

C. Compressing tables

D. Caching queries

Answer: A — Manipulating database queries through unsafe input

Explanation: SQL injection occurs when untrusted input changes the meaning of a database query.

633. What is CSRF — Variant 33?

A. Cross-site request forgery

B. Client-side response format

C. Cookie security routing format

D. Cross-server request file

Answer: A — Cross-site request forgery

Explanation: CSRF tricks a user's authenticated browser into making an unintended request.

634. What does TLS provide — Variant 34?

A. CSS layout

B. Database indexing

C. JavaScript compilation

D. Encrypted and authenticated communication

Answer: D — Encrypted and authenticated communication

Explanation: TLS helps provide confidentiality, integrity, and authentication for network communication.

635. What is input validation — Variant 35?

- A. Changing HTTP to FTP
- B. Checking input against expected rules before processing
- C. Encrypting every HTML tag
- D. Deleting all input

Answer: B — Checking input against expected rules before processing

Explanation: Input validation checks whether data meets expected requirements.

636. What is XSS — Variant 36?

- A. Cross-site scripting
- B. Cross-server storage
- C. XML secure syntax
- D. Extended session security

Answer: A — Cross-site scripting

Explanation: XSS is an attack involving execution of untrusted script in a user's browser.

637. What is SQL injection — Variant 37?

- A. Manipulating database queries through unsafe input
- B. Encrypting SQL
- C. Caching queries
- D. Compressing tables

Answer: A — Manipulating database queries through unsafe input

Explanation: SQL injection occurs when untrusted input changes the meaning of a database query.

638. What is CSRF — Variant 38?

- A. Client-side response format
- B. Cross-site request forgery
- C. Cross-server request file
- D. Cookie security routing format

Answer: B — Cross-site request forgery

Explanation: CSRF tricks a user's authenticated browser into making an unintended request.

639. What does TLS provide — Variant 39?

- A. Database indexing
- B. Encrypted and authenticated communication
- C. JavaScript compilation
- D. CSS layout

Answer: B — Encrypted and authenticated communication

Explanation: TLS helps provide confidentiality, integrity, and authentication for network communication.

640. What is input validation — Variant 40?

- A. Deleting all input
- B. Changing HTTP to FTP
- C. Encrypting every HTML tag
- D. Checking input against expected rules before processing

Answer: D — Checking input against expected rules before processing

Explanation: Input validation checks whether data meets expected requirements.

641. What is XSS — Variant 41?

- A. Cross-server storage
- B. Extended session security
- C. Cross-site scripting
- D. XML secure syntax

Answer: C — Cross-site scripting

Explanation: XSS is an attack involving execution of untrusted script in a user's browser.

642. What is SQL injection — Variant 42?

- A. Caching queries
- B. Encrypting SQL
- C. Manipulating database queries through unsafe input
- D. Compressing tables

Answer: C — Manipulating database queries through unsafe input

Explanation: SQL injection occurs when untrusted input changes the meaning of a database query.

643. What is CSRF — Variant 43?

- A. Cross-site request forgery
- B. Cross-server request file
- C. Client-side response format
- D. Cookie security routing format

Answer: A — Cross-site request forgery

Explanation: CSRF tricks a user's authenticated browser into making an unintended request.

644. What does TLS provide — Variant 44?

- A. Database indexing
- B. CSS layout
- C. JavaScript compilation
- D. Encrypted and authenticated communication

Answer: D — Encrypted and authenticated communication

Explanation: TLS helps provide confidentiality, integrity, and authentication for network communication.

645. What is input validation — Variant 45?

- A. Changing HTTP to FTP
- B. Encrypting every HTML tag
- C. Checking input against expected rules before processing
- D. Deleting all input

Answer: C — Checking input against expected rules before processing

Explanation: Input validation checks whether data meets expected requirements.

646. What is XSS — Variant 46?

- A. Extended session security
- B. Cross-site scripting
- C. Cross-server storage
- D. XML secure syntax

Answer: B — Cross-site scripting

Explanation: XSS is an attack involving execution of untrusted script in a user's browser.

647. What is SQL injection — Variant 47?

- A. Encrypting SQL

- B. Manipulating database queries through unsafe input
- C. Compressing tables
- D. Caching queries

Answer: B — Manipulating database queries through unsafe input

Explanation: SQL injection occurs when untrusted input changes the meaning of a database query.

648. What is CSRF — Variant 48?

- A. Cross-server request file
- B. Cross-site request forgery
- C. Cookie security routing format
- D. Client-side response format

Answer: B — Cross-site request forgery

Explanation: CSRF tricks a user's authenticated browser into making an unintended request.

649. What does TLS provide — Variant 49?

- A. Encrypted and authenticated communication
- B. Database indexing
- C. CSS layout
- D. JavaScript compilation

Answer: A — Encrypted and authenticated communication

Explanation: TLS helps provide confidentiality, integrity, and authentication for network communication.

650. What is input validation — Variant 50?

- A. Changing HTTP to FTP
- B. Checking input against expected rules before processing
- C. Deleting all input
- D. Encrypting every HTML tag

Answer: B — Checking input against expected rules before processing

Explanation: Input validation checks whether data meets expected requirements.

Web Performance

651. What is lazy loading?

- A. Deleting images
- B. Disabling caching
- C. Loading everything immediately
- D. Loading resources when they are needed

Answer: D — Loading resources when they are needed

Explanation: Lazy loading delays nonessential resource loading until needed.

652. What is a CDN — Variant 2?

- A. A browser plugin
- B. A JavaScript framework
- C. A distributed network that serves content closer to users
- D. A database language

Answer: C — A distributed network that serves content closer to users

Explanation: A CDN distributes content across locations to reduce delivery distance and latency.

653. What is minification — Variant 3?

- A. Removing unnecessary characters from code

- B. Encrypting images
- C. Increasing file size
- D. Adding comments

Answer: A — Removing unnecessary characters from code

Explanation: Minification reduces file size by removing unnecessary characters while preserving behavior.

654. What is browser caching — Variant 4?

- A. Converting HTML to CSS
- B. Running SQL in a browser
- C. Deleting browser data
- D. Storing resources locally for reuse

Answer: D — Storing resources locally for reuse

Explanation: Caching allows reusable resources to be served without downloading them again.

655. What is code splitting — Variant 5?

- A. Converting CSS to HTML
- B. Dividing application code into smaller loadable chunks
- C. Removing JavaScript
- D. Combining all files

Answer: B — Dividing application code into smaller loadable chunks

Explanation: Code splitting divides code so only needed chunks have to load initially.

656. What is lazy loading — Variant 6?

- A. Loading resources when they are needed
- B. Deleting images
- C. Loading everything immediately
- D. Disabling caching

Answer: A — Loading resources when they are needed

Explanation: Lazy loading delays nonessential resource loading until needed.

657. What is a CDN — Variant 7?

- A. A database language
- B. A JavaScript framework
- C. A distributed network that serves content closer to users
- D. A browser plugin

Answer: C — A distributed network that serves content closer to users

Explanation: A CDN distributes content across locations to reduce delivery distance and latency.

658. What is minification — Variant 8?

- A. Removing unnecessary characters from code
- B. Adding comments
- C. Increasing file size
- D. Encrypting images

Answer: A — Removing unnecessary characters from code

Explanation: Minification reduces file size by removing unnecessary characters while preserving behavior.

659. What is browser caching — Variant 9?

- A. Storing resources locally for reuse
- B. Deleting browser data
- C. Converting HTML to CSS

D. Running SQL in a browser

Answer: A — Storing resources locally for reuse

Explanation: Caching allows reusable resources to be served without downloading them again.

660. What is code splitting — Variant 10?

A. Dividing application code into smaller loadable chunks

B. Removing JavaScript

C. Combining all files

D. Converting CSS to HTML

Answer: A — Dividing application code into smaller loadable chunks

Explanation: Code splitting divides code so only needed chunks have to load initially.

661. What is lazy loading — Variant 11?

A. Deleting images

B. Loading resources when they are needed

C. Disabling caching

D. Loading everything immediately

Answer: B — Loading resources when they are needed

Explanation: Lazy loading delays nonessential resource loading until needed.

662. What is a CDN — Variant 12?

A. A database language

B. A browser plugin

C. A distributed network that serves content closer to users

D. A JavaScript framework

Answer: C — A distributed network that serves content closer to users

Explanation: A CDN distributes content across locations to reduce delivery distance and latency.

663. What is minification — Variant 13?

A. Increasing file size

B. Removing unnecessary characters from code

C. Adding comments

D. Encrypting images

Answer: B — Removing unnecessary characters from code

Explanation: Minification reduces file size by removing unnecessary characters while preserving behavior.

664. What is browser caching — Variant 14?

A. Converting HTML to CSS

B. Storing resources locally for reuse

C. Running SQL in a browser

D. Deleting browser data

Answer: B — Storing resources locally for reuse

Explanation: Caching allows reusable resources to be served without downloading them again.

665. What is code splitting — Variant 15?

A. Removing JavaScript

B. Dividing application code into smaller loadable chunks

C. Combining all files

D. Converting CSS to HTML

Answer: B — Dividing application code into smaller loadable chunks

Explanation: Code splitting divides code so only needed chunks have to load initially.

666. What is lazy loading — Variant 16?

- A. Loading everything immediately
- B. Loading resources when they are needed
- C. Deleting images
- D. Disabling caching

Answer: B — Loading resources when they are needed

Explanation: Lazy loading delays nonessential resource loading until needed.

667. What is a CDN — Variant 17?

- A. A database language
- B. A JavaScript framework
- C. A browser plugin
- D. A distributed network that serves content closer to users

Answer: D — A distributed network that serves content closer to users

Explanation: A CDN distributes content across locations to reduce delivery distance and latency.

668. What is minification — Variant 18?

- A. Adding comments
- B. Removing unnecessary characters from code
- C. Encrypting images
- D. Increasing file size

Answer: B — Removing unnecessary characters from code

Explanation: Minification reduces file size by removing unnecessary characters while preserving behavior.

669. What is browser caching — Variant 19?

- A. Running SQL in a browser
- B. Deleting browser data
- C. Converting HTML to CSS
- D. Storing resources locally for reuse

Answer: D — Storing resources locally for reuse

Explanation: Caching allows reusable resources to be served without downloading them again.

670. What is code splitting — Variant 20?

- A. Converting CSS to HTML
- B. Removing JavaScript
- C. Combining all files
- D. Dividing application code into smaller loadable chunks

Answer: D — Dividing application code into smaller loadable chunks

Explanation: Code splitting divides code so only needed chunks have to load initially.

671. What is lazy loading — Variant 21?

- A. Loading everything immediately
- B. Deleting images
- C. Disabling caching
- D. Loading resources when they are needed

Answer: D — Loading resources when they are needed

Explanation: Lazy loading delays nonessential resource loading until needed.

672. What is a CDN — Variant 22?

- A. A database language
- B. A JavaScript framework
- C. A distributed network that serves content closer to users
- D. A browser plugin

Answer: C — A distributed network that serves content closer to users

Explanation: A CDN distributes content across locations to reduce delivery distance and latency.

673. What is minification — Variant 23?

- A. Adding comments
- B. Increasing file size
- C. Removing unnecessary characters from code
- D. Encrypting images

Answer: C — Removing unnecessary characters from code

Explanation: Minification reduces file size by removing unnecessary characters while preserving behavior.

674. What is browser caching — Variant 24?

- A. Deleting browser data
- B. Storing resources locally for reuse
- C. Converting HTML to CSS
- D. Running SQL in a browser

Answer: B — Storing resources locally for reuse

Explanation: Caching allows reusable resources to be served without downloading them again.

675. What is code splitting — Variant 25?

- A. Converting CSS to HTML
- B. Combining all files
- C. Dividing application code into smaller loadable chunks
- D. Removing JavaScript

Answer: C — Dividing application code into smaller loadable chunks

Explanation: Code splitting divides code so only needed chunks have to load initially.

676. What is lazy loading — Variant 26?

- A. Loading everything immediately
- B. Loading resources when they are needed
- C. Deleting images
- D. Disabling caching

Answer: B — Loading resources when they are needed

Explanation: Lazy loading delays nonessential resource loading until needed.

677. What is a CDN — Variant 27?

- A. A distributed network that serves content closer to users
- B. A browser plugin
- C. A database language
- D. A JavaScript framework

Answer: A — A distributed network that serves content closer to users

Explanation: A CDN distributes content across locations to reduce delivery distance and latency.

678. What is minification — Variant 28?

- A. Adding comments

- B. Increasing file size
- C. Removing unnecessary characters from code
- D. Encrypting images

Answer: C — Removing unnecessary characters from code

Explanation: Minification reduces file size by removing unnecessary characters while preserving behavior.

679. What is browser caching — Variant 29?

- A. Storing resources locally for reuse
- B. Deleting browser data
- C. Converting HTML to CSS
- D. Running SQL in a browser

Answer: A — Storing resources locally for reuse

Explanation: Caching allows reusable resources to be served without downloading them again.

680. What is code splitting — Variant 30?

- A. Removing JavaScript
- B. Converting CSS to HTML
- C. Combining all files
- D. Dividing application code into smaller loadable chunks

Answer: D — Dividing application code into smaller loadable chunks

Explanation: Code splitting divides code so only needed chunks have to load initially.

681. What is lazy loading — Variant 31?

- A. Disabling caching
- B. Loading resources when they are needed
- C. Deleting images
- D. Loading everything immediately

Answer: B — Loading resources when they are needed

Explanation: Lazy loading delays nonessential resource loading until needed.

682. What is a CDN — Variant 32?

- A. A browser plugin
- B. A distributed network that serves content closer to users
- C. A JavaScript framework
- D. A database language

Answer: B — A distributed network that serves content closer to users

Explanation: A CDN distributes content across locations to reduce delivery distance and latency.

683. What is minification — Variant 33?

- A. Adding comments
- B. Encrypting images
- C. Increasing file size
- D. Removing unnecessary characters from code

Answer: D — Removing unnecessary characters from code

Explanation: Minification reduces file size by removing unnecessary characters while preserving behavior.

684. What is browser caching — Variant 34?

- A. Storing resources locally for reuse
- B. Converting HTML to CSS
- C. Running SQL in a browser

D. Deleting browser data

Answer: A — Storing resources locally for reuse

Explanation: Caching allows reusable resources to be served without downloading them again.

685. What is code splitting — Variant 35?

A. Converting CSS to HTML

B. Dividing application code into smaller loadable chunks

C. Removing JavaScript

D. Combining all files

Answer: B — Dividing application code into smaller loadable chunks

Explanation: Code splitting divides code so only needed chunks have to load initially.

686. What is lazy loading — Variant 36?

A. Disabling caching

B. Loading everything immediately

C. Loading resources when they are needed

D. Deleting images

Answer: C — Loading resources when they are needed

Explanation: Lazy loading delays nonessential resource loading until needed.

687. What is a CDN — Variant 37?

A. A browser plugin

B. A JavaScript framework

C. A distributed network that serves content closer to users

D. A database language

Answer: C — A distributed network that serves content closer to users

Explanation: A CDN distributes content across locations to reduce delivery distance and latency.

688. What is minification — Variant 38?

A. Adding comments

B. Increasing file size

C. Encrypting images

D. Removing unnecessary characters from code

Answer: D — Removing unnecessary characters from code

Explanation: Minification reduces file size by removing unnecessary characters while preserving behavior.

689. What is browser caching — Variant 39?

A. Deleting browser data

B. Running SQL in a browser

C. Converting HTML to CSS

D. Storing resources locally for reuse

Answer: D — Storing resources locally for reuse

Explanation: Caching allows reusable resources to be served without downloading them again.

690. What is code splitting — Variant 40?

A. Removing JavaScript

B. Converting CSS to HTML

C. Dividing application code into smaller loadable chunks

D. Combining all files

Answer: C — Dividing application code into smaller loadable chunks

Explanation: Code splitting divides code so only needed chunks have to load initially.

691. What is lazy loading — Variant 41?

- A. Deleting images
- B. Loading resources when they are needed
- C. Disabling caching
- D. Loading everything immediately

Answer: B — Loading resources when they are needed

Explanation: Lazy loading delays nonessential resource loading until needed.

692. What is a CDN — Variant 42?

- A. A browser plugin
- B. A JavaScript framework
- C. A database language
- D. A distributed network that serves content closer to users

Answer: D — A distributed network that serves content closer to users

Explanation: A CDN distributes content across locations to reduce delivery distance and latency.

693. What is minification — Variant 43?

- A. Adding comments
- B. Encrypting images
- C. Removing unnecessary characters from code
- D. Increasing file size

Answer: C — Removing unnecessary characters from code

Explanation: Minification reduces file size by removing unnecessary characters while preserving behavior.

694. What is browser caching — Variant 44?

- A. Storing resources locally for reuse
- B. Converting HTML to CSS
- C. Running SQL in a browser
- D. Deleting browser data

Answer: A — Storing resources locally for reuse

Explanation: Caching allows reusable resources to be served without downloading them again.

695. What is code splitting — Variant 45?

- A. Combining all files
- B. Removing JavaScript
- C. Converting CSS to HTML
- D. Dividing application code into smaller loadable chunks

Answer: D — Dividing application code into smaller loadable chunks

Explanation: Code splitting divides code so only needed chunks have to load initially.

696. What is lazy loading — Variant 46?

- A. Loading resources when they are needed
- B. Loading everything immediately
- C. Deleting images
- D. Disabling caching

Answer: A — Loading resources when they are needed

Explanation: Lazy loading delays nonessential resource loading until needed.

697. What is a CDN — Variant 47?

- A. A browser plugin
- B. A distributed network that serves content closer to users
- C. A JavaScript framework
- D. A database language

Answer: B — A distributed network that serves content closer to users

Explanation: A CDN distributes content across locations to reduce delivery distance and latency.

698. What is minification — Variant 48?

- A. Encrypting images
- B. Increasing file size
- C. Adding comments
- D. Removing unnecessary characters from code

Answer: D — Removing unnecessary characters from code

Explanation: Minification reduces file size by removing unnecessary characters while preserving behavior.

699. What is browser caching — Variant 49?

- A. Converting HTML to CSS
- B. Storing resources locally for reuse
- C. Deleting browser data
- D. Running SQL in a browser

Answer: B — Storing resources locally for reuse

Explanation: Caching allows reusable resources to be served without downloading them again.

700. What is code splitting — Variant 50?

- A. Converting CSS to HTML
- B. Dividing application code into smaller loadable chunks
- C. Removing JavaScript
- D. Combining all files

Answer: B — Dividing application code into smaller loadable chunks

Explanation: Code splitting divides code so only needed chunks have to load initially.

Responsive Design

701. What does responsive web design aim to achieve?

- A. A fixed desktop-only layout
- B. Only server-side rendering
- C. Only faster databases
- D. Layouts that adapt to different screen sizes

Answer: D — Layouts that adapt to different screen sizes

Explanation: Responsive design adapts layouts to different devices and viewport sizes.

702. Which CSS feature is commonly used for responsive breakpoints — Variant 2?

- A. DOM queries
- B. Git branches
- C. Media queries
- D. SQL queries

Answer: C — Media queries

Explanation: CSS media queries apply styles based on conditions such as viewport width.

703. What is the viewport — Variant 3?

- A. A server process
- B. The visible area of a web page in a browser
- C. A CSS property only
- D. A database table

Answer: B — The visible area of a web page in a browser

Explanation: The viewport is the visible area through which a page is displayed.

704. Which unit is relative to the root element's font size — Variant 4?

- A. rem
- B. deg
- C. vh
- D. px

Answer: A — rem

Explanation: rem is relative to the root element's font size.

705. Which unit is based on viewport width — Variant 5?

- A. vw
- B. pt
- C. em
- D. rem

Answer: A — vw

Explanation: vw represents one percent of the viewport width.

706. What does responsive web design aim to achieve — Variant 6?

- A. Layouts that adapt to different screen sizes
- B. Only faster databases
- C. A fixed desktop-only layout
- D. Only server-side rendering

Answer: A — Layouts that adapt to different screen sizes

Explanation: Responsive design adapts layouts to different devices and viewport sizes.

707. Which CSS feature is commonly used for responsive breakpoints — Variant 7?

- A. Media queries
- B. SQL queries
- C. Git branches
- D. DOM queries

Answer: A — Media queries

Explanation: CSS media queries apply styles based on conditions such as viewport width.

708. What is the viewport — Variant 8?

- A. A CSS property only
- B. The visible area of a web page in a browser
- C. A server process
- D. A database table

Answer: B — The visible area of a web page in a browser

Explanation: The viewport is the visible area through which a page is displayed.

709. Which unit is relative to the root element's font size — Variant 9?

- A. rem

- B. vh
- C. deg
- D. px

Answer: A — rem

Explanation: rem is relative to the root element's font size.

710. Which unit is based on viewport width — Variant 10?

- A. em
- B. pt
- C. rem
- D. vw

Answer: D — vw

Explanation: vw represents one percent of the viewport width.

711. What does responsive web design aim to achieve — Variant 11?

- A. Only server-side rendering
- B. Only faster databases
- C. A fixed desktop-only layout
- D. Layouts that adapt to different screen sizes

Answer: D — Layouts that adapt to different screen sizes

Explanation: Responsive design adapts layouts to different devices and viewport sizes.

712. Which CSS feature is commonly used for responsive breakpoints — Variant 12?

- A. Media queries
- B. Git branches
- C. SQL queries
- D. DOM queries

Answer: A — Media queries

Explanation: CSS media queries apply styles based on conditions such as viewport width.

713. What is the viewport — Variant 13?

- A. The visible area of a web page in a browser
- B. A database table
- C. A CSS property only
- D. A server process

Answer: A — The visible area of a web page in a browser

Explanation: The viewport is the visible area through which a page is displayed.

714. Which unit is relative to the root element's font size — Variant 14?

- A. rem
- B. px
- C. vh
- D. deg

Answer: A — rem

Explanation: rem is relative to the root element's font size.

715. Which unit is based on viewport width — Variant 15?

- A. em
- B. pt
- C. rem

D. vw

Answer: D — vw

Explanation: vw represents one percent of the viewport width.

716. What does responsive web design aim to achieve — Variant 16?

- A. Layouts that adapt to different screen sizes
- B. Only faster databases
- C. A fixed desktop-only layout
- D. Only server-side rendering

Answer: A — Layouts that adapt to different screen sizes

Explanation: Responsive design adapts layouts to different devices and viewport sizes.

717. Which CSS feature is commonly used for responsive breakpoints — Variant 17?

- A. DOM queries
- B. Media queries
- C. Git branches
- D. SQL queries

Answer: B — Media queries

Explanation: CSS media queries apply styles based on conditions such as viewport width.

718. What is the viewport — Variant 18?

- A. The visible area of a web page in a browser
- B. A CSS property only
- C. A database table
- D. A server process

Answer: A — The visible area of a web page in a browser

Explanation: The viewport is the visible area through which a page is displayed.

719. Which unit is relative to the root element's font size — Variant 19?

- A. px
- B. deg
- C. rem
- D. vh

Answer: C — rem

Explanation: rem is relative to the root element's font size.

720. Which unit is based on viewport width — Variant 20?

- A. em
- B. rem
- C. pt
- D. vw

Answer: D — vw

Explanation: vw represents one percent of the viewport width.

721. What does responsive web design aim to achieve — Variant 21?

- A. Layouts that adapt to different screen sizes
- B. A fixed desktop-only layout
- C. Only server-side rendering
- D. Only faster databases

Answer: A — Layouts that adapt to different screen sizes

Explanation: Responsive design adapts layouts to different devices and viewport sizes.

722. Which CSS feature is commonly used for responsive breakpoints — Variant 22?

- A. Media queries
- B. DOM queries
- C. Git branches
- D. SQL queries

Answer: A — Media queries

Explanation: CSS media queries apply styles based on conditions such as viewport width.

723. What is the viewport — Variant 23?

- A. A CSS property only
- B. A server process
- C. The visible area of a web page in a browser
- D. A database table

Answer: C — The visible area of a web page in a browser

Explanation: The viewport is the visible area through which a page is displayed.

724. Which unit is relative to the root element's font size — Variant 24?

- A. rem
- B. deg
- C. px
- D. vh

Answer: A — rem

Explanation: rem is relative to the root element's font size.

725. Which unit is based on viewport width — Variant 25?

- A. rem
- B. pt
- C. em
- D. vw

Answer: D — vw

Explanation: vw represents one percent of the viewport width.

726. What does responsive web design aim to achieve — Variant 26?

- A. Only server-side rendering
- B. Only faster databases
- C. A fixed desktop-only layout
- D. Layouts that adapt to different screen sizes

Answer: D — Layouts that adapt to different screen sizes

Explanation: Responsive design adapts layouts to different devices and viewport sizes.

727. Which CSS feature is commonly used for responsive breakpoints — Variant 27?

- A. Git branches
- B. DOM queries
- C. Media queries
- D. SQL queries

Answer: C — Media queries

Explanation: CSS media queries apply styles based on conditions such as viewport width.

728. What is the viewport — Variant 28?

- A. The visible area of a web page in a browser
- B. A CSS property only
- C. A database table
- D. A server process

Answer: A — The visible area of a web page in a browser

Explanation: The viewport is the visible area through which a page is displayed.

729. Which unit is relative to the root element's font size — Variant 29?

- A. vh
- B. rem
- C. px
- D. deg

Answer: B — rem

Explanation: rem is relative to the root element's font size.

730. Which unit is based on viewport width — Variant 30?

- A. vw
- B. rem
- C. em
- D. pt

Answer: A — vw

Explanation: vw represents one percent of the viewport width.

731. What does responsive web design aim to achieve — Variant 31?

- A. A fixed desktop-only layout
- B. Only faster databases
- C. Only server-side rendering
- D. Layouts that adapt to different screen sizes

Answer: D — Layouts that adapt to different screen sizes

Explanation: Responsive design adapts layouts to different devices and viewport sizes.

732. Which CSS feature is commonly used for responsive breakpoints — Variant 32?

- A. Media queries
- B. Git branches
- C. SQL queries
- D. DOM queries

Answer: A — Media queries

Explanation: CSS media queries apply styles based on conditions such as viewport width.

733. What is the viewport — Variant 33?

- A. A server process
- B. A database table
- C. The visible area of a web page in a browser
- D. A CSS property only

Answer: C — The visible area of a web page in a browser

Explanation: The viewport is the visible area through which a page is displayed.

734. Which unit is relative to the root element's font size — Variant 34?

- A. vh

B. rem

C. deg

D. px

Answer: B — rem

Explanation: rem is relative to the root element's font size.

735. Which unit is based on viewport width — Variant 35?

A. em

B. vw

C. rem

D. pt

Answer: B — vw

Explanation: vw represents one percent of the viewport width.

736. What does responsive web design aim to achieve — Variant 36?

A. Only faster databases

B. A fixed desktop-only layout

C. Only server-side rendering

D. Layouts that adapt to different screen sizes

Answer: D — Layouts that adapt to different screen sizes

Explanation: Responsive design adapts layouts to different devices and viewport sizes.

737. Which CSS feature is commonly used for responsive breakpoints — Variant 37?

A. DOM queries

B. Media queries

C. SQL queries

D. Git branches

Answer: B — Media queries

Explanation: CSS media queries apply styles based on conditions such as viewport width.

738. What is the viewport — Variant 38?

A. A CSS property only

B. A database table

C. The visible area of a web page in a browser

D. A server process

Answer: C — The visible area of a web page in a browser

Explanation: The viewport is the visible area through which a page is displayed.

739. Which unit is relative to the root element's font size — Variant 39?

A. rem

B. vh

C. deg

D. px

Answer: A — rem

Explanation: rem is relative to the root element's font size.

740. Which unit is based on viewport width — Variant 40?

A. em

B. pt

C. vw

D. rem

Answer: C — vw

Explanation: vw represents one percent of the viewport width.

741. What does responsive web design aim to achieve — Variant 41?

- A. Only server-side rendering
- B. Only faster databases
- C. Layouts that adapt to different screen sizes
- D. A fixed desktop-only layout

Answer: C — Layouts that adapt to different screen sizes

Explanation: Responsive design adapts layouts to different devices and viewport sizes.

742. Which CSS feature is commonly used for responsive breakpoints — Variant 42?

- A. Media queries
- B. Git branches
- C. SQL queries
- D. DOM queries

Answer: A — Media queries

Explanation: CSS media queries apply styles based on conditions such as viewport width.

743. What is the viewport — Variant 43?

- A. A CSS property only
- B. The visible area of a web page in a browser
- C. A database table
- D. A server process

Answer: B — The visible area of a web page in a browser

Explanation: The viewport is the visible area through which a page is displayed.

744. Which unit is relative to the root element's font size — Variant 44?

- A. deg
- B. px
- C. vh
- D. rem

Answer: D — rem

Explanation: rem is relative to the root element's font size.

745. Which unit is based on viewport width — Variant 45?

- A. rem
- B. vw
- C. em
- D. pt

Answer: B — vw

Explanation: vw represents one percent of the viewport width.

746. What does responsive web design aim to achieve — Variant 46?

- A. Layouts that adapt to different screen sizes
- B. A fixed desktop-only layout
- C. Only server-side rendering
- D. Only faster databases

Answer: A — Layouts that adapt to different screen sizes

Explanation: Responsive design adapts layouts to different devices and viewport sizes.

747. Which CSS feature is commonly used for responsive breakpoints — Variant 47?

- A. SQL queries
- B. DOM queries
- C. Media queries
- D. Git branches

Answer: C — Media queries

Explanation: CSS media queries apply styles based on conditions such as viewport width.

748. What is the viewport — Variant 48?

- A. A server process
- B. A database table
- C. The visible area of a web page in a browser
- D. A CSS property only

Answer: C — The visible area of a web page in a browser

Explanation: The viewport is the visible area through which a page is displayed.

749. Which unit is relative to the root element's font size — Variant 49?

- A. px
- B. rem
- C. deg
- D. vh

Answer: B — rem

Explanation: rem is relative to the root element's font size.

750. Which unit is based on viewport width — Variant 50?

- A. vw
- B. em
- C. rem
- D. pt

Answer: A — vw

Explanation: vw represents one percent of the viewport width.

TypeScript

751. What is TypeScript?

- A. A CSS framework
- B. A typed superset of JavaScript
- C. A database
- D. A browser engine

Answer: B — A typed superset of JavaScript

Explanation: TypeScript adds static typing and other features to JavaScript.

752. Which syntax declares a type alias — Variant 2?

- A. alias User = ...
- B. type User = ...
- C. typedef User ...
- D. define User ...

Answer: B — type User = ...

Explanation: TypeScript uses the type keyword for type aliases.

753. Which type represents any value and disables most type checking — Variant 3?

- A. void
- B. unknown-only
- C. any
- D. never

Answer: C — any

Explanation: any permits values of arbitrary types and reduces type checking.

754. Which type is safer than any for unknown external data — Variant 4?

- A. void
- B. never
- C. unknown
- D. undefined-only

Answer: C — unknown

Explanation: unknown requires narrowing before most operations.

755. What is an interface commonly used for — Variant 5?

- A. Styling buttons
- B. Describing object shapes
- C. Running SQL
- D. Starting servers

Answer: B — Describing object shapes

Explanation: Interfaces describe the structure or shape of objects.

756. What is TypeScript — Variant 6?

- A. A database
- B. A CSS framework
- C. A typed superset of JavaScript
- D. A browser engine

Answer: C — A typed superset of JavaScript

Explanation: TypeScript adds static typing and other features to JavaScript.

757. Which syntax declares a type alias — Variant 7?

- A. define User ...
- B. alias User = ...
- C. type User = ...
- D. typedef User ...

Answer: C — type User = ...

Explanation: TypeScript uses the type keyword for type aliases.

758. Which type represents any value and disables most type checking — Variant 8?

- A. void
- B. never
- C. unknown-only
- D. any

Answer: D — any

Explanation: any permits values of arbitrary types and reduces type checking.

759. Which type is safer than any for unknown external data — Variant 9?

- A. unknown
- B. undefined-only
- C. never
- D. void

Answer: A — unknown

Explanation: unknown requires narrowing before most operations.

760. What is an interface commonly used for — Variant 10?

- A. Running SQL
- B. Starting servers
- C. Styling buttons
- D. Describing object shapes

Answer: D — Describing object shapes

Explanation: Interfaces describe the structure or shape of objects.

761. What is TypeScript — Variant 11?

- A. A CSS framework
- B. A browser engine
- C. A typed superset of JavaScript
- D. A database

Answer: C — A typed superset of JavaScript

Explanation: TypeScript adds static typing and other features to JavaScript.

762. Which syntax declares a type alias — Variant 12?

- A. type User = ...
- B. alias User = ...
- C. define User ...
- D. typedef User ...

Answer: A — type User = ...

Explanation: TypeScript uses the type keyword for type aliases.

763. Which type represents any value and disables most type checking — Variant 13?

- A. void
- B. never
- C. any
- D. unknown-only

Answer: C — any

Explanation: any permits values of arbitrary types and reduces type checking.

764. Which type is safer than any for unknown external data — Variant 14?

- A. undefined-only
- B. unknown
- C. never
- D. void

Answer: B — unknown

Explanation: unknown requires narrowing before most operations.

765. What is an interface commonly used for — Variant 15?

- A. Styling buttons

- B. Describing object shapes
- C. Starting servers
- D. Running SQL

Answer: B — Describing object shapes

Explanation: Interfaces describe the structure or shape of objects.

766. What is TypeScript — Variant 16?

- A. A browser engine
- B. A typed superset of JavaScript
- C. A CSS framework
- D. A database

Answer: B — A typed superset of JavaScript

Explanation: TypeScript adds static typing and other features to JavaScript.

767. Which syntax declares a type alias — Variant 17?

- A. `typedef User ...`
- B. `alias User = ...`
- C. `type User = ...`
- D. `define User ...`

Answer: C — `type User = ...`

Explanation: TypeScript uses the `type` keyword for type aliases.

768. Which type represents any value and disables most type checking — Variant 18?

- A. `never`
- B. `unknown-only`
- C. `void`
- D. `any`

Answer: D — `any`

Explanation: `any` permits values of arbitrary types and reduces type checking.

769. Which type is safer than `any` for unknown external data — Variant 19?

- A. `undefined-only`
- B. `unknown`
- C. `never`
- D. `void`

Answer: B — `unknown`

Explanation: `unknown` requires narrowing before most operations.

770. What is an interface commonly used for — Variant 20?

- A. Styling buttons
- B. Starting servers
- C. Describing object shapes
- D. Running SQL

Answer: C — Describing object shapes

Explanation: Interfaces describe the structure or shape of objects.

771. What is TypeScript — Variant 21?

- A. A database
- B. A browser engine
- C. A typed superset of JavaScript

D. A CSS framework

Answer: C — A typed superset of JavaScript

Explanation: TypeScript adds static typing and other features to JavaScript.

772. Which syntax declares a type alias — Variant 22?

A. alias User = ...

B. type User = ...

C. typedef User ...

D. define User ...

Answer: B — type User = ...

Explanation: TypeScript uses the type keyword for type aliases.

773. Which type represents any value and disables most type checking — Variant 23?

A. unknown-only

B. void

C. any

D. never

Answer: C — any

Explanation: any permits values of arbitrary types and reduces type checking.

774. Which type is safer than any for unknown external data — Variant 24?

A. void

B. unknown

C. undefined-only

D. never

Answer: B — unknown

Explanation: unknown requires narrowing before most operations.

775. What is an interface commonly used for — Variant 25?

A. Starting servers

B. Running SQL

C. Styling buttons

D. Describing object shapes

Answer: D — Describing object shapes

Explanation: Interfaces describe the structure or shape of objects.

776. What is TypeScript — Variant 26?

A. A database

B. A browser engine

C. A typed superset of JavaScript

D. A CSS framework

Answer: C — A typed superset of JavaScript

Explanation: TypeScript adds static typing and other features to JavaScript.

777. Which syntax declares a type alias — Variant 27?

A. define User ...

B. typedef User ...

C. type User = ...

D. alias User = ...

Answer: C — type User = ...

Explanation: TypeScript uses the type keyword for type aliases.

778. Which type represents any value and disables most type checking — Variant 28?

- A. unknown-only
- B. any
- C. void
- D. never

Answer: B — any

Explanation: any permits values of arbitrary types and reduces type checking.

779. Which type is safer than any for unknown external data — Variant 29?

- A. undefined-only
- B. unknown
- C. void
- D. never

Answer: B — unknown

Explanation: unknown requires narrowing before most operations.

780. What is an interface commonly used for — Variant 30?

- A. Styling buttons
- B. Running SQL
- C. Starting servers
- D. Describing object shapes

Answer: D — Describing object shapes

Explanation: Interfaces describe the structure or shape of objects.

781. What is TypeScript — Variant 31?

- A. A database
- B. A CSS framework
- C. A browser engine
- D. A typed superset of JavaScript

Answer: D — A typed superset of JavaScript

Explanation: TypeScript adds static typing and other features to JavaScript.

782. Which syntax declares a type alias — Variant 32?

- A. type User = ...
- B. alias User = ...
- C. typedef User ...
- D. define User ...

Answer: A — type User = ...

Explanation: TypeScript uses the type keyword for type aliases.

783. Which type represents any value and disables most type checking — Variant 33?

- A. unknown-only
- B. never
- C. any
- D. void

Answer: C — any

Explanation: any permits values of arbitrary types and reduces type checking.

784. Which type is safer than any for unknown external data — Variant 34?

- A. unknown
- B. never
- C. undefined-only
- D. void

Answer: A — unknown

Explanation: unknown requires narrowing before most operations.

785. What is an interface commonly used for — Variant 35?

- A. Running SQL
- B. Describing object shapes
- C. Styling buttons
- D. Starting servers

Answer: B — Describing object shapes

Explanation: Interfaces describe the structure or shape of objects.

786. What is TypeScript — Variant 36?

- A. A database
- B. A CSS framework
- C. A browser engine
- D. A typed superset of JavaScript

Answer: D — A typed superset of JavaScript

Explanation: TypeScript adds static typing and other features to JavaScript.

787. Which syntax declares a type alias — Variant 37?

- A. define User ...
- B. type User = ...
- C. alias User = ...
- D. typedef User ...

Answer: B — type User = ...

Explanation: TypeScript uses the type keyword for type aliases.

788. Which type represents any value and disables most type checking — Variant 38?

- A. never
- B. void
- C. unknown-only
- D. any

Answer: D — any

Explanation: any permits values of arbitrary types and reduces type checking.

789. Which type is safer than any for unknown external data — Variant 39?

- A. unknown
- B. void
- C. undefined-only
- D. never

Answer: A — unknown

Explanation: unknown requires narrowing before most operations.

790. What is an interface commonly used for — Variant 40?

- A. Running SQL

- B. Styling buttons
- C. Describing object shapes
- D. Starting servers

Answer: C — Describing object shapes

Explanation: Interfaces describe the structure or shape of objects.

791. What is TypeScript — Variant 41?

- A. A typed superset of JavaScript
- B. A CSS framework
- C. A browser engine
- D. A database

Answer: A — A typed superset of JavaScript

Explanation: TypeScript adds static typing and other features to JavaScript.

792. Which syntax declares a type alias — Variant 42?

- A. `define User ...`
- B. `typedef User ...`
- C. `type User = ...`
- D. `alias User = ...`

Answer: C — `type User = ...`

Explanation: TypeScript uses the `type` keyword for type aliases.

793. Which type represents any value and disables most type checking — Variant 43?

- A. `never`
- B. `unknown-only`
- C. `void`
- D. `any`

Answer: D — `any`

Explanation: `any` permits values of arbitrary types and reduces type checking.

794. Which type is safer than `any` for unknown external data — Variant 44?

- A. `void`
- B. `undefined-only`
- C. `never`
- D. `unknown`

Answer: D — `unknown`

Explanation: `unknown` requires narrowing before most operations.

795. What is an interface commonly used for — Variant 45?

- A. Styling buttons
- B. Running SQL
- C. Starting servers
- D. Describing object shapes

Answer: D — Describing object shapes

Explanation: Interfaces describe the structure or shape of objects.

796. What is TypeScript — Variant 46?

- A. A browser engine
- B. A CSS framework
- C. A database

D. A typed superset of JavaScript

Answer: D — A typed superset of JavaScript

Explanation: TypeScript adds static typing and other features to JavaScript.

797. Which syntax declares a type alias — Variant 47?

A. alias User = ...

B. typedef User ...

C. define User ...

D. type User = ...

Answer: D — type User = ...

Explanation: TypeScript uses the type keyword for type aliases.

798. Which type represents any value and disables most type checking — Variant 48?

A. unknown-only

B. void

C. any

D. never

Answer: C — any

Explanation: any permits values of arbitrary types and reduces type checking.

799. Which type is safer than any for unknown external data — Variant 49?

A. never

B. undefined-only

C. unknown

D. void

Answer: C — unknown

Explanation: unknown requires narrowing before most operations.

800. What is an interface commonly used for — Variant 50?

A. Describing object shapes

B. Styling buttons

C. Running SQL

D. Starting servers

Answer: A — Describing object shapes

Explanation: Interfaces describe the structure or shape of objects.

Testing

801. What is unit testing?

A. Testing network cables only

B. Testing database hardware only

C. Testing an entire company

D. Testing a small isolated unit of code

Answer: D — Testing a small isolated unit of code

Explanation: Unit tests focus on small units such as functions or modules.

802. What is an assertion — Variant 2?

A. A statement that checks an expected condition

B. A CSS selector

C. A deployment server

D. A database index

Answer: A — A statement that checks an expected condition

Explanation: An assertion verifies that an expected condition holds.

803. What is integration testing — Variant 3?

A. Testing CSS colors only

B. Testing a keyboard

C. Testing interactions between components or systems

D. Testing one variable only

Answer: C — Testing interactions between components or systems

Explanation: Integration testing checks that multiple components work together.

804. What is end-to-end testing — Variant 4?

A. Testing one function only

B. Testing only CSS

C. Testing only the database schema

D. Testing a complete user workflow through the system

Answer: D — Testing a complete user workflow through the system

Explanation: End-to-end testing validates complete workflows across the application.

805. What is a regression test — Variant 5?

A. A test that helps detect previously working behavior breaking after changes

B. A test of fonts

C. A network ping

D. A database backup

Answer: A — A test that helps detect previously working behavior breaking after changes

Explanation: Regression tests detect unintended breakage caused by changes.

806. What is unit testing — Variant 6?

A. Testing an entire company

B. Testing network cables only

C. Testing database hardware only

D. Testing a small isolated unit of code

Answer: D — Testing a small isolated unit of code

Explanation: Unit tests focus on small units such as functions or modules.

807. What is an assertion — Variant 7?

A. A CSS selector

B. A database index

C. A statement that checks an expected condition

D. A deployment server

Answer: C — A statement that checks an expected condition

Explanation: An assertion verifies that an expected condition holds.

808. What is integration testing — Variant 8?

A. Testing CSS colors only

B. Testing one variable only

C. Testing a keyboard

D. Testing interactions between components or systems

Answer: D — Testing interactions between components or systems

Explanation: Integration testing checks that multiple components work together.

809. What is end-to-end testing — Variant 9?

- A. Testing only the database schema
- B. Testing only CSS
- C. Testing a complete user workflow through the system
- D. Testing one function only

Answer: C — Testing a complete user workflow through the system

Explanation: End-to-end testing validates complete workflows across the application.

810. What is a regression test — Variant 10?

- A. A database backup
- B. A test of fonts
- C. A network ping
- D. A test that helps detect previously working behavior breaking after changes

Answer: D — A test that helps detect previously working behavior breaking after changes

Explanation: Regression tests detect unintended breakage caused by changes.

811. What is unit testing — Variant 11?

- A. Testing an entire company
- B. Testing a small isolated unit of code
- C. Testing network cables only
- D. Testing database hardware only

Answer: B — Testing a small isolated unit of code

Explanation: Unit tests focus on small units such as functions or modules.

812. What is an assertion — Variant 12?

- A. A database index
- B. A deployment server
- C. A statement that checks an expected condition
- D. A CSS selector

Answer: C — A statement that checks an expected condition

Explanation: An assertion verifies that an expected condition holds.

813. What is integration testing — Variant 13?

- A. Testing interactions between components or systems
- B. Testing a keyboard
- C. Testing CSS colors only
- D. Testing one variable only

Answer: A — Testing interactions between components or systems

Explanation: Integration testing checks that multiple components work together.

814. What is end-to-end testing — Variant 14?

- A. Testing a complete user workflow through the system
- B. Testing only CSS
- C. Testing one function only
- D. Testing only the database schema

Answer: A — Testing a complete user workflow through the system

Explanation: End-to-end testing validates complete workflows across the application.

815. What is a regression test — Variant 15?

- A. A test that helps detect previously working behavior breaking after changes
- B. A test of fonts
- C. A database backup
- D. A network ping

Answer: A — A test that helps detect previously working behavior breaking after changes

Explanation: Regression tests detect unintended breakage caused by changes.

816. What is unit testing — Variant 16?

- A. Testing an entire company
- B. Testing network cables only
- C. Testing a small isolated unit of code
- D. Testing database hardware only

Answer: C — Testing a small isolated unit of code

Explanation: Unit tests focus on small units such as functions or modules.

817. What is an assertion — Variant 17?

- A. A statement that checks an expected condition
- B. A database index
- C. A deployment server
- D. A CSS selector

Answer: A — A statement that checks an expected condition

Explanation: An assertion verifies that an expected condition holds.

818. What is integration testing — Variant 18?

- A. Testing CSS colors only
- B. Testing interactions between components or systems
- C. Testing one variable only
- D. Testing a keyboard

Answer: B — Testing interactions between components or systems

Explanation: Integration testing checks that multiple components work together.

819. What is end-to-end testing — Variant 19?

- A. Testing only CSS
- B. Testing a complete user workflow through the system
- C. Testing one function only
- D. Testing only the database schema

Answer: B — Testing a complete user workflow through the system

Explanation: End-to-end testing validates complete workflows across the application.

820. What is a regression test — Variant 20?

- A. A database backup
- B. A network ping
- C. A test of fonts
- D. A test that helps detect previously working behavior breaking after changes

Answer: D — A test that helps detect previously working behavior breaking after changes

Explanation: Regression tests detect unintended breakage caused by changes.

821. What is unit testing — Variant 21?

- A. Testing database hardware only

- B. Testing an entire company
- C. Testing network cables only
- D. Testing a small isolated unit of code

Answer: D — Testing a small isolated unit of code

Explanation: Unit tests focus on small units such as functions or modules.

822. What is an assertion — Variant 22?

- A. A deployment server
- B. A statement that checks an expected condition
- C. A CSS selector
- D. A database index

Answer: B — A statement that checks an expected condition

Explanation: An assertion verifies that an expected condition holds.

823. What is integration testing — Variant 23?

- A. Testing a keyboard
- B. Testing one variable only
- C. Testing interactions between components or systems
- D. Testing CSS colors only

Answer: C — Testing interactions between components or systems

Explanation: Integration testing checks that multiple components work together.

824. What is end-to-end testing — Variant 24?

- A. Testing a complete user workflow through the system
- B. Testing one function only
- C. Testing only the database schema
- D. Testing only CSS

Answer: A — Testing a complete user workflow through the system

Explanation: End-to-end testing validates complete workflows across the application.

825. What is a regression test — Variant 25?

- A. A database backup
- B. A network ping
- C. A test that helps detect previously working behavior breaking after changes
- D. A test of fonts

Answer: C — A test that helps detect previously working behavior breaking after changes

Explanation: Regression tests detect unintended breakage caused by changes.

826. What is unit testing — Variant 26?

- A. Testing a small isolated unit of code
- B. Testing database hardware only
- C. Testing network cables only
- D. Testing an entire company

Answer: A — Testing a small isolated unit of code

Explanation: Unit tests focus on small units such as functions or modules.

827. What is an assertion — Variant 27?

- A. A statement that checks an expected condition
- B. A CSS selector
- C. A deployment server

D. A database index

Answer: A — A statement that checks an expected condition

Explanation: An assertion verifies that an expected condition holds.

828. What is integration testing — Variant 28?

- A. Testing interactions between components or systems
- B. Testing CSS colors only
- C. Testing one variable only
- D. Testing a keyboard

Answer: A — Testing interactions between components or systems

Explanation: Integration testing checks that multiple components work together.

829. What is end-to-end testing — Variant 29?

- A. Testing a complete user workflow through the system
- B. Testing one function only
- C. Testing only CSS
- D. Testing only the database schema

Answer: A — Testing a complete user workflow through the system

Explanation: End-to-end testing validates complete workflows across the application.

830. What is a regression test — Variant 30?

- A. A network ping
- B. A database backup
- C. A test that helps detect previously working behavior breaking after changes
- D. A test of fonts

Answer: C — A test that helps detect previously working behavior breaking after changes

Explanation: Regression tests detect unintended breakage caused by changes.

831. What is unit testing — Variant 31?

- A. Testing an entire company
- B. Testing network cables only
- C. Testing database hardware only
- D. Testing a small isolated unit of code

Answer: D — Testing a small isolated unit of code

Explanation: Unit tests focus on small units such as functions or modules.

832. What is an assertion — Variant 32?

- A. A database index
- B. A deployment server
- C. A statement that checks an expected condition
- D. A CSS selector

Answer: C — A statement that checks an expected condition

Explanation: An assertion verifies that an expected condition holds.

833. What is integration testing — Variant 33?

- A. Testing CSS colors only
- B. Testing one variable only
- C. Testing a keyboard
- D. Testing interactions between components or systems

Answer: D — Testing interactions between components or systems

Explanation: Integration testing checks that multiple components work together.

834. What is end-to-end testing — Variant 34?

- A. Testing only CSS
- B. Testing only the database schema
- C. Testing one function only
- D. Testing a complete user workflow through the system

Answer: D — Testing a complete user workflow through the system

Explanation: End-to-end testing validates complete workflows across the application.

835. What is a regression test — Variant 35?

- A. A network ping
- B. A test that helps detect previously working behavior breaking after changes
- C. A database backup
- D. A test of fonts

Answer: B — A test that helps detect previously working behavior breaking after changes

Explanation: Regression tests detect unintended breakage caused by changes.

836. What is unit testing — Variant 36?

- A. Testing database hardware only
- B. Testing an entire company
- C. Testing network cables only
- D. Testing a small isolated unit of code

Answer: D — Testing a small isolated unit of code

Explanation: Unit tests focus on small units such as functions or modules.

837. What is an assertion — Variant 37?

- A. A CSS selector
- B. A database index
- C. A deployment server
- D. A statement that checks an expected condition

Answer: D — A statement that checks an expected condition

Explanation: An assertion verifies that an expected condition holds.

838. What is integration testing — Variant 38?

- A. Testing one variable only
- B. Testing CSS colors only
- C. Testing interactions between components or systems
- D. Testing a keyboard

Answer: C — Testing interactions between components or systems

Explanation: Integration testing checks that multiple components work together.

839. What is end-to-end testing — Variant 39?

- A. Testing one function only
- B. Testing only CSS
- C. Testing a complete user workflow through the system
- D. Testing only the database schema

Answer: C — Testing a complete user workflow through the system

Explanation: End-to-end testing validates complete workflows across the application.

840. What is a regression test — Variant 40?

- A. A database backup
- B. A network ping
- C. A test of fonts
- D. A test that helps detect previously working behavior breaking after changes

Answer: D — A test that helps detect previously working behavior breaking after changes

Explanation: Regression tests detect unintended breakage caused by changes.

841. What is unit testing — Variant 41?

- A. Testing an entire company
- B. Testing database hardware only
- C. Testing network cables only
- D. Testing a small isolated unit of code

Answer: D — Testing a small isolated unit of code

Explanation: Unit tests focus on small units such as functions or modules.

842. What is an assertion — Variant 42?

- A. A CSS selector
- B. A database index
- C. A deployment server
- D. A statement that checks an expected condition

Answer: D — A statement that checks an expected condition

Explanation: An assertion verifies that an expected condition holds.

843. What is integration testing — Variant 43?

- A. Testing CSS colors only
- B. Testing one variable only
- C. Testing a keyboard
- D. Testing interactions between components or systems

Answer: D — Testing interactions between components or systems

Explanation: Integration testing checks that multiple components work together.

844. What is end-to-end testing — Variant 44?

- A. Testing only CSS
- B. Testing only the database schema
- C. Testing a complete user workflow through the system
- D. Testing one function only

Answer: C — Testing a complete user workflow through the system

Explanation: End-to-end testing validates complete workflows across the application.

845. What is a regression test — Variant 45?

- A. A test that helps detect previously working behavior breaking after changes
- B. A network ping
- C. A database backup
- D. A test of fonts

Answer: A — A test that helps detect previously working behavior breaking after changes

Explanation: Regression tests detect unintended breakage caused by changes.

846. What is unit testing — Variant 46?

- A. Testing an entire company

- B. Testing a small isolated unit of code
- C. Testing network cables only
- D. Testing database hardware only

Answer: B — Testing a small isolated unit of code

Explanation: Unit tests focus on small units such as functions or modules.

847. What is an assertion — Variant 47?

- A. A statement that checks an expected condition
- B. A deployment server
- C. A CSS selector
- D. A database index

Answer: A — A statement that checks an expected condition

Explanation: An assertion verifies that an expected condition holds.

848. What is integration testing — Variant 48?

- A. Testing CSS colors only
- B. Testing a keyboard
- C. Testing interactions between components or systems
- D. Testing one variable only

Answer: C — Testing interactions between components or systems

Explanation: Integration testing checks that multiple components work together.

849. What is end-to-end testing — Variant 49?

- A. Testing only CSS
- B. Testing one function only
- C. Testing a complete user workflow through the system
- D. Testing only the database schema

Answer: C — Testing a complete user workflow through the system

Explanation: End-to-end testing validates complete workflows across the application.

850. What is a regression test — Variant 50?

- A. A database backup
- B. A test that helps detect previously working behavior breaking after changes
- C. A test of fonts
- D. A network ping

Answer: B — A test that helps detect previously working behavior breaking after changes

Explanation: Regression tests detect unintended breakage caused by changes.

Accessibility

851. What is web accessibility?

- A. Removing keyboard support
- B. Reducing database size
- C. Making websites usable by people with diverse abilities
- D. Making websites only colorful

Answer: C — Making websites usable by people with diverse abilities

Explanation: Accessibility aims to make web content usable by people with diverse abilities.

852. Which attribute labels an input control when no visible label is available — Variant 2?

- A. alt-src

- B. label-text
- C. aria-label
- D. input-name-only

Answer: C — aria-label

Explanation: aria-label provides an accessible name for an element.

853. Why is keyboard navigation important — Variant 3?

- A. Some users navigate without a mouse
- B. It improves database indexing
- C. It changes CSS specificity
- D. It disables screen readers

Answer: A — Some users navigate without a mouse

Explanation: Keyboard access is essential for users who cannot or do not use a mouse.

854. Which HTML element is generally preferred for a clickable action — Variant 4?

- A. section
- B. div
- C. button
- D. span

Answer: C — button

Explanation: The button element provides native semantics and keyboard behavior for actions.

855. What is semantic HTML useful for — Variant 5?

- A. Encrypting cookies
- B. Increasing image resolution
- C. Meaningful structure and improved accessibility
- D. Creating databases

Answer: C — Meaningful structure and improved accessibility

Explanation: Semantic elements communicate structure and meaning to browsers and assistive technologies.

856. What is web accessibility — Variant 6?

- A. Making websites only colorful
- B. Removing keyboard support
- C. Making websites usable by people with diverse abilities
- D. Reducing database size

Answer: C — Making websites usable by people with diverse abilities

Explanation: Accessibility aims to make web content usable by people with diverse abilities.

857. Which attribute labels an input control when no visible label is available — Variant 7?

- A. label-text
- B. alt-src
- C. input-name-only
- D. aria-label

Answer: D — aria-label

Explanation: aria-label provides an accessible name for an element.

858. Why is keyboard navigation important — Variant 8?

- A. Some users navigate without a mouse
- B. It disables screen readers
- C. It changes CSS specificity

D. It improves database indexing

Answer: A — Some users navigate without a mouse

Explanation: Keyboard access is essential for users who cannot or do not use a mouse.

859. Which HTML element is generally preferred for a clickable action — Variant 9?

A. button

B. span

C. div

D. section

Answer: A — button

Explanation: The button element provides native semantics and keyboard behavior for actions.

860. What is semantic HTML useful for — Variant 10?

A. Creating databases

B. Meaningful structure and improved accessibility

C. Increasing image resolution

D. Encrypting cookies

Answer: B — Meaningful structure and improved accessibility

Explanation: Semantic elements communicate structure and meaning to browsers and assistive technologies.

861. What is web accessibility — Variant 11?

A. Making websites only colorful

B. Removing keyboard support

C. Making websites usable by people with diverse abilities

D. Reducing database size

Answer: C — Making websites usable by people with diverse abilities

Explanation: Accessibility aims to make web content usable by people with diverse abilities.

862. Which attribute labels an input control when no visible label is available — Variant 12?

A. input-name-only

B. aria-label

C. alt-src

D. label-text

Answer: B — aria-label

Explanation: aria-label provides an accessible name for an element.

863. Why is keyboard navigation important — Variant 13?

A. It disables screen readers

B. It improves database indexing

C. It changes CSS specificity

D. Some users navigate without a mouse

Answer: D — Some users navigate without a mouse

Explanation: Keyboard access is essential for users who cannot or do not use a mouse.

864. Which HTML element is generally preferred for a clickable action — Variant 14?

A. button

B. span

C. div

D. section

Answer: A — button

Explanation: The button element provides native semantics and keyboard behavior for actions.

865. What is semantic HTML useful for — Variant 15?

- A. Meaningful structure and improved accessibility
- B. Creating databases
- C. Encrypting cookies
- D. Increasing image resolution

Answer: A — Meaningful structure and improved accessibility

Explanation: Semantic elements communicate structure and meaning to browsers and assistive technologies.

866. What is web accessibility — Variant 16?

- A. Making websites only colorful
- B. Removing keyboard support
- C. Reducing database size
- D. Making websites usable by people with diverse abilities

Answer: D — Making websites usable by people with diverse abilities

Explanation: Accessibility aims to make web content usable by people with diverse abilities.

867. Which attribute labels an input control when no visible label is available — Variant 17?

- A. alt-src
- B. label-text
- C. aria-label
- D. input-name-only

Answer: C — aria-label

Explanation: aria-label provides an accessible name for an element.

868. Why is keyboard navigation important — Variant 18?

- A. It improves database indexing
- B. It disables screen readers
- C. Some users navigate without a mouse
- D. It changes CSS specificity

Answer: C — Some users navigate without a mouse

Explanation: Keyboard access is essential for users who cannot or do not use a mouse.

869. Which HTML element is generally preferred for a clickable action — Variant 19?

- A. section
- B. div
- C. span
- D. button

Answer: D — button

Explanation: The button element provides native semantics and keyboard behavior for actions.

870. What is semantic HTML useful for — Variant 20?

- A. Meaningful structure and improved accessibility
- B. Increasing image resolution
- C. Creating databases
- D. Encrypting cookies

Answer: A — Meaningful structure and improved accessibility

Explanation: Semantic elements communicate structure and meaning to browsers and assistive technologies.

871. What is web accessibility — Variant 21?

- A. Removing keyboard support
- B. Reducing database size
- C. Making websites only colorful
- D. Making websites usable by people with diverse abilities

Answer: D — Making websites usable by people with diverse abilities

Explanation: Accessibility aims to make web content usable by people with diverse abilities.

872. Which attribute labels an input control when no visible label is available — Variant 22?

- A. alt-src
- B. label-text
- C. input-name-only
- D. aria-label

Answer: D — aria-label

Explanation: aria-label provides an accessible name for an element.

873. Why is keyboard navigation important — Variant 23?

- A. Some users navigate without a mouse
- B. It disables screen readers
- C. It improves database indexing
- D. It changes CSS specificity

Answer: A — Some users navigate without a mouse

Explanation: Keyboard access is essential for users who cannot or do not use a mouse.

874. Which HTML element is generally preferred for a clickable action — Variant 24?

- A. div
- B. button
- C. section
- D. span

Answer: B — button

Explanation: The button element provides native semantics and keyboard behavior for actions.

875. What is semantic HTML useful for — Variant 25?

- A. Encrypting cookies
- B. Meaningful structure and improved accessibility
- C. Increasing image resolution
- D. Creating databases

Answer: B — Meaningful structure and improved accessibility

Explanation: Semantic elements communicate structure and meaning to browsers and assistive technologies.

876. What is web accessibility — Variant 26?

- A. Making websites only colorful
- B. Reducing database size
- C. Removing keyboard support
- D. Making websites usable by people with diverse abilities

Answer: D — Making websites usable by people with diverse abilities

Explanation: Accessibility aims to make web content usable by people with diverse abilities.

877. Which attribute labels an input control when no visible label is available — Variant 27?

- A. label-text

- B. input-name-only
- C. aria-label
- D. alt-src

Answer: C — aria-label

Explanation: aria-label provides an accessible name for an element.

878. Why is keyboard navigation important — Variant 28?

- A. It changes CSS specificity
- B. Some users navigate without a mouse
- C. It improves database indexing
- D. It disables screen readers

Answer: B — Some users navigate without a mouse

Explanation: Keyboard access is essential for users who cannot or do not use a mouse.

879. Which HTML element is generally preferred for a clickable action — Variant 29?

- A. section
- B. button
- C. span
- D. div

Answer: B — button

Explanation: The button element provides native semantics and keyboard behavior for actions.

880. What is semantic HTML useful for — Variant 30?

- A. Increasing image resolution
- B. Meaningful structure and improved accessibility
- C. Creating databases
- D. Encrypting cookies

Answer: B — Meaningful structure and improved accessibility

Explanation: Semantic elements communicate structure and meaning to browsers and assistive technologies.

881. What is web accessibility — Variant 31?

- A. Making websites usable by people with diverse abilities
- B. Removing keyboard support
- C. Making websites only colorful
- D. Reducing database size

Answer: A — Making websites usable by people with diverse abilities

Explanation: Accessibility aims to make web content usable by people with diverse abilities.

882. Which attribute labels an input control when no visible label is available — Variant 32?

- A. alt-src
- B. label-text
- C. aria-label
- D. input-name-only

Answer: C — aria-label

Explanation: aria-label provides an accessible name for an element.

883. Why is keyboard navigation important — Variant 33?

- A. It changes CSS specificity
- B. It improves database indexing
- C. It disables screen readers

D. Some users navigate without a mouse

Answer: D — Some users navigate without a mouse

Explanation: Keyboard access is essential for users who cannot or do not use a mouse.

884. Which HTML element is generally preferred for a clickable action — Variant 34?

A. button

B. div

C. section

D. span

Answer: A — button

Explanation: The button element provides native semantics and keyboard behavior for actions.

885. What is semantic HTML useful for — Variant 35?

A. Creating databases

B. Increasing image resolution

C. Meaningful structure and improved accessibility

D. Encrypting cookies

Answer: C — Meaningful structure and improved accessibility

Explanation: Semantic elements communicate structure and meaning to browsers and assistive technologies.

886. What is web accessibility — Variant 36?

A. Reducing database size

B. Making websites usable by people with diverse abilities

C. Making websites only colorful

D. Removing keyboard support

Answer: B — Making websites usable by people with diverse abilities

Explanation: Accessibility aims to make web content usable by people with diverse abilities.

887. Which attribute labels an input control when no visible label is available — Variant 37?

A. alt-src

B. label-text

C. aria-label

D. input-name-only

Answer: C — aria-label

Explanation: aria-label provides an accessible name for an element.

888. Why is keyboard navigation important — Variant 38?

A. It improves database indexing

B. It changes CSS specificity

C. It disables screen readers

D. Some users navigate without a mouse

Answer: D — Some users navigate without a mouse

Explanation: Keyboard access is essential for users who cannot or do not use a mouse.

889. Which HTML element is generally preferred for a clickable action — Variant 39?

A. div

B. section

C. button

D. span

Answer: C — button

Explanation: The button element provides native semantics and keyboard behavior for actions.

890. What is semantic HTML useful for — Variant 40?

- A. Increasing image resolution
- B. Meaningful structure and improved accessibility
- C. Creating databases
- D. Encrypting cookies

Answer: B — Meaningful structure and improved accessibility

Explanation: Semantic elements communicate structure and meaning to browsers and assistive technologies.

891. What is web accessibility — Variant 41?

- A. Making websites usable by people with diverse abilities
- B. Making websites only colorful
- C. Reducing database size
- D. Removing keyboard support

Answer: A — Making websites usable by people with diverse abilities

Explanation: Accessibility aims to make web content usable by people with diverse abilities.

892. Which attribute labels an input control when no visible label is available — Variant 42?

- A. input-name-only
- B. label-text
- C. alt-src
- D. aria-label

Answer: D — aria-label

Explanation: aria-label provides an accessible name for an element.

893. Why is keyboard navigation important — Variant 43?

- A. It disables screen readers
- B. It improves database indexing
- C. Some users navigate without a mouse
- D. It changes CSS specificity

Answer: C — Some users navigate without a mouse

Explanation: Keyboard access is essential for users who cannot or do not use a mouse.

894. Which HTML element is generally preferred for a clickable action — Variant 44?

- A. div
- B. button
- C. span
- D. section

Answer: B — button

Explanation: The button element provides native semantics and keyboard behavior for actions.

895. What is semantic HTML useful for — Variant 45?

- A. Meaningful structure and improved accessibility
- B. Creating databases
- C. Increasing image resolution
- D. Encrypting cookies

Answer: A — Meaningful structure and improved accessibility

Explanation: Semantic elements communicate structure and meaning to browsers and assistive technologies.

896. What is web accessibility — Variant 46?

- A. Making websites usable by people with diverse abilities
- B. Removing keyboard support
- C. Reducing database size
- D. Making websites only colorful

Answer: A — Making websites usable by people with diverse abilities

Explanation: Accessibility aims to make web content usable by people with diverse abilities.

897. Which attribute labels an input control when no visible label is available — Variant 47?

- A. input-name-only
- B. aria-label
- C. label-text
- D. alt-src

Answer: B — aria-label

Explanation: aria-label provides an accessible name for an element.

898. Why is keyboard navigation important — Variant 48?

- A. It disables screen readers
- B. It improves database indexing
- C. It changes CSS specificity
- D. Some users navigate without a mouse

Answer: D — Some users navigate without a mouse

Explanation: Keyboard access is essential for users who cannot or do not use a mouse.

899. Which HTML element is generally preferred for a clickable action — Variant 49?

- A. div
- B. span
- C. section
- D. button

Answer: D — button

Explanation: The button element provides native semantics and keyboard behavior for actions.

900. What is semantic HTML useful for — Variant 50?

- A. Encrypting cookies
- B. Meaningful structure and improved accessibility
- C. Creating databases
- D. Increasing image resolution

Answer: B — Meaningful structure and improved accessibility

Explanation: Semantic elements communicate structure and meaning to browsers and assistive technologies.

Deployment

901. What is deployment?

- A. Making an application available in a target environment
- B. Deleting a repository
- C. Writing a CSS selector
- D. Designing a logo

Answer: A — Making an application available in a target environment

Explanation: Deployment moves an application into an environment where it can run.

902. What is an environment variable — Variant 2?

- A. A database row
- B. A CSS class
- C. Configuration supplied outside application source code
- D. An HTML element

Answer: C — Configuration supplied outside application source code

Explanation: Environment variables provide configuration values separately from source code.

903. What is CI — Variant 3?

- A. Code Installation
- B. Client Interface
- C. Continuous Integration
- D. Central Internet

Answer: C — Continuous Integration

Explanation: Continuous Integration automatically builds and tests changes as they are integrated.

904. What is CD in software delivery — Variant 4?

- A. Client Development
- B. Code Database
- C. Continuous Delivery or Continuous Deployment
- D. Central Domain

Answer: C — Continuous Delivery or Continuous Deployment

Explanation: CD commonly means Continuous Delivery or Continuous Deployment.

905. What is a production environment — Variant 5?

- A. A local editor
- B. A Git commit message
- C. A CSS file
- D. The environment serving real users or live workloads

Answer: D — The environment serving real users or live workloads

Explanation: Production is the live environment used for real workloads.

906. What is deployment — Variant 6?

- A. Designing a logo
- B. Writing a CSS selector
- C. Deleting a repository
- D. Making an application available in a target environment

Answer: D — Making an application available in a target environment

Explanation: Deployment moves an application into an environment where it can run.

907. What is an environment variable — Variant 7?

- A. A CSS class
- B. An HTML element
- C. A database row
- D. Configuration supplied outside application source code

Answer: D — Configuration supplied outside application source code

Explanation: Environment variables provide configuration values separately from source code.

908. What is CI — Variant 8?

- A. Continuous Integration

- B. Client Interface
- C. Code Installation
- D. Central Internet

Answer: A — Continuous Integration

Explanation: Continuous Integration automatically builds and tests changes as they are integrated.

909. What is CD in software delivery — Variant 9?

- A. Client Development
- B. Continuous Delivery or Continuous Deployment
- C. Code Database
- D. Central Domain

Answer: B — Continuous Delivery or Continuous Deployment

Explanation: CD commonly means Continuous Delivery or Continuous Deployment.

910. What is a production environment — Variant 10?

- A. A local editor
- B. A Git commit message
- C. The environment serving real users or live workloads
- D. A CSS file

Answer: C — The environment serving real users or live workloads

Explanation: Production is the live environment used for real workloads.

911. What is deployment — Variant 11?

- A. Deleting a repository
- B. Designing a logo
- C. Writing a CSS selector
- D. Making an application available in a target environment

Answer: D — Making an application available in a target environment

Explanation: Deployment moves an application into an environment where it can run.

912. What is an environment variable — Variant 12?

- A. A CSS class
- B. Configuration supplied outside application source code
- C. A database row
- D. An HTML element

Answer: B — Configuration supplied outside application source code

Explanation: Environment variables provide configuration values separately from source code.

913. What is CI — Variant 13?

- A. Client Interface
- B. Code Installation
- C. Continuous Integration
- D. Central Internet

Answer: C — Continuous Integration

Explanation: Continuous Integration automatically builds and tests changes as they are integrated.

914. What is CD in software delivery — Variant 14?

- A. Central Domain
- B. Continuous Delivery or Continuous Deployment
- C. Client Development

D. Code Database

Answer: B — Continuous Delivery or Continuous Deployment

Explanation: CD commonly means Continuous Delivery or Continuous Deployment.

915. What is a production environment — Variant 15?

A. A Git commit message

B. The environment serving real users or live workloads

C. A local editor

D. A CSS file

Answer: B — The environment serving real users or live workloads

Explanation: Production is the live environment used for real workloads.

916. What is deployment — Variant 16?

A. Deleting a repository

B. Designing a logo

C. Making an application available in a target environment

D. Writing a CSS selector

Answer: C — Making an application available in a target environment

Explanation: Deployment moves an application into an environment where it can run.

917. What is an environment variable — Variant 17?

A. An HTML element

B. A CSS class

C. Configuration supplied outside application source code

D. A database row

Answer: C — Configuration supplied outside application source code

Explanation: Environment variables provide configuration values separately from source code.

918. What is CI — Variant 18?

A. Central Internet

B. Continuous Integration

C. Code Installation

D. Client Interface

Answer: B — Continuous Integration

Explanation: Continuous Integration automatically builds and tests changes as they are integrated.

919. What is CD in software delivery — Variant 19?

A. Client Development

B. Continuous Delivery or Continuous Deployment

C. Central Domain

D. Code Database

Answer: B — Continuous Delivery or Continuous Deployment

Explanation: CD commonly means Continuous Delivery or Continuous Deployment.

920. What is a production environment — Variant 20?

A. A CSS file

B. A local editor

C. The environment serving real users or live workloads

D. A Git commit message

Answer: C — The environment serving real users or live workloads

Explanation: Production is the live environment used for real workloads.

921. What is deployment — Variant 21?

- A. Writing a CSS selector
- B. Making an application available in a target environment
- C. Deleting a repository
- D. Designing a logo

Answer: B — Making an application available in a target environment

Explanation: Deployment moves an application into an environment where it can run.

922. What is an environment variable — Variant 22?

- A. A CSS class
- B. An HTML element
- C. A database row
- D. Configuration supplied outside application source code

Answer: D — Configuration supplied outside application source code

Explanation: Environment variables provide configuration values separately from source code.

923. What is CI — Variant 23?

- A. Client Interface
- B. Central Internet
- C. Continuous Integration
- D. Code Installation

Answer: C — Continuous Integration

Explanation: Continuous Integration automatically builds and tests changes as they are integrated.

924. What is CD in software delivery — Variant 24?

- A. Code Database
- B. Central Domain
- C. Client Development
- D. Continuous Delivery or Continuous Deployment

Answer: D — Continuous Delivery or Continuous Deployment

Explanation: CD commonly means Continuous Delivery or Continuous Deployment.

925. What is a production environment — Variant 25?

- A. A CSS file
- B. A Git commit message
- C. A local editor
- D. The environment serving real users or live workloads

Answer: D — The environment serving real users or live workloads

Explanation: Production is the live environment used for real workloads.

926. What is deployment — Variant 26?

- A. Writing a CSS selector
- B. Deleting a repository
- C. Designing a logo
- D. Making an application available in a target environment

Answer: D — Making an application available in a target environment

Explanation: Deployment moves an application into an environment where it can run.

927. What is an environment variable — Variant 27?

- A. A CSS class
- B. A database row
- C. An HTML element
- D. Configuration supplied outside application source code

Answer: D — Configuration supplied outside application source code

Explanation: Environment variables provide configuration values separately from source code.

928. What is CI — Variant 28?

- A. Central Internet
- B. Client Interface
- C. Continuous Integration
- D. Code Installation

Answer: C — Continuous Integration

Explanation: Continuous Integration automatically builds and tests changes as they are integrated.

929. What is CD in software delivery — Variant 29?

- A. Client Development
- B. Continuous Delivery or Continuous Deployment
- C. Central Domain
- D. Code Database

Answer: B — Continuous Delivery or Continuous Deployment

Explanation: CD commonly means Continuous Delivery or Continuous Deployment.

930. What is a production environment — Variant 30?

- A. The environment serving real users or live workloads
- B. A Git commit message
- C. A CSS file
- D. A local editor

Answer: A — The environment serving real users or live workloads

Explanation: Production is the live environment used for real workloads.

931. What is deployment — Variant 31?

- A. Deleting a repository
- B. Designing a logo
- C. Making an application available in a target environment
- D. Writing a CSS selector

Answer: C — Making an application available in a target environment

Explanation: Deployment moves an application into an environment where it can run.

932. What is an environment variable — Variant 32?

- A. An HTML element
- B. A CSS class
- C. Configuration supplied outside application source code
- D. A database row

Answer: C — Configuration supplied outside application source code

Explanation: Environment variables provide configuration values separately from source code.

933. What is CI — Variant 33?

- A. Continuous Integration

- B. Code Installation
- C. Client Interface
- D. Central Internet

Answer: A — Continuous Integration

Explanation: Continuous Integration automatically builds and tests changes as they are integrated.

934. What is CD in software delivery — Variant 34?

- A. Code Database
- B. Client Development
- C. Central Domain
- D. Continuous Delivery or Continuous Deployment

Answer: D — Continuous Delivery or Continuous Deployment

Explanation: CD commonly means Continuous Delivery or Continuous Deployment.

935. What is a production environment — Variant 35?

- A. A Git commit message
- B. A CSS file
- C. A local editor
- D. The environment serving real users or live workloads

Answer: D — The environment serving real users or live workloads

Explanation: Production is the live environment used for real workloads.

936. What is deployment — Variant 36?

- A. Deleting a repository
- B. Writing a CSS selector
- C. Making an application available in a target environment
- D. Designing a logo

Answer: C — Making an application available in a target environment

Explanation: Deployment moves an application into an environment where it can run.

937. What is an environment variable — Variant 37?

- A. Configuration supplied outside application source code
- B. A CSS class
- C. An HTML element
- D. A database row

Answer: A — Configuration supplied outside application source code

Explanation: Environment variables provide configuration values separately from source code.

938. What is CI — Variant 38?

- A. Continuous Integration
- B. Client Interface
- C. Code Installation
- D. Central Internet

Answer: A — Continuous Integration

Explanation: Continuous Integration automatically builds and tests changes as they are integrated.

939. What is CD in software delivery — Variant 39?

- A. Code Database
- B. Central Domain
- C. Client Development

D. Continuous Delivery or Continuous Deployment

Answer: D — Continuous Delivery or Continuous Deployment

Explanation: CD commonly means Continuous Delivery or Continuous Deployment.

940. What is a production environment — Variant 40?

A. A Git commit message

B. The environment serving real users or live workloads

C. A local editor

D. A CSS file

Answer: B — The environment serving real users or live workloads

Explanation: Production is the live environment used for real workloads.

941. What is deployment — Variant 41?

A. Deleting a repository

B. Making an application available in a target environment

C. Writing a CSS selector

D. Designing a logo

Answer: B — Making an application available in a target environment

Explanation: Deployment moves an application into an environment where it can run.

942. What is an environment variable — Variant 42?

A. A CSS class

B. An HTML element

C. A database row

D. Configuration supplied outside application source code

Answer: D — Configuration supplied outside application source code

Explanation: Environment variables provide configuration values separately from source code.

943. What is CI — Variant 43?

A. Central Internet

B. Code Installation

C. Continuous Integration

D. Client Interface

Answer: C — Continuous Integration

Explanation: Continuous Integration automatically builds and tests changes as they are integrated.

944. What is CD in software delivery — Variant 44?

A. Central Domain

B. Code Database

C. Continuous Delivery or Continuous Deployment

D. Client Development

Answer: C — Continuous Delivery or Continuous Deployment

Explanation: CD commonly means Continuous Delivery or Continuous Deployment.

945. What is a production environment — Variant 45?

A. A Git commit message

B. A CSS file

C. A local editor

D. The environment serving real users or live workloads

Answer: D — The environment serving real users or live workloads

Explanation: Production is the live environment used for real workloads.

946. What is deployment — Variant 46?

- A. Designing a logo
- B. Making an application available in a target environment
- C. Writing a CSS selector
- D. Deleting a repository

Answer: B — Making an application available in a target environment

Explanation: Deployment moves an application into an environment where it can run.

947. What is an environment variable — Variant 47?

- A. Configuration supplied outside application source code
- B. A database row
- C. An HTML element
- D. A CSS class

Answer: A — Configuration supplied outside application source code

Explanation: Environment variables provide configuration values separately from source code.

948. What is CI — Variant 48?

- A. Client Interface
- B. Continuous Integration
- C. Central Internet
- D. Code Installation

Answer: B — Continuous Integration

Explanation: Continuous Integration automatically builds and tests changes as they are integrated.

949. What is CD in software delivery — Variant 49?

- A. Continuous Delivery or Continuous Deployment
- B. Code Database
- C. Client Development
- D. Central Domain

Answer: A — Continuous Delivery or Continuous Deployment

Explanation: CD commonly means Continuous Delivery or Continuous Deployment.

950. What is a production environment — Variant 50?

- A. A local editor
- B. A Git commit message
- C. The environment serving real users or live workloads
- D. A CSS file

Answer: C — The environment serving real users or live workloads

Explanation: Production is the live environment used for real workloads.

Architecture

951. What is MVC?

- A. Model-Version-Compiler
- B. Module-View-Cache
- C. Main-Variable-Control
- D. Model-View-Controller

Answer: D — Model-View-Controller

Explanation: MVC separates an application into model, view, and controller responsibilities.

952. What is separation of concerns — Variant 2?

- A. Removing all modules
- B. Dividing responsibilities into distinct parts
- C. Putting everything in one function
- D. Using only one database

Answer: B — Dividing responsibilities into distinct parts

Explanation: Separation of concerns keeps different responsibilities from becoming unnecessarily coupled.

953. What is REST — Variant 3?

- A. An architectural style for networked resource-oriented systems
- B. A CSS standard
- C. A database engine
- D. A JavaScript compiler

Answer: A — An architectural style for networked resource-oriented systems

Explanation: REST is an architectural style commonly used for web APIs.

954. What is scalability — Variant 4?

- A. Changing CSS colors
- B. The ability to handle increased workload by adding or improving resources
- C. Deleting logs
- D. Reducing all traffic to zero

Answer: B — The ability to handle increased workload by adding or improving resources

Explanation: Scalability describes how a system handles increasing workload.

955. What is a monolith — Variant 5?

- A. A CSS framework
- B. A distributed database only
- C. A browser tab
- D. An application deployed as a single primary unit

Answer: D — An application deployed as a single primary unit

Explanation: A monolithic application is typically built and deployed as one primary unit.

956. What is MVC — Variant 6?

- A. Main-Variable-Control
- B. Model-View-Controller
- C. Model-Version-Compiler
- D. Module-View-Cache

Answer: B — Model-View-Controller

Explanation: MVC separates an application into model, view, and controller responsibilities.

957. What is separation of concerns — Variant 7?

- A. Using only one database
- B. Dividing responsibilities into distinct parts
- C. Removing all modules
- D. Putting everything in one function

Answer: B — Dividing responsibilities into distinct parts

Explanation: Separation of concerns keeps different responsibilities from becoming unnecessarily coupled.

958. What is REST — Variant 8?

- A. A CSS standard
- B. A JavaScript compiler
- C. An architectural style for networked resource-oriented systems
- D. A database engine

Answer: C — An architectural style for networked resource-oriented systems

Explanation: REST is an architectural style commonly used for web APIs.

959. What is scalability — Variant 9?

- A. The ability to handle increased workload by adding or improving resources
- B. Reducing all traffic to zero
- C. Deleting logs
- D. Changing CSS colors

Answer: A — The ability to handle increased workload by adding or improving resources

Explanation: Scalability describes how a system handles increasing workload.

960. What is a monolith — Variant 10?

- A. A distributed database only
- B. A browser tab
- C. A CSS framework
- D. An application deployed as a single primary unit

Answer: D — An application deployed as a single primary unit

Explanation: A monolithic application is typically built and deployed as one primary unit.

961. What is MVC — Variant 11?

- A. Model-Version-Compiler
- B. Main-Variable-Control
- C. Model-View-Controller
- D. Module-View-Cache

Answer: C — Model-View-Controller

Explanation: MVC separates an application into model, view, and controller responsibilities.

962. What is separation of concerns — Variant 12?

- A. Putting everything in one function
- B. Using only one database
- C. Removing all modules
- D. Dividing responsibilities into distinct parts

Answer: D — Dividing responsibilities into distinct parts

Explanation: Separation of concerns keeps different responsibilities from becoming unnecessarily coupled.

963. What is REST — Variant 13?

- A. A JavaScript compiler
- B. A database engine
- C. A CSS standard
- D. An architectural style for networked resource-oriented systems

Answer: D — An architectural style for networked resource-oriented systems

Explanation: REST is an architectural style commonly used for web APIs.

964. What is scalability — Variant 14?

- A. Reducing all traffic to zero

- B. Deleting logs
- C. Changing CSS colors
- D. The ability to handle increased workload by adding or improving resources

Answer: D — The ability to handle increased workload by adding or improving resources

Explanation: Scalability describes how a system handles increasing workload.

965. What is a monolith — Variant 15?

- A. A browser tab
- B. An application deployed as a single primary unit
- C. A CSS framework
- D. A distributed database only

Answer: B — An application deployed as a single primary unit

Explanation: A monolithic application is typically built and deployed as one primary unit.

966. What is MVC — Variant 16?

- A. Model-Version-Compiler
- B. Main-Variable-Control
- C. Model-View-Controller
- D. Module-View-Cache

Answer: C — Model-View-Controller

Explanation: MVC separates an application into model, view, and controller responsibilities.

967. What is separation of concerns — Variant 17?

- A. Putting everything in one function
- B. Using only one database
- C. Removing all modules
- D. Dividing responsibilities into distinct parts

Answer: D — Dividing responsibilities into distinct parts

Explanation: Separation of concerns keeps different responsibilities from becoming unnecessarily coupled.

968. What is REST — Variant 18?

- A. An architectural style for networked resource-oriented systems
- B. A JavaScript compiler
- C. A database engine
- D. A CSS standard

Answer: A — An architectural style for networked resource-oriented systems

Explanation: REST is an architectural style commonly used for web APIs.

969. What is scalability — Variant 19?

- A. Reducing all traffic to zero
- B. Deleting logs
- C. Changing CSS colors
- D. The ability to handle increased workload by adding or improving resources

Answer: D — The ability to handle increased workload by adding or improving resources

Explanation: Scalability describes how a system handles increasing workload.

970. What is a monolith — Variant 20?

- A. A distributed database only
- B. A browser tab
- C. A CSS framework

D. An application deployed as a single primary unit

Answer: D — An application deployed as a single primary unit

Explanation: A monolithic application is typically built and deployed as one primary unit.

971. What is MVC — Variant 21?

A. Main-Variable-Control

B. Module-View-Cache

C. Model-Version-Compiler

D. Model-View-Controller

Answer: D — Model-View-Controller

Explanation: MVC separates an application into model, view, and controller responsibilities.

972. What is separation of concerns — Variant 22?

A. Putting everything in one function

B. Removing all modules

C. Dividing responsibilities into distinct parts

D. Using only one database

Answer: C — Dividing responsibilities into distinct parts

Explanation: Separation of concerns keeps different responsibilities from becoming unnecessarily coupled.

973. What is REST — Variant 23?

A. A JavaScript compiler

B. An architectural style for networked resource-oriented systems

C. A CSS standard

D. A database engine

Answer: B — An architectural style for networked resource-oriented systems

Explanation: REST is an architectural style commonly used for web APIs.

974. What is scalability — Variant 24?

A. Changing CSS colors

B. The ability to handle increased workload by adding or improving resources

C. Reducing all traffic to zero

D. Deleting logs

Answer: B — The ability to handle increased workload by adding or improving resources

Explanation: Scalability describes how a system handles increasing workload.

975. What is a monolith — Variant 25?

A. A CSS framework

B. A distributed database only

C. A browser tab

D. An application deployed as a single primary unit

Answer: D — An application deployed as a single primary unit

Explanation: A monolithic application is typically built and deployed as one primary unit.

976. What is MVC — Variant 26?

A. Model-View-Controller

B. Main-Variable-Control

C. Module-View-Cache

D. Model-Version-Compiler

Answer: A — Model-View-Controller

Explanation: MVC separates an application into model, view, and controller responsibilities.

977. What is separation of concerns — Variant 27?

- A. Dividing responsibilities into distinct parts
- B. Using only one database
- C. Removing all modules
- D. Putting everything in one function

Answer: A — Dividing responsibilities into distinct parts

Explanation: Separation of concerns keeps different responsibilities from becoming unnecessarily coupled.

978. What is REST — Variant 28?

- A. An architectural style for networked resource-oriented systems
- B. A database engine
- C. A CSS standard
- D. A JavaScript compiler

Answer: A — An architectural style for networked resource-oriented systems

Explanation: REST is an architectural style commonly used for web APIs.

979. What is scalability — Variant 29?

- A. The ability to handle increased workload by adding or improving resources
- B. Reducing all traffic to zero
- C. Deleting logs
- D. Changing CSS colors

Answer: A — The ability to handle increased workload by adding or improving resources

Explanation: Scalability describes how a system handles increasing workload.

980. What is a monolith — Variant 30?

- A. A CSS framework
- B. A distributed database only
- C. A browser tab
- D. An application deployed as a single primary unit

Answer: D — An application deployed as a single primary unit

Explanation: A monolithic application is typically built and deployed as one primary unit.

981. What is MVC — Variant 31?

- A. Module-View-Cache
- B. Model-Version-Compiler
- C. Model-View-Controller
- D. Main-Variable-Control

Answer: C — Model-View-Controller

Explanation: MVC separates an application into model, view, and controller responsibilities.

982. What is separation of concerns — Variant 32?

- A. Putting everything in one function
- B. Dividing responsibilities into distinct parts
- C. Using only one database
- D. Removing all modules

Answer: B — Dividing responsibilities into distinct parts

Explanation: Separation of concerns keeps different responsibilities from becoming unnecessarily coupled.

983. What is REST — Variant 33?

- A. A JavaScript compiler
- B. An architectural style for networked resource-oriented systems
- C. A database engine
- D. A CSS standard

Answer: B — An architectural style for networked resource-oriented systems

Explanation: REST is an architectural style commonly used for web APIs.

984. What is scalability — Variant 34?

- A. Reducing all traffic to zero
- B. The ability to handle increased workload by adding or improving resources
- C. Deleting logs
- D. Changing CSS colors

Answer: B — The ability to handle increased workload by adding or improving resources

Explanation: Scalability describes how a system handles increasing workload.

985. What is a monolith — Variant 35?

- A. A browser tab
- B. A CSS framework
- C. An application deployed as a single primary unit
- D. A distributed database only

Answer: C — An application deployed as a single primary unit

Explanation: A monolithic application is typically built and deployed as one primary unit.

986. What is MVC — Variant 36?

- A. Model-View-Controller
- B. Model-Version-Compiler
- C. Main-Variable-Control
- D. Module-View-Cache

Answer: A — Model-View-Controller

Explanation: MVC separates an application into model, view, and controller responsibilities.

987. What is separation of concerns — Variant 37?

- A. Using only one database
- B. Dividing responsibilities into distinct parts
- C. Putting everything in one function
- D. Removing all modules

Answer: B — Dividing responsibilities into distinct parts

Explanation: Separation of concerns keeps different responsibilities from becoming unnecessarily coupled.

988. What is REST — Variant 38?

- A. A database engine
- B. A CSS standard
- C. A JavaScript compiler
- D. An architectural style for networked resource-oriented systems

Answer: D — An architectural style for networked resource-oriented systems

Explanation: REST is an architectural style commonly used for web APIs.

989. What is scalability — Variant 39?

- A. Reducing all traffic to zero

- B. Changing CSS colors
- C. Deleting logs
- D. The ability to handle increased workload by adding or improving resources

Answer: D — The ability to handle increased workload by adding or improving resources

Explanation: Scalability describes how a system handles increasing workload.

990. What is a monolith — Variant 40?

- A. An application deployed as a single primary unit
- B. A distributed database only
- C. A CSS framework
- D. A browser tab

Answer: A — An application deployed as a single primary unit

Explanation: A monolithic application is typically built and deployed as one primary unit.

991. What is MVC — Variant 41?

- A. Model-Version-Compiler
- B. Model-View-Controller
- C. Module-View-Cache
- D. Main-Variable-Control

Answer: B — Model-View-Controller

Explanation: MVC separates an application into model, view, and controller responsibilities.

992. What is separation of concerns — Variant 42?

- A. Removing all modules
- B. Dividing responsibilities into distinct parts
- C. Using only one database
- D. Putting everything in one function

Answer: B — Dividing responsibilities into distinct parts

Explanation: Separation of concerns keeps different responsibilities from becoming unnecessarily coupled.

993. What is REST — Variant 43?

- A. An architectural style for networked resource-oriented systems
- B. A CSS standard
- C. A database engine
- D. A JavaScript compiler

Answer: A — An architectural style for networked resource-oriented systems

Explanation: REST is an architectural style commonly used for web APIs.

994. What is scalability — Variant 44?

- A. Deleting logs
- B. Reducing all traffic to zero
- C. Changing CSS colors
- D. The ability to handle increased workload by adding or improving resources

Answer: D — The ability to handle increased workload by adding or improving resources

Explanation: Scalability describes how a system handles increasing workload.

995. What is a monolith — Variant 45?

- A. A distributed database only
- B. An application deployed as a single primary unit
- C. A browser tab

D. A CSS framework

Answer: B — An application deployed as a single primary unit

Explanation: A monolithic application is typically built and deployed as one primary unit.

996. What is MVC — Variant 46?

A. Module-View-Cache

B. Model-View-Controller

C. Main-Variable-Control

D. Model-Version-Compiler

Answer: B — Model-View-Controller

Explanation: MVC separates an application into model, view, and controller responsibilities.

997. What is separation of concerns — Variant 47?

A. Removing all modules

B. Dividing responsibilities into distinct parts

C. Using only one database

D. Putting everything in one function

Answer: B — Dividing responsibilities into distinct parts

Explanation: Separation of concerns keeps different responsibilities from becoming unnecessarily coupled.

998. What is REST — Variant 48?

A. A CSS standard

B. A JavaScript compiler

C. A database engine

D. An architectural style for networked resource-oriented systems

Answer: D — An architectural style for networked resource-oriented systems

Explanation: REST is an architectural style commonly used for web APIs.

999. What is scalability — Variant 49?

A. Deleting logs

B. Reducing all traffic to zero

C. The ability to handle increased workload by adding or improving resources

D. Changing CSS colors

Answer: C — The ability to handle increased workload by adding or improving resources

Explanation: Scalability describes how a system handles increasing workload.

1000. What is a monolith — Variant 50?

A. An application deployed as a single primary unit

B. A distributed database only

C. A CSS framework

D. A browser tab

Answer: A — An application deployed as a single primary unit

Explanation: A monolithic application is typically built and deployed as one primary unit.