Recommender Systems

9/9 points (100%)

Quiz, 9 questions

Congratulations! You passed!

Next Item

1 / 1 points

1.
Recommending items based on **global popularity** can (*check all that apply*):

1 / 1 points

2.
Recommending items using a **classification** approach can (*check all that apply*):

1 / 1 points

3.
Recommending items using a **simple count based co-occurrence matrix** can (*check all that apply*):

1 / 1

points

Recommender Systems

Quiz, 9 questions

9/9 points (100%)

4.
Recommending items using **featurized matrix factorization** can (*check all that apply*):

1 / 1 points

5.
Normalizing co-occurrence matrices is used primarily to account for:

1 / 1 points

6.

A store has 3 customers and 3 products. Below are the learned feature vectors for each user and product. Based on this estimated model, which product would you recommend most highly to *User #2*?

User ID	Feature vector
1	(1.73, 0.01, 5.22)
2	(0.03, 4.41, 2.05)
3	(1.13, 0.89, 3.76)

Product ID	Feature vector
1	(3.29, 3.44, 3.67)
2	(0.82, 9.71, 3.88)
3	(8.34, 1.72, 0.02)

1 / 1 points

7.

Recommender Systems

Quiz, 9 questions

9/9 points (100%)

For the liked and recommended items displayed below, calculate the **recall** and round to 2 decimal points. (*As in the lesson, green squares indicate recommended items, magenta squares are liked items. Items not recommended are grayed out for clarity.*) Note: enter your answer in American decimal format (e.g. enter 0.98, not 0,98)

1 / 1 points

8.

For the liked and recommended items displayed below, calculate the **precision** and round to 2 decimal points. (*As in the lesson, green squares indicate recommended items, magenta squares are liked items. Items not recommended are grayed out for clarity.*) Note: enter your answer in American decimal format (e.g. enter 0.98, not 0,98)

Recommender Systems

Quiz, 9 questions

9/9 points (100%)

1 / 1 points

9.

Based on the precision-recall curves in the figure below, which recommender would you use?