

Postal address:
Postnet Suite 490
Private Bag x1
Die Wilgers
Republic of South Africa



Physical address:
Tshwane University of Technology campus
175 Nelson Mandela drive
Pretoria
Republic of South Africa

HH-0042-2009

ABSTRACT FOR HH-0042-2009

DETERMINATION OF THE DERMAL TOXICITY FOR F10 SUPERCONCENTRATE (BATCH: 100124)

Experimental Starting Date: 09 Feb 2009
Experimental Completion Date: 26 Feb 2009

This study was conducted according to EPA Guideline 870.100 and 870.1200 Acute Dermal Toxicity and complied with registration requirements in South Africa, USA and Europe.

Five nulliparous and non pregnant female and five male Wister rats, 50 days of age were used. Only young healthy animals with no skin lesions were admitted to the study. No animals were withdrawn from the study.

One dosage level of 5000mg per kg were used in this study. This dosage were chosen on the basis of previous literature, which indicates that the dermal toxicity of F10 superconcentrate is very low.

The animals were observed 2 hours after exposure and once every day thereafter for a period of 14 days for signs of toxicity.

No toxicological symptoms were recorded in any of the animals during the study period. Furthermore no pathological legions were recorded in any of the animals at the post mortems. All animals gained weight over the study period.

This study indicated that the dermal toxicity of the F10 superconcentrate formulation lies above 5000 mg/kg.

According to EPA Toxicity Categories this falls within category IV.

A handwritten signature in black ink, appearing to be 'D J Goosen', written over a horizontal line.

Dr D J Goosen (BVSc Hons) (Signed electronically)

Toxicity Categories

Study	Category I	Category II	Category III	Category IV
Acute Dermal Toxicity	Up to and including 200 mg/kg	>200 through 2000 mg/kg	>2000 through 5000 mg/kg	>5000 mg/kg