

Sensor Partners BV

- James Wattlaan 155151 DP DrunenThe Netherlands
- **>** +31 (0)416 37 82 39
- sensorpartners.com

Sensor Partners BVBA

- Z.1 Researchpark 310B-1731, ZellikBelgium
- **>** +32 (0)2 464 96 90
- ☐ info@sensorpartners.com
- sensorpartners.com

KOMPAKT 37 - pre-assembled Signal Tower

Your benefits

The KOMPAKT 37 is a completely pre-assembled signal tower that can be easily ordered under a single part number. With 1-5 visual tiers, the slim signal tower can be installed quickly and easily. The compact and completely enclosed construction is ideal for use in all types of public areas because it is tamper-proof.

- Up to six levels of signal escalation possible including an audible signal
- In ClassicLOOK or DesignLOOK to suit all machine surfaces
- Clearly visible from all positions thanks to the OmniVIEW lens with no blind spots

Typical applications

Fault signalling

- on smaller machines and equipment
- on point-of-sale and access control systems

Installation options

- Single-hole mounting
- Additional installation options using accessories

Features

Pre-assembled with easy cable connection or M12 plug for plug & play use





Signalisation Index			
Optical		Audible	
LED Permanent Light	3	Pulse tone	4

How to select your KOMPAKT 37 signal tower

▶ STEP 1 Select the signal tower of your choice with or without buzzer, with the appropriate connection, housing colour, voltage and

number of tiers.



- 1-5 tiers
- With or without buzzer
- M12 plug or cable
- Black or silver finish



▶ STEP 2 Select up to two extension tubes.





Bracket

Mounting

▶ STEP 3 Select the appropriate fixing accessories for your application, using for example a tube and base or a bracket mount.



mounting

integrated tube



Single Hole

Mounting



Base

Mounting

▶ STEP 4 Where appropriate, select the bracket and the contact box.

