

LEVEL:- 0

```
aman@aman:~$ ssh bandit0@bandit.labs.overthewire.org -p 2220
The authenticity of host '[bandit.labs.overthewire.org]:2220 ([176.9.9.172]:2220)' can't be established.
ECDSA key fingerprint is SHA256:98UL0ZWf85496EtCRkKlo20X30PnyPSB5tB5RPbhczc.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '[bandit.labs.overthewire.org]:2220,[176.9.9.172]:2220' (ECDSA) to the list of known hosts.
This is a OverTheWire game server. More information on http://www.overthewire.org/wargames
```

```
bandit0@bandit.labs.overthewire.org's password:
linux bandit.otw.local 5.4.8 x86_64 GNU/Linux
```

**PASSWORD :- bandit0**

Welcome to OverTheWire!

If you find any problems, please report them to Steven or morla on [rc.overthewire.org](https://rc.overthewire.org).

-[ Playing the games ]--

This machine might hold several wargames.  
If you are playing "somegame", then:

- ```
* USERNAMES are somegame0, somegame1, ...
* Most LEVELS are stored in /somegame/.
* PASSWORDS for each level are stored in /etc/somegame_pass/.
```

Write-access to homedirectories is disabled. It is advised to create a working directory with a hard-to-guess name in /tmp/. You can use the command "mktemp -d" in order to generate a random and hard to guess directory in /tmp/. Read-access to both /tmp/ and /proc/ is disabled

## LEVEL 0-1

PASS:- boJ9jbbUNNfktd78OOpsqOltutMc3MY1

```
bandit1@bandit: ~  
  
bandit0@bandit:~$ clear  
  
bandit0@bandit:~$ ls -a  
.  .. .bash_logout .bashrc .profile readme  
bandit0@bandit:~$ cat readme  
boJ9jbbUNNfktd78OOpsqOltutMc3MY1  
bandit0@bandit:~$ exit  
logout  
Connection to bandit.labs.overthewire.org closed.  
aman@aman:~$ ssh bandit1@bandit.labs.overthewire.org -p 2220  
This is a OverTheWire game server. More information on http://www.overthewire.org/wargames  
  
bandit1@bandit.labs.overthewire.org's password:  
Linux bandit.otw.local 5.4.8 x86_64 GNU/Linux
```

## LEVEL 1-2

PASS:- CV1DtqXWVFXTvM2F0k09SHz0YwRINYA9

```
bandit1@bandit:~$ ls -a  
-  .  .. .bash_logout .bashrc .profile  
bandit1@bandit:~$ cat ./-  
CV1DtqXWVFXTvM2F0k09SHz0YwRINYA9  
bandit1@bandit:~$ exit  
logout  
Connection to bandit.labs.overthewire.org closed.  
aman@aman:~$ ssh bandit2@bandit.labs.overthewire.org -p 2220  
This is a OverTheWire game server. More information on http://www.overthewire.org/wargames
```

## LEVEL 2-3

PASS:- UmHadQclWmgdLOKQ3YNgjWxGoRMB5luK

```
bandit2@bandit:~$ ls -a  
-  .  .. .bash_logout .bashrc .profile spaces in this filename  
bandit2@bandit:~$ cat spaces\ in\ this\ filename  
UmHadQclWmgdLOKQ3YNgjWxGoRMB5luK  
bandit2@bandit:~$
```

## LEVEL 3-4

PASS:- plwrPrtPN36QITSp3EQaw936yaFoFgAB

```
bandit3@bandit:~/inhere$ ls -a
.  ..  .hidden
bandit3@bandit:~/inhere$ cat .hidden
plwrPrtPN36QITSp3EQaw936yaFoFgAB
bandit3@bandit:~/inhere$ exit
logout
Connection to bandit.labs.overthewire.org closed.
aman@aman:~$ ssh bandit4@bandit.labs.overthewire.org -p 2220
This is a OverTheWire game server. More information on http://www.overthewire.org/wargames

bandit4@bandit.labs.overthewire.org's password:
Linux bandit.otw.local 5.4.8 x86_64 GNU/Linux
```

## LEVEL 4-5

PASS:- koReBOKuIDDepwhWk7jZCORTdopnAYKh

```
bandit4@bandit:~$ ls -a
.  ..  .bash_logout  .bashrc  inhere  .profile
bandit4@bandit:~$ cd inhere/
bandit4@bandit:~/inhere$ ls
-file00 -file01 -file02 -file03 -file04 -file05 -file06 -file07 -file08 -file09
bandit4@bandit:~/inhere$ find . -type f | xargs file
./-file01: data
./-file00: data
./-file06: data
./-file03: data
./-file05: data
./-file08: data
./-file04: data
./-file07: ASCII text
./-file02: data
./-file09: data
bandit4@bandit:~/inhere$ cat ./-file07
koReBOKuIDDepwhWk7jZCORTdopnAYKh
bandit4@bandit:~/inhere$ exit
logout
Connection to bandit.labs.overthewire.org closed.
aman@aman:~$ ssh bandit5@bandit.labs.overthewire.org -p 2220
This is a OverTheWire game server. More information on http://www.overthewire.org/wargames

bandit5@bandit.labs.overthewire.org's password:
Linux bandit.otw.local 5.4.8 x86_64 GNU/Linux
```

## LEVEL 5-6

PASS:- DXjZPULLxYr17uwoI01bNLQbtFemEgo7

```
bandit5@bandit:~$ ls -a
.  .. .bash_logout .bashrc  inhere .profile
bandit5@bandit:~$ cd inhere
bandit5@bandit:~/inhere$ find . -type f -size 1033c ! -executable
./maybehere07/.file2
bandit5@bandit:~/inhere$ cat ./maybehere07/.file2
DXjZPULLxYr17uwoI01bNLQbtFemEgo7
```

```
~/inhere$ find . -type f
bandit5@bandit:~/inhere$ exit
```

## LEVEL 6-7

PASS:- HKBPTKQnIay4Fw76bEy8PVxKEDQRKTzs

```
find: '/var/lib/polkit-1': Permission denied
/var/lib/dpkg/info/bandit7.password
find: '/var/log': Permission denied
find: '/var/cache/apt/archives/partial': Permission denied
find: '/var/cache/ldconfig': Permission denied
bandit6@bandit:~$ cat /var/lib/dpkg/info/bandit7.password
HKBPTKQnIay4Fw76bEy8PVxKEDQRKTzs
bandit6@bandit:~$ exit
logout
Connection to bandit.labs.overthewire.org closed.
```

## LEVEL 7-8

PASS:- cvX2JJJa4CFALtqS87jk27qwqGhBM9pLV

```
encapsulate      STOVYQEMWtFz54JtjJRrhDXgZcfVw8lS
wildfowls        PqcMofjmKj8NBvO9exdu7FY2NG6WUMzb
Finland xgXsIYgqUCMriMoT7W2dSwTG1DCvbRvU
bandit7@bandit:~$ strings data.txt | grep "millionth"
millionth        cvX2JJJa4CFALtqS87jk27qwqGhBM9pLV
bandit7@bandit:~$ ls -a
.  .. .bash_logout .bashrc  data.txt .profile
bandit7@bandit:~$ strings data.txt | grep "millionth"
millionth        cvX2JJJa4CFALtqS87jk27qwqGhBM9pLV
bandit7@bandit:~$
```

## LEVEL 8-9

PASS:- UsvVyFSfZZWbi6wgC7dAFyFuR6jQQUhr

```
bandit8@bandit:~$ ls -la
.  .. .bash_logout .bashrc data.txt .profile
bandit8@bandit:~$ cat data.txt
X1JHOUkrb4KgugMXIzMWIwvRkeZleTI
XyeJdbrUJyGtdGx8cXLQST0puw5cvpcA
yo0HbSe2GM0jJNhRQLxwoPp7ayYEmRKY
ySvsTwLMgnUF0n86Fgm2TNjkS0lrV72
Z90C6DQpppreChPhwRJJV9YYTtrxNVc0
zdd2ctVveR0GeiS2WE3TeLZMeL5jL7iM
bandit8@bandit:~$ sort data.txt | uniq -c
10 07KC3ukwX7kswl8Le9ebb3H3s0oNTsR2
10 0efnqHY1ZTNRu4LsDX4D73DsxIQq7RuJ
10 0N65ZPpNGkUJePzFxcCRZRrXVrCbUGfm
10 0Xo6DLyK5izRqEtBA7sW2SRmlAixWYSg
10 U0NYdD3wHZKpfEg9qGQOLJiMAJy6qxhS
10 UASW6CQwD6MRzftu6FAfyXBK0cVvnBLP
10 UJiCNvDNfgb3fcCj8PjjnAXHqUM63Uyj
10 UjsVbcqKeJqdCZQCDMkzv6A9X7hLbNE4
1 UsvVyFSfZZWbi6wgC7dAFyFuR6jQQUhr
10 UVnZvhiVQECraz5jl8U14sMVZQhjuXia
```

## LEVEL 9-10

PASS:- truKLdjsbJ5g7yyJ2X2R0o3a5HQJFuLk

```
bandit9@bandit:~$ string data.txt | grep "="
-bash: string: command not found
bandit9@bandit:~$ strings data.txt | grep "="
===== the*2i"4
=:G e
===== password
<I=zsGi
Z)===== is
A=|t&E
Zdb=
c^ LAh=3G
*SF=s
&===== truKLdjsbJ5g7yyJ2X2R0o3a5HQJFuLk
S=A.H&^
bandit9@bandit:~$
```



## LEVEL 10-11

PASS:- IFukwKGsFW8MOq3IRFqrxE1hxTNEbUPR

```
bandit10@bandit:~$ ls -a
.  ..  .bash_logout  .bashrc  data.txt  .profile
bandit10@bandit:~$ cat data.txt
VGhlIHBhc3N3b3JkIGlzIElGdWt3S0dzRlc4TU9xM0lSRnFyeEUxaHhUTkViVVBSCg==
bandit10@bandit:~$ base64 -d data.txt
The password is IFukwKGsFW8MOq3IRFqrxE1hxTNEbUPR
bandit10@bandit:~$
```

## LEVEL 11-12

PASS:- 5Te8Y4drgCRfCx8ugdwwEX8KFC6k2EUu

```
bandit11@bandit:~$ ls -a
.  ..  .bash_logout  .bashrc  data.txt  .profile
bandit11@bandit:~$ cat data.txt
Gur cnffjbeq vf 5Gr8L4qetPEsPk8htqjhRK8XSP6x2RHH
bandit11@bandit:~$ cat data.txt | tr 'A-Za-z' 'N-ZA-Mn-za-m'
The password is 5Te8Y4drgCRfCx8ugdwwEX8KFC6k2EUu
bandit11@bandit:~$
```

## LEVEL 12-13

PASS:- 8ZjyCRiBWFYkneahHwxCv3wb2a1ORpYL

```
bandit12@bandit:/tmp/amansingh12345$ gzip -d am.g
bandit12@bandit:/tmp/amansingh12345$ ls
am  data.tar
bandit12@bandit:/tmp/amansingh12345$ file am
am: ASCII text
bandit12@bandit:/tmp/amansingh12345$ cat am
The password is 8ZjyCRiBWFYkneahHwxCv3wb2a1ORpYL
bandit12@bandit:/tmp/amansingh12345$
```

LEVEL 13-14

PASS:- 4wcYUJFw0k0XLShlDzztnTBHixU3b3e

```
bandit14@bandit:~$ cat /etc/bandit_pass/bandit14
4wcYUJFw0k0XLShlDzztnTBHixU3b3e
bandit14@bandit:~$
```

LEVEL 14-15

PASS:- BfMYroe26WYalil77FoDi9qh59eK5xNr

```
bandit14@bandit:~$ nc localhost 30000
4wcYUJFw0k0XLShlDzztnTBHixU3b3e
Correct!
BfMYroe26WYalil77FoDi9qh59eK5xNr
```

LEVEL 14-15

PASS:- cluFn7wTiGryunymYOu4RcffSxQluehd

```
bandit15@bandit:~$ ncat --ssl localhost 30001
BfMYroe26WYalil77FoDi9qh59eK5xNr
Correct!
cluFn7wTiGryunymYOu4RcffSxQluehd
```