

Applicant Name: Aman Kumar Yadav

Contact: 7632976843

Email: yadavaman7632@gmail.com

Aim of this project Learn journalism Website to deliver best experience to the customer and the owner.

Tools & Technology Used:

- Fronted: JavaScript, React js , Tailwind CSS
- Chrome, Vs-code ,VITE

Project Live Link: <https://journalist-react-app.vercel.app/>

Portfolio: <https://portfolio-eight-rose-19.vercel.app/>

GitHub Repository link: <https://github.com/Amanroy7632/Journalist-react-app>

E-commerce: <https://e-commerce-caip-iy1eb02xy-amanyoy7632s-projects.vercel.app/>

Source Code

File Name: Main.jsx

```
import React from "react";
import ReactDOM from "react-dom/client";
import "./index.css";
import {
  Route,
  RouterProvider,
  createBrowserRouter,
  createRoutesFromChildren,
} from "react-router-dom";
import Layout from "./Layout.jsx";
import Home from "./components/home/Home.jsx";
import Contact from "./components/contact/Contact.jsx";
import Course from "./components/course/Course.jsx";
import CourseDetail from "./components/course/CourseDetail.jsx";
import Article from "./components/article/Article.jsx";
import Login from "./components/login/Login.jsx";
const router = createBrowserRouter(
  createRoutesFromChildren(  
)
```

```

<Route path="/" element={<Layout />}>
  <Route path="" element={<Home />}> </Route>
  <Route path="/:courseId" element={<CourseDetail />} />
  <Route path="courses/" id="courses" element={<Course />}>
    </Route>
    <Route path="courses/:courseId" element={<CourseDetail />} />
    <Route path="article" element={<Article/>} />
    <Route path="contact" element={<Contact />} />
    <Route path="login" element={<Login/>} />
    <Route path="*" element={<div>Not Found</div>} />
  </Route>
)
);
ReactDOM.createRoot(document.getElementById("root")).render(
<React.StrictMode>
  <RouterProvider router={router} />
</React.StrictMode>
);

```

File Name: Layout.jsx

```

import React, { useEffect, useState } from 'react'
import { Outlet } from 'react-router-dom'
import Header from './components/header/Header'
import Footer from './components/footer/Footer'
import { ThemeContextProvider } from './context/theme'
function Layout() {
  const [themeMode, setThemeMode] = useState("dark");
  const lightTheme = () => {
    setThemeMode("light");
  }
  const darkTheme = () => {
    setThemeMode("dark");
  }
  useEffect(() => {
    document.querySelector('html').classList.remove("light", "dark");
  })
}

```

```

    document.querySelector('html').classList.add(themeMode);
},[themeMode])
return ( <ThemeContextProvider value={{themeMode,lightTheme,darkTheme}}>
<Header/>
<Outlet/>
<Footer/>
</ThemeContextProvider>
)

```

export default Layout

Theme Context

File Name:theme.js

```

import React,{createContext,useContext} from "react";
export const ThemeContext=createContext({
  themeMode:"light",
  darkTheme:()=>{},
  lightTheme:()=>{}
})
export const ThemeContextProvider=ThemeContext.Provider
export default function useTheme(){
  return useContext(ThemeContext)
}

```

File Name: Header.jsx

```

import React, { useState } from 'react'
import { Link, NavLink } from 'react-router-dom'
import ThemeButton from '../theme/ThemeButton'
import logo from './user.png'
import './header.css'
function Header() {
  const [active, setActive] = useState(false);
  const menuBarHandler = () => {
    const menuBar = document.querySelector(".menu-bar");
    if (active) {
      menuBar.classList.remove("active-menuBar");
    }
  }
}

```

```
    } else {
      menuBar.classList.add("active-menuBar");
    }
  }

  setActive(!active);
}

const hideNavigationHandler=()=>{
  setActive(false)
  menubarHandler();
}

return (
  // border-b-2 border-gray-500
  <>
  <div className=' flex justify-center fixed items-center w-full h-[10vh] top-0 bg-gray-200 dark:bg-black dark:text-white border-b-2 border-[rgba(63,62,62,0.1)] z-50 '>
    <nav className=' flex justify-between w-4/5 items-center h-16'>
      <Link to={"/"} className='flex items-center'><img src={logo} alt="" className=' w-[3.5rem] overflow-hidden rounded-[50%]' /></Link>
      <ul className=' hidden lg:flex justify-between w-1/3 gap-x-6 items-center text-2xl font-semibold'>
        <li><NavLink
          to={"/"}
          activeClassName={({ isActive })=>
            `block py-2 pr-4 pl-3 duration-200 ${

              isActive
              ? "text-indigo-700 "
              : "text-gray-700 dark:text-white "
            } border-b border-gray-100 hover:bg-gray-50 lg:hover:bg-transparent lg:border-0
            hover:text-indigo-700 lg:p-0 dark:hover:text-indigo-700 `
          }> Home</NavLink></li>
        <li>
          <NavLink to={"courses"} smooth
            activeClassName={({ isActive })=>
              `block py-2 pr-4 pl-3 duration-200 ${

                isActive
              }`}
```

```

    ? "text-indigo-700 "
    : "text-gray-700 dark:text-white "
} border-b border-gray-100 hover:bg-gray-50 lg:hover:bg-transparent lg:border-0 hover:text-indigo-700 lg:p-0 `

}>Courses</NavLink>
</li>
<li>
<NavLink to={"contact"} smooth
className={({ isActive })=>
`block py-2 pr-4 pl-3 duration-200 ${{
isActive
? "text-indigo-700 "
: "text-gray-700 dark:text-white "
} border-b border-gray-100 hover:bg-gray-50 lg:hover:bg-transparent lg:border-0 hover:text-indigo-700 lg:p-0 `

}>Contact</NavLink>
</li>
<li>
<NavLink to={"article"}
className={({ isActive })=>
`block py-2 pr-4 pl-3 duration-200 ${{
isActive
? "text-indigo-700 "
: "text-gray-700 dark:text-white "
} border-b border-gray-100 hover:bg-gray-50 lg:hover:bg-transparent lg:border-0 hover:text-indigo-700 lg:p-0 `

}>Articles</NavLink>
</li>
</ul>
<div className='flex justify-center items-center'>
<NavLink to={"login"} className=' max-md:hidden lg:inline-flex items-center justify-center whitespace nowrap rounded-3xl text-xl mr-4 font-medium ring-offset-background transition-colors focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-ring focus-visible:ring-offset-2 px-6 py-2 disabled:pointer-events-none disabled:opacity-50 text-white h-auto bg-indigo-600 hover:bg-indigo-700'>Sign Up</NavLink>
<div

```

```

      className="menu-bar flex justify-between flex-col cursor-pointer mr-4 lg:hidden"
      style={{{
        height: "24px",
        width: "35px",
        transition: "all 0.3s ease-in-out",
      }}}
      onClick={menubarHandler}
    >
      <span className=" bg-black dark:bg-white rounded-sm"></span>
      <span className=" bg-black dark:bg-white rounded-sm"></span>
      <span className=" bg-black dark:bg-white rounded-sm"></span>
    </div>
    <ThemeButton/>
  </div>
</nav>
</div>

{active?<ul className=' navLinks lg:hidden flex flex-col fixed top-[9vh] w-full backdrop-blur-lg
justify-between gap-x-6 items-center text-2xl font-semibold h-[50vh] transition duration-400'
style={{zIndex:"999" }}>
  <li><NavLink
    to={"/"}
    className={({ isActive })=>
      `block py-2 pr-4 pl-3 duration-200 ${{
        isActive
        ? "text-indigo-700 "
        : "text-gray-700 dark:text-white "
      }} border-b border-gray-100 hover:bg-gray-50 lg:hover:bg-transparent lg:border-0
      hover:text-indigo-700 lg:p-0 dark:hover:text-indigo-700 `}
    } onClick={hideNavigationHandler}> Home</NavLink></li>
  <li>
    <NavLink to={"courses"} smooth
    className={({ isActive })=>
      `block py-2 pr-4 pl-3 duration-200 ${{
        isActive
        ? "text-indigo-700 "
      }}`}
```

```
: "text-gray-700 dark:text-white"

} border-b border-gray-100 hover:bg-gray-50 lg:hover:bg-transparent lg:border-0 hover:text-indigo-700 lg:p-0 `

} onClick={hideNavigationHandler}>Courses</NavLink>

</li>

<li>

<NavLink to={"contact"} smooth

className={({ isActive })=>

`block py-2 pr-4 pl-3 duration-200 ${

isActive

? "text-indigo-700 "

: "text-gray-700 dark:text-white"

} border-b border-gray-100 hover:bg-gray-50 lg:hover:bg-transparent lg:border-0 hover:text-indigo-700 lg:p-0 `

} onClick={hideNavigationHandler}>Contact</NavLink>

</li>

<li>

<NavLink to={"article"}>

className={({ isActive })=>

`block py-2 pr-4 pl-3 duration-200 ${

isActive

? "text-indigo-700 "

: "text-gray-700 dark:text-white"

} border-b border-gray-100 hover:bg-gray-50 lg:hover:bg-transparent lg:border-0 hover:text-indigo-700 lg:p-0 `

} onClick={hideNavigationHandler}>Articles</NavLink>

</li>

<li>

<NavLink to={"login"} onClick={hideNavigationHandler} className={({ isActive })=>

`block py-2 pr-4 pl-3 duration-200 ${

isActive

? "text-indigo-700 "

: "text-gray-700 dark:text-white"

} border-b border-gray-100 hover:bg-gray-50 lg:hover:bg-transparent lg:border-0 hover:text-indigo-700 lg:p-0 `}>Sign Up</NavLink>
```

```
</li>
</ul>:""}  
</> )}  
export default Header
```

File Name: Footer.jsx

```
import React from 'react'  
  
import { Link, NavLink, BrowserRouter } from 'react-router-dom'  
  
import logo from '../header/user.png'  
  
function Footer() {  
  
  return (  
    <footer className="bg-white border-y dark:bg-black dark:border-gray-700">  
      <div className="mx-auto w-full max-w-screen-xl p-4 py-6 lg:py-8">  
        <div className="md:flex md:justify-between">  
          <div className="mb-6 md:mb-0">  
            <Link to="/" className="flex items-center">  
              <img  
                src={logo}  
                className="mr-3 h-16"  
                alt="Logo"  
              />  
            </Link>  
          </div>  
          <div className="grid grid-cols-2 gap-8 sm:gap-6 sm:grid-cols-3">  
            <div>  
              <h2 className="mb-6 text-sm font-semibold text-gray-900 uppercase dark:text-white">Resources</h2>  
              <ul className="text-gray-500 font-medium">  
                <li className="mb-4">  
                  <Link to="/" className="hover:underline dark:text-white">  
                    Home  
                  </Link>  
                </li>  
                <li>
```

```
<Link to="#about-section" className="hover:underline dark:text-white">
  About
</Link>
</li>
</ul>
</div>
<div className=">
  <h2 className="mb-6 text-sm font-semibold text-gray-900 uppercase dark:text-white">Follow us</h2>
  <ul className="text-gray-500 font-medium">
    <li className="mb-4">
      <a href="https://github.com/Amanroy7632"
         className="hover:underline dark:text-white"
         target="_blank"
         rel="noreferrer">
        >
        Github
      </a>
    </li>
  </ul>
</div>
<div>
  <h2 className="mb-6 text-sm font-semibold text-gray-900 uppercase dark:text-white">Legal</h2>
  <ul className="text-gray-500 font-medium">
    <li className="mb-4">
      <Link to="#" className="hover:underline dark:text-white">
        Privacy Policy
      </Link>
    </li>
    <li>
      <Link to="#" className="hover:underline dark:text-white">
```

Terms & Conditions

</Link>

</div>

</div>

</div>

<hr className="my-6 border-gray-200 sm:mx-auto lg:my-8" />

<div className="sm:flex sm:items-center sm:justify-between">

© 2024

 Amanroy

. All Rights Reserved.

<div className="flex mt-4 space-x-5 sm:justify-center sm:mt-0">

<Link to="#" className="text-gray-500 hover:text-gray-900">

<svg

 className="w-4 h-4"

 aria-hidden="true"

 xmlns="http://www.w3.org/2000/svg"

 fill="currentColor"

 viewBox="0 0 8 19"

>

<path

 fill-rule="evenodd"

 d="M6.135 3H8V0H6.135a4.147 4.147 0 0 0-4.142 4.142V6H0v3h2v9.938h3V9h2.0211.592-3H5V3.591A.6.6 0 0 1 5.592 3h.543Z"

 clip-rule="evenodd"

>

</svg>

Facebook page

```

</Link>

<Link to="#" className="text-gray-500">

  <svg
    className="w-4 h-4"
    aria-hidden="true"
    xmlns="http://www.w3.org/2000/svg"
    fill="currentColor"
    viewBox="0 0 21 16"
  >

    <path d="M16.942 1.556a16.3 16.3 0 0 0-4.126-1.3 12.04 12.04 0 0 0-.529 1.1
15.175 15.175 0 0 0-4.573 0 11.585 11.585 0 0 0-.535-1.1 16.274 16.274 0 0 0-4.129 1.3A17.392
17.392 0 0 0 .182 13.218a15.785 15.785 0 0 0 4.963 2.521c.41-.564.773-1.16 1.084-1.785a10.63
10.63 0 0 1-1.706-.83c.143-.106.283-.217.418-.33a11.664 11.664 0 0 0 10.118
0c.137.113.277.224.418.33-.544.328-1.116.606-1.71.832a12.52 12.52 0 0 0 1.084 1.785 16.46 16.46
0 0 0 5.064-2.595 17.286 17.286 0 0 0-2.973-11.59ZM6.678 10.813a1.941 1.941 0 0 1-1.8-2.045 1.93
1.93 0 0 1 1.8-2.047 1.919 1.919 0 0 1 1.8 2.047 1.93 1.93 0 0 1-1.8 2.045Zm6.644 0a1.94 1.94 0 0 1
1.8-2.045 1.93 1.93 0 0 1 1.8-2.047 1.918 1.918 0 0 1 1.8 2.047 1.93 1.93 0 0 1-1.8 2.045Z" />

  </svg>

  <span className="sr-only ">Discord community</span>
</Link>

<Link to="#" className="text-gray-500">

  <svg
    className="w-4 h-4"
    aria-hidden="true"
    xmlns="http://www.w3.org/2000/svg"
    fill="currentColor"
    viewBox="0 0 20 17"
  >

    <path
      fill-rule="evenodd"
      d="M20 1.892a8.178 8.178 0 0 1-2.355.635 4.074 4.074 0 0 0 1.8-2.235 8.344
8.344 0 0 1-2.605.98A4.13 4.13 0 0 0 13.85 0a4.068 4.068 0 0 0-4.1 4.038 4 4 0 0 0 .105.919A11.705
11.705 0 0 1 1.4.734a4.006 4.006 0 0 0 1.268 5.392 4.165 4.165 0 0 1-1.859-.5v.05A4.057 4.057 0 0 0
4.1 9.635a4.19 4.19 0 0 1-1.856.07 4.108 4.108 0 0 0 3.831 2.807A8.36 8.36 0 0 1 0 14.184 11.732
11.732 0 0 0 6.291 16 11.502 11.502 0 0 0 17.964 4.5c0-.177 0-.35-.012-.523A8.143 8.143 0 0 0 20
1.892Z"

      clip-rule="evenodd" />

```

```
</svg>
<span className="sr-only ">Twitter page</span>
</Link>
<Link to="#" className="text-gray-500">
<svg
  className="w-4 h-4"
  aria-hidden="true"
  xmlns="http://www.w3.org/2000/svg"
  fill="currentColor"
  viewBox="0 0 20 20"
>
<path
  fill-rule="evenodd"
  d="M10 .333A9.911 9.911 0 0 0 6.866 19.65c.5.092.678-.215.678-.477 0-.237-.01-1.017-.014-1.845-2.757.6-3.338-1.169-3.338-1.169a2.627 2.627 0 0 0-1.1-1.451c-.9-.615.07-.6.07-.6a2.084 2.084 0 0 1 1.518 1.021 2.11 2.11 0 0 0 2.884.823c.044-.503.268-.973.63-1.325-2.25-4.516-1.1-4.516-4.9A3.832 3.832 0 0 1 4.7 7.068a3.56 3.56 0 0 1 .095-2.623s.832-.266 2.726 1.016a9.409 9.409 0 0 1 4.962 0c1.89-1.282 2.717-1.016 2.717-1.016.366.83.402 1.768.1 2.623a3.827 3.827 0 0 1 1.02 2.659c0 3.807-2.319 4.644-4.525 4.889a2.366 2.366 0 0 1 .673 1.834c0 1.326-.012 2.394-.012 2.72 0 .263.18.572.681.475A9.911 9.911 0 0 0 10 .333Z"
  clip-rule="evenodd"  />
</svg>
<span className="sr-only ">GitHub account</span>
</Link>
<Link to="#" className="text-gray-500">
<svg
  className="w-4 h-4"
  aria-hidden="true"
  xmlns="http://www.w3.org/2000/svg"
  fill="currentColor"
  viewBox="0 0 20 20"
>
<path
  fill-rule="evenodd"
  d="M10 0a10 10 0 1 0 10 10A10.009 10.009 0 0 0 10 0Zm6.613 4.614a8.523 8.523 0 0 1 1.93 5.32 20.094 20.094 0 0 0-5.949-.274c-.059-.149-.122-.292-.184-.441a23.879 23.879

```

```

0 0 0-.566-1.239 11.41 11.41 0 0 0 4.769-3.366ZM8 1.707a8.821 8.821 0 0 1 2.-238 8.5 8.5 0 0 1
5.664 2.152 9.608 9.608 0 0 1-4.476 3.087A45.758 45.758 0 0 0 8 1.707ZM1.642 8.262a8.57 8.57 0 0
1 4.73-5.981A53.998 53.998 0 0 1 9.54 7.222a32.078 32.078 0 0 1-7.9 1.04h.002Zm2.01 7.46a8.51
8.51 0 0 1-2.2-5.707v-.262a31.64 31.64 0 0 0 8.777-1.219c.243.477.477.964.692 1.449-.114.032-
.227.067-.336.1a13.569 13.569 0 0 0-6.942 5.636l.009.003ZM10 18.556a8.508 8.508 0 0 1-5.243-1.8
11.717 11.717 0 0 1 6.7-5.332.509.509 0 0 1 .055-.02 35.65 35.65 0 0 1 1.819 6.476 8.476 8.476 0 0
1-3.331.676Zm4.772-1.462A37.232 37.232 0 0 0 13.113 11a12.513 12.513 0 0 1 5.321.364 8.56 8.56
0 0 1-3.66 5.73h-.002Z"

```

```

        clip-rule="evenodd" />
    </svg>
    <span className="sr-only ">Dribbble account</span>
</Link>
</div>
</div>
</div>
</div>
</div>
</div>
        )}

export default Footer

```

File Name: Home.jsx

```

import React from "react";
import image from "./images/jor.jpg";
import Course from "../course/Course";
import Header from "../header/Header";
import Footer from "../footer/Footer";
import { useNavigate } from "react-router-dom";
function Home() {
    const navigate = useNavigate();
    const courseData = [
        {
            courseId: 1,
            courseName: "Environmental Journalism",
            coursePrice: "1230",
            courseDeletedPrice: "4567",
            coursePercentageOff: 40,
        },
    ];
}

```

```
{  
  courseId: 2,  
  courseName: "Sports Journalism",  
  coursePrice: "1230",  
  courseDeletedPrice: "4567",  
  coursePercentageOff: 40,  
,  
{  
  courseId: 3,  
  courseName: "Buisness and Health Reporting",  
  coursePrice: "1230",  
  courseDeletedPrice: "4567",  
  coursePercentageOff: 40,  
,  
};  
const handleClick = () => {  
  navigate("/courses");  
};  
return (  
  <div className=" z-0">  
    {/* <Header/> */}  
    {/* <div id="mouse" className="absolute rounded-full backdrop-blur-md bg-no-repeat w-20 h-20 top-0 left-0 shadow-5xl shadow-[0_0px_42px_0px_rgba(183,37,78,0.24)] " style={{zIndex:"1"}}></div> */}  
    <div  
      className=" card mt-[10vh] flex justify-center lg:w-full lg:h-[50vh] dark:bg-[#181a1b] dark:text-white bg-slate-200"  
      style={{ zIndex: "0" }}  
    >  
      {/* hello */}  
      <div className="data-container flex flex-col justify-center items-center">  
        <h1 className=" text-4xl">  
          Hello! Welcome to my corner of journalism!  
        </h1>  
      </div>  
    </div>  
  </div>  
);
```

```
</h1>

<h1 className=" text-4xl">I'm Arun a Ex-Journalist .</h1>

<div className=" flex justify-evenly lg:w-1/2 max-sm:flex-col">

  <button

    onClick={handleClick}

    className="justify-center whitespace nowrap font-medium transition-colors focus-
visible:outline-none focus-visible:ring-2 focus-visible:ring-ring focus-visible:ring-offset-2 border px-
6 h-12 flex items-center gap-3 xl:text-xl text-lg lg:h-[4rem] hover:bg-brand rounded-[4rem] lg:mt-4
dark:hover:bg-[#333f90] hover:bg-indigo-200 max-sm:mb-4"

  >

    View Courses

  </button>

  <button className="justify-center whitespace nowrap font-medium transition-colors focus-
visible:outline-none focus-visible:ring-2 focus-visible:ring-ring focus-visible:ring-offset-2 border px-
6 h-12 flex items-center gap-3 xl:text-xl text-lg lg:h-[4rem] hover:bg-brand rounded-[4rem] lg:mt-4
dark:hover:bg-[#272626] hover:bg-indigo-200 max-sm:mb-4">

    Watch Video <span className=" text-slate-400">|</span>{" "}

    <span className="text-red-400">Live &rarr;</span>{" "}

  </button>

</div>

</div>

</div>

<div

  className=" card max-sm:h-[30vh] h-[40vh] image-container lg:w-full lg:h-[70vh] bg-black
items-center flex justify-center"

  style={{

    backgroundImage: `url(${image})`,
    backgroundPosition: "center",
    backgroundSize: "cover",
    backgroundRepeat: "no-repeat",
  }}

>

  /* <div className=" relative bg-blue-400 px-4 py-2 animate-bounce -top-[300px] -left-
[100px] rounded-[4px] text-white" >New</div> */

<div
```

```
        id="floating"

        className=" max-lg:hidden lg:relative bg-blue-400 px-4 py-2 animate-bounce max-xl:-top-[400px] max-xl:-right-[400px] lg:-top-[400px] lg:-right-[400px] rounded-[40%] text-white"

      >



    </div>

    <div

      id="floating"

      className=" max-lg:hidden lg:relative shadow-2xl shadow-green-500 px-4 py-2 -top-[400px] -left-[400px] rounded-[4px] text-red-600 font-bold "



    >

    News



  </div>



</div>

<div className="about-section dark:bg-black dark:text-white " id="about-section" >

  <h1 className=" text-3xl text-center pt-5 font-bold">About <span className=" text-[#0ef]">Us</span></h1>

  <div className="about-conatiner flex justify-evenly p-8 px-[10%] max-md:flex-col max-md:justify-center max-md:items-center">

    <div className="image-container w-1/3">

    </div>

    <div className="about-info-conatiner flex justify-center items-center gap-3 flex-col w-2/3">

      <h1 className=" text-3xl">I'm <strong className=" text-blue-400">Arun</strong> a Ex-Journalist at ABP News.</h1>

      <p>A passionate and dedicated journalist with a deep-seated love for uncovering stories that resonate with people. <strong className=" text-blue-400">With 20 years of experience</strong> in the field, I've honed my skills in investigative reporting, feature writing, and news analysis. My journey in journalism began with Reporting and came across. Since then, I've had the privilege of working with esteemed publications such as <strong className=" text-blue-400">Pulmawa Attack, 26 11 attack</strong> where I've covered a wide range of topics including politics, social issues, technology, and culture.</p>

    </div>

  </div>

</div>
```

```

    </div>

    <div className=" card courses dark:bg-black dark:text-white py-1">
        <div
            id="courses"
            className="courses-section flex justify-evenly items-center lg:w-full flex-wrap dark:bg-black
            dark:text-white py-1 z-0"
        >
            <Course />
            /* {
                courseData.map((data)=>{
                    return <Course key={data.courseId} data={data}/>
                })
            } */
        </div>
    </div>
    /* <Footer/> */
</div>
);}

export default Home;

```

File Name: Course.jsx

```

import React from "react";
import { useParams, Link, Outlet } from "react-router-dom";
import Header from "../header/Header";

function Course({data}) {
    const {courseId}=useParams();
    const courseData = [
        {
            courseId: 1,
            courseName: "Media ethics & governance",
            coursePrice: "2010",
            courseDeletedPrice: "4567",
            coursePercentageOff: 56,
            thumbnail:

```

"https://d3njjcbhbjbot.cloudfront.net/api/utilities/v1/imageproxy/https://s3.amazonaws.com/coursera-course-photos/3a/8243a092de11e7897e899381a16c6e/MOOC_Coursera-Profile-pic_1200x1200px-v2.png?auto=format%2Ccompress%2C%20enhance&dpr=1&w=265&h=216&fit=crop&q=50",
courseRating: 4.8,
courseEnrolledCount: 2300,
language:"English,Hindi,Hinglish",
newCourse:false
},
{
courseId: 2,
courseName: "Gathering and Developing the News",
coursePrice: "2255",
courseDeletedPrice: "5499",
coursePercentageOff: 59,
thumbnail:

"https://d3njjcbhbjbot.cloudfront.net/api/utilities/v1/imageproxy/https://s3.amazonaws.com/coursera-course-photos/02/379520bec511e5b598936a12f1615f/videocamera.jpg?auto=format%2Ccompress%2C%20enhance&dpr=1&w=265&h=216&q=50&fit=crop",
courseRating: 4.4,
courseDuration: "4 week",
courseEnrolledCount: 2400,
language:"English,Hindi,Hinglish",
newCourse:true
},
{
courseId: 3,
courseName: "Good with Words:Writing & Editing",
coursePrice: "1139",
courseDeletedPrice: "2367",
coursePercentageOff: 47,
thumbnail:

```

"https://d3njjcbhbojbot.cloudfront.net/api/utilities/v1/imageproxy/https://d15cw65ipctsrr.cloudfront.net/0c/155a43de0b42faae488c039652ca7d/gww_specializationtitle_V1.jpg?auto=format%2Ccompress%2C%20enhance&dpr=1&w=265&h=216&fit=crop&q=50",
courseRating: 4.7,
courseDuration: "2 months at 10 hours a week",
courseEnrolledCount: 2003,
language:"English,Hindi,Hinglish",
newCourse:false
},
];
const hideCourses=(e)=>{
// document.getElementById("hideCourse").style.display="none";
// document.getElementById("courses").style.display="none";
}
return (
<div className=" pt-5 z-0">
/* <Header/> */
<div className="courses dark:bg-black dark:text-white py-12" id="hideCourse">
<div className="heading flex flex-wrap justify-center items-center">
<h1 className=' text-4xl'>Courses</h1>
</div>
</div>
<div id='courses' className="courses-section flex justify-evenly items-center lg:w-full flex-wrap dark:bg-black dark:text-white py-12 z-0">
{
courseData.map((data)=>{
return (<Link key={data.courseId} to={`#${data.courseId}`} onClick={hideCourses} className=" relative z-0 dark:bg-[#19191A]">
<div className="flex flex-col border rounded-lg max-w-[450px] bg-slate-600 dark:bg-[#181a1b] lg:py-0 md:mb-5 dark:border-[rgba(255,255,255,0.10)]">
<div className="image-container max-h-52 w-full overflow-hidden rounded-lg mb-4 p-4 flex justify-center ">
<img className=" rounded-lg w-full"
src={data.thumbnail}

```

```

        alt="image"
    />
</div>
<div className="course-data-container p-4">
    <div className="course-name text-[#e8e6e3] mb-2 font-rubik text-lg font-bold tracking-tight md:text-2xl">
        <h1>{data.courseName}</h1>
    </div>
    <div className="course-price mt-4 flex gap-3 font-bold">
        <p className="price text-base text-[#6e96cf]">₹ {data.coursePrice}</p>
        <p className="cut-price text-base text-subText line-through">
            <del>₹ {data.courseDeletedPrice}</del>
        </p>
        <p className="percentage-off rounded-md bg-grassGreen px-2 py-1 text-sm text-[#fff]">
            {data.coursePercentageOff}% off
        </p>
    </div>
    </div>
</div>
})
```

{data.newCourse?<div className="absolute bg-blue-400 px-4 py-2 animate-bounce -top-[10px] -left-[10px] rounded-[4px]">New</div>"}

</Link>);

}

</div>

{/* <Outlet/> */}

{/* <div className=" relative padding py-5"></div> */}

<div className=" relative w-full z-10 -top-[0px] dark:bg-[#000] text-white">

<div className=" mx-8 lg:w-[90%] xl:mx-auto bg-indigo-500 py-12 md:py-24 rounded-3xl">

<div className="max-w-4xl px-5 gap-y-4 flex md:flex-row flex-col justify-center items-start md:items-center mx-auto">

<div className="flex flex-col justify-center items-start gap-y-2 flex-1 ">

<p className=" text-3xl font-semibold">What would you like to learn ?</p>

```

<p className=" text-3xl font-semibold">Let's have a chat together. </p>
</div>

<button className="inline-flex items-center justify-center text-indigo-400 whitespace-
nowrap rounded-md text-xl font-bold ring-offset-background transition-colors focus-visible:outline-
none focus-visible:ring-2 focus-visible:ring-ring focus-visible:ring-offset-2 disabled:pointer-events-
none disabled:opacity-50 px-4 py-2 !p-3 !rounded-btn h-auto bg-white hover:bg-neutral-200">Get
Started</button>

</div>
</div>
</div>
</div>
);

}

export default Course;

```

File Name: CourseDetail.jsx

```

import React from "react";
import { useParams } from "react-router-dom";
import { Link } from "react-router-dom";
function CourseDetail({ data }) {
  const feedBack = [
    {
      username: "Amit Sharma",
      id: 1,
      learner: "Learner since 2020",
      message:
        "I directly applied the concepts and skills I learned from my courses to an exciting new project at
work.",
      thumbnail:
        "https://d3njjcbhbojbot.cloudfront.net/api/utilities/v1/imageproxy/https://coursera_assets.s3.amazonaws.com/growth_testimonials/passionate_learner/Felipe_Moitta.png?auto=format%2Ccompress&dpr=1&w=64&h=64&fit=crop",
    },
    {
      username: "Aman Roy",

```

id: 2,

learner: "Learner since 2021",

message:

"When I need courses on topics that my university doesn't offer, Coursera is one of the best places to go.",

thumbnail:

"https://d3njjcbhbot.cloudfront.net/api/utilities/v1/imageproxy/https://coursera_assets.s3.amazonaws.com/growth_testimonials/passionate_learner/Larry_Tao_Wang_1.png?auto=format%2Ccompress&dpr=1&w=64&h=64&fit=crop",

},

{

username: "Abhay Kumar",

id: 3,

learner: "Learner since 2018",

message:

"Learning isn't just about being better at your job: it's so much more than that. Coursera allows me to learn without limits.",

thumbnail:

"https://d3njjcbhbot.cloudfront.net/api/utilities/v1/imageproxy/https://coursera_assets.s3.amazonaws.com/growth_testimonials/passionate_learner/Chaitanya_Anand.png?auto=format%2Ccompress&dpr=1&w=64&h=64&fit=crop",

},

{

username: "Abhishek Sharma",

id: 4,

learner: "Current Learning",

message:

"To be able to take courses at my own pace and rhythm has been an amazing experience. I can learn whenever it fits my schedule and mood",

thumbnail:

"https://d3njjcbhbot.cloudfront.net/api/utilities/v1/imageproxy/https://coursera-instructor-photos.s3.amazonaws.com/a3/b90d7b6f6341838c7c777c67debd90/barry_patrick.jpg?auto=format%2Ccompress&dpr=1&w=75&h=75&fit=crop",

},

```
];
const courseData = [
{
  courseId: 1,
  courseName: "Media ethics & governance",
  coursePrice: "2010",
  courseDeletedPrice: "4567",
  coursePercentageOff: 56,
  thumbnail:
    "https://d3njjcbhbojbot.cloudfront.net/api/utilities/v1/imageproxy/https://s3.amazonaws.com/coursera-course-photos/3a/8243a092de11e7897e899381a16c6e/MOOC_Coursera-Profile-pic_1200x1200px-v2.png?auto=format%2Ccompress%2C%20enhance&dpr=1&w=265&h=216&fit=crop&q=50",
  courseRating: 4.8,
  courseDuration: "Course Duration 4 week",
  courseEnrolledCount: 3300,
  language: "English, Hindi, Hinglish",
  lectureCount: 30,
  courseEnrollment:true,
  aboutCourse: [
    {
      imageSrc: "abc",
      serviceName: "Mode of the Course LIVE + Recordings",
    },
    {
      imageSrc: "abc",
      serviceName: "No. Of Lectures 60 LIVE lectures + Recordings",
    },
    {
      imageSrc: "abc",
      serviceName: "Class Recording Provided Yes [HD Quality]",
    },
    {
    }
```

```
        imageSrc: "abc",
        serviceName: "Course Validity 2.5 Years",
    },
    {
        imageSrc: "abc",
        serviceName: "Class starts on 11st November, 2023",
    },
    {
        imageSrc: "abc",
        serviceName: "Class Timings 9pm - 11pm",
    },
    {
        imageSrc: "abc",
        serviceName:
            "Class Schedule LIVE [Monday, Wednesday, Sunday] + Recorded [Friday]",
    },
],
},
{
courseId: 2,
courseName: "Gathering and Developing the News",
coursePrice: "2255",
courseDeletedPrice: "5499",
coursePercentageOff: 59,
thumbnail:
"https://d3njjcbhbot.cloudfront.net/api/utilities/v1/imageproxy/https://s3.amazonaws.com/coursera-course-photos/02/379520bec511e5b598936a12f1615f/videocamera.jpg?auto=format%2Ccompress%2C%20enhance&dpr=1&w=265&h=216&q=50&fit=crop",
courseRating: 4.4,
courseDuration: "Course Duration 4 week",
courseEnrolledCount: 2400,
language: "English, Hindi, Hinglish",
```

```
lectureCount: 29,  
courseEnrollment:true,  
aboutCourse: [  
    {  
        imageSrc: "abc",  
        serviceName: "Mode of the Course LIVE + Recordings",  
    },  
    {  
        imageSrc: "abc",  
        serviceName: "No. Of Lectures 60 LIVE lectures + Recordings",  
    },  
    {  
        imageSrc: "abc",  
        serviceName: "Class Recording Provided Yes [HD Quality]",  
    },  
    {  
        imageSrc: "abc",  
        serviceName: "Course Validity 2 Years",  
    },  
    {  
        imageSrc: "abc",  
        serviceName: "Class starts on 31st January, 2024",  
    },  
    {  
        imageSrc: "abc",  
        serviceName: "Class Timings 9pm - 11pm",  
    },  
    {  
        imageSrc: "abc",  
        serviceName:  
            "Class Schedule LIVE [Monday, Wednesday, Sunday] + Recorded [Friday]",  
    },
```

```
],
},
{
courseId: 3,
courseName: "Good with Words:Writing & Editing",
coursePrice: "1139",
courseDeletedPrice: "2367",
coursePercentageOff: 47,
thumbnail:
"https://d3njjcbhbojbot.cloudfront.net/api/utilities/v1/imageproxy/https://d15cw65ipctsrr.cloudfront.net/0c/155a43de0b42faae488c039652ca7d/gww_specializationtitle_V1.jpg?auto=format%2Ccompress%2C%20enhance&dpr=1&w=265&h=216&fit=crop&q=50",
courseRating: 4.7,
courseDuration: "2 months at 10 hours a week",
courseEnrolledCount: 2003,
language: "English, Hindi, Hinglish",
lectureCount: 50,
courseEnrollment:false,
aboutCourse: [
{
imageSrc: "abc",
serviceName: "Mode of the Course LIVE + Recordings",
},
{
imageSrc: "abc",
serviceName: "No. Of Lectures 60 LIVE lectures + Recordings",
},
{
imageSrc: "abc",
serviceName: "Class Recording Provided Yes [HD Quality]",
},
{
```

```
        imageSrc: "abc",
        serviceName: "Course Validity 1 Years",
    },
    {
        imageSrc: "abc",
        serviceName: "Class starts on 20th September, 2023",
    },
    {
        imageSrc: "abc",
        serviceName: "Class Timings 9pm - 11pm",
    },
    {
        imageSrc: "abc",
        serviceName:
            "Class Schedule LIVE [Monday, Wednesday, Sunday] + Recorded [Friday]",
    },
],
},
];
const { courseId } = useParams();
console.log(courseId);
let dataOne = courseData.filter((course) => {
    return course.courseId === parseInt(courseId);
});
console.log(dataOne.length);
return (
    // bg-gradient-to-b from-[#2b3782] to-[#3c0084]
    <div className="dark:bg-black dark:text-white px-[5%] mt-[10vh]">
        <div className="w-full dark:bg-[#19191A] px-4 sm:px-10 xl:px-0 z-10">
            <div className="mx-auto pt-5 sm:pt-10 pb-20 px-2">
                <div className="paths sm:flex hidden items-start gap-[0.375rem] text-base">
                    <div className="path flex items-center gap-1">
```

```

<Link to={"/"}>Home</Link>{" "}

<svg
  xmlns="http://www.w3.org/2000/svg"
  fill="none"
  viewBox="0 0 24 24"
  class="w-5 h-5 fill-black dark:fill-white rotate-180"
>

<path
  d="M8.293 12.707a1 1 0 0 1 0-1.414l5.657-5.657a1 1 0 1 1 1.414 1.414L10.414 12l4.95
4.95a1 1 0 0 1-1.414 1.414z"
  clip-rule="evenodd"
></path>

</svg>
</div>

<div className="path flex items-center gap-1">
  <Link to="/courses">Courses</Link>{" "}
  <svg
    xmlns="http://www.w3.org/2000/svg"
    fill="none"
    viewBox="0 0 24 24"
    class="w-5 h-5 fill-black dark:fill-white rotate-180"
>

<path
  d="M8.293 12.707a1 1 0 0 1 0-1.414l5.657-5.657a1 1 0 1 1 1.414 1.414L10.414 12l4.95
4.95a1 1 0 0 1-1.414 1.414z"
  clip-rule="evenodd"
></path>

</svg>
</div>

<div className="path flex items-center gap-1">
  <Link to={`/courses/${dataOne[0].courseId}`}>
    {dataOne[0].courseName}
  </Link>{" "}

```

```

/* <svg
  xmlns="http://www.w3.org/2000/svg"
  fill="none"
  viewBox="0 0 24 24"
  class="w-5 h-5 fill-black dark:fill-white rotate-180"
>

<path
  d="M8.293 12.707a1 1 0 0 1 0-1.414l5.657-5.657a1 1 0 1 1 1.414 1.414L10.414 12l4.95
4.95a1 1 0 0 1-1.414 1.414z"
  clip-rule="evenodd"
></path>
</svg> */}

</div>
</div>

<div className="2xl:relative grid lg:grid-cols-2 grid-cols-1 gap-4 lg:gap-0 ">
  <div className="flex flex-col gap-3 place-self-start sm:mt-7 xl:min-w-[710px] dark:text-white">
    <p>{dataOne[0].courseEnrolledCount}, already enrolled</p>
    <h2 className="text-[2rem] font-semibold">{dataOne[0].courseName}</h2>
    <p className="text-lg font-medium">
      {dataOne[0].courseDuration}
    </p>
    <div className="flex items-center gap-4 text-base font-medium flex-wrap">
      <div className="flex items-center gap-2">
        <svg
          className="w-5 h-5 "
          fill="green"
          xmlns="http://www.w3.org/2000/svg"
          viewBox="0 0 576 512"
>
          <path d="M0 128C0 92.7 28.7 64 64 64H320c35.3 0 64 28.7 64 64V384c0 35.3-28.7 64-64 64H64c-35.3 0-64-28.7-64-64V128zM559.1 99.8c10.4 5.6 16.9 16.4 16.9 28.2V384c0 11.8-6.5 22.6-16.9 28.2s-23 5-32.9-1.6l-96-64L416 337.1V320 192 174.9l14.2-9.5 96-64c9.8-6.5 22.4-7.2 32.9-1.6z" />

```

```

    </svg>

    <p className="flex text-green-600 justify-center items-center">
      {dataOne[0].lectureCount}
      <span>+ Lectures</span>
    </p>
  </div>

  <div className="h-3 w-[1px] bg-neutral-500"></div>
  <div className="flex items-center gap-2">
    <svg
      xmlns="http://www.w3.org/2000/svg"
      fill="Blue"
      viewBox="0 0 18 18"
      class="w-5 h-5 fill-pictonBlue-500"
    >
      <path d="M9 1.5a7.5 7.5 0 1 1 0 15 7.5 7.5 0 0 1 0-15m1.262 10.462c-.822.05-1.702.05-2.524 0 .101.59.231 1.12.383 1.574.189.567.397.972.592 1.22.066.083.167.244.288.244.11-.01.227-.17.286-.245.195-.247.403-.652.592-1.22.152-.452.282-.983.383-1.573m4.373-.896a8 8 0 0 1-.625.236c-.64.214-1.386.384-2.205.503-.119.82-.29 1.566-.502 2.205a8 8 0 0 1-.237.625 6.02 6.02 0 0 0 3.569-3.569m-11.27 0a6.02 6.02 0 0 0 3.569 3.569 8 8 0 0 1-.237-.625 13 13 0 0 1-.502-2.205c-.82-.119-1.566-.29-2.205-.502a8 8 0 0 1-.625-.237m4.189-3.512c-.073.962-.073 1.93 0 2.892.962.073 1.93.073 2.892 0 .073-.962.073-1.93 0-2.892a19 19 0 0 0-2.892 0m4.408.184c.05.822.05 1.702 0 2.524.59-.101 1.12-.231 1.574-.383.567-.189.972-.397 1.22-.592.082-.065.244-.168.244-.288-.01-.11-.17-.227-.245-.286-.247-.195-.652-.403-1.22-.592a11 11 0 0 0-1.573-.383m-5.924 0c-.59.102-1.12.231-1.574.383-.567.189-.972.397-1.22.592-.179.142-.234.25-.242.276-.034.112.172.242.243.298.247.195.652.403 1.22.592.452.152.983.282 1.573.383-.05-.822-.05-1.702 0-2.524m.896-4.373a6.02 6.02 0 0 0-3.569 3.569q.299-.128.625-.237c.64-.213 1.386-.383 2.205-.502.119-.82.29-1.566.502-2.205q.11-.326.237-.625m4.132 0q.128.299.236.625c.214.64.384 1.386.503 2.205.82.119 1.566.29 2.205.502q.326.109.625.237a6.02 6.02 0 0 0-3.569-3.569M9 3c-.104 0-.234.177-.287.245-.195.247-.403.652-.592 1.22a11 11 0 0 0-.383 1.573c.822-.05 1.702-.05 2.524 0-.101-.59-.231-1.12-.383-1.574-.189-.567-.397-.972-.592-1.22C9.234 3.178 9.104 3 9 3"></path>
    </svg>

    <p className="text-blue-500">{dataOne[0].language}</p>
  </div>

  <div className="h-3 w-[1px] bg-neutral-500"></div>
  <div className="flex items-center gap-2">
    <p className="text-orange-500">{dataOne[0].courseRating}</p>
    <div className="flex gap-1">

```

```
<svg
  className="w-4 h-4 text-orange-400 mr-1"
  aria-hidden="true"
  xmlns="http://www.w3.org/2000/svg"
  fill="currentColor"
  viewBox="0 0 22 20"

>
  <path d="M20.924 7.625a1.523 1.523 0 0 0-1.238-1.044l-5.051-.734-2.259-
4.577a1.534 1.534 0 0 0-2.752 0L7.365 5.847l-5.051.734A1.535 1.535 0 0 0 1.463 9.213.656 3.563-
.863 5.031a1.532 1.532 0 0 0 2.226 1.616L11 17.033l4.518 2.375a1.534 1.534 0 0 0 2.226-1.617l-
.863-5.03L20.537 9.2a1.523 1.523 0 0 0 .387-1.575Z" />
</svg>

<svg
  className="w-4 h-4 text-orange-400 mr-1"
  aria-hidden="true"
  xmlns="http://www.w3.org/2000/svg"
  fill="currentColor"
  viewBox="0 0 22 20"

>
  <path d="M20.924 7.625a1.523 1.523 0 0 0-1.238-1.044l-5.051-.734-2.259-
4.577a1.534 1.534 0 0 0-2.752 0L7.365 5.847l-5.051.734A1.535 1.535 0 0 0 1.463 9.213.656 3.563-
.863 5.031a1.532 1.532 0 0 0 2.226 1.616L11 17.033l4.518 2.375a1.534 1.534 0 0 0 2.226-1.617l-
.863-5.03L20.537 9.2a1.523 1.523 0 0 0 .387-1.575Z" />
</svg>

<svg
  className="w-4 h-4 text-orange-400 mr-1"
  aria-hidden="true"
  xmlns="http://www.w3.org/2000/svg"
  fill="currentColor"
  viewBox="0 0 22 20"

>
  <path d="M20.924 7.625a1.523 1.523 0 0 0-1.238-1.044l-5.051-.734-2.259-
4.577a1.534 1.534 0 0 0-2.752 0L7.365 5.847l-5.051.734A1.535 1.535 0 0 0 1.463 9.213.656 3.563-
.863 5.031a1.532 1.532 0 0 0 2.226 1.616L11 17.033l4.518 2.375a1.534 1.534 0 0 0 2.226-1.617l-
.863-5.03L20.537 9.2a1.523 1.523 0 0 0 .387-1.575Z" />
```

```

        </svg>
    <svg
        className="w-4 h-4 text-orange-400 mr-1"
        aria-hidden="true"
        xmlns="http://www.w3.org/2000/svg"
        fill="currentColor"
        viewBox="0 0 22 20"
    >
        <path d="M20.924 7.625a1.523 1.523 0 0 0-1.238-1.044l-5.051-.734-2.259-4.577a1.534 1.534 0 0 0-2.752 0L7.365 5.847l-5.051.734A1.535 1.535 0 0 1.463 9.213.656 3.563-.863 5.031a1.532 1.532 0 0 0 2.226 1.616L11 17.033l4.518 2.375a1.534 1.534 0 0 0 2.226-1.617l-.863-5.03L20.537 9.2a1.523 1.523 0 0 0 .387-1.575Z" />
    </svg>
    <svg
        xmlns="http://www.w3.org/2000/svg"
        viewBox="0 0 576 512"
        className="w-4 h-4 text-orange-400 mr-1"
        fill="currentColor"
    >
        <path d="M309.5 13.5C305.5 5.2 297.1 0 287.9 0s-17.6 5.2-21.6 13.5L197.7 154.8 44.5 177.5c-9 1.3-16.5 7.6-19.3 16.3s-.5 18.1 5.9 24.5L142.2 328.4 116 483.9c-1.5 9 2.2 18.1 9.7 23.5s17.3 6 25.3 1.7l137-73.2 137 73.2c8.1 4.3 17.9 3.7 25.3-1.7s11.2-14.5 9.7-23.5L433.6 328.4 544.8 218.2c6.5-6.4 8.7-15.9 5.9-24.5s-10.3-14.9-19.3-16.3L378.1 154.8 309.5 13.5zM288 384.7V79.1l52.5 108.1c3.5 7.1 10.2 12.1 18.1 13.3l118.3 17.5L391 303c-5.5 5.5-8.1 13.3-6.8 21l20.2 119.6L299.2 387.5c-3.5-1.9-7.4-2.8-11.2-2.8z" />
    </svg>
</div>
</div>
</div>
</div>
</div>
<div className="relative w-full min-h-[200px] px-2 sm:px-8">
    <div className="lg: absolute rounded-2xl p-4 sm:p-8 -bottom-[550px] right-[1rem] min-h-[600px] max-w-[423px] mx-auto lg:translate-y-0 translate-y-10 flex flex-col gap-4 dark:bg-[#19191A] border-[rgba(255,255,255,0.1)] border shadow-md shadow-grey-100 backdrop-blur-md z-10">
        <img

```

```

src={dataOne[0].thumbnail}
alt="course Thumbnail"

className="md:max-w-full w-[400px] min-h-[180px] rounded-2xl overflow-hidden
object-cover"

/>


<div className="flex flex-col gap-y-4 mt-4">
  <div className="coursePrice flex gap-5">
    <span className=" text-indigo-500 text-2xl font-bold">
      ₹{dataOne[0].coursePrice}
    </span>
    <span className="deleted-price text-2xl dark:text-slate-400 font-bold">
      <del>₹{dataOne[0].courseDeletedPrice}</del>
    </span>
    /* <p>₹ {dataOne[0].coursePrice} &nbsp; <span>₹
{dataOne[0].courseDeletedPrice}</span></p> */
  </div>
  <div className="courseDetail">
    <p className="font-semibold text-xl mb-4">
      This Course Includes :
    </p>
    <div className="flex flex-col gap-3">
      <p>✓ No Pre-requisite Required </p>
      <p>✓ 170+ hours On-Demand Video</p>
      <p>✓ with Doubt Assistance</p>
    </div>
  </div>
  <div className="course-buy-btn flex items-center gap-4 self-stretch flex-col-reverse
sm:flex-row sm:items-start">
    {
      dataOne[0].courseEnrollment?(<button className="w-full text-center p-3 rounded-btn
text-white h-auto bg-indigo-600 hover:bg-indigo-700">
        Buy Now
      </button>):(<button disabled className="w-full text-center p-3 rounded-btn text-white
h-auto bg-indigo-600 hover:bg-indigo-700">

```

```
    Enrollment Closed

    </button>
}

</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>

/* <h1>course Details</h1> */
/* <h2>{dataOne[0] ? dataOne[0].courseName : ""}</h2> */

</div>

<div className="mx-auto max-w-maxScreen flex pt-4 px-4 sm:px-10 xl:px-0">
  <div className="w-full lg:max-w-[700px] flex flex-col gap-y-10 items-start">
    <div className="about-course bg-slate-200 dark:bg-[#19191A] shadow-md shadow-grey-100 dark:shadow-green-400 px-2">
      <h1 className="text-3xl">About Course</h1>
      <h1>{dataOne[0] ? dataOne[0].courseName : ""}</h1>
      <p>
        Lorem ipsum dolor sit amet consectetur adipisicing elit. Commodi
        minus est maxime. Fugiat hic quo animi blanditiis saepe velit
        quasi?
      </p>
      <p>
        Lorem ipsum dolor sit amet consectetur adipisicing elit. Voluptas
        aliquam illum fugiat, nisi, recusandae vitae quaerat similique
        porro sapiente sunt libero vel distinctio nesciunt doloremque.
        Excepturi tenetur culpa fugit ex vero, aliquam, perferendis
        consequuntur, labore veritatis impedit illum facilis qui!
      </p>
      <p></p>
    </div>
  </div>
</div>
```

```
<div className="course-mode w-full p-5 grid grid-cols-1 sm:grid-cols-2 place-content-start sm:place-content-center place-items-start border-[rgba(255,255,255,0.10)] border rounded-lg bg-slate-200 dark:bg-[#19191A] gap-x-4 gap-y-8">

{
  dataOne[0].aboutCourse.map((courseService)=>{
    return (<div className="flex flex-row gap-x-3 items-center">
      <div className="image flex p-4 justify-center items-center rounded-full border border-neutral-800 bg-neutral-9">
        {/* <img src={courseService.imageSrc} alt="" /> */}
        
      </div>
      <p>{courseService.serviceName}</p>
    </div>);
  })
}

/* <div className="flex flex-row gap-x-3 items-center">
  <div className="image flex p-4 justify-center items-center rounded-full border border-neutral-800 bg-neutral-900">
    image here
  </div>
  <p>Lorem, ipsum.</p>
</div>
<div className="flex flex-row gap-x-3 items-center">
  <div className="image flex p-4 justify-center items-center rounded-full border border-neutral-8 bg-neutral-9">
    image here
  </div>
  <p>Lorem, ipsum.</p>
</div>
<div className="flex flex-row gap-x-3 items-center">
  <div className="image flex p-4 justify-center items-center rounded-full border border-neutral-8 bg-neutral-9">
    image here
  </div>
```

```
<p>Lorem, ipsum.</p>
</div> *}
</div>

<div className="course-include w-full flex flex-col gap-y-6 items-start">
  <div className="flex flex-col gap-y-2">
    <h2 className="text-3xl font-medium">This Course Includes</h2>
    <p className="text-base font-normal">
      Lorem ipsum dolor sit amet consectetur adipisicing elit.
      Molestias, quia illo. Nisi quam, aut dolore et quo dolorum
      nostrum. Sunt.
    </p>
  </div>
  </div>
</div>

<div className="relative w-full max-w-[500px] px-8 hidden lg:flex"></div>
</div>

<div className=" pt-5 pb-5">
  <h1 className=" text-2xl mb-4">
    Why people choose this course for their career
  </h1>
  <div className="flex justify-evenly items-center flex-wrap w-full ">
    {feedBack.map((data) => {
      return (
        <div className=" lg:w-1/5 border rounded-xl h-60 md:w-1/2 bg-slate-200 dark:bg-[#19191A] border-[rgba(255,255,255,0.10)] ">
          <div className="heading-part flex gap-3 p-4">
            <img
              className=" rounded-[50%] object-cover"
              src={data.thumbnail}
              alt="user-Image"
            />
          <div className="user-data flex flex-col px-3">
            <h1>{data.username}</h1>
```

```

<p>{data.learner}</p>
</div>
</div>
<div className="message-part px-3">
  <p className=" gap-3">"{data.message}"</p>
</div>
</div>
);
})}
</div>
</div>
</div>
);
}

export default CourseDetail;

```

File Name: Contact.jsx

```

import React from "react";
import { Link } from "react-router-dom";
function Contact() {
  const inputFields = [
    {
      id: 1,
      label: {
        for: "",
        text: "Name",
        mandatory: true,
      },
      input: {
        type: "text",
        placeholder: "Enter Name",
      },
    },
  ];
}

```

```
id: 2,
label: {
  for: "",
  text: "Email",
  mandatory: true,
},
input: {
  type: "text",
  placeholder: "Enter Email",
},
},
{
id: 3,
label: {
  for: "",
  text: "Phone Number",
  mandatory: true,
},
input: {
  type: "text",
  placeholder: "Enter phone number",
},
},
{
id: 4,
label: {
  for: "",
  text: "Subject",
  mandatory: true,
},
input: {
  type: "text",
```

```

placeholder: "Enter subbject",
},
},
];
const handleSubmit=(e)=>{
e.preventDefault();
console.log("Submission of form working");
}
return (
<section className=" dark:bg-black dark:text-white">
<div className="flex justify-center dark:bg-black text-white w-full bg-opacity-60"
style={{ backgroundImage: `url(https://media.istockphoto.com/id/1213738982/photo/male-college-
professor-gestures-during-lecture.jpg?s=612x612&w=0&k=20&c=vPvCqzyq3VUzjCaU-
PoMaxC1ncK386Q78Cdp7bUj2Mw=)` ,backgroundSize:"cover",backgroundPosition:"center",backgroundClip:"content-box",backgroundRepeat:"no-repeat" }}>
<div className=" flex w-4/5 items-center h-[50vh] dark:text-white">
<h1 className=" text-5xl px-10 " style={{fontWeight:"bolder" }}>Get In Touch</h1>
<p></p>
</div>
</div>
<div className="form lg:w-4/5 lg:h-[75vh] flex m-auto md:w-full dark:bg-black dark:text-
white">
<div className="form lg:w-[60%] md:w-full h-full bg-slate-300">
<div className="form-values px-10 py-12 dark:bg-[#181a1b] dark:text-white">
<div className="flex justify-center items-center">
<h1 className=" py-5 text-4xl">Send us a Message</h1>
</div>
<form action="" onSubmit={handleSubmit}>
<div className="grid gap-8 md:grid-cols-2 grid-cols-1 mb-8">
{inputFields.map((field) => {
return (
<div key={field.id} className="flex flex-col gap-2">
<label htmlFor={field.label.for}>
{field.label.text} {" "}

```

```
{field.label.mandatory ? (
    <span className="text-red-500">*</span>
) : (
    ""
)}
```

</label>

```
<input
    type={field.input.type}
    placeholder={field.input.placeholder}
    className="flex border rounded-md py-3 px-5 dark:text-white dark:bg-transparent
outline-none"
    />
```

</div>

```
);
```

```
))}
```

</div>

```
<div className="flex flex-col gap-2">
    <label htmlFor="">
        Message <span className="text-red-500">*</span>
    </label>
```

<input

```
    type="text"
    className="flex border rounded-md py-3 px-5 w-full dark:text-white dark:bg-transparent"
    placeholder="Drop a message .."
    />
```

</div>

```
<div className="flex justify-center">
    {/* <label htmlFor="">Message<span className="text-red-500">*</span></label> */}
    <button className="justify-center whitespace nowrap font-medium ring-offset-background
transition-colors focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-ring focus-
visible:ring-offset-2 border px-6 h-12 py-1 flex items-center gap-3 xl:text-xl text-lg lg:h-[4rem]
hover:bg-brand rounded-[0.4rem] lg:mt-4 hover:bg-[#333f90]">
```

Submit 

```
</button>

</div>

</form>

</div>

</div>

<div className="flex flex-col justify-center sm:items-start items-center gap-4 bg-[#333f90] px-5 py-8 text-[#fff] lg:w-[40%] md:w-[40%]">

  <p className=" text-2xl">Contact Information</p>

  <div className="grid h-[440px] place-content-center w-2/3 place-self-center gap-4">

    <h3 className=" text-center text-3xl">✉ </h3>

    <h3> abc@dev.com</h3>

  </div>

  <div className="flex items-center gap-5 text-xl md:text-3xl">

    <Link to="#" className="text-gray-500 hover:text-gray-900">

      <svg
        className="w-4 h-4"
        aria-hidden="true"
        xmlns="http://www.w3.org/2000/svg"
        fill="currentColor"
        viewBox="0 0 8 19"
      >

        <path
          fill-rule="evenodd"
          d="M6.135 3H8V0H6.135a4.147 4.147 0 0 0-4.142
4.142V6H0v3h2v9.938h3V9h2.0211.592-3H5V3.591A.6.6 0 0 1 5.592 3h.543Z"
          clip-rule="evenodd"
        />

      </svg>

      <span className="sr-only ">Facebook page</span>
    </Link>

    <Link to="#" className="text-gray-500">

      <svg
        className="w-4 h-4"

```

```

aria-hidden="true"
xmlns="http://www.w3.org/2000/svg"
fill="currentColor"
viewBox="0 0 21 16"

>

<path d="M16.942 1.556a16.3 16.3 0 0 0-4.126-1.3 12.04 12.04 0 0 0-.529 1.1 15.175
15.175 0 0 0-4.573 0 11.585 11.585 0 0 0-.535-1.1 16.274 16.274 0 0 0-4.129 1.3A17.392 17.392 0 0
0 .182 13.218a15.785 15.785 0 0 0 4.963 2.521c.41-.564.773-1.16 1.084-1.785a10.63 10.63 0 0 1-
1.706-.83c.143-.106.283-.217.418-.33a11.664 11.664 0 0 0 10.118 0c.137.113.277.224.418.33-
.544.328-1.116.606-1.71.832a12.52 12.52 0 0 0 1.084 1.785 16.46 16.46 0 0 0 5.064-2.595 17.286
17.286 0 0 0-2.973-11.59ZM6.678 10.813a1.941 1.941 0 0 1-1.8-2.045 1.93 1.93 0 0 1 1.8-2.047
1.919 1.919 0 0 1 1.8 2.047 1.93 1.93 0 0 1-1.8 2.045Zm6.644 0a1.94 1.94 0 0 1-1.8-2.045 1.93 1.93
0 0 1 1.8-2.047 1.918 1.918 0 0 1 1.8 2.047 1.93 1.93 0 0 1-1.8 2.045Z" />

</svg>
<span className="sr-only ">Discord community</span>
</Link>
<Link to="#" className="text-gray-500">
<svg
  className="w-4 h-4"
  aria-hidden="true"
  xmlns="http://www.w3.org/2000/svg"
  fill="currentColor"
  viewBox="0 0 20 17"

>
<path
  fill-rule="evenodd"
  d="M20 1.892a8.178 8.178 0 0 1-2.355.635 4.074 4.074 0 0 0 1.8-2.235 8.344 8.344 0 0
1-2.605.98A4.13 4.13 0 0 0 13.85 0a4.068 4.068 0 0 0-4.1 4.038 4 4 0 0 0 .105.919A11.705 11.705 0
0 1 1.4.734a4.006 4.006 0 0 0 1.268 5.392 4.165 4.165 0 0 1-1.859-.5v.05A4.057 4.057 0 0 0 4.1
9.635a4.19 4.19 0 0 0 1-1.856.07 4.108 4.108 0 0 0 3.831 2.807A8.36 8.36 0 0 1 0 14.184 11.732
11.732 0 0 0 6.291 16 11.502 11.502 0 0 0 17.964 4.5c0-.177 0-.35-.012-.523A8.143 8.143 0 0 0 20
1.892Z"
  clip-rule="evenodd"
>
</svg>
<span className="sr-only ">Twitter page</span>
</Link>

```

```
<Link to="#" className="text-gray-500">  
  <svg  
    className="w-4 h-4"  
    aria-hidden="true"  
    xmlns="http://www.w3.org/2000/svg"  
    fill="currentColor"  
    viewBox="0 0 20 20"  
  >  
  <path  
    fill-rule="evenodd"  
    d="M10 .333A9.911 9.911 0 0 0 6.866 19.65c.5.092.678-.215.678-.477 0-.237-.01-1.017-.014-1.845-2.757.6-3.338-1.169-3.338-1.169a2.627 2.627 0 0 0-1.1-1.451c-.9-.615.07-.6.07-.6a2.084 2.084 0 0 1 1.518 1.021 2.11 2.11 0 0 0 2.884.823c.044-.503.268-.973.63-1.325-2.2-.25-4.516-1.1-4.516-4.9A3.832 3.832 0 0 1 4.7 7.068a3.56 3.56 0 0 1 .095-2.623s.832-.266 2.726 1.016a9.409 9.409 0 0 1 4.962 0c1.89-1.282 2.717-1.016 2.717-1.016.366.83.402 1.768.1 2.623a3.827 3.827 0 0 1 1.02 2.659c0 3.807-2.319 4.644-4.525 4.889a2.366 2.366 0 0 1 .673 1.834c0 1.326-.012 2.394-.012 2.72 0 .263.18.572.681.475A9.911 9.911 0 0 0 10 .333Z"  
    clip-rule="evenodd"  
  />  
  </svg>  
  <span className="sr-only ">GitHub account</span>  
</Link>  
  
<Link to="#" className="text-gray-500">  
  <svg  
    className="w-4 h-4"  
    aria-hidden="true"  
    xmlns="http://www.w3.org/2000/svg"  
    fill="currentColor"  
    viewBox="0 0 20 20"  
  >  
  <path  
    fill-rule="evenodd"  
    d="M10 0a10 10 0 1 0 10 10A10.009 10.009 0 0 0 10 0Zm6.613 4.614a8.523 8.523 0 0 1 1.93 5.32 20.094 20.094 0 0 0-5.949-.274c-.059-.149-.122-.292-.184-.441a23.879 23.879 0 0 0-.566-1.239 11.41 11.41 0 0 0 4.769-3.366ZM8 1.707a8.821 8.821 0 0 1 2-.238 8.5 8.5 0 0 1 5.664 2.152
```

```

9.608 9.608 0 0 1-4.476 3.087A45.758 45.758 0 0 0 8 1.707ZM1.642 8.262a8.57 8.57 0 0 1 4.73-
5.981A53.998 53.998 0 0 1 9.54 7.222a32.078 32.078 0 0 1-7.9 1.04h.002Zm2.01 7.46a8.51 8.51 0 0
1-2.2-5.707v-.262a31.64 31.64 0 0 0 8.777-1.219c.243.477.477.964.692 1.449-.114.032-.227.067-
.336.1a13.569 13.569 0 0 0-6.942 5.636l.009.003ZM10 18.556a8.508 8.508 0 0 1-5.243-1.8 11.717
11.717 0 0 1 6.7-5.332.509.509 0 0 1 .055-.02 35.65 35.65 0 0 1 1.819 6.476 8.476 8.476 0 0 1-
3.331.676Zm4.772-1.462A37.232 37.232 0 0 0 13.113 11a12.513 12.513 0 0 1 5.321.364 8.56 8.56 0
0 1-3.66 5.73h-.002Z"

```

```

    clip-rule="evenodd"

  />

</svg>
<span className="sr-only ">Dribbble account</span>
</Link>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
);
}

export default Contact;

```

File Name: Article.jsx

```

import React,{useEffect, useState} from 'react'

const allArticleData=[

{ id:1,
  title:"13 Media Sites to Keep You in the Know",
  imgSrc:"https://gijn.org/wp-content/uploads/2017/12/Group-Shot-1170x710.jpg",
  firstLine:"This article is also available in Arabic, French, Russian and Spanish.",
  description:"When automobiles were invented, a carriage driver might have thought that he just
needed to learn a few new tricks to be able to make the shift from the reins to the wheel. In exactly
that same way, many reporters imagine that learning some basic digital techniques and “Googling”"
},
{ id:2,
  title:"Supream Court News",
  imgSrc:"https://gijn.org/wp-content/uploads/2017/12/Group-Shot-1170x710.jpg",
  firstLine:"This article is also available in India.",
  description:" Lorem ipsum, dolor sit amet consectetur adipisicing elit. Repudiandae omnis pariatur
cupiditate consectetur cum voluptatibus sint eligendi nesciunt voluptatem officia!"
}
]
```

```
    },
    { id:3,
      title:"Dog Killer Fears",
      imgSrc:"https://a57.foxnews.com/static.foxnews.com/foxnews.com/content/uploads/2024/03/331/186/dog-in-river.jpg?tl=1&ve=1",
      firstLine:"Experts warn parasite that could be deadly to pets is spreading across United States",
      description:"Potentially fatal dog parasite found in part of Colorado River for first time, having spread from other states"
    },
    { id:4,
      title:"13 Media Sites to Keep You in the Know",
      imgSrc:"https://a57.foxnews.com/prod-hp.foxnews.com/images/2024/03/627/353/b4419642d965109e58490eaad98659ed.jpg?tl=1&ve=1",
      firstLine:"Study blows lid off 16 years of Google's election manipulations.",
      description:"When automobiles were invented, a carriage driver might have thought that he just needed to learn a few new tricks to be able to make the shift from the reins to the wheel. In exactly that same way, many reporters imagine that learning some basic digital techniques and “Googling”"
    }
  ]
}

function Article() {

// let articleData=allArticleData;

const [articleData, setArticleData]=useState([]);
const [searchInput, setSearchInput]=useState("");
useEffect(()=>{
  let
  newData=allArticleData.filter((data)=>(data.title.toLowerCase().includes(searchInput.toLowerCase())))
);
  console.log(searchInput);
  console.log(articleData);
  setArticleData(newData);

},[searchInput])
```

```

return (
<div className='mx-auto max-w-maxScreen pb-20 mt-[10vh] dark:bg-black dark:text-white'>
  <div className='container-main mx-auto my-10 gap-x-5 flex flex-row justify-evenly pt-2'>
    <div className='left-part w-full lg:w-[70%] px-4'>
      <div className='mx-auto w-full justify-center flex flex-col'>
        <input type="text" onChange={(e)=>{
          setSearchInput(e.target.value);
        }} placeholder='Search Articles ..' className='w-full px-4 py-2 border focus:outline-none
text-neutral-2 dark:bg-black dark:border-gray-100/40 rounded' />
        {articleData.length>0?(<ul className='items-center gap-1 flex flex-col'>
        {
          articleData.map((data)=>{
            return (<div key={data.id} className='w-full'>
              <div className='border-b border-b-neutral-2/30 group py-8 flex flex-col-reverse gap-y-5
sm:flex-row items-center justify-center sm:justify-between px-1 gap-x-10'>
                <div className='w-full bg-green-300/0 flex flex-col justify-between gap-y-2 sm:w-
[85%] h-[190px]'>
                  <h1>{data.title}</h1>
                  <p>{data.firstLine}</p>
                  <p>{data.description}</p>
                </div>
                <div className='Image-portion relative overflow-hidden bg-slate-100'>
                  <img src={data.imgSrc} alt="image-articles" className=' w-[20rem] max-sm:2-
[30rem]' />
                </div>
              </div>
            </div>
          )
        )
      })
    }
  </ul>):(<div className=' flex flex-col justify-center items-center p-10 flex-wrap dark:bg-
[#2d2c2c]'>
  <img className=' lg:w-[20rem] max-md:w-[12rem] rounded-[5rem]'>
  src="https://imgs.search.brave.com/K3qeJtm_up-
upl3RLJWUvn5gAAdCoNqMoXs5Gox95xU/rs:fit:860:0:0:g:ce/aHR0cHM6Ly93d3cu/cHVibGljZG9

```

```

tYWlu/cGljdHVyZXMu bmV0/L3BpY3R1cmVzLzI4/MDAwMC92ZWxrYS9u/b3QtZm91bmQtaW1
h/Z2UtMTUzODM4NjQ3/ODdsdS5qcGc" alt="" />

    <h1 className=' text-3xl text-red-500 p-10 text-center flex'>Result not found ...</h1>
    </div>)
</div>
</div>

<div className="right-part w-[300px] hidden lg:flex flex-col gap-y-6">
    <div className=' border p-4 rounded-lg border-slate-500/10 dark:bg-[#181a1b] dark:border-gray-100/40'>
        <h1 className=' flex gap-3 text-2xl font-bold'>Latest Articles</h1>
        <p className=' gap-2 text-xl'>SBI Bank got Hitup by Supream Court Of
<strong>INDIA</strong> </p>
        <p>Lorem ipsum dolor, sit amet consectetur adipisicing elit. Rem delectus qui obcaecati!</p>
        </div>
        </div>
        </div>
    </div>
</div>
)>

```

export default Article

File Name: Login.jsx

```

import React from 'react'
import image from './google.png'
function Login() {
    return (
        <div className=' flex justify-center items-center dark:bg-black dark:text-white mt-[10vh] py-10'>
            <div className='flex flex-col py-14 px-3 sm:px-8 gap-y-8 items-start bg-slate-200 dark:bg-[#19191A] border dark:border-[rgba(255,255,255,0.10)] rounded-3xl'>
                <div className='login-by-google'>
                    <div className='flex flex-col items-start gap-y-2'>
                        <p className='font-semibold text-3xl'>Secure Access Made Simple</p>
                        <p className='text-base font-normal max-w-lg'>For accessing your account. Pick your
                            preferred login method.</p>
                    </div>
                </div>
            </div>
        </div>
    )
}

```

```

<div className='w-full flex flex-col gap-y-8 items-start px-4 sm:px-20 mx-auto'>
  <div className='w-full flex flex-col items-start gap-4 self-stretch cursor-pointer'>
    <p className='flex items-center justify-center gap-x-3 text-base font-medium px-3 border border-black dark:border-[rgba(255,255,255,0.10)] rounded-3xl py-2 duration-500 hover:bg-slate-800 hover:text-white'>
      <span><img className='w-5' src={image} alt="" /></span> Continue with google
    </p>
  </div>
  <div className='flex items-center gap-3 self-stretch'>
    <div className='w-full h-[1px] bg-black dark:bg-gray-300'></div>
    <p className='text-sm font-normal dark:text-gray-300 min-w-fit'>or register with email</p>
    <div className='w-full h-[1px] bg-black dark:bg-gray-300'></div>
  </div>
  <form action="" onSubmit={(e)=>{e.preventDefault()
    console.log(document.getElementById('email').value);}} className='flex flex-col items-center gap-y-4 self-stretch'>
    <div className='w-full flex flex-col gap-2 items-center'>
      <div className='w-full rounded-btn flex gap-3 items-center px-4 py-3 border border-black dark:border-[rgba(244,238,238,0.1)] rounded-[5rem]'>
        <label htmlFor="email">✉ </label>
        <input type="text" id='email' name='email' placeholder='Enter your Email' className='dark:text-white focus:outline-none w-full font-medium text-base placeholder:font-medium dark:placeholder:text-white bg-transparent' />
      </div>
      <button>Don't have an account ?</button>
    </div>
    <button className=' max-md:hidden lg:inline-flex items-center justify-center whitespace-n nowrap rounded-3xl text-xl mr-4 font-medium ring-offset-background transition-colors focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-ring focus-visible:ring-offset-2 px-6 py-2 disabled:pointer-events-none disabled:opacity-50 text-white h-auto bg-indigo-600 hover:bg-indigo-700'>Get Started</button>
  </form>
</div>
</div>

```

```
</div>
</div> )}

export default Login
```

File Name: index.html

```
<!doctype html>


<html lang="en">

<head>
  <meta charset="UTF-8" />
  <link rel="icon" type="favicon" href="/Jornalist/public/favicon.ico" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0" />
  <title>Journalist | Arun</title>
</head>


<body>
  <div id="root"></div>
  <script type="module" src="/src/main.jsx"></script>
</body>
</html>
```

Snapshot of project


Home page or Landing Page




About Section



Footer Section



Courses Section




The screenshot shows a dark-themed website interface for a course platform. At the top, there's a navigation bar with icons for user profile, Home, Courses (which is highlighted in blue), Contact, and Articles. To the right of the navigation are 'Sign Up' and a toggle switch. Below the navigation, the word 'Courses' is centered. The main content area displays three course cards:

- Media ethics & governance**: A thumbnail of a person at a typewriter. Price: ₹ 2010 → ₹ 4567 (56% off).
- Gathering and Developing the News**: A thumbnail of a video camera and a monitor. Price: ₹ 2255 → ₹ 5499 (59% off).
- Good with Words: Writing & Editing**: A thumbnail of hands typing on a laptop keyboard. Price: ₹ 1139 → ₹ 2367 (47% off).

At the bottom of the page, a large blue search bar contains the placeholder text "What would you like to learn ?".

Course Detail Section



This screenshot shows a detailed view of a course page for "Media ethics & governance". The top navigation bar is identical to the previous screenshot. The breadcrumb navigation shows "Home > Courses > Media ethics & governance". It indicates that 3300 people are already enrolled.


Media ethics & governance
Course Duration 4 week
30+ Lectures | English, Hindi, Hinglish | 4.8 ★★★★☆

About Course
Media ethics & governance
Lorem ipsum dolor sit amet consectetur adipisicing elit. Commodi minus est maxime. Fugiat hic quo animi blanditiis saepe velit quasi?
Lorem ipsum dolor sit amet consectetur adipisicing elit. Voluptas aliquam illum fugiat, nisi, recusandae vitae quaerat similique porro sapiente sunt libero vel distinctio nesciunt doloremque. Excepturi tenetur culpa fugit ex vero, aliquam, perferendis consequuntur, labore veritatis impedit illum facilis qui!

Mode of the Course LIVE + Recordings | No. of Lectures 60 LIVE lectures + Recordings

₹2010 ₹4567
This Course Includes :
✓ No Pre-requisite Required
✓ 170+ hours On-Demand Video

Contact Section



This screenshot shows a contact form page. The top navigation bar is consistent with the other sections. The main heading is "Get In Touch". Below it, there's a large input field for "Send us a Message". At the bottom of the page, there are two input fields: "Name *" and "Email *". To the right, there's a "Contact Information" section.

Article Section

The screenshot shows a dark-themed website interface. At the top, there is a navigation bar with icons for Home, Courses, Contact, and Articles. To the right of the navigation is a "Sign Up" button and a toggle switch. Below the navigation, there is a search bar labeled "Search Articles ..". A sidebar on the right is titled "Latest Articles" and lists a single item: "SBI Bank got Hitup by Supream Court Of INDIA" with a short description below it. The main content area displays three articles with images:

- 13 Media Sites to Keep You in the Know**
This article is also available in Arabic, French, Russian and Spanish.
When automobiles were invented, a carriage driver might have thought that he just needed to learn a few new tricks to be able to make the shift from the reins to the wheel. In exactly that same way, many reporters imagine that learning some basic digital techniques and "Googling"
- Supream Court News**
This article is also available in India.
Lorem ipsum, dolor sit amet consectetur adipisicing elit. Repudiandae omnis pariatur cupiditate consectetur cum voluptatibus sint eligendi nesciunt voluptatem officia!
- Dog Killer Fears**

Signup/Login Section

The screenshot shows a dark-themed website interface. At the top, there is a navigation bar with icons for Home, Courses, Contact, and Articles. To the right of the navigation is a "Sign Up" button and a toggle switch. The main content area features a central call-to-action box with the heading "Secure Access Made Simple" and the subtext "For accessing your account. Pick your preferred login method.". It includes a "Continue with google" button and a "or register with email" link. Below this, there is an "Enter your Email" input field and a "Don't have an account ?" link. At the bottom of the box is a "Get Started" button. At the very bottom of the page, there is a footer with links for Resources (Home, About), Follow Us (Github), and Legal (Privacy Policy, Terms & Conditions).

Thanks for your patient 🙏.

Aman Kumar Yadav