CBSE CLASS X • INFORMATION TECHNOLOGY (SUBJECT CODE 402)

UNIT 2: ELECTRONIC SPREADSHEET (ADVANCED) — CHAPTER 4

ANALYSE DATA USING SCENARIOS AND GOAL SEEK — NOTEBOOK & REVISION NOTES

Syllabus Sub-Unit 1 Complete Theory • Consolidating Data • Subtotals • Scenarios • Multiple Operations • Goal Seek & Solver

---

1. Data Analysis Tools in LibreOffice Calc

Spreadsheet software provides specialized analytical tools to help managers make strategic financial and operational decisions. These tools fall into two main categories: forward analysis (testing how changes in input values impact formulas) and backward analysis (determining the inputs required to achieve an exact target outcome).

- **Consolidating Data:** Aggregates and combines scattered data from multiple sheets or workbooks into a single master summary sheet while applying summary functions like Sum or Average.
- **Subtotals:** Groups related data rows sharing common categorical attributes and computes intermediate totals/averages along with a grand total.
- **What-If Analysis (Scenarios & Multiple Operations):** Tests alternative possibilities by swapping input variables to evaluate and compare different outcomes in a spreadsheet model.
- **Goal Seek & Solver:** Back-solving tools where the target formula result is fixed, and Calc calculates backward to find the necessary input variable(s) or optimum combination under constraints.

2. Consolidating Data in LibreOffice Calc

Definition: Data Consolidation is the process of collecting, integrating, and summarizing data from multiple source ranges (located in different sheets or workbooks) into a designated destination range while applying a specific function (Sum, Average, Count, Max, Min).

- **Core Purposes & Benefits:**
  1. *Aggregate Viewing:* Summarizes branch/departmental records into a single corporate overview to identify broad trends and relationships.
  2. *Cross-Sheet & Cross-Workbook Support:* Integrates tables from separate sheets (e.g., *Branch1*, *Branch2*, *Branch3*) or separate .ods files.
  3. *Flexible Header Matching:* Works even when table layouts differ across sheets by matching data based on row labels and column labels.
  4. *Dynamic Linking:* When linked, changes in source sheets automatically reflect in the consolidated sheet without manual recalculation.
- **Prerequisites Before Consolidating Data:**
  - *Standardized Labels:* Column headers and row labels must have identical spelling and formatting across all source sheets.
  - *Consistent Data Types:* Data under matching headers must be numeric and logically structured.
- **Menu Path: Data → Consolidate...**

Consolidate Dialog Box — Structural Components & Options:

Dialog Element	Type / Location	Function & Practical Importance
Function Box	Top drop-down	Selects the aggregation formula. **Sum is the default function**. Available: Average, Count, Max, Min, Product, StDev, Var.
Consolidation ranges	Upper central listbox	Displays all source ranges currently added across different sheets for consolidation.
Source data ranges	Lower input fields	Allows selecting a predefined *Named Range* (defined via *Data → Define Range*) or selecting a range with the mouse and clicking **Add**.
Copy results to	Target range field	Specifies the upper-left cell of the destination sheet where the consolidated table will begin.
Row / Column labels	Under Options (+)	Checkboxes to consolidate data using text labels. Mandatory when table layouts differ between sheets.
Link to source data	Under Options (+)	**Crucial Checkbox:** When checked, creates dynamic links so modifications in source sheets **automatically update** the consolidated sheet.

Step-by-Step Procedure to Consolidate Data:

Step 1: Open the document containing the source ranges (e.g., *Sheet1*, *Sheet2*, *Sheet3*) and select the destination sheet (e.g., *Sheet4*).

Step 2: Choose **Data → Consolidate...** from the Menu bar. The *Consolidate* dialog opens.

Step 3: In the **Function** box, select the required function (e.g., **Sum** or **Average**).

Step 4: In **Source data ranges**, select the range from *Sheet1* (e.g., Sheet1.B4:B10) and click **Add**. Repeat for *Sheet2* and *Sheet3*.

Step 5: In **Copy results to**, select the starting target cell (e.g., Sheet4.B4).

Step 6: Click **Options (+)**: check *Row labels* and/or *Column labels* as needed, and check **Link to source data** for live updates.

Step 7: Click **OK**. The consolidated table is populated starting at the target cell.

3. Groups and Subtotals in LibreOffice Calc

Definition: The **Subtotal** tool automatically groups rows of related data sharing identical values in a designated categorical column, computes intermediate mathematical subtotals (Sum, Average, Count) for numeric fields, and appends a final **Grand Total** at the bottom.

- **Mandatory Pre-Sorting Rule:** The dataset **must be sorted** by the grouping column before applying Subtotals. If unsorted, Calc creates separate, fragmented subtotals every time a duplicate value reappears in non-adjacent rows.
- **Column Headers Required:** The table must have clear column labels in row 1 for Calc to identify category groups and values to calculate.
- **Maximum 3 Nesting Levels:** Calc supports up to **3 levels of grouping** (represented by the *1st Group*, *2nd Group*, and *3rd Group* tabs in the Subtotals dialog).

A.S. NOTES IT-402

- **Interactive Outline View:** Calc creates an automatic outline margin on the left with level buttons (**1, 2, 3**) and plus/minus (**+/-**) controls to expand or collapse detailed rows.
- **Automatic Recalculation:** When values in calculated numeric cells are modified, Calc automatically recalculates the subtotals and grand totals.

Step-by-Step Procedure to Calculate Subtotals:

Step 1: Select and sort the data range by the category column (e.g., sorted by *Manufacturer* or *Department*).

Step 2: Highlight the entire table, including column labels and data rows.

Step 3: Choose **Data** → **Subtotals...** from the Menu bar. The *Subtotals* dialog box opens.

Step 4: On the **1st Group** tab, select the grouping column in the **Group by** drop-down (e.g., *Manufacturer*).

Step 5: In the **Calculate subtotals for** listbox, check the numeric column(s) to calculate (e.g., *Sales*).

Step 6: In the **Use function** listbox, select the summary function (e.g., **Sum**, **Average**).

Step 7: (Optional) Use *2nd Group* and *3rd Group* tabs for nested sub-groupings (e.g., secondary grouping by *Model*).

Step 8: Click **OK**. Grouped subtotals and an overall Grand Total row are inserted automatically.

4. What-If Analysis: Scenarios

Definition: What-If Analysis is the process of altering values in input cells to observe and forecast how those changes affect dependent formulas. A **Scenario** is a saved set of alternative input values (e.g., differing interest rates, sales figures, loan durations) that can be named, stored, and instantly substituted on the worksheet.

- **Named Comparison Models:** Each scenario is given a distinct name (e.g., *Car_Loan_4yr*, *Car_Loan_5yr*, *Best_Case*, *Worst_Case*).
- **Instant Switching:** Users can switch between saved scenarios using the drop-down title bar on the sheet border or through the **Navigator (F5)** pane.
- **Visual Border Color:** Each scenario can display a distinct colored border to clearly differentiate active models.
- **Minimum Selection Requirement:** You must select at least **two cells** that will change between scenarios.
- **The 'Copy Back' Setting:** The *Copy back* checkbox copies manual edits made to scenario cells back into the active scenario definition.
  - *Notebook Rule:* For static, locked scenario models where original values must stay protected, **uncheck 'Copy back'** and check **'Prevent changes'**.

Step-by-Step Procedure to Create & Use Scenarios:

Step 1: Set up the base model with input cells (e.g., Loan Amount, Term, Interest Rate) and formula cells (e.g., EMI).

Step 2: Select the input cells that will vary between scenarios (hold **Ctrl** for non-contiguous cells; select at least two cells).

Step 3: Choose **Tools** → **Scenarios...** from the Menu bar. The *Create Scenario* dialog box opens.

Step 4: Enter a descriptive name in the **Name of Scenario** box (e.g., *Car_Loan_4yr*). Add optional comments.

Step 5: Under Settings, check **Display border**, pick a border color, and **uncheck 'Copy back'**. Click **OK**.

Step 6: Modify the input cells with alternative values (e.g., change instalments from 48 to 60).

Step 7: Select the same range, choose **Tools** → **Scenarios...**, enter a second name (e.g., *Car_Loan_5yr*), uncheck *Copy back*, and click **OK**.

Step 8: To toggle between outcomes, click the drop-down arrow on the scenario header bar on the sheet.

5. What-If Analysis: Multiple Operations (Data Tables)

Definition: The Multiple Operations tool generates a formula array table that calculates and displays results for multiple alternative input values simultaneously in a side-by-side comparative grid, rather than displaying one scenario at a time.

- **One-Variable Table:** Computes one or more formulas for a series of alternative values entered in either a single column or single row.
- **Two-Variable Table (Dual Array):** Computes a single formula across a matrix formed by **two intersecting arrays**: one set of alternative values placed in a column (e.g., interest rates: 9%, 10%, 11%, 12%, 13%) and a second set placed in a row just above (e.g., loan terms: 72, 84, 96 months).
- **Cell Detective:** The *Detective* tool (**Tools** → **Detective**) helps clarify the relationships and dependencies between formula cells and input cells when using Multiple Operations.
- **Menu Path: Data** → **Multiple Operations...**

Step-by-Step Procedure for Multiple Operations (Dual Array):

Step 1: Set up the original formula in the sheet (e.g., EMI formula in cell E5 referencing principal in B4, term in B5, rate in B6).

Step 2: Construct the alternative value matrix: enter one set of values in a column (e.g., rates in *F3:F7*) and another set horizontally in a row above (e.g., terms in *G2:I2*). Ensure the row and column values do not overlap.

Step 3: Select the entire matrix range containing both row/column values and blank result cells (e.g., range *F2:I7*).

Step 4: Choose **Data** → **Multiple Operations...** from the Menu bar.

Step 5: In **Formulas**, enter the original formula cell reference (e.g., E5).

Step 6: In **Row input cell**, enter the cell reference replaced by values in the row (e.g., B5 for term).

Step 7: In **Column input cell**, enter the cell reference replaced by values in the column (e.g., B6 for rate).

Step 8: Click **OK**. Calc populates the entire matrix array with calculated results.

AS-NOTES IT-402

6. Goal Seek & Solver (Back-Solving & Optimization Tools)

A. Goal Seek (Back-Solving for a Single Variable):
Goal Seek is a what-if analysis tool that performs **backward calculation**. When you know the desired target outcome of a formula but do not know the exact input value required to produce that result, Goal Seek calculates backward to find that exact input.

- **Single Variable Only:** Can adjust only **one input cell** at a time to reach a single target formula result.
- **Direct Formula Dependency:** The formula cell must directly or indirectly reference the variable cell being adjusted.
- **The 3 Fields in Goal Seek Dialog:**
  1. *Formula cell:* The cell containing the formula whose outcome you want to set (e.g., E5 for EMI, or cell calculating total marks).
  2. *Target value:* The exact numeric constant you want the formula to reach (e.g., 9800 or 75).
  3. *Variable cell:* The input cell that Calc is allowed to modify to reach the target (e.g., B5 for term, or cell with 5th subject marks).
- **Menu Path: Tools → Goal Seek...**
  - *Execution:* Select *Tools → Goal Seek...* → Fill the 3 fields → Click **OK** → When prompted *'Goal Seek succeeded. Insert the result into the variable cell?'*, click **Yes** to update the cell, or **No** to cancel.

B. Solver Tool (Advanced Optimization with Constraints):
Solver is an advanced, elaborate extension of Goal Seek designed to handle complex optimization equations with **multiple unknown variables** and **multiple operational constraints (limits)**. While Goal Seek finds an exact value for one variable, Solver finds the best combination of multiple variables to **maximize** or **minimize** a target formula (e.g., maximizing factory profit subject to limits on raw materials, labor hours, and production capacities).
Menu Path: Tools → Solver...

7. Master Comparison: Goal Seek vs. Solver

Comparison Parameter	Goal Seek	Solver
Primary Purpose	Calculates backward to find a specific input value for a **known exact target output**.	Optimizes a target formula by finding the **maximum or minimum** value under constraints.
Number of Variables	Strictly limited to **one variable cell** at a time.	Adjusts **multiple unknown variable cells** simultaneously.
Constraints Handling	**Cannot** handle operational constraints or limitations.	Applies **multiple constraints** (e.g., available materials, machine hours, non-negative limits).
Problem Complexity	Simple algebraic back-solving (e.g., marks needed in 5th subject to get 75%).	Complex optimization problems (e.g., product mix, portfolio budgeting, resource allocation).
Menu Path	Tools → Goal Seek...	Tools → Solver...

A.S. NOTES IT 402