UNIT 4: ELECTRONIC SPREADSHEET

LibreOffice Calc • Student Notebook Notes

1. INTRODUCTION TO SPREADSHEET

- **Electronic Spreadsheet:** A long sheet composed of horizontal rows and vertical columns on a computer screen, used to manage, calculate, and analyse numerical data systematically.
- **Common Uses:** Maintaining accounts, recording student marks, preparing invoices/bills, and performing mathematical, financial, or statistical analysis.
- **Popular Spreadsheet Software:** LibreOffice Calc, Microsoft Excel, OpenOffice Calc, Apple Numbers.
- **LibreOffice Calc:** A Free and Open-Source Software (FOSS) spreadsheet package. Its default workbook file extension is **.ods** (OpenDocument Spreadsheet).

2. STRUCTURE OF A WORKSHEET

- **Worksheet / Spreadsheet:** The actual working area made of rows and columns. Multiple worksheets combine together to form a **Workbook**.
- **Rows:** Horizontal lines of cells identified by numbers (1, 2, 3, ...). Each sheet contains a maximum of **1,048,576** (2^{20}) rows.
- **Columns:** Vertical blocks identified by letters. In modern LibreOffice Calc & MS Excel, there are **16,384** columns (A to XFD); the NCERT textbook mentions **1,024** columns (A to AMJ).
- **Cell:** The intersection of a row and a column. It is the basic elementary unit where data is stored.
- **Cell Address:** Denoted by Column letter followed by Row number (e.g., A1, C15, LK89).
- **Active Cell:** The currently selected cell, displayed with a thick dark border. Its address appears in the **Name Box**.

3. KEY COMPONENTS OF CALC INTERFACE

Component	Description & Purpose
Title Bar	Located at the top; displays the current document name (Default: *Untitled 1*).
Menu Bar	Contains drop-down menus: File, Edit, View, Insert, Format, Styles, Sheet, Data, Tools, Window, Help.
Name Box	Displays the cell reference of the current active cell (e.g., B3).
Input Line	Part of the Formula Bar; displays cell content or formula and allows direct editing.
Sheet Tabs	Located at the bottom left; allows adding, deleting, and switching between sheets (Sheet1, Sheet2...).
Status Bar	Displays page details, current language, selection sum/average, and zoom slider.

4. KEYBOARD NAVIGATION & CELL RANGE

- `Ctrl + Home`: Moves the active cell pointer directly to **A1**.
- `Ctrl + End`: Moves to the bottom-right cell of the data range.
- `Home`: Moves the pointer to Column A of the current row.
- **Range of Cells:** A block of adjacent selected cells written with a colon (`:`):
  - **Column Range:** Cells along a vertical column (e.g., C2 : C7).
  - **Row Range:** Cells along a horizontal row (e.g., B3 : D3).
  - **Matrix Range:** A rectangular block across rows and columns (e.g., B2 : C7).

A.S. NOTES - IT (402)

5. TYPES OF DATA IN A SPREADSHEET

- **Labels (Text):** Words, letters, or mixed strings. By default, labels are **Left-aligned**.
- **Values (Numbers):** Numeric data (integers, decimal numbers, currency). By default, values are **Right-aligned**.
- **Formulae:** Any mathematical expression that begins with an equal sign (**=**). When entered, the cell displays the calculated value while the Input Line shows the formula.

6. MATHEMATICAL OPERATORS & EVALUATION ORDER

Calc follows standard mathematical precedence rules (BODMAS/PEMDAS):

Precedence	Operator	Operation	Example & Result
1st	`( )`	Parentheses / Brackets	`=(4+5)*3` → **27**
2nd	`^`	Exponentiation (Power)	`=2^3` → **8**
3rd	`*` and `/`	Multiplication & Division	`=10/2*3` → **15**
4th	`+` and `-`	Addition & Subtraction	`=8-4/2` → **6**

7. COMMONLY USED FUNCTIONS IN CALC

A function is a built-in program used to perform complex operations quickly. Syntax:
`=FUNCTION_NAME(Range/Arguments)`

Function	Syntax & Example	Definition & Purpose
SUM	`=SUM(Number1, Number2, ...)` `=SUM(A1:A5)`	Adds all the numerical values contained within the specified range of cells.
AVERAGE	`=AVERAGE(Number1, ...)` `=AVERAGE(B1:B10)`	Calculates the arithmetic mean (average) of numbers within the range.
MAX	`=MAX(Number1, Number2, ...)` `=MAX(C1:C10)`	Returns the largest numerical value in a given range of cells.
MIN	`=MIN(Number1, Number2, ...)` `=MIN(C1:C10)`	Returns the smallest numerical value in a given range of cells.
COUNT	`=COUNT(Value1, Value2, ...)` `=COUNT(A1:A10)`	Counts how many cells in the range contain numeric values only (ignores text and blank cells).
COUNTA	`=COUNTA(Value1, Value2, ...)` `=COUNTA(A1:A10)`	Counts all non-empty cells (counts both text and numbers; ignores only completely blank cells).

8. FORMATTING CELLS & DATA

- **Format Cells Dialog Box:** Shortcut key is **Ctrl + 1** (or `Format -> Cells`).
- **Decimal Places:** Under the *Number* tab, choose *Number* category to set desired decimal places (e.g., 2 decimal places: `45.50`).
- **Numbers as Labels / Text:** For data like Phone Numbers or PIN codes that start with '0', format the cells as **Text** category so the leading zero does not disappear.
- **Scientific Format:** Used to display very large or very small numbers in exponential notation (e.g., `1.23E+04` for 12300).
- **Date & Time Format:** By default, date follows `MM/DD/YYYY` (American format in NCERT); can be customized to `DD/MM/YYYY` or standard time format (`HH:MM:SS AM/PM`).
- **Alignment:** Align cell text horizontally (Left, Center, Right) or vertically (Top, Middle, Bottom).

9. SPEEDING UP DATA ENTRY: FILL HANDLE

- **Fill Handle:** The small solid black square located at the bottom-right corner of the active cell or selection.
- **Generating Series:** Enter the first two values of a pattern (e.g., `1, 2` or `Monday, Tuesday` or `Jan, Feb`), select both, and drag the fill handle downward to auto-generate the remaining series.
- **Copying Formulae:** Instead of retyping formulas across rows or columns, click on the fill handle of the formula cell and drag it over adjacent cells. Calc automatically adjusts references.

10. CELL REFERENCING (RELATIVE, MIXED, ABSOLUTE)

Referencing describes how cell addresses behave when a formula is copied from one cell to another:

Referencing Type	Example	How It Behaves on Copying / Dragging
Relative Reference (Default)	A1	Both row number and column letter change automatically relative to the new cell position. (e.g., =B1+C1 becomes =B2+C2).
Mixed Reference	$A1 or A$1	One part is fixed while the other is relative. $A1 keeps column A constant, while A$1 keeps row 1 constant.
Absolute Reference	A1	Both column and row are locked using dollar signs (**$**). The address never changes no matter where the formula is copied.

11. CHARTS IN ELECTRONIC SPREADSHEET

Importance of Charts: Charts provide a graphical representation of worksheet data, making comparison, trend analysis, and presentations easy to understand.
Steps to Insert Chart: Select data range → Go to `Insert -> Chart` → Select Chart Type → Click **Finish**.

- **Column Chart:** Uses vertical bars to compare values across categories.
- **Bar Chart:** Uses horizontal bars to compare items in groups.
- **Line Chart:** Displays continuous data points connected by lines; ideal for trends over time.
- **Pie Chart:** Circular chart showing proportional percentages of parts to a whole (100%).
- **XY (Scatter) Chart:** Compares pairs of values; used in science and engineering functions.

> **Important Summary Points for Exams:**
> • Formula always starts with **=** sign.
> • Default extension of Calc is **.ods**.
> • Labels are **Left-aligned**; Numbers are **Right-aligned**.
> • Total rows = **1,048,576**; Total columns = **16,384** (up to XFD) / **1,024** (NCERT textbook reference: up to AMJ).
> • **COUNT** counts only numeric values; **COUNTA** counts all non-blank cells (numbers + labels).
> • Shortcut for Format Cells is **Ctrl + 1**; Show Formula is **View -> Show Formula**.

FESIX - IT (402)