

Dashboard > automated-tasks > devops > Compute-Infrastructure > disk-and-memory-clear >

filebeat-restart-disk-clear →

General Description	Build Triggers	Advanced Project Options	Pipeline
[Plain text] P	review		
Jira site			
https://df7	6f661-4cbe-4768-a	119-13992dc4ce2d.hello.atlass	ian-dev. 🗸
	llow concurrent bu llow the pipeline to project	iilds o resume if the controller rest	arts
			~
Preserve Provide Rebuild opti	speed/durability on stashes from come alternate label for ons: ?  Without Asking For this Rebuilding for this	pleted builds ? Build Now r Parameters	
✓ This proj	ect is parameterise	ed ?	V
Strin ?	g Parameter	l	X
Name	e ?		
SER	VER_IP		
Defa	ult Value ?		
Desc	ription ?		
Ente	er the IP address of	the server which has high disk	usage
Plair	text] <b>Preview</b>		//
	rim the string ?		
		)	
	Apply		

**Dashboard** 

```
D..:14 T-:----
               automated-tasks
                                       devops
                                                     filebeat-restart-disk-clear
                                   ☐ Build when a change is pushed to GitLab. GitLab webhook URL:
                                   https://jenkins.mytaxi.lk/project/automated-tasks/devops/Compute-
                                  Infrastructure/disk-and-memory-clear/filebeat-restart-disk-clear ?
                                   ☐ GitHub hook trigger for GITScm polling ?
                                   □ Poll SCM ?
                                   \ \square Disable this project ?
                                   ☐ Quiet period ?
                                   ☐ Trigger builds remotely (e.g., from scripts) ?
                                   Advanced Project Options
                                                                                           Advanced...
                                   Pipeline
                                   Definition
                                    Pipeline script
                                      Script ?
                                             {\tt pipeline}~\{
                                               agent any options {
                                                    ansiColor('xterm')
                                                 }
stages {
                                                    stage('ssh and restart filebeat') {
                                                        steps {
                                                             sshagent(credentials: ['jenkins-openvpn']){
   sh "ssh -o StrictHostKeyChecking=no -l jenk
                                         10
11
12
13
14
15
16
17
                                         18
                                                post {
                                         20
                                      ✓ Use Groovy Sandbox ?
                                      Pipeline Syntax
```

Help us localize this page Jenkins 2.332.2

