



Dashboard

▶

automated-tasks

▶

devops

▶

Compute-Infrastructure

▶

disk-and-memory-clear

▶

supervisor-restart-mem-clear

▶

General

Build Triggers

Advanced Project Options

Pipeline

Description

[Plain text] Preview

Jira site

https://df76f661-4cbe-4768-a119-13992dc4ce2d.hello.atlassian-dev. ▼

☐ Discard old builds ?

☐ Do not allow concurrent builds

☐ Do not allow the pipeline to resume if the controller restarts

☐ GitHub project

GitLab Connection

▼

☐ Use alternative credential

☐ Pipeline speed/durability override ?

☐ Preserve stashes from completed builds ?

☐ Provide alternate label for Build Now

Rebuild options: ?

☐ Rebuild Without Asking For Parameters

☐ Disable Rebuilding for this job

☒ This project is parameterised ?

String Parameter

?

Name ?

SERVER_IP

Default

Save

Apply

X

Dashboard ▶ automated-tasks ▶ devops ▶ Compute-Infrastructure ▶ disk-and-memory-clear ▶ supervisor-restart-mem-clear ▶

[Plain text] [Preview](#)

☒ Trim the string ?

Add Parameter ▼

☐ Throttle builds ?

Build Triggers

- ☐ Build after other projects are built ?
- ☐ Build periodically ?
- ☐ Build when a change is pushed to GitLab. GitLab webhook URL: <https://jenkins.mytaxi.lk/project/automated-tasks/devops/Compute-Infrastructure/disk-and-memory-clear/supervisor-restart-mem-clear> ?
- ☐ GitHub hook trigger for GITScm polling ?
- ☐ Poll SCM ?
- ☐ Disable this project ?
- ☐ Quiet period ?
- ☐ Trigger builds remotely (e.g., from scripts) ?

Advanced Project Options

Advanced...

Pipeline

Definition

Pipeline script ▼

Script ?

Save

Apply

```
7
8
9
10
11
stage('ssh') {
  steps {
    sshagent(credentials: ['jenkins-openvpn']){
      sh "ssh -o StrictHostKeyChecking=no -l jenkins@10.10.10.10"
    }
  }
}
```

Dashboard ▶ automated-tasks ▶ devops ▶ Compute-Infrastructure ▶ disk-and-memory-clear ▶ supervisor-restart-mem-clear ▶

☒ Use Groovy Sandbox ?

[Pipeline Syntax](#)