Pre Lab: 1. write a screlt application to print the current date and time a) The most important advantage of using semlet is that we can use all the methods anoulable in control sava, the date does is available in sovoruti). porcoge nelow program shows how the to privil the current data and time . We can use simple bate obstat with tostring() to point aurent date and time pata sor java. portage Pi import iona. io. *; imposit javax, sevlet ex; public doss potary entents Generic servlet 1 llimplement service () Public void service (service paquest req, scruelt perponse ves) throws softmential, semeterception (

11 set response content type ves. set (ontent-type ("bent 1 html"). 11 get stream oby pointunter por resignification. Hunter req' processing bogit. sava. util. babe date 2 new java util. batel); Pu. Pahtin ("chaz" + "Current pata & Time;" + date (to String() + "ZIho"); 11 close stream object b Pw.close(); and the second of the second cussent pade frime: Thy oct 13 19:57:56 55T 1. write a cemet program that accepts the age and name and displays if the user is eligible fer noting or nout. A) Indev. html: Lidatype htmb Later long = "en">

Chead> Crieta Charset= "UTF-8"> · etitles votes App Lititles cheeds. and the state of L bedy >. Cform ochon = "vturi" method = "get"> chieldset style="wath: 20 1; backgroundcolor: # & ff cc "> ctable > eto ctds nome citds (tds comput type = "ten nomes "rames Lita> Lita> Lita> ety school age clids coop comput type = "tent" name = "age"> cita> city>. Ctv> Ctd> Cltd> Ctd> Choput type ""Submit" values "check valing eligibility, >4140 chables 4/17 LIARED Sets. L/forms C16cdy > CIHAMIS

vatersw.java package Pi impost Jana. io. +: inaport jeng. util. ... import sorvar-scorlet. import savax, solvet. http:// Public obes valerson entends Attosements Public void service (Https://etpaucos vog, Https:everketrepage ocs)thay 20 exception, served exception (11set response content type res. schoolbent-Type ("tout I home"); 11 get printunity abj printunte pui 2 ses getustais; 11 stad double from page as sequest povombes String name = veq. get parameter ("name"); int age : anteger, parseant (req. get parameter ("age")); if lage >= 18) Pw. printern ("z fort edair= "green" sizez us" + tramet " your and eligible to vak Ufands"

else Pw. PrintIn("cfont (dox = "red" sitt = "4" > "trainer "your are hat eligible to accomp vall ellentsing: Madd hypee While to dynamic pege **200** purposition (" cbx> cbx> ca bxcf-21 index-html's Hemeclas") Il close the stream puickee); Section of the Property of csemets! Lueb-apps and the little was eservel-names about servet inains cseMet -doors votusiev clseevlet -doors 2 servets coemet-mappings escevel-name about server-names eurs = Patterns /vtur/ clura -patterns ascended -mappings clueb app March 17 July 18

2. write a java program to ancept the details at geother (TId, name, Advess) from the user and inscet it into the database 3, 3 1 41 A' register home clactype html> 2 body > c form action = "servict leegista" method = "pests i thatback style = "width: 201," ! bockground -celox; #ccffeb"> 106. 11 that aligh si'center"> Registration form the the CHO ctab gad altab ctd> Lineat bype = "tent" name = "ID regumed 1> CHO. Ctrs Ctd> NameCldd Ctd> Linket type="tent" name="name" regulal > CIA? ZITVS.

260. CHOD ANTHORS CHOD. ctob etent area nome 21'address" place boilde 2 "Enter address here -- " screent arrascitas Cho Ltd> cinput type , "reset" value : beset 1> 11th ctds conput type = "submit" value = "pegista" b UEV> 2160 citables LI fieldsets. Offerms U body) 4 forms Degister. gava spackage Pi import Java. 10. x; import sava, salist; impost sawax, sewet sewet exceptors impost savax, servlet, hatpats

public class pegister entends Httpservlets Public word dopost (HHTPSCMet pequest sequest Httpsenletrespors response) throus scevel Exception (response, set (ordent Fyre ("teut / html"): printunte out = response get unite (); int it Integer, porseant (request-get porometer ("TI/"); string names request, get Parameter ("name"); storing address = request-get parameter ("address"); try 1 11 load the divel class-farvame ("apode: Jd be draws adde briver"). Il create connection object Connection to a EXIVEN Moragar, get Connection ("yolk; "oxock: thin"; @ local host: 1521: xe", "local", "test"); 11 create the prepared statement object Prepared statement ps= con. Prepare statement ("insect into reacher betaile waterces a arms

Resetant (1,1d); is setsting (errane); B. setshing (3:10 ddiess); int i = 100 enecute appare(1); if (ix) out-print ("you are registered successfully"). couldn (texception e) (Prohistock made (): out-obje(); web.xml Lueb -apps. csernet>. counter-rams peops to a server-rames coernet-class> regista c/sernet-class>. cisemets. cscenet-mappings csement names register clouder-names curl-patterns Iseaulet | Register 2/uni-patterns escellet-mappings

Zwelcome-file-lists . I. H.Kell welcome - files register. html 2 / welcome- 64 21 welcome - file-lists. clueb-app> authur. anput you are TId: 31448 success fully Nam: ahalan registered Addres: - RVPM post Lab 1. belails ntol chtons 1 bodys L form action z "I servet legister" method z " post"> Name: cinput type: "tent" name: "use name"s Cby> Cby>

password: Lingut type = "password" name = "warpas"

email. Id: Lithut type = "tent" names "unevernail" 19 CbO CbO

country: coelect name silver country's cophians sordia claphans captions stillanka Llophions. J 1 50 coptions other claptoons clockets cho cho citiput type : "submit-i" value : "register". Albedys. 2/htmb Ragister. Java package Pi import Java, io. 4 ; import Javax. sepulet. http: Import senant. servet servet exception; import java. 521. 4: Rublic does peopleto evends HATPerviet (Public void dorost (AHAPservier beautest sequent,)

5 11111 . 15/203 string e- request. get parametre ("usce-email"); Stoing C2 request- get parameted " user Country try class, fername l'avade id bc. donn, acode, donne prepared statement ps-con, prepare statement ("Inscet into register user values (12,2")")"); Ps. selshing(1,17); Ps. setstating(21p); Ps. setstmhy3, e); Ps. sct-Slmhgru, (); intiz ps. evenute supdate); if (1>0) out print ("you are successfully registered")catch (Exception e) (Syram, out-println (e) = 2 out dose(); web.xm1 cweb-apps coellet, cservlet-closs > Register 11 struct-doss cisemet,

coenlet - mappings Csernet-names Regnistae cisemet-names Scellet - mappings 2 welcome - files register. Hame 21 welcome - files Much app Sond! chavan you have accorbily 1.71 ak @grail.com register andia