Static-K GSM8K: complete analysis bundle

All 20 CSV/JSON files in results/gsm8k/static_k_analysis, plus the research report.

The following research report gives context. The appendices display every source file without truncation, with physical source-line numbers and wrapped continuations. Exact original bytes are embedded as PDF attachments for programmatic use; no rounding or missing-value imputation was applied.

Repository checkpoint: experiment/static-k, commit 54948cf, pushed before packaging.

Reading guide

Use PDF bookmarks to navigate. Read summary.csv and metric_definitions.json first. Per-candidate/prefix files are large because the bundle preserves every record. Literal 'unavailable' values remain unavailable. Figures are in the separate comparison bundle.

Source inventory

Source file	Contents
summary.csv	4 records; 80 columns
metric_definitions.json	Complete JSON
run_inventory.csv	4 records; 6 columns
configuration_audit.csv	116 records; 6 columns
checkpoint_metadata.csv	12 records; 9 columns
analysis_checks.json	Complete JSON
data_processing_checks.json	Complete JSON
missing_metrics.csv	20 records; 4 columns
figure_manifest.csv	16 records; 4 columns
evaluation_metrics.csv	12 records; 12 columns
phase_summary.csv	12 records; 13 columns
paired_test_comparison.csv	6 records; 8 columns
pipeline_distribution.csv	88 records; 6 columns
episode_metrics.csv	120 records; 37 columns
candidate_metrics.csv	1140 records; 16 columns
held_out_records.csv	120 records; 10 columns
observed_candidate_prefixes.csv	1020 records; 10 columns
repeated_pipeline_rewards.csv	722 records; 11 columns
reward_disagreements.csv	65 records; 20 columns
source_manifest.csv	45 records; 5 columns

Research report

Static-K GRPO on GSM8K: saved experimental results

Analysis date: 14 October 2026 (Asia/Dhaka). All results below come from saved artifacts. No training, checkpoint evaluation, or new LLM inference was performed. The original Figure 2 loss and all existing experiment artifacts were preserved.

Principal finding: K=5 has the highest validation-selected accuracy (7/10), the lowest measured training time (668.57 seconds), and the fewest training candidate evaluations (150). K=10 matches its held-out score (23/30) but uses twice the training evaluations. Increasing K does not produce a monotonic accuracy improvement or eliminate groups without a reward contrast. This is descriptive evidence from one seed and very small evaluation sets; it does not establish an optimal K or a statistically significant advantage.

1. Experimental configuration and comparability audit

The four completed runs found on disk are:

K	Run under `results/gsm8k/`	Selected checkpoint
5	`k5/seed42/baseline/20261013T174921-b1ad8988`	`episode_0030_689ac93f.pt`
8	`k8/seed42/baseline/20261013T181104-322720b3`	`episode_0000_694f9169.pt`
10	`k10/seed42/baseline/20261013T183759-77b8ce57`	`episode_0030_ebdecd4f.pt`
15	`k15/seed42/baseline/20261013T190031-8d8e40ec`	`episode_0000_29cb2d83.pt`

All four runs have identical recorded non-K configurations, hardware/package snapshots, initial policy digests, execution-model metadata, and selection manifests. Their shared controls are:

Control	Saved value
Dataset	`openai/gsm8k`, `main`
Dataset revision	`740312add88f781978c0658806c59bc2815b9866`
Policy	`gpt2`, revision `607a30d783dfa663caf39e06633721c8d4cfcd7e`
Initial policy digest	`e563ffe10e2eefeaf9d9a869d4cb43369cdddbe6875789caec4e1abd7c6adfd9`
Execution and semantic judge	`llama3.2:3b`, Q4_K_M, Ollama 0.33.2
Execution-model digest	`a80c4f17acd55265feec403c7aef86be0c25983ab279d83f3bcd3abbcb5b8b72`
Optimizer / learning rate	Fresh Adam / `1e-5`
Seed	42 in all runs
Recorded preset / actual episodes	`baseline` / **30**
Training pool / encountered questions	**50** / **22 unique questions in 30 draws**
Validation / held-out subset	**10** official training-split questions / **30** official test-split questions
Schedule	Same persisted 200-episode schedule; identical first 30 draws, with replacement
Selection digest	`fa3636bdff13ceb22c646ba250bd49ac056b8918d4921884b5e454e9fe8a643a`
Validation cadence	Configured interval 50; actual validation at episodes **0 and 30**
Checkpoints	Episodes 0, 25, 30 for every K
Execution settings	Temperature 0; 512 output-token limit; context 4096; seed 42; cache disabled; no explicit `num_gpu`
Policy settings	CUDA; dropout disabled; restricted first-token multinomial; maximum policy input 1024 tokens

Control	Saved value
Pipeline grammar	One module, one signature, deterministic stop; 2 modules × 15 signatures
Reward	Numeric exact match gives 1; mismatches receive the same Llama semantic fallback score in [0,1]
Evaluation	One sampled pipeline per question, fixed split-specific policy RNG seed; strict numeric EM
Hardware	RTX 3060 Laptop GPU, recorded 6,441,926,656-byte capacity
Runtime	Python 3.13.7; Torch 2.6.0+cu124; CUDA 12.4; Transformers 5.14.1; DSPy 3.3.0; Datasets 5.0.1; NumPy 2.4.4; Matplotlib 3.11.1

Differences from documented defaults: the guide describes 200 episodes and a 200-question pool, while these saved `baseline` runs explicitly override them to 30 and 50. Validation/test subsets are also reduced. The notebook overview/defaults refer to Llama 3.1 8B; these runs explicitly use Llama 3.2 3B, consistent with the requested analysis. These are shared protocol deviations, not differences between the four runs. This analysis changes none of them.

The audit checks complete episode histories, exactly K candidates per episode, schedule/manifest checksums, split disjointness, candidate/detail alignment, group-centered advantages, recomputed summed Figure 2 losses, finite recorded gradients, validation counts and numeric EM, summary/journal resource totals, checkpoint pointers, and held-out checkpoint/question provenance. Metadata from **all 12 checkpoint files** was read on CPU using fake tensors, without materializing model weights. Embedded histories match the logs; episode-0 Adam states are empty and later states contain the recorded updates. Recorded initialization identity is compatible; an independent bytewise comparison of initial tensor values was not performed.

The current notebook contains policy diagnostics absent from these saved logs. A training-source commit/hash was not saved for each run, so matching configuration snapshots cannot independently establish identical source code throughout execution. The audit therefore establishes compatibility of the **recorded protocol**, with that provenance limitation.

Sources: configuration audit [../results/gsm8k/static_k_analysis/configuration_audit.csv], checkpoint metadata [../results/gsm8k/static_k_analysis/checkpoint_metadata.csv], run inventory [../results/gsm8k/static_k_analysis/run_inventory.csv], guide [../STATIC_K_EXPERIMENT_GUIDE.md], and notebook sections 9, 12–19, 24.

2. Summary comparing all four K values

Accuracy is strict numeric exact match. The primary procedure chooses the largest **validation** accuracy and the earliest episode on ties; held-out scores never participate in selection. A negative validation-minus-test difference means the selected checkpoint scored higher on the test subset.

Metric	K=5	K=8	K=10	K=15
Initial validation accuracy	50%	50%	50%	50%
Best validation accuracy	**70% (7/10)**	50% (5/10)	60% (6/10)	50% (5/10)
Episode of selected checkpoint	30	**0**	30	**0**
Final checkpoint validation accuracy	70%	40%	60%	40%
Held-out test accuracy of selected checkpoint	76.67% (23/30)	66.67% (20/30)	76.67% (23/30)	70% (21/30)
Selected validation minus test (percentage points)	−6.67	−16.67	−16.67	−20.00
Mean training reward	0.7000	0.7708	0.7083	0.7333
Mean within-group reward variance	0.0880	0.0823	0.1063	0.0961
Pooled candidate reward variance	0.2067	0.1704	0.2008	0.1933
Mean absolute policy loss	0.5082	0.4304	0.8702	0.8298
Mean / maximum gradient L2 norm	89.50 / 296.19	107.56 / 512.09	179.95 / 500.40	175.79 / 735.82
Episodes with gradient norm > 1e-8	14/30 (46.67%)	15/30 (50%)	18/30 (60%)	17/30 (56.67%)

Metric	K=5	K=8	K=10	K=15
Zero-advantage groups	16/30 (53.33%)	15/30 (50%)	12/30 (40%)	13/30 (43.33%)
Groups containing different rewards	14 (46.67%)	15 (50%)	18 (60%)	17 (56.67%)
Groups mixing strict correct/incorrect answers	15 (50%)	15 (50%)	16 (53.33%)	17 (56.67%)
Groups mixing positive/zero reward	14 (46.67%)	13 (43.33%)	17 (56.67%)	16 (53.33%)
Mean unique pipelines per group	3.67	4.73	5.47	5.63
Mean unique pipelines / K	73.33%	59.17%	54.67%	37.56%
Training attempted / successful pipeline evaluations	150 / 150	240 / 240	300 / 300	450 / 450
Total measured LM calls, including evaluation	268	382	476	669
Measured training time (minutes)	**11.14**	15.91	15.91	27.61
Average episode time (seconds)	22.29	31.81	31.82	55.21
Mean pipeline execution latency (seconds)	2.81	2.90	2.19	2.67
Peak PyTorch allocated / reserved memory (GiB)	2.869 / 3.566	2.868 / 3.566	2.867 / 3.566	2.864 / 3.566

The mean within-group variance measures useful reward contrast for centering. The existing `summary.json` reward variance is the pooled variance across candidates, including variation between questions. These answer different questions and are reported separately. Full precision and further fields are in summary.csv [../results/gsm8k/static_k_analysis/summary.csv]; missing metrics are explicitly listed in missing_metrics.csv [../results/gsm8k/static_k_analysis/missing_metrics.csv].

3. Model performance analysis

Increasing K does **not** monotonically improve validation accuracy: selected scores are 70%, 50%, 60%, and 50%. Relative to their common 50% initial validation accuracy, the final checkpoints change by +20, −10, +10, and −10 percentage points. K=5's lead over K=10 is only **one validation question**. Validation was measured at only two points, so the analysis cannot identify the best intermediate episode or establish a smooth learning curve.

K=8 and K=15 select the untrained episode-0 checkpoint. Their test results therefore describe the validation-selected starting policy, rather than gains from their 30 training updates. Their final checkpoint test accuracies are **unavailable**. K=5 and K=10 select trained episode-30 checkpoints and both score 23/30; their correct-answer sets differ, with three questions correct only for K=5 and three only for K=10. Equal accuracy does not imply identical behavior.

There is a direct repeatability warning: the K=8 and K=15 episode-0 tests sample the same pipeline on **all 30 questions**, yet five output strings differ and one strict correctness outcome changes, producing 20/30 versus 21/30. Both have the same recorded starting-policy and execution-model identities. This is observed execution variability; its cause cannot be identified from the saved metadata. It prevents interpreting that one-question difference as a training effect of K.

All selected test accuracies exceed selected validation accuracy. With 10 and 30 different questions, this does not establish superior generalization or the absence of overfitting: subset difficulty, pipeline draws, and execution variability can explain the difference. The dataset IDs are disjoint, and test scores were not used for checkpoint selection. No formal significance claim or across-seed confidence interval is justified.

Figure reference: Best validation accuracy (../results/gsm8k/static_k_comparison/01_best_validation_accuracy.png)

Figure reference: Selected checkpoint held-out accuracy (../results/gsm8k/static_k_comparison/02_held_out_test_accuracy.png)

Sources: evaluation metrics [../results/gsm8k/static_k_analysis/evaluation_metrics.csv], held-out records [../results/gsm8k/static_k_analysis/held_out_records.csv], paired test outcomes [../results/gsm8k/static_k_analysis/paired_test_comparison.csv].

4. GRPO learning behavior and group effectiveness

The saved objective is unchanged:

$$
\bar r=\frac1K\sum_{i=1}^{K}r_i,\qquad A_i=r_i-\bar r,\qquad
\mathcal L=-\sum_{i=1}^{K}\sum_t\log\pi_\theta(a_{i,t}\mid s_{i,t})A_i.
$$

There is no division of the loss by K, PPO clipping, entropy regularization, GAE, KL penalty, or reward normalization. The analysis recomputed every logged loss from saved action log probabilities and centered rewards within numerical tolerance; it did not change or rerun updates.

K=10 has the largest fraction of reward-varying groups (60%) and nonzero-gradient episodes (60%). K=15 falls to 56.67% despite an additional 150 training candidate evaluations. Compared with K=5, K=15 has only three more nonzero-gradient episodes while evaluating 300 more candidates. Larger K sometimes finds a reward contrast, but these runs do not support a monotonic improvement.

“Nonzero gradient” here means a recorded global L2 norm above **1e-8 before Adam**. Counts are identical at thresholds 0, 1e-12, 1e-8, and 1e-6. This is an operational signal, not proof that an update improves accuracy. In this dataset it coincides with reward-varying group counts. Equal rewards make all current advantages and gradients zero, but the recorded optimizer still takes a step; existing Adam momentum can move parameters even without a current gradient. Zero-advantage episodes cannot be equated to unchanged weights.

Strict-answer mixtures, reward mixtures, and execution mixtures are distinct. At K=5 episode 20, a group contains strict correct and incorrect answers but all candidates receive reward 1, so its advantages are zero. At K=10, two reward-varying groups have no mixture of strict correct/incorrect outcomes; their variation comes from semantic reward differences among strict mismatches. All pipeline executions succeed, so the number of groups mixing execution success/failure is zero. Groups mixing full reward 1 and sub-full reward number 14, 15, 18, and 17.

Training reward is not consistently increasing. Means in episodes 1–10, 11–20, and 21–30 are:

K	First third	Middle third	Last third
5	0.6800	0.7200	0.7000
8	0.7875	0.7938	0.7313
10	0.7400	0.7250	0.6600
15	0.7233	0.7400	0.7367

Different questions occur across episodes; repeated-question schedules are shared across K but do not make an individual temporal reward trend a causal learning estimate. K=8's highest average reward alongside declining final validation illustrates the mismatch between a training reward and the primary accuracy metric.

Figure reference: Reward trajectory (../results/gsm8k/static_k_comparison/05_mean_training_reward.png)

Figure reference: Zero-advantage group rate (../results/gsm8k/static_k_comparison/06_zero_advantage_rate.png)

Source: episode metrics [../results/gsm8k/static_k_analysis/episode_metrics.csv] and phase summaries [../results/gsm8k/static_k_analysis/phase_summary.csv].

5. Pipeline diversity analysis

Mean absolute diversity rises with K, but much less quickly than candidate count. K=10 to K=15 increases average unique pipelines from 5.47 to 5.63—approximately **0.17 additional pipelines per group for five additional candidates**. Normalized diversity declines from 73.33% at K=5 to 37.56% at K=15. Duplicate samples can still refine empirical reward frequencies; low unique/K is not by itself proof that every duplicate evaluation is useless.

Even at a fixed categorical policy, expected occupancy is `sum_j [1 - (1-p_j)^K]`, which has diminishing increments as K grows. Consequently, declining unique/K is partly an inherent sampling effect and cannot establish policy collapse. The within-K temporal concentration below provides more direct evidence of reduced sampled exploration.

The leading pipelines over the full histories are:

K	Most frequent	Second	Third
5	CoT / `math_problem -> answer`: 40 (26.67%)	Predict / `math_problem -> answer`: 15 (10%)	Predict / `problem -> solution`: 13 (8.67%)
8	Predict / `problem_description -> explanation`: 63 (26.25%)	Predict / `problem -> solution`: 59 (24.58%)	CoT / `math_problem -> answer`: 21 (8.75%)
10	Predict / `word_problem -> solution`: 75 (25%)	Predict / `question -> answer`: 48 (16%)	Predict / `question -> reasoning`: 37 (12.33%)
15	Predict / `problem_description -> explanation`: 122 (27.11%)	Predict / `problem -> solution`: 107 (23.78%)	Predict / `question -> answer`: 53 (11.78%)

There is strong **sampled module concentration**, particularly for larger K. Predict's share in the last ten episodes is 16% at K=5, 91.25% at K=8, 99% at K=10, and 98% at K=15. K=10's near-total Predict selection and K=15's decline in signatures are evidence of reduced observed exploration, not proof of irreversible full-policy collapse.

Mean unique pipelines per group in the first versus last ten episodes are 4.0→4.2, 6.3→3.2, 6.7→4.2, and 8.5→3.2. K=5 has a temporary middle-third contraction (2.8) and recovers. K=15 ends with about the same absolute diversity as K=8 while attempting almost twice as many candidates per episode. Its last-third normalized diversity is only 21.33%.

Entropy integrity: true module/signature policy entropy is **unavailable** because full conditional action probabilities were not logged. Selected-action log probabilities cannot reconstruct it. The exported substitute is empirical entropy of sampled selections, using natural logs, without pseudocounts. Mean per-group empirical module entropy is 0.4303, 0.3119, 0.1529, and 0.1612 nats; signature entropy is 1.0923, 1.3689, 1.4847, and 1.4286 nats. These are finite-sample plug-in estimates, influenced by K, conditioning question, and category occupancy. Cross-K comparisons must not treat them as unbiased policy entropy estimates. Aggregate and phase entropies are also exported; they have different scopes.

The restricted first-token action sampler shares token IDs among some signature entries. These action-space constraints are common to every run and can limit exploration independently of K.

Figure reference: Empirical selection entropy (../results/gsm8k/static_k_comparison/10b_empirical_selection_entropy.png)

Figure reference: Pipeline distribution (../results/gsm8k/static_k_comparison/14_pipeline_selection_distribution.png)

Sources: pipeline distribution [../results/gsm8k/static_k_analysis/pipeline_distribution.csv], phase summaries [../results/gsm8k/static_k_analysis/phase_summary.csv], and notebook section 9.

6. Training stability and reward integrity

All recorded losses and gradient norms are finite. Recorded training/evaluation execution failures, failed LM calls, judge exceptions, and training out-of-memory events are zero for every K. These are actual recorded zeros, distinct from unavailable wall-clock/HTTP/entropy measurements. This supports operational stability of the completed histories, not reward correctness.

Because the Figure 2 objective **sums over K**, gradient scale is part of the treatment when K changes. For iid candidates conditional on a fixed question/policy, let `S_i` be the trajectory score gradient and treat rewards as fixed during differentiation. Since `E[S_i]=0`, centering with the same group's mean gives `E[gradient L] = -(K-1) E[r_i S_i]`. Thus the unnormalized expected gradient is size-dependent even under idealized sampling. Correlated execution/judging, changed reward distributions, and diverging policies prevent assuming this scaling law fits the observed norm trajectory. The measured means rise from 89.50 at K=5 to 179.95 at K=10 and 175.79 at K=15; the largest individual norm is 735.82 at K=15. The loss magnitude and gradient norm are therefore not directly normalized comparisons of learning quality. Adam's moment normalization also prevents translating a larger raw norm into a proportional parameter step. No loss rescaling or learning-rate adjustment was made.

Semantic fallback gives positive reward to strict numeric mismatches **5, 14, 18, and 20 times** in training, including full credit **3, 8, 11, and 16 times**. Such credit can be reasonable when extraction misses a correct answer, but cannot automatically be counted as correct numeric EM. In the K=8 test artifact, `gsm8k:test:136` has target 6, extracted prediction 3, output `{27 * 2 / 3}`, and judge reward 1. Its strict accuracy remains incorrect. This example shows why semantic reward and primary accuracy must remain separate.

There is also direct evidence of **inconsistent judge scores on byte-identical output text**:

K	Question / pipeline	Saved episodes	Rewards for the same output
8	`gsm8k:train:4423`, Predict / `question -> reasoning`	1, 18	0, 0.5
10	`gsm8k:train:4423`, Predict / `question -> reasoning`	1, 5, 18	0, 0.5, 0.5
15	`gsm8k:train:2477`, Predict / `question -> hypothesis`	8, candidates 2/10/14	0.5, 0, 0

The K=15 inconsistency occurs within a single group. Thus “different rewards” is not an unqualified signal of useful candidate-quality variation. These artifacts lack the newer raw judge request/response traces, so the underlying cause is unresolved. The analysis preserves saved rewards and does not relabel them or estimate what alternate reward training would have achieved.

Figure reference: Gradient norms (../results/gsm8k/static_k_comparison/11_gradient_norms.png)

Sources: candidate metrics [../results/gsm8k/static_k_analysis/candidate_metrics.csv], reward disagreements [../results/gsm8k/static_k_analysis/reward_disagreements.csv], repeated pipeline/output rewards [../results/gsm8k/static_k_analysis/repeated_pipeline_rewards.csv].

7. Computational efficiency comparison

Training evaluations are exactly 30×K. Each run also has 20 validation evaluations and 30 held-out evaluations. Journal entries match these effective histories; **no extra completed rollback attempts are observed**. In-flight interrupted requests, if any, cannot be recovered from completed journal entries.

Resource	K=5	K=8	K=10	K=15
Training pipeline attempts	150	240	300	450
Training + validation + test attempts / successes	200 / 200	290 / 290	350 / 350	500 / 500
Training measured LM calls	203	311	409	599
Evaluation measured LM calls	65	71	67	70
Total measured LM calls	268	382	476	669
Training input / output tokens	50,864 / 22,070	80,084 / 34,351	104,655 / 42,483	153,658 / 64,516
Total input / output tokens, including evaluation	67,615 / 30,354	98,455 / 41,986	121,090 / 49,278	171,855 / 72,296
Measured training seconds	668.57	954.30	954.70	1,656.42
Measured evaluation seconds	152.38	130.16	116.83	136.66
Training seconds per attempted candidate	4.46	3.98	**3.18**	3.68
Training attempts per nonzero-gradient episode	**10.71**	16.00	16.67	26.47
Training seconds per nonzero-gradient episode	**47.76**	63.62	53.04	97.44

Measured calls mean DSPy `LM.forward` attempts, including semantic judges and adapter retries; they are not physical HTTP-request counts. Training time sums saved episode durations and includes pipeline sampling/execution, judging, policy probes where present, replay, and updates; it excludes validation/checkpoint I/O. Full end-to-end wall time and physical HTTP counts are **unavailable**. PyTorch allocated/reserved peaks exclude Ollama residency and cannot be reported as total GPU usage. Ollama snapshots exist, but are not a continuous system-wide memory peak measurement.

K=15 uses 3× K=5's training pipeline budget and 2.48× its training time without a selected accuracy improvement. Time does not scale exactly with K: K=8 and K=10 both take approximately 954 seconds, while K=10's measured pipeline execution latency is lower. Pipeline type, response length, semantic-fallback workload, and runtime variation can affect time; the saved data do not isolate their individual contributions.

Efficiency ranking depends on the endpoint. K=5 has the strongest observed accuracy-versus-total-cost result and the lowest cost per nonzero-gradient episode. K=10 has the lowest seconds per attempted candidate, but lower selected validation accuracy than K=5 and greater total cost. Candidate throughput is therefore not equivalent to research efficiency. K=5 dominates the other three observed configurations on best validation accuracy and measured total training cost; its test score ties K=10. This ranking is confined to these runs.

Figure reference: Measured training time (../results/gsm8k/static_k_comparison/04_training_time.png)

Figure reference: Validation versus cumulative candidate budget (../results/gsm8k/static_k_comparison/12_validation_vs_evaluations.png)

8. Limitations and potential confounding factors

- **One seed per K:** no independent training replicates, across-seed uncertainty estimate, causal attribution, or supported statistical-significance claim.

- **Small evaluation sets:** one validation question changes accuracy by 10 percentage points; one test question changes it by 3.33 points. Validation-selected maxima also have selection bias.

- **Sparse validation and short training:** only episodes 0/30 were evaluated, only 22 training questions were encountered, and the runs are not the guide's 200-episode baseline.

- **Unequal budgets:** equal episode counts imply different candidate, token, call, and time budgets. The two validation observations cannot estimate matched-budget accuracy at intermediate points.

- **Coupled gradient scale:** changing K changes both candidate information and the unnormalized summed objective. Fixed learning rate does not isolate information benefit.

- **Diverging policies:** identical episode-question schedules and seeds do not provide identical policy trajectories, candidate draws, or execution outputs once K changes RNG consumption and updates. Within-group prefixes also cannot be compared as if they came from a common policy across K.

- **Reward/accuracy mismatch and execution variability:** semantic credit and inconsistent identical-output judgments can introduce noisy advantages. K=8/K=15 initial-policy tests directly demonstrate output variability despite fixed saved settings.

- **Missing measurements:** true policy entropy, full wall time, physical HTTP counts, continuous total GPU peak, final-checkpoint tests for K=8/K=15, and per-run training-source revision are unavailable. No missing measurement was imputed as zero.

- **Action-space limitations:** two modules, first-token signature collisions, and task-agnostic signatures constrain the policy. Concentration does not establish irreversible collapse or prove that larger K caused it.

- **Historical workspace state:** pre-existing deleted historical K=5 runs were not restored or analyzed, and pre-existing untracked work was preserved. Conclusions concern the four completed runs actually present on disk.

9. Insights relevant to Adaptive-K research

The evidence motivates adaptive allocation as a **hypothesis**, not a demonstrated improvement. Static K allocates a full group to every question even when rewards remain equal, repeats many pipelines in concentrated policies, and does not provide a monotonic accuracy return on its cost.

An analysis of saved candidates in their actual order makes the marginal issue more concrete:

Saved run	Groups with reward variation after first 5	After first 8	After first 10	After full group
K=5	14/30	unavailable	unavailable	14/30
K=8	11/30	15/30	unavailable	15/30
K=10	14/30	18/30	18/30	18/30
K=15	15/30	16/30	17/30	17/30

For the observed K=15 policies, candidates 11–15 cost **150 evaluations** and identify no additional reward-varying groups beyond the first ten. They raise mean unique pipelines from 4.77 to 5.63, an additional 0.87 per group. For K=10, candidates 9–10 similarly add no new reward-varying groups beyond the first eight. These are descriptive prefix statistics, not an Adaptive-K policy or a counterfactual accuracy estimate. Further samples still change sample proportions, the group mean, centered advantages, and the summed loss; stopping earlier would change subsequent policies. Zero variation in a short prefix also does not prove that more sampling will fail.

Candidate signals and when they become available:

Signal	Before sampling	After partial candidate evaluations	After full group	Research use / caveat
Policy module entropy and expected conditional signature entropy	Available from current policy logits; historically **not saved**	Can be combined with observed diversity	Same pre-update quantity	Low entropy predicts collisions, but simply increasing K cannot repair a concentrated action distribution
Prompt features and previous-group history	Available	History can inform allocation	Current group's final statistics become next-episode history	No access to the current held-out answer; sparse repeated prompts limit learning a reliable rule
Unique pipeline count / duplicate fraction	Unavailable before actions are sampled	Available immediately after action draws, before execution; updated with each candidate	Exact full-group occupancy	Cheap potential signal; a duplicate can still have variable output/reward
Reward range, variance, strict-answer mixture	Unavailable for a new prompt before execution	Observable over the evaluated prefix	Exact observed full-group values	Judge inconsistency can mimic useful variation; training gold is allowed, test gold must not guide inference allocation
Marginal new pipelines or new reward values per added candidate	Unavailable initially	Observable sequentially	Full observed marginal history	Stochastic; early plateaus can miss rare informative samples
Candidate latency and measured tokens/calls	Prior-run estimates only	Measured for completed candidates	Complete recorded group cost	Supports a budget-aware decision; model/response mix can change estimates
Exact final centered advantages, full-group loss and gradient norm	Unavailable	Prefix versions are provisional	Require final group rewards and policy replay	Cannot be treated as a free pre-sampling signal; replay/backward has cost
Validation/test accuracy	Previous validation only	No current-group accuracy signal	Only later scheduled evaluation	Select checkpoints with validation; never tune allocation using held-out test results

A future strategy could begin with a small probe, expand when observed diversity suggests extra candidates may find an informative contrast, and stop when marginal information remains low under a predefined budget. However, stopping only when a reward contrast appears can bias the group distribution. Identical-reward prefixes may indicate easy questions, uniformly wrong pipelines, or insufficient sampling—these should not be conflated. Diversity preservation may require a separate action-space/policy remedy; K adaptation alone is not guaranteed to improve exploration.

Figure reference: Observed candidate prefixes (../results/gsm8k/static_k_comparison/15_observed_candidate_prefixes.png)

Source: ordered prefix diagnostics [../results/gsm8k/static_k_analysis/observed_candidate_prefixes.csv]. No Adaptive-K implementation was added.

10. Recommended next research experiment

First run a **replicated Static-K study with improved measurement**, before attributing gains to Adaptive-K. Prespecify several independent seeds (at least 3, preferably 5), a larger disjoint validation set and held-out set, the planned episode budget, and more frequent validation. Within each seed keep the same training schedule, GPT-2 initialization, Llama model/digest, reward method, and decoding controls across K. Preserve the original summed Figure 2 objective and record its scale as a limitation.

Save the full pre-update module/signature probability distributions, raw semantic-judge request/response traces and returned inference settings, per-candidate costs, a source-code revision, and end-to-end phase timings. Establish a fixed initial-policy evaluation control and investigate the observed identical-output judge disagreements in a separately authorized diagnostic experiment. Reward-method changes, if pursued, should form a separate documented protocol rather than silently changing this comparison.

Evaluate both equal-episode results and prespecified equal-candidate-budget checkpoints. Use validation for selection, then test the frozen selected checkpoint once on the same held-out questions per protocol. Compare accuracy and resource use across seeds; use paired per-question outcomes for the same test subset and avoid treating episodes on repeated questions as independent training replicates.

After that baseline, preregister an Adaptive-K pilot bounded by the tested static sizes, compare it with the best Static-K comparator on a common evaluation budget, and measure zero-advantage rate, informative gradients, duplicate sampling, judge-noise sensitivity, accuracy, and time. The present results identify promising signals and wasted-information risk; they do not show that adaptive stopping maintains accuracy or reduces training time.

Artifacts, reproduction, and verification

All analysis and plotting functions are in the appended **section 24** of Static_K_GRPO_GSM8K.ipynb [../Static_K_GRPO_GSM8K.ipynb]. Existing cells, outputs, training methodology, and the original `DSPy_GRPO.ipynb` are unchanged. Execute only the section-24 definition cell, then:

```
STATIC_K_ANALYSIS = analyze_saved_static_k()
```

This reads saved files, verifies compatible histories/checkpoint metadata, and exports summaries and figures without models, datasets downloads, or LLM requests. If additional completed repeats are present later, explicitly pass `run_dirs=[...]` with one completed run per K; ambiguous discovery stops instead of silently choosing a run. The source manifest hashes small artifacts and guards checkpoint size/mtime before and after analysis. Checkpoint tensor values are not rehashed.

Verification passed for all four run histories, all 12 checkpoint metadata records, and 13 lightweight checks covering incompatible inputs and unavailable measurements. Notebook format validation passed; all 45 prior cells and their outputs match the original notebook, and the reference notebook's byte hash is unchanged. All exported PNGs were decoded and visually inspected, vector exports exist, and report links resolve. analysis_checks.json [../results/gsm8k/static_k_analysis/analysis_checks.json] and data_processing_checks.json [../results/gsm8k/static_k_analysis/data_processing_checks.json] retain the check outcomes. Optional checks can be rerun with `static_analysis_self_checks()`; mutated inputs used by those checks never enter experimental summaries.

The required `graphify update .` completed with AST-only processing and no LLM calls. This installed extractor skips notebooks and does not refresh document/paper semantics; it also reported unavailable PDF extraction because its environment lacks `pypdf`. These navigation limitations did not affect direct notebook/log analysis or plot generation.

The exports are:

- `results/gsm8k/static_k_analysis/`: summary, per-episode/candidate/evaluation data, pipeline distributions, phase and ordered-prefix diagnostics, paired test outcomes, reward disagreements, repeated-output reward checks, configuration/checkpoint/source audits, missing metrics, figure manifest, definitions, and verification results.

- `results/gsm8k/static_k_comparison/`: **15 available figures**, each in PNG (300 dpi), PDF, and SVG. Eleven of the twelve requested plots are available. Requested plot 10, true policy entropy, is explicitly unavailable; plot 10b shows

labeled empirical selection entropy. Additional figures show temporal unique-pipeline counts, selection distributions, and observed prefix variation/diversity.

All four held-out tests already exist and use their validation-selected checkpoints and the same saved 30 questions. No new final testing is required for this report. If a future run lacks a test, leave it unavailable and explicitly invoke the following in the existing fully configured notebook kernel only after authorizing inference:

```
# NOT executed for this analysis. Reads the chosen run's immutable configuration.
run_dir = Path("results/gsm8k/k5/seed42/baseline/20261013T174921-b1ad8988")
cfg = json.loads((run_dir / "config.json").read_text(encoding="utf-8"))["config"]
best = json.loads((run_dir / "best.json").read_text(encoding="utf-8"))
# Release any active session before loading another policy.
# release_experiment(SESSION)
TEST_RESULT = run_operation(cfg, "test", checkpoint=best["checkpoint"])
```

Use the corresponding run directories in section 1 for K=8,10,15; each configuration points to the same immutable held-out manifest. Repeated tests must all be retained and inspected, rather than selecting a favorable test score. The main conclusion remains the validation-selected comparison, with substantial replication and measurement limits.

summary.csv

4 CSV records; 80 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: bbc3a39fa576ee8d04324ede7fee4e1b7bc8a07b2035e0c03420411a0227b50d

```
000001 | k,seed,episodes,train_pool_size,unique_training_questions,validation_questions,test_questions,initial_validation_accuracy,best_validation_epi
     + | sode,final_validation_accuracy,held_out_test_accuracy,validation_minus_test_pp,average_training_reward,average_within_group_reward_variance,pooled_candidate_reward_va
     + | riance,average_absolute_policy_loss,average_gradient_norm,maximum_gradient_norm,meaningful_nonzero_gradient_count,meaningful_nonzero_gradient_rate_pct,gradient_thresh
     + | old,zero_advantage_groups,zero_advantage_group_rate_pct,different_reward_groups,mixed_numeric_em_groups,mixed_positive_zero_reward_groups,mixed_full_credit_groups,mix
     + | ed_execution_groups,average_unique_pipeline_count,average_normalized_pipeline_diversity,average_empirical_module_entropy_nats,average_empirical_signature_entropy_nats
     + | ,aggregate_empirical_module_entropy_nats,aggregate_empirical_signature_entropy_nats,average_policy_module_entropy_nats,average_policy_signature_entropy_nats,average_p
     + | olicy_joint_entropy_nats,attempted_training_pipeline_evaluations,successful_training_pipeline_evaluations,failed_training_executions,training_llm_calls,evaluation_pip
     + | eline_evaluations,total_effective_pipeline_evaluations,total_effective_successful_pipeline_evaluations,evaluation_llm_calls,total_measured_llm_calls,training_input_to
     + | kens,training_output_tokens,total_input_tokens,total_output_tokens,total_training_seconds,average_episode_seconds,average_pipeline_execution_latency_seconds,total_eva
     + | luation_seconds,total_wall_seconds,physical_http_requests,peak_allocated_gpu_gib,peak_reserved_gpu_gib,training_judge_failures,training_llm_failed_calls,training_oom_
     + | failures,evaluation_failed_executions,evaluation_llm_failed_calls,evaluation_judge_failures,training_semantic_fallback_count,training_semantic_positive_mismatch_count
     + | ,training_semantic_full_credit_mismatch_count,observed_journal_pipeline_attempts,observed_journal_llm_calls,extra_journal_attempts,training_evaluations_per_nonzero_gr
     + | adient_episode,training_seconds_per_nonzero_gradient_episode,training_seconds_per_candidate,run_dir,best_checkpoint,gradient_rate_gt_0_pct,gradient_rate_gt_1e-12_pct,
     + | gradient_rate_gt_1e-08_pct,gradient_rate_gt_1e-06_pct
000002 | 5,42,30,50,22,10,30,0.5,0.7,30,0.7,0.7666666666666667,-6.666666666666677,0.7,0.08800000000000002,0.20666666666666667,0.5081933873395125,89.49876370131264,296.19335409
     + | 369705,14,46.666666666666664,1e-08,16,53.333333333333336,14,15,14,14,0,3.6666666666666665,0.7333333333333333,0.43025183320072957,1.092288180733464,0.6494857185423186,
     + | 2.0888431218339663,unavailable,unavailable,unavailable,150,150,0,203,50,200,200,65,268,50864,22070,67615,30354,668.5716827000724,22.28572275666908,2.809883362663289,1
     + | 52.3763304000022,unavailable,unavailable,2.8686790466308594,3.56640625,0,0,0,0,0,0,49,5,3,200,268,0,10.714285714285714,47.755120192862314,4.457144551333816,results\gs
     + | m8k\k5\seed42\baseline\20261013T174921-b1ad8988,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\checkpoints\episode_0030_689ac93f.pt,46.666666666666664,46.6
     + | 66666666666664,46.666666666666664,46.666666666666664
000003 | 8,42,30,50,22,10,30,0.5,0.5,0,0.4,0.6666666666666666,-16.666666666666664,0.7708333333333334,0.08229166666666667,0.17039930555555555,0.430424494544665,107.559437057012
     + | 5,512.0908703275188,15,50.0,1e-08,15,50.0,15,15,13,15,0,4.733333333333333,0.5916666666666667,0.31188141080771575,1.3688890399273617,0.42270908780599087,2.105179816576
     + | 49,unavailable,unavailable,unavailable,240,240,0,311,50,290,290,71,382,80084,34351,98455,41986,954.3003430999815,31.810011436666052,2.8964557033323217,130.15745209995
     + | 657,unavailable,unavailable,2.867900848388672,3.56640625,0,0,0,0,0,0,66,14,8,290,382,0,16.0,63.620022873332104,3.9762514295832565,results\gsm8k\k8\seed42\baseline\202
     + | 61013T181104-322720b3,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\checkpoints\episode_0000_694f9169.pt,50.0,50.0,50.0,50.0
000004 | 10,42,30,50,22,10,30,0.5,0.6,30,0.6,0.7666666666666667,-16.666666666666675,0.7083333333333334,0.10625,0.2007638888888889,0.8701818072547515,179.94637691740178,500.397
     + | 38691973616,18,60.0,1e-08,12,40.0,18,16,17,18,0,5.466666666666667,0.5466666666666667,0.15286058522608983,1.484713508026757,0.27055175405532367,2.1960085790895016,unav
     + | ailable,unavailable,unavailable,300,300,0,409,50,350,350,67,476,104655,42483,121090,49278,954.704114500084,31.82347048333613,2.1864349269971717,116.82845370005816,una
     + | vailable,unavailable,2.8668994903564453,3.56640625,0,0,0,0,0,0,102,18,11,350,476,0,16.666666666666668,53.039117472226884,3.182347048333613,results\gsm8k\k10\seed42\ba
     + | seline\20261013T183759-77b8ce57,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\checkpoints\episode_0030_ebdecd4f.pt,60.0,60.0,60.0,60.0
000005 | 15,42,30,50,22,10,30,0.5,0.5,0,0.4,0.7,-19.999999999999996,0.7333333333333333,0.0960740740740741,0.19333333333333333,0.8298146394391854,175.7947295817347,735.82103519
     + | 46233,17,56.666666666666664,1e-08,13,43.333333333333336,17,17,16,17,0,5.633333333333334,0.3755555555555555,0.16117878783554646,1.4286360358037427,0.2733080982135448,2
     + | .0559188117440605,unavailable,unavailable,unavailable,450,450,0,599,50,500,500,70,669,153658,64516,171855,72296,1656.4156175998505,55.21385391999502,2.674744020887237
     + | ,136.6574423998827,unavailable,unavailable,2.8643436431884766,3.56640625,0,0,0,0,0,0,138,20,16,500,669,0,26.470588235294116,97.43621279999121,3.6809235946663343,resul
     + | ts\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\checkpoints\episode_0000_29cb2d83.pt,56.6666666666666
     + | 64,56.666666666666664,56.666666666666664,56.666666666666664
```

metric_definitions.json

Complete JSON content | physical lines are numbered; '+' means a wrapped continuation

SHA256: a8f998e41d35f8e942ae9bce248893aed13eda9659ee1aedbe101dd43e11497c

```
000001 | {
000002 |   "version": "saved-static-k-v1",
000003 |   "gradient_threshold": 1e-08,
000004 |   "missing_values": "unavailable, never imputed as zero",
000005 |   "accuracy": "strict numeric EM; checkpoints selected by validation only, earliest tie",
000006 |   "reward_variance": "average_within_group_reward_variance is mean population variance within groups; pooled is across all candidates",
000007 |   "mixed_numeric_em_group": "at least one strict correct answer and at least one strict incorrect answer; execution success is separate",
000008 |   "mixed_positive_zero_reward_group": "at least one positive reward and at least one zero reward",
000009 |   "empirical_entropy": "plug-in entropy of sampled actions, natural logarithm; affected by K and finite sample size; not policy entropy",
000010 |   "policy_entropy": "only saved full-distribution diagnostics; unavailable when absent",
000011 |   "training_time": "sum of saved episode_seconds, excludes validation/checkpoint I/O; includes candidate execution, judge, policy sampling/replay/update",
000012 |   "calls": "measured DSPy LM.forward attempts including semantic judges/adapter retries, not physical HTTP requests",
000013 |   "gpu": "PyTorch allocated/reserved peaks only; does not include Ollama",
000014 |   "nonzero_gradient": "global L2 norm > threshold; operational indicator, not proof of meaningful parameter improvement",
000015 |   "full_wall_time": "unavailable unless explicitly saved",
000016 |   "source_period": "2026-10-13 UTC (2026-10-13/14 Asia/Dhaka)"
000017 | }
```

run_inventory.csv

4 CSV records; 6 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: e0b13abb06ab7217d9593febb063528e69cb866d06d5975a0493a7eaa33f8ede

```
000001 | run_dir,k,seed,completed,episodes,preset
000002 | results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57,10,42,True,30,baseline
000003 | results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec,15,42,True,30,baseline
000004 | results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988,5,42,True,30,baseline
000005 | results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3,8,42,True,30,baseline
```

configuration_audit.csv

116 CSV records; 6 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: a06c065032a7bb83288fb2da70bf986881fcf5b5ed28e80307d06e267eebd16e

```
000001 | field,status,k5,k8,k10,k15
000002 | config.cache,compatible,false,false,false,false
000003 | config.checkpoint_interval,compatible,25,25,25,25
000004 | config.dataset,compatible,"""gsm8k""","""gsm8k""","""gsm8k""","""gsm8k"""
000005 | config.dataset_config,compatible,"""main""","""main""","""main""","""main"""
000006 | config.dataset_name,compatible,"""openai/gsm8k""","""openai/gsm8k""","""openai/gsm8k""","""openai/gsm8k"""
000007 | config.dataset_revision,compatible,"""740312add88f781978c0658806c59bc2815b9866""","""740312add88f781978c0658806c59bc2815b9866""","""740312add88f781978c0658806c59bc281
     + | 5b9866""","""740312add88f781978c0658806c59bc2815b9866"""
000008 | config.evaluation_sampling,compatible,"""multinomial-with-fixed-split-seed""","""multinomial-with-fixed-split-seed""","""multinomial-with-fixed-split-seed""","""multi
     + | nomial-with-fixed-split-seed"""
000009 | config.evaluation_seed_offset,compatible,100000,100000,100000,100000
000010 | config.execution_max_tokens,compatible,512,512,512,512
000011 | config.execution_temperature,compatible,0.0,0.0,0.0,0.0
000012 | config.learning_rate,compatible,1e-05,1e-05,1e-05,1e-05
000013 | config.loss,compatible,"""negative-sum-logprob-times-centered-reward""","""negative-sum-logprob-times-centered-reward""","""negative-sum-logprob-times-centered-reward
     + | ""","""negative-sum-logprob-times-centered-reward"""
000014 | config.max_pipeline_steps,compatible,3,3,3,3
000015 | config.max_policy_tokens,compatible,1024,1024,1024,1024
000016 | config.num_episodes,compatible,30,30,30,30
000017 | config.ollama_host,compatible,"""http://localhost:11434""","""http://localhost:11434""","""http://localhost:11434""","""http://localhost:11434"""
000018 | config.ollama_model,compatible,"""llama3.2:3b""","""llama3.2:3b""","""llama3.2:3b""","""llama3.2:3b"""
000019 | config.ollama_num_ctx,compatible,4096,4096,4096,4096
000020 | config.ollama_num_gpu,compatible,null,null,null,null
000021 | config.optimizer,compatible,"""Adam""","""Adam""","""Adam""","""Adam"""
000022 | config.policy_device,compatible,"""cuda""","""cuda""","""cuda""","""cuda"""
000023 | config.policy_dropout,compatible,false,false,false,false
000024 | config.policy_model,compatible,"""gpt2""","""gpt2""","""gpt2""","""gpt2"""
000025 | config.policy_revision,compatible,"""607a30d783dfa663caf39e06633721c8d4cfcd7e""","""607a30d783dfa663caf39e06633721c8d4cfcd7e""","""607a30d783dfa663caf39e06633721c8d4c
     + | fcd7e""","""607a30d783dfa663caf39e06633721c8d4cfcd7e"""
000026 | config.policy_sampling,compatible,"""restricted-first-token-multinomial""","""restricted-first-token-multinomial""","""restricted-first-token-multinomial""","""restri
     + | cted-first-token-multinomial"""
000027 | config.preset,compatible,"""baseline""","""baseline""","""baseline""","""baseline"""
000028 | config.protocol,compatible,"""gsm8k-static-figure2-v1""","""gsm8k-static-figure2-v1""","""gsm8k-static-figure2-v1""","""gsm8k-static-figure2-v1"""
000029 | config.request_timeout,compatible,180,180,180,180
000030 | config.schedule_episodes,compatible,200,200,200,200
000031 | config.seed,compatible,42,42,42,42
000032 | config.semantic_fallback,compatible,true,true,true,true
000033 | config.test_size,compatible,30,30,30,30
000034 | config.train_pool_size,compatible,50,50,50,50
000035 | config.validation_interval,compatible,50,50,50,50
000036 | config.validation_size,compatible,10,10,10,10
000037 | execution_model.details.families,compatible,"[""llama""]","[""llama""]","[""llama""]","[""llama""]"
000038 | execution_model.details.family,compatible,"""llama""","""llama""","""llama""","""llama"""
000039 | execution_model.details.format,compatible,"""gguf""","""gguf""","""gguf""","""gguf"""
```

configuration_audit.csv

116 CSV records; 6 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: a06c065032a7bb83288fb2da70bf986881fcf5b5ed28e80307d06e267eebd16e

```
000040 | execution_model.details.parameter_size,compatible,"""3.2B""","""3.2B""","""3.2B""","""3.2B"""
000041 | execution_model.details.parent_model,compatible,"""""","""""","""""","""""
000042 | execution_model.details.quantization_level,compatible,"""Q4_K_M""","""Q4_K_M""","""Q4_K_M""","""Q4_K_M"""
000043 | execution_model.model.capabilities,compatible,"[""completion"", ""tools""]","[""completion"", ""tools""]","[""completion"", ""tools""]","[""completion"", ""tools""]"
000044 | execution_model.model.details.context_length,compatible,131072,131072,131072,131072
000045 | execution_model.model.details.embedding_length,compatible,3072,3072,3072,3072
000046 | execution_model.model.details.families,compatible,"[""llama""]","[""llama""]","[""llama""]","[""llama""]"
000047 | execution_model.model.details.family,compatible,"""llama""","""llama""","""llama""","""llama"""
000048 | execution_model.model.details.format,compatible,"""gguf""","""gguf""","""gguf""","""gguf"""
000049 | execution_model.model.details.parameter_size,compatible,"""3.2B""","""3.2B""","""3.2B""","""3.2B"""
000050 | execution_model.model.details.parent_model,compatible,"""""","""""","""""","""""
000051 | execution_model.model.details.quantization_level,compatible,"""Q4_K_M""","""Q4_K_M""","""Q4_K_M""","""Q4_K_M"""
000052 | execution_model.model.digest,compatible,"""a80c4f17acd55265feec403c7aef86be0c25983ab279d83f3bcd3abbcb5b8b72""","""a80c4f17acd55265feec403c7aef86be0c25983ab279d83f3bcd
     + | 3abbcb5b8b72""","""a80c4f17acd55265feec403c7aef86be0c25983ab279d83f3bcd3abbcb5b8b72""","""a80c4f17acd55265feec403c7aef86be0c25983ab279d83f3bcd3abbcb5b8b72"""
000053 | execution_model.model.model,compatible,"""llama3.2:3b""","""llama3.2:3b""","""llama3.2:3b""","""llama3.2:3b"""
000054 | execution_model.model.modified_at,compatible,"""2026-10-12T23:02:38.1574099+06:00""","""2026-10-12T23:02:38.1574099+06:00""","""2026-10-12T23:02:38.1574099+06:00""","
     + | ""2026-10-12T23:02:38.1574099+06:00"""
000055 | execution_model.model.name,compatible,"""llama3.2:3b""","""llama3.2:3b""","""llama3.2:3b""","""llama3.2:3b"""
000056 | execution_model.model.size,compatible,2019393189,2019393189,2019393189,2019393189
000057 | execution_model.model_info.general.architecture,compatible,"""llama""","""llama""","""llama""","""llama"""
000058 | execution_model.model_info.general.basename,compatible,"""Llama-3.2""","""Llama-3.2""","""Llama-3.2""","""Llama-3.2"""
000059 | execution_model.model_info.general.file_type,compatible,15,15,15,15
000060 | execution_model.model_info.general.finetune,compatible,"""Instruct""","""Instruct""","""Instruct""","""Instruct"""
000061 | execution_model.model_info.general.languages,compatible,null,null,null,null
000062 | execution_model.model_info.general.parameter_count,compatible,3212749888,3212749888,3212749888,3212749888
000063 | execution_model.model_info.general.quantization_version,compatible,2,2,2,2
000064 | execution_model.model_info.general.size_label,compatible,"""3B""","""3B""","""3B""","""3B"""
000065 | execution_model.model_info.general.tags,compatible,null,null,null,null
000066 | execution_model.model_info.general.type,compatible,"""model""","""model""","""model""","""model"""
000067 | execution_model.model_info.llama.attention.head_count,compatible,24,24,24,24
000068 | execution_model.model_info.llama.attention.head_count_kv,compatible,8,8,8,8
000069 | execution_model.model_info.llama.attention.key_length,compatible,128,128,128,128
000070 | execution_model.model_info.llama.attention.layer_norm_rms_epsilon,compatible,1e-05,1e-05,1e-05,1e-05
000071 | execution_model.model_info.llama.attention.value_length,compatible,128,128,128,128
000072 | execution_model.model_info.llama.block_count,compatible,28,28,28,28
000073 | execution_model.model_info.llama.context_length,compatible,131072,131072,131072,131072
000074 | execution_model.model_info.llama.embedding_length,compatible,3072,3072,3072,3072
000075 | execution_model.model_info.llama.feed_forward_length,compatible,8192,8192,8192,8192
000076 | execution_model.model_info.llama.rope.dimension_count,compatible,128,128,128,128
000077 | execution_model.model_info.llama.rope.freq_base,compatible,500000,500000,500000,500000
000078 | execution_model.model_info.llama.vocab_size,compatible,128256,128256,128256,128256
000079 | execution_model.model_info.tokenizer.ggml.bos_token_id,compatible,128000,128000,128000,128000
000080 | execution_model.model_info.tokenizer.ggml.eos_token_id,compatible,128009,128009,128009,128009
000081 | execution_model.model_info.tokenizer.ggml.merges,compatible,null,null,null,null
```

configuration_audit.csv

116 CSV records; 6 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: a06c065032a7bb83288fb2da70bf986881fcf5b5ed28e80307d06e267eebd16e

```
000082 | execution_model.model_info.tokenizer.ggml.model,compatible,"""gpt2""","""gpt2""","""gpt2""","""gpt2"""
000083 | execution_model.model_info.tokenizer.ggml.pre,compatible,"""llama-bpe""","""llama-bpe""","""llama-bpe""","""llama-bpe"""
000084 | execution_model.model_info.tokenizer.ggml.token_type,compatible,null,null,null,null
000085 | execution_model.model_info.tokenizer.ggml.tokens,compatible,null,null,null,null
000086 | execution_model.options.api_base,compatible,"""http://localhost:11434""","""http://localhost:11434""","""http://localhost:11434""","""http://localhost:11434"""
000087 | execution_model.options.api_key,compatible,"""""","""""","""""","""""
000088 | execution_model.options.cache,compatible,false,false,false,false
000089 | execution_model.options.keep_alive,compatible,"""5m""","""5m""","""5m""","""5m"""
000090 | execution_model.options.max_tokens,compatible,512,512,512,512
000091 | execution_model.options.num_ctx,compatible,4096,4096,4096,4096
000092 | execution_model.options.num_retries,compatible,0,0,0,0
000093 | execution_model.options.seed,compatible,42,42,42,42
000094 | execution_model.options.temperature,compatible,0.0,0.0,0.0,0.0
000095 | execution_model.options.timeout,compatible,180,180,180,180
000096 | execution_model.ps.models,compatible,[],[],[],[]
000097 | execution_model.version.version,compatible,"""0.33.2""","""0.33.2""","""0.33.2""","""0.33.2"""
000098 | hardware.cuda_available,compatible,true,true,true,true
000099 | hardware.cuda_version,compatible,"""12.4""","""12.4""","""12.4""","""12.4"""
000100 | hardware.gpu,compatible,"""NVIDIA GeForce RTX 3060 Laptop GPU""","""NVIDIA GeForce RTX 3060 Laptop GPU""","""NVIDIA GeForce RTX 3060 Laptop GPU""","""NVIDIA GeForce R
     + | TX 3060 Laptop GPU"""
000101 | hardware.gpu_total_bytes,compatible,6441926656,6441926656,6441926656,6441926656
000102 | hardware.packages.datasets,compatible,"""5.0.1""","""5.0.1""","""5.0.1""","""5.0.1"""
000103 | hardware.packages.dspy,compatible,"""3.3.0""","""3.3.0""","""3.3.0""","""3.3.0"""
000104 | hardware.packages.matplotlib,compatible,"""3.11.1""","""3.11.1""","""3.11.1""","""3.11.1"""
000105 | hardware.packages.numpy,compatible,"""2.4.4""","""2.4.4""","""2.4.4""","""2.4.4"""
000106 | hardware.packages.torch,compatible,"""2.6.0+cu124""","""2.6.0+cu124""","""2.6.0+cu124""","""2.6.0+cu124"""
000107 | hardware.packages.transformers,compatible,"""5.14.1""","""5.14.1""","""5.14.1""","""5.14.1"""
000108 | hardware.python,compatible,"""3.13.7 (tags/v3.13.7:bcee1c3, Aug 14 2025, 14:15:11) [MSC v.1944 64 bit (AMD64)]""","""3.13.7 (tags/v3.13.7:bcee1c3, Aug 14 2025, 14:15:
     + | 11) [MSC v.1944 64 bit (AMD64)]""","""3.13.7 (tags/v3.13.7:bcee1c3, Aug 14 2025, 14:15:11) [MSC v.1944 64 bit (AMD64)]""","""3.13.7 (tags/v3.13.7:bcee1c3, Aug 14 2025
     + | , 14:15:11) [MSC v.1944 64 bit (AMD64)]"""
000109 | initial_policy_digest,compatible,"""e563ffe10e2eefeaf9d9a869d4cb43369cdddbe6875789caec4e1abd7c6adfd9""","""e563ffe10e2eefeaf9d9a869d4cb43369cdddbe6875789caec4e1abd7c6
     + | adfd9""","""e563ffe10e2eefeaf9d9a869d4cb43369cdddbe6875789caec4e1abd7c6adfd9""","""e563ffe10e2eefeaf9d9a869d4cb43369cdddbe6875789caec4e1abd7c6adfd9"""
000110 | runtime_identity.ollama_version.version,compatible,"""0.33.2""","""0.33.2""","""0.33.2""","""0.33.2"""
000111 | runtime_identity.packages.datasets,compatible,"""5.0.1""","""5.0.1""","""5.0.1""","""5.0.1"""
000112 | runtime_identity.packages.dspy,compatible,"""3.3.0""","""3.3.0""","""3.3.0""","""3.3.0"""
000113 | runtime_identity.packages.matplotlib,compatible,"""3.11.1""","""3.11.1""","""3.11.1""","""3.11.1"""
000114 | runtime_identity.packages.numpy,compatible,"""2.4.4""","""2.4.4""","""2.4.4""","""2.4.4"""
000115 | runtime_identity.packages.torch,compatible,"""2.6.0+cu124""","""2.6.0+cu124""","""2.6.0+cu124""","""2.6.0+cu124"""
000116 | runtime_identity.packages.transformers,compatible,"""5.14.1""","""5.14.1""","""5.14.1""","""5.14.1"""
000117 | selection_id,compatible,"""fa3636bdff13ceb22c646ba250bd49ac056b8918d4921884b5e454e9fe8a643a""","""fa3636bdff13ceb22c646ba250bd49ac056b8918d4921884b5e454e9fe8a643a""",
     + | """fa3636bdff13ceb22c646ba250bd49ac056b8918d4921884b5e454e9fe8a643a""","""fa3636bdff13ceb22c646ba250bd49ac056b8918d4921884b5e454e9fe8a643a"""
```

checkpoint_metadata.csv

12 CSV records; 9 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 95bdc227fc25b504d7f43a1f913eca9308ffadfe8d4e8d5ae22433eed8f8e72e

```
000001 | k,checkpoint,episode,saved_at,optimizer_parameter_states,training_rows,validation_rows,file_bytes,metadata_verified
000002 | 5,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\checkpoints\episode_0000_7629e18a.pt,0,2026-10-13T17:49:56.859488+00:00,0,0,1,497842374,True
000003 | 5,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\checkpoints\episode_0025_f85afbe9.pt,25,2026-10-13T17:59:35.089156+00:00,148,25,1,1493558670,True
000004 | 5,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\checkpoints\episode_0030_689ac93f.pt,30,2026-10-13T18:02:46.888250+00:00,148,30,2,1493578254,True
000005 | 8,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\checkpoints\episode_0000_694f9169.pt,0,2026-10-13T18:11:33.877189+00:00,0,0,1,497842374,True
000006 | 8,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\checkpoints\episode_0025_c1c342e3.pt,25,2026-10-13T18:25:34.939281+00:00,148,25,1,1493633294,True
000007 | 8,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\checkpoints\episode_0030_a2d9cc0b.pt,30,2026-10-13T18:29:07.210628+00:00,148,30,2,1493675278,True
000008 | 10,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\checkpoints\episode_0000_b751824d.pt,0,2026-10-13T18:38:30.734024+00:00,0,0,1,497842374,True
000009 | 10,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\checkpoints\episode_0025_9a4e214d.pt,25,2026-10-13T18:52:40.375947+00:00,148,25,1,1493675342,True
000010 | 10,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\checkpoints\episode_0030_ebdecd4f.pt,30,2026-10-13T18:55:56.158060+00:00,148,30,2,1493720014,True
000011 | 15,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\checkpoints\episode_0000_29cb2d83.pt,0,2026-10-13T19:01:00.754048+00:00,0,0,1,497842374,True
000012 | 15,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\checkpoints\episode_0025_52e3f31f.pt,25,2026-10-13T19:25:00.802315+00:00,148,25,1,1493759310,True
000013 | 15,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\checkpoints\episode_0030_cec4cc1d.pt,30,2026-10-13T19:30:19.011348+00:00,148,30,2,1493823054,True
```

analysis_checks.json

Complete JSON content | physical lines are numbered; '+' means a wrapped continuation

SHA256: 898c1fb803322d8dbd9d5e577e0fe9243721c7394c3e1c72e466dc3975945522

```
000001 | {
000002 |   "version": "saved-static-k-v1",
000003 |   "generated_at_utc": "2026-10-14T06:20:43.745227+00:00",
000004 |   "runs": [
000005 |     {
000006 |       "k": 5,
000007 |       "status": "passed",
000008 |       "episodes": 30,
000009 |       "candidate_rows": 150,
000010 |       "checkpoint_metadata_checked": true
000011 |     },
000012 |     {
000013 |       "k": 8,
000014 |       "status": "passed",
000015 |       "episodes": 30,
000016 |       "candidate_rows": 240,
000017 |       "checkpoint_metadata_checked": true
000018 |     },
000019 |     {
000020 |       "k": 10,
000021 |       "status": "passed",
000022 |       "episodes": 30,
000023 |       "candidate_rows": 300,
000024 |       "checkpoint_metadata_checked": true
000025 |     },
000026 |     {
000027 |       "k": 15,
000028 |       "status": "passed",
000029 |       "episodes": 30,
000030 |       "candidate_rows": 450,
000031 |       "checkpoint_metadata_checked": true
000032 |     }
000033 |   ],
000034 |   "source_artifacts_unchanged": true,
000035 |   "training_or_inference_executed": false,
000036 |   "figure_count": 15,
000037 |   "unavailable_figures": [
000038 |     "10_policy_entropy"
000039 |   ]
000040 | }
```

data_processing_checks.json

Complete JSON content | physical lines are numbered; '+' means a wrapped continuation

SHA256: 3334552b076bbfd66c952fd1a65ee71220fc7ebc2a42060802cb2e4d09959937

```
000001 | {
000002 |   "checks": [
000003 |     {
000004 |       "check": "missing resource stays unavailable",
000005 |       "status": "passed"
000006 |     },
000007 |     {
000008 |       "check": "recorded zero remains zero",
000009 |       "status": "passed"
000010 |     },
000011 |     {
000012 |       "check": "absent history stays unavailable",
000013 |       "status": "passed"
000014 |     },
000015 |     {
000016 |       "check": "reject incompatible learning rate",
000017 |       "status": "passed"
000018 |     },
000019 |     {
000020 |       "check": "reject incorrectly centered advantages",
000021 |       "status": "passed"
000022 |     },
000023 |     {
000024 |       "check": "reject wrong held-out checkpoint",
000025 |       "status": "passed"
000026 |     },
000027 |     {
000028 |       "check": "reject wrong episode schedule",
000029 |       "status": "passed"
000030 |     },
000031 |     {
000032 |       "check": "unavailable training_input_tokens",
000033 |       "status": "passed"
000034 |     },
000035 |     {
000036 |       "check": "unavailable total_input_tokens",
000037 |       "status": "passed"
000038 |     },
000039 |     {
000040 |       "check": "unavailable average_gradient_norm",
000041 |       "status": "passed"
000042 |     },
000043 |     {
000044 |       "check": "unavailable meaningful_nonzero_gradient_rate_pct",
```

data_processing_checks.json

Complete JSON content | physical lines are numbered; '+' means a wrapped continuation

SHA256: 3334552b076bbfd66c952fd1a65ee71220fc7ebc2a42060802cb2e4d09959937

```
000045 |       "status": "passed"
000046 |     },
000047 |     {
000048 |       "check": "unavailable average_policy_joint_entropy_nats",
000049 |       "status": "passed"
000050 |     },
000051 |     {
000052 |       "check": "original run logs remain intact",
000053 |       "status": "passed"
000054 |     }
000055 |   ],
000056 |   "scope": "Integrity rejection and missing-data checks; no synthetic experimental results"
000057 | }
```

missing_metrics.csv

20 CSV records; 4 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 3fe05ea589342cc49a8c89a82fbf3fc6fc2653d08fbff43e86d4b9678a439eb9

```
000001 | k,metric,status,reason
000002 | 5,average_policy_module_entropy_nats,unavailable,full action distributions/entropy diagnostics were not logged
000003 | 5,average_policy_signature_entropy_nats,unavailable,full action distributions/entropy diagnostics were not logged
000004 | 5,average_policy_joint_entropy_nats,unavailable,full action distributions/entropy diagnostics were not logged
000005 | 5,total_wall_seconds,unavailable,measurement absent or repeated tests disagree
000006 | 5,physical_http_requests,unavailable,measurement absent or repeated tests disagree
000007 | 8,average_policy_module_entropy_nats,unavailable,full action distributions/entropy diagnostics were not logged
000008 | 8,average_policy_signature_entropy_nats,unavailable,full action distributions/entropy diagnostics were not logged
000009 | 8,average_policy_joint_entropy_nats,unavailable,full action distributions/entropy diagnostics were not logged
000010 | 8,total_wall_seconds,unavailable,measurement absent or repeated tests disagree
000011 | 8,physical_http_requests,unavailable,measurement absent or repeated tests disagree
000012 | 10,average_policy_module_entropy_nats,unavailable,full action distributions/entropy diagnostics were not logged
000013 | 10,average_policy_signature_entropy_nats,unavailable,full action distributions/entropy diagnostics were not logged
000014 | 10,average_policy_joint_entropy_nats,unavailable,full action distributions/entropy diagnostics were not logged
000015 | 10,total_wall_seconds,unavailable,measurement absent or repeated tests disagree
000016 | 10,physical_http_requests,unavailable,measurement absent or repeated tests disagree
000017 | 15,average_policy_module_entropy_nats,unavailable,full action distributions/entropy diagnostics were not logged
000018 | 15,average_policy_signature_entropy_nats,unavailable,full action distributions/entropy diagnostics were not logged
000019 | 15,average_policy_joint_entropy_nats,unavailable,full action distributions/entropy diagnostics were not logged
000020 | 15,total_wall_seconds,unavailable,measurement absent or repeated tests disagree
000021 | 15,physical_http_requests,unavailable,measurement absent or repeated tests disagree
```

figure_manifest.csv

16 CSV records; 4 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 50d16b651f2e12671a34b41a264f91b389926177f959dc3eb59042eef0eea18c

```
000001 | figure,status,title,source
000002 | 01_best_validation_accuracy,generated,Best validation-selected accuracy (10 questions),Saved GSM8K runs; seed 42; 30 episodes
000003 | 02_held_out_test_accuracy,generated,Held-out test: validation-selected checkpoint (30 questions),Saved GSM8K runs; seed 42; 30 episodes
000004 | 03_training_pipeline_evaluations,generated,Attempted training pipeline evaluations,Saved GSM8K runs; seed 42; 30 episodes
000005 | 04_training_time,generated,Measured training time (validation and checkpoint I/O excluded),Saved GSM8K runs; seed 42; 30 episodes
000006 | 05_mean_training_reward,generated,Mean candidate reward: trailing 5-episode mean; faint raw groups,Saved GSM8K runs; seed 42; 30 episodes
000007 | 06_zero_advantage_rate,generated,Groups with all centered advantages equal to zero,Saved GSM8K runs; seed 42; 30 episodes
000008 | 07_nonzero_gradient_rate,generated,Recorded gradient norm > 1e-8 (before Adam step),Saved GSM8K runs; seed 42; 30 episodes
000009 | 08_unique_pipeline_count,generated,"Mean distinct (module, signature) pipelines per group",Saved GSM8K runs; seed 42; 30 episodes
000010 | 09_normalized_diversity,generated,Mean unique pipeline count divided by K,Saved GSM8K runs; seed 42; 30 episodes
000011 | 10_policy_entropy,unavailable,Policy entropy across training episodes,Full policy distributions were not saved
000012 | 10b_empirical_selection_entropy,generated,Empirical selection entropy; not true policy entropy,Saved GSM8K runs; seed 42; 30 episodes
000013 | 11_gradient_norms,generated,Global policy gradient L2 norm before optimizer step,Saved GSM8K runs; seed 42; 30 episodes
000014 | 12_validation_vs_evaluations,generated,Validation accuracy versus cumulative evaluations,Saved validation at episodes 0 and 30 only; lines join observations
000015 | 13_unique_pipelines_over_training,generated,Distinct pipelines per group: trailing 5-episode mean,Saved GSM8K runs; seed 42; 30 episodes
000016 | 14_pipeline_selection_distribution,generated,Pipeline selection distribution,Saved GSM8K runs; seed 42; 30 episodes
000017 | 15_observed_candidate_prefixes,generated,Marginal variation/diversity in observed ordered prefixes,Recorded candidates in saved order; policies differ across K; no co
     + | unterfactual training or stopping rule
```

evaluation_metrics.csv

12 CSV records; 12 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: d6c426817c94f1c8721d80ad82c50d7c33074e09a97650969dbb95a005cbbcee

```
000001 | k,split,episode,questions,accuracy,cumulative_training_pipeline_evaluations,measured_llm_calls,seconds,semantic_fallback_count,semantic_full_credit_count,selected_che
     + | ckpoint,artifact
000002 | 5,validation,0,10,0.5,0,15,34.987219300004654,5,1,unavailable,unavailable
000003 | 5,validation,30,10,0.7,150,13,34.15527230000589,3,0,unavailable,unavailable
000004 | 5,test,30,30,0.7666666666666667,150,37,83.23383879999164,7,0,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\checkpoints\episode_0030_689ac93f.pt,results\gs
     + | m8k\k5\seed42\baseline\20261013T174921-b1ad8988\test_3e769531.json
000005 | 8,validation,0,10,0.5,0,15,29.78051129996311,5,1,unavailable,unavailable
000006 | 8,validation,30,10,0.4,240,16,31.245612500002608,6,1,unavailable,unavailable
000007 | 8,test,0,30,0.6666666666666666,0,40,69.13132829999086,10,1,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\checkpoints\episode_0000_694f9169.pt,results\gsm8
     + | k\k8\seed42\baseline\20261013T181104-322720b3\test_174249a3.json
000008 | 10,validation,0,10,0.5,0,15,31.55891350004822,5,1,unavailable,unavailable
000009 | 10,validation,30,10,0.6,300,14,24.067897000000812,4,1,unavailable,unavailable
000010 | 10,test,30,30,0.7666666666666667,300,38,61.20164320000913,7,0,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\checkpoints\episode_0030_ebdecd4f.pt,results\
     + | gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\test_52cdf561.json
000011 | 15,validation,0,10,0.5,0,15,28.854854599921964,5,1,unavailable,unavailable
000012 | 15,validation,30,10,0.4,450,16,33.4234236999182,6,1,unavailable,unavailable
000013 | 15,test,0,30,0.7,0,39,74.37916410004254,9,0,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\checkpoints\episode_0000_29cb2d83.pt,results\gsm8k\k15\seed42\b
     + | aseline\20261013T190031-8d8e40ec\test_d91652f1.json
```

phase_summary.csv

12 CSV records; 13 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: b37ec85197be1ee8826e0ac655d10fbaaf8619a3460aef5ce1f8c1732030f6b0

```
000001 | k,phase,first_episode,last_episode,mean_reward,average_unique_pipelines,normalized_diversity,predict_proportion,top_pipeline,top_pipeline_proportion,empirical_module_
     + | entropy_nats,empirical_signature_entropy_nats,zero_advantage_rate_pct
000002 | 5,1,1,10,0.6799999999999999,4.0,0.8,0.56,Predict | math_problem -> answer,0.18,0.6859298002523728,2.1927960182114017,40.0
000003 | 5,2,11,20,0.7200000000000001,2.8,0.5599999999999999,0.34,CoT | math_problem -> answer,0.48,0.6410354778811556,1.5030981481101255,70.0
000004 | 5,3,21,30,0.7,4.2,0.8400000000000001,0.16,CoT | math_problem -> answer,0.18,0.439669879401343,2.0789008339087,50.0
000005 | 8,1,1,10,0.7875,6.3,0.7875,0.725,Predict | question -> reasoning,0.1375,0.5881687773541907,2.4554562253254515,30.0
000006 | 8,2,11,20,0.79375,4.7,0.5875,0.9125,Predict | problem -> solution,0.3125,0.2967152565836348,1.8419527727667644,40.0
000007 | 8,3,21,30,0.73125,3.2,0.4,0.9125,Predict | problem_description -> explanation,0.4875,0.2967152565836348,1.2549016115278253,80.0
000008 | 10,1,1,10,0.74,6.7,0.67,0.82,Predict | question -> reasoning,0.19,0.4713934868100942,2.3696271837216534,20.0
000009 | 10,2,11,20,0.725,5.5,0.55,0.96,Predict | word_problem -> solution,0.22,0.167944147734173,2.1564439094722787,30.0
000010 | 10,3,21,30,0.6599999999999999,4.2,0.4200000000000004,0.99,Predict | word_problem -> solution,0.46,0.056001534354847345,1.6456733568834652,70.0
000011 | 15,1,1,10,0.7233333333333334,8.5,0.5666666666666667,0.8133333333333334,Predict | question -> answer,0.18666666666666668,0.48135333581383566,2.4183856918834077,20.0
000012 | 15,2,11,20,0.74,5.2,0.34666666666666673,0.9733333333333334,Predict | problem_description -> explanation,0.2733333333333333,0.1229569993369445,1.7764125900438628,30.0
000013 | 15,3,21,30,0.7366666666666667,3.2,0.21333333333333332,0.98,Predict | problem_description -> explanation,0.48,0.098039113279732,1.092862139160793,80.0
```

paired_test_comparison.csv

6 CSV records; 8 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 2cfe68b311da8ac97a119225de128006e1488c28e91b59dc027d522b517d894c

```
000001 | k_a,k_b,questions,both_correct,a_only_correct,b_only_correct,same_sampled_pipeline_count,same_output_count
000002 | 5,8,30,19,4,1,12,13
000003 | 5,10,30,20,3,3,0,1
000004 | 5,15,30,20,3,1,12,15
000005 | 8,10,30,16,4,7,0,0
000006 | 8,15,30,20,0,1,30,25
000007 | 10,15,30,17,6,4,0,0
```

pipeline_distribution.csv

88 CSV records; 6 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 7b98b9a18abb5b05a8b027cec391aecc41fea96cb55ae400b3d71fc8bb62e2ce

```
000001 | k,module,signature,pipeline,count,proportion
000002 | 5,CoT,math_problem -> answer,CoT | math_problem -> answer,40,0.26666666666666666
000003 | 5,Predict,math_problem -> answer,Predict | math_problem -> answer,15,0.1
000004 | 5,Predict,problem -> solution,Predict | problem -> solution,13,0.08666666666666667
000005 | 5,CoT,query -> response,CoT | query -> response,11,0.07333333333333333
000006 | 5,Predict,problem_description -> explanation,Predict | problem_description -> explanation,11,0.07333333333333333
000007 | 5,CoT,query -> generated_text,CoT | query -> generated_text,10,0.06666666666666667
000008 | 5,CoT,problem -> solution,CoT | problem -> solution,9,0.06
000009 | 5,CoT,word_problem -> solution,CoT | word_problem -> solution,7,0.04666666666666667
000010 | 5,CoT,problem_description -> explanation,CoT | problem_description -> explanation,7,0.04666666666666667
000011 | 5,Predict,question -> answer,Predict | question -> answer,5,0.03333333333333333
000012 | 5,CoT,text -> summary,CoT | text -> summary,4,0.02666666666666667
000013 | 5,CoT,text -> response,CoT | text -> response,3,0.02
000014 | 5,Predict,question -> reasoning,Predict | question -> reasoning,2,0.013333333333333334
000015 | 5,CoT,prompt -> generated_text,CoT | prompt -> generated_text,2,0.013333333333333334
000016 | 5,Predict,text -> summary,Predict | text -> summary,2,0.013333333333333334
000017 | 5,Predict,question -> hypothesis,Predict | question -> hypothesis,2,0.013333333333333334
000018 | 5,CoT,context -> briefing,CoT | context -> briefing,2,0.013333333333333334
000019 | 5,CoT,prompt -> response,CoT | prompt -> response,1,0.006666666666666667
000020 | 5,Predict,text -> response,Predict | text -> response,1,0.006666666666666667
000021 | 5,Predict,prompt -> generated_text,Predict | prompt -> generated_text,1,0.006666666666666667
000022 | 5,Predict,word_problem -> solution,Predict | word_problem -> solution,1,0.006666666666666667
000023 | 5,CoT,context -> summary,CoT | context -> summary,1,0.006666666666666667
000024 | 8,Predict,problem_description -> explanation,Predict | problem_description -> explanation,63,0.2625
000025 | 8,Predict,problem -> solution,Predict | problem -> solution,59,0.24583333333333332
000026 | 8,CoT,math_problem -> answer,CoT | math_problem -> answer,21,0.0875
000027 | 8,Predict,question -> reasoning,Predict | question -> reasoning,19,0.07916666666666666
000028 | 8,Predict,question -> answer,Predict | question -> answer,18,0.075
000029 | 8,Predict,question -> hypothesis,Predict | question -> hypothesis,17,0.07083333333333333
000030 | 8,Predict,math_problem -> answer,Predict | math_problem -> answer,7,0.029166666666666667
000031 | 8,Predict,word_problem -> solution,Predict | word_problem -> solution,7,0.029166666666666667
000032 | 8,Predict,text -> response,Predict | text -> response,6,0.025
000033 | 8,CoT,query -> generated_text,CoT | query -> generated_text,5,0.020833333333333332
000034 | 8,Predict,text -> summary,Predict | text -> summary,4,0.016666666666666666
000035 | 8,CoT,query -> response,CoT | query -> response,4,0.016666666666666666
000036 | 8,Predict,prompt -> generated_text,Predict | prompt -> generated_text,2,0.008333333333333333
000037 | 8,CoT,text -> summary,CoT | text -> summary,1,0.004166666666666667
000038 | 8,CoT,prompt -> response,CoT | prompt -> response,1,0.004166666666666667
000039 | 8,CoT,context -> briefing,CoT | context -> briefing,1,0.004166666666666667
000040 | 8,CoT,prompt -> generated_text,CoT | prompt -> generated_text,1,0.004166666666666667
000041 | 8,CoT,word_problem -> solution,CoT | word_problem -> solution,1,0.004166666666666667
000042 | 8,Predict,context -> briefing,Predict | context -> briefing,1,0.004166666666666667
000043 | 8,CoT,text -> response,CoT | text -> response,1,0.004166666666666667
000044 | 8,Predict,query -> response,Predict | query -> response,1,0.004166666666666667
```

pipeline_distribution.csv

88 CSV records; 6 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 7b98b9a18abb5b05a8b027cec391aecc41fea96cb55ae400b3d71fc8bb62e2ce

```
000045 | 10,Predict,word_problem -> solution,Predict | word_problem -> solution,75,0.25
000046 | 10,Predict,question -> answer,Predict | question -> answer,48,0.16
000047 | 10,Predict,question -> reasoning,Predict | question -> reasoning,37,0.12333333333333334
000048 | 10,Predict,question -> hypothesis,Predict | question -> hypothesis,35,0.11666666666666667
000049 | 10,Predict,problem_description -> explanation,Predict | problem_description -> explanation,28,0.09333333333333334
000050 | 10,Predict,problem -> solution,Predict | problem -> solution,25,0.08333333333333333
000051 | 10,Predict,math_problem -> answer,Predict | math_problem -> answer,11,0.03666666666666667
000052 | 10,CoT,query -> response,CoT | query -> response,8,0.02666666666666667
000053 | 10,CoT,query -> generated_text,CoT | query -> generated_text,6,0.02
000054 | 10,Predict,text -> summary,Predict | text -> summary,4,0.013333333333333334
000055 | 10,Predict,text -> response,Predict | text -> response,4,0.013333333333333334
000056 | 10,Predict,query -> response,Predict | query -> response,4,0.013333333333333334
000057 | 10,CoT,math_problem -> answer,CoT | math_problem -> answer,3,0.01
000058 | 10,Predict,prompt -> generated_text,Predict | prompt -> generated_text,2,0.006666666666666667
000059 | 10,Predict,query -> generated_text,Predict | query -> generated_text,2,0.006666666666666667
000060 | 10,CoT,text -> summary,CoT | text -> summary,1,0.0033333333333333335
000061 | 10,CoT,prompt -> response,CoT | prompt -> response,1,0.0033333333333333335
000062 | 10,CoT,context -> briefing,CoT | context -> briefing,1,0.0033333333333333335
000063 | 10,CoT,text -> response,CoT | text -> response,1,0.0033333333333333335
000064 | 10,CoT,prompt -> generated_text,CoT | prompt -> generated_text,1,0.0033333333333333335
000065 | 10,CoT,word_problem -> solution,CoT | word_problem -> solution,1,0.0033333333333333335
000066 | 10,Predict,context -> briefing,Predict | context -> briefing,1,0.0033333333333333335
000067 | 10,Predict,prompt -> response,Predict | prompt -> response,1,0.0033333333333333335
000068 | 15,Predict,problem_description -> explanation,Predict | problem_description -> explanation,122,0.27111111111111114
000069 | 15,Predict,problem -> solution,Predict | problem -> solution,107,0.23777777777777778
000070 | 15,Predict,question -> answer,Predict | question -> answer,53,0.11777777777777777
000071 | 15,Predict,question -> hypothesis,Predict | question -> hypothesis,50,0.1111111111111111
000072 | 15,Predict,question -> reasoning,Predict | question -> reasoning,45,0.1
000073 | 15,Predict,math_problem -> answer,Predict | math_problem -> answer,14,0.03111111111111111
000074 | 15,CoT,query -> response,CoT | query -> response,10,0.022222222222222223
000075 | 15,CoT,query -> generated_text,CoT | query -> generated_text,9,0.02
000076 | 15,Predict,word_problem -> solution,Predict | word_problem -> solution,9,0.02
000077 | 15,Predict,text -> response,Predict | text -> response,4,0.008888888888888889
000078 | 15,CoT,word_problem -> solution,CoT | word_problem -> solution,4,0.008888888888888889
000079 | 15,Predict,prompt -> response,Predict | prompt -> response,4,0.008888888888888889
000080 | 15,CoT,math_problem -> answer,CoT | math_problem -> answer,3,0.006666666666666667
000081 | 15,Predict,prompt -> generated_text,Predict | prompt -> generated_text,3,0.006666666666666667
000082 | 15,Predict,text -> summary,Predict | text -> summary,3,0.006666666666666667
000083 | 15,CoT,text -> summary,CoT | text -> summary,2,0.0044444444444444444
000084 | 15,CoT,prompt -> response,CoT | prompt -> response,2,0.0044444444444444444
000085 | 15,CoT,prompt -> generated_text,CoT | prompt -> generated_text,2,0.0044444444444444444
000086 | 15,CoT,context -> briefing,CoT | context -> briefing,1,0.0022222222222222222
000087 | 15,CoT,text -> response,CoT | text -> response,1,0.0022222222222222222
000088 | 15,CoT,context -> summary,CoT | context -> summary,1,0.0022222222222222222
```

pipeline_distribution.csv

88 CSV records; 6 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 7b98b9a18abb5b05a8b027cec391aecc41fea96cb55ae400b3d71fc8bb62e2ce

```
000089 | 15,Predict,context -> briefing,Predict | context -> briefing,1,0.0022222222222222222
```

episode_metrics.csv

120 CSV records; 37 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 72333966cba99651a2401be619d9e28a5d2cf73e962cea04f2c4be1154059e83

```
000001 | k,episode,question_id,mean_training_reward,within_group_reward_variance,pooled_success_count,zero_advantage_group,different_reward_group,mixed_numeric_em_group,mixed_
     + | positive_zero_reward_group,mixed_full_credit_group,mixed_execution_group,unique_pipeline_count,normalized_pipeline_diversity,empirical_module_entropy_nats,empirical_s
     + | ignature_entropy_nats,empirical_joint_entropy_nats,empirical_conditional_signature_entropy_nats,policy_module_entropy_nats,policy_signature_entropy_nats,policy_joint_
     + | entropy_nats,absolute_policy_loss,policy_loss,gradient_norm,meaningful_nonzero_gradient,episode_seconds,cumulative_training_seconds,cumulative_pipeline_evaluations,at
     + | tempted_pipeline_evaluations,successful_pipeline_evaluations,pipeline_execution_seconds,failed_pipeline_evaluations,execution_llm_calls,prompt_tokens,generated_tokens
     + | ,peak_allocated_gpu_bytes,peak_reserved_gpu_bytes
000002 | 5,1,gsm8k:train:4423,0.3,0.15999999999999998,1,False,True,True,True,True,False,5,1.0,0.6730116670092565,1.6094379124341005,1.6094379124341005,0.936426245424844,unavai
     + | lable,unavailable,unavailable,1.2479918897151947,1.2479918897151947,217.37246543450402,True,12.53919930011034,12.53919930011034,5,5,5,10.024275599862449,0,9,2417,965,
     + | 2322413568,2814377984
000003 | 5,2,gsm8k:train:3812,1.0,0.0,5,True,False,False,False,False,False,4,0.8,0.5004024235381879,1.3321790402101223,1.3321790402101223,0.8317766166719345,unavailable,unavai
     + | lable,unavailable,0.0,0.0,0.0,False,12.377090400084853,24.916289700195193,10,5,5,2.7528500999324024,0,5,1216,179,2942588928,3829399552
000004 | 5,3,gsm8k:train:7079,0.2,0.16000000000000006,1,False,True,True,True,True,False,4,0.8,0.6730116670092565,1.3321790402101223,1.3321790402101223,0.6591673732008658,unava
     + | ilable,unavailable,unavailable,0.9553201794624329,0.9553201794624329,212.34224982573542,True,19.594236199976876,44.51052590017207,15,5,5,7.486691300058737,0,9,1826,27
     + | 5,2914301952,3829399552
000005 | 5,4,gsm8k:train:2663,0.8,0.16000000000000006,4,False,True,True,True,True,False,4,0.8,0.6730116670092565,0.9502705392332347,1.3321790402101223,0.6591673732008658,unava
     + | ilable,unavailable,unavailable,1.119131714105606,1.119131714105606,170.00328106842343,True,19.55642449995503,64.0669504001271,20,5,5,9.914585399907082,0,7,1560,447,29
     + | 08071936,3829399552
000006 | 5,5,gsm8k:train:4423,0.6,0.24000000000000005,3,False,True,True,True,True,False,4,0.8,-0.0,1.3321790402101223,1.3321790402101223,1.3321790402101223,unavailable,unavail
     + | able,unavailable,1.3370468616485596,-1.3370468616485596,198.92482401839462,True,25.057006899965927,89.12395730009302,25,5,5,16.478727599955164,0,8,2214,996,2983909376
     + | ,3829399552
000007 | 5,6,gsm8k:train:56,1.0,0.0,5,True,False,False,False,False,False,3,0.6,0.5004024235381879,0.9502705392332347,0.9502705392332347,0.4498681156950468,unavailable,unavaila
     + | ble,unavailable,0.0,0.0,0.0,False,19.236352600040846,108.36030990013387,30,5,5,11.20491630001925,0,5,1331,640,2955854848,3829399552
000008 | 5,7,gsm8k:train:6330,1.0,0.0,5,True,False,False,False,False,False,4,0.8,0.5004024235381879,1.3321790402101223,1.3321790402101223,0.8317766166719345,unavailable,unavai
     + | lable,unavailable,0.0,0.0,0.0,False,20.617285100044683,128.97759500017855,35,5,5,11.6792443000013,0,5,1315,662,2983909376,3829399552
000009 | 5,8,gsm8k:train:2477,0.7,0.16,3,False,True,True,True,True,False,5,1.0,0.6730116670092565,1.6094379124341005,1.6094379124341005,0.936426245424844,unavailable,unavailab
     + | le,unavailable,0.11151701211929321,-0.11151701211929321,199.33624399877223,True,21.0560902999714,150.03368530014995,40,5,5,12.338546700193547,0,8,1991,694,2968334336,
     + | 3829399552
000010 | 5,9,gsm8k:train:2271,0.2,0.16000000000000003,1,False,True,True,True,True,False,3,0.6,0.6730116670092565,0.6730116670092565,1.0549201679861442,0.38190850097688767,unav
     + | ailable,unavailable,unavailable,0.5659250617027283,-0.5659250617027283,161.7228681717159,True,16.552375699975528,166.58606100012548,45,5,5,8.209859500057064,0,9,1985,
     + | 324,2937145344,3829399552
000011 | 5,10,gsm8k:train:5302,1.0,0.0,5,True,False,False,False,False,False,4,0.8,0.6730116670092565,0.9502705392332347,1.3321790402101223,0.6591673732008658,unavailable,unava
     + | ilable,unavailable,0.0,0.0,0.0,False,17.222765000071377,183.80882600019686,50,5,5,9.838817999814637,0,5,1271,464,2941298688,3829399552
000012 | 5,11,gsm8k:train:2428,0.6,0.24000000000000005,3,False,True,True,True,True,False,5,1.0,0.5004024235381879,1.6094379124341005,1.6094379124341005,1.1090354888959126,unav
     + | ailable,unavailable,unavailable,0.48829102516174316,-0.48829102516174316,260.6721274760468,True,19.694617000059225,203.50344300025608,55,5,5,11.538998699979857,0,7,17
     + | 73,624,2954797056,3829399552
000013 | 5,12,gsm8k:train:3418,1.0,0.0,5,True,False,False,False,False,False,3,0.6,0.6730116670092565,0.5004024235381879,1.0549201679861442,0.38190850097688767,unavailable,unav
     + | ailable,unavailable,0.0,0.0,0.0,False,18.568827599985525,222.0722706002416,60,5,5,10.991991500020958,0,5,1264,571,2941298688,3829399552
000014 | 5,13,gsm8k:train:3082,1.0,0.0,5,True,False,False,False,False,False,3,0.6,0.5004024235381879,0.9502705392332347,0.9502705392332347,0.4498681156950468,unavailable,unava
     + | ilable,unavailable,0.0,0.0,0.0,False,20.362841799971648,242.43511240021326,65,5,5,12.691130099934526,0,5,1299,714,2943375360,3829399552
000015 | 5,14,gsm8k:train:5302,1.0,0.0,5,True,False,False,False,False,False,3,0.6,0.6730116670092565,0.9502705392332347,0.9502705392332347,0.27725887222397816,unavailable,unav
     + | ailable,unavailable,0.0,0.0,0.0,False,19.908001400064677,262.34311380027793,70,5,5,11.631689900066704,0,5,1234,605,2941298688,3829399552
000016 | 5,15,gsm8k:train:819,1.0,0.0,5,True,False,False,False,False,False,1,0.2,-0.0,-0.0,-0.0,0.0,unavailable,unavailable,unavailable,0.0,0.0,0.0,0.0,False,30.91858850000426,293
     + | .2617023002822,75,5,5,22.13888749992475,0,5,1570,1305,3080220672,3829399552
000017 | 5,16,gsm8k:train:1601,0.2,0.16000000000000006,1,False,True,True,True,True,False,3,0.6,0.5004024235381879,0.5004024235381879,0.9502705392332347,0.4498681156950468,unav
```

episode_metrics.csv

120 CSV records; 37 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 72333966cba99651a2401be619d9e28a5d2cf73e962cea04f2c4be1154059e83

```
     + | ailable,unavailable,unavailable,4.722706340253353,4.722706340253353,266.7650082346319,True,19.778158799977973,313.03986110026017,80,5,5,12.243261200026609,0,9,1953,65
     + | 1,2924685312,3829399552
000018 | 5,17,gsm8k:train:56,1.0,0.0,5,True,False,False,False,False,False,3,0.6,0.5004024235381879,0.9502705392332347,0.9502705392332347,0.4498681156950468,unavailable,unavail
     + | able,unavailable,0.0,0.0,0.0,False,19.40280280006118,332.44266390032135,85,5,5,12.355285599827766,0,5,1341,670,2955854848,3829399552
000019 | 5,18,gsm8k:train:4423,0.0,0.0,0,True,False,False,False,False,False,2,0.4,-0.0,0.5004024235381879,0.5004024235381879,0.5004024235381879,unavailable,unavailable,unavail
     + | able,0.0,0.0,0.0,False,27.391473999945447,359.8341379002668,90,5,5,17.385117299854755,0,10,2440,1103,2984947712,3829399552
000020 | 5,19,gsm8k:train:4389,0.4,0.24000000000000005,2,False,True,True,True,True,False,3,0.6,0.5004024235381879,0.9502705392332347,0.9502705392332347,0.4498681156950468,unav
     + | ailable,unavailable,unavailable,3.9404743909835815,3.9404743909835815,296.19335409369705,True,28.33021300006658,388.1643509003334,95,5,5,20.552844600053504,0,8,1889,1
     + | 385,2953758720,3829399552
000021 | 5,20,gsm8k:train:4306,1.0,0.0,2,True,False,True,False,False,False,2,0.4,0.6730116670092565,0.6730116670092565,0.6730116670092565,0.0,unavailable,unavailable,unavailab
     + | le,0.0,0.0,0.0,False,24.17080859991256,412.33515950024594,100,5,5,16.710802800022066,0,8,2328,1059,2926761984,3829399552
000022 | 5,21,gsm8k:train:3115,0.6,0.24000000000000005,3,False,True,True,True,True,False,5,1.0,-0.0,1.6094379124341005,1.6094379124341005,1.6094379124341005,unavailable,unavai
     + | lable,unavailable,0.28811198472976685,-0.28811198472976685,237.82311827726667,True,22.841056899982505,435.17621640022844,105,5,5,15.567469899891876,0,7,1707,936,29267
     + | 61984,3829399552
000023 | 5,22,gsm8k:train:7114,0.0,0.0,0,True,False,False,False,False,False,4,0.8,0.5004024235381879,0.9502705392332347,1.3321790402101223,0.8317766166719345,unavailable,unava
     + | ilable,unavailable,0.0,0.0,0.0,False,21.29565789992921,456.47187430015765,110,5,5,8.203377899946645,0,11,2160,292,2889363456,3829399552
000024 | 5,23,gsm8k:train:6009,0.8,0.16000000000000006,4,False,True,True,True,True,False,5,1.0,0.6730116670092565,1.3321790402101223,1.6094379124341005,0.936426245424844,unava
     + | ilable,unavailable,unavailable,0.1313653290271759,-0.1313653290271759,197.97809007536583,True,24.57850769988727,481.0503820000449,115,5,5,18.95710640004836,0,6,1696,7
     + | 42,3060346880,3829399552
000025 | 5,24,gsm8k:train:56,1.0,0.0,5,True,False,False,False,False,False,4,0.8,-0.0,1.3321790402101223,1.3321790402101223,1.3321790402101223,unavailable,unavailable,unavailab
     + | le,0.0,0.0,0.0,False,20.776541500003077,501.826923500048,120,5,5,13.997763899969868,0,5,1360,578,2955854848,3829399552
000026 | 5,25,gsm8k:train:56,1.0,0.0,5,True,False,False,False,False,False,5,1.0,0,0.5004024235381879,1.6094379124341005,1.6094379124341005,1.1090354888959126,unavailable,unavail
     + | able,unavailable,0.0,0.0,0.0,False,22.150333400000818,523.9772569000488,125,5,5,15.208312300033867,0,5,1320,650,2955854848,3829399552
000027 | 5,26,gsm8k:train:2068,1.0,0.0,5,True,False,False,False,False,False,4,0.8,0.6730116670092565,1.3321790402101223,1.3321790402101223,0.6591673732008658,unavailable,unava
     + | ilable,unavailable,0.0,0.0,0.0,False,23.207259300048463,547.1845162000973,130,5,5,15.502241000183858,0,5,1412,639,3057614848,3829399552
000028 | 5,27,gsm8k:train:2428,0.2,0.16000000000000006,1,False,True,True,True,True,False,4,0.8,-0.0,1.3321790402101223,1.3321790402101223,1.3321790402101223,unavailable,unavai
     + | lable,unavailable,0.3036789000034332,-0.3036789000034332,107.46104424688531,True,30.967778399935924,578.1522946000332,135,5,5,18.769903699983843,0,9,2211,789,29558548
     + | 48,3829399552
000029 | 5,28,gsm8k:train:2068,1.0,0.0,5,True,False,False,False,False,False,5,1.0,0.5004024235381879,1.6094379124341005,1.6094379124341005,1.1090354888959126,unavailable,unava
     + | ilable,unavailable,0.0,0.0,0.0,False,18.475144800031558,596.6274394000648,140,5,5,13.345016399980523,0,5,1471,533,3057614848,3829399552
000030 | 5,29,gsm8k:train:3703,0.6,0.24000000000000005,3,False,True,True,True,True,False,2,0.4,-0.0,0.6730116670092565,0.6730116670092565,0.6730116670092565,unavailable,unavai
     + | lable,unavailable,1.1920928955078125e-07,-1.1920928955078125e-07,3.578945171356219e-05,True,37.76149710000027,634.388936500065,145,5,5,29.05574879993219,0,7,1854,1520
     + | ,2987024384,3829399552
000031 | 5,30,gsm8k:train:6195,0.8,0.16,4,False,True,True,True,True,False,4,0.8,-0.0,1.3321790402101223,1.3321790402101223,1.3321790402101223,unavailable,unavailable,unavailab
     + | le,0.03424081206321716,0.03424081206321716,158.3682003284879,True,34.18274620000739,668.5716827000724,150,5,5,24.70704010000918,0,6,1456,1058,2928838656,3829399552
000032 | 8,1,gsm8k:train:4423,0.375,0.171875,2,False,True,True,True,True,False,7,0.875,0.6615632381579821,1.9061547465398496,1.9061547465398496,1.2445915083818675,unavailable,
     + | unavailable,unavailable,0.8954246044158936,0.8954246044158936,278.0209014394774,True,20.14789609995205,20.14789609995205,8,8,8,16.821528100059368,0,14,3737,1547,23232
     + | 00000,2814377984
000033 | 8,2,gsm8k:train:3812,1.0,0.0,8,True,False,False,False,False,False,6,0.75,0.37677016125643675,1.7328679513998633,1.7328679513998633,1.3560977901434266,unavailable,unav
     + | ailable,unavailable,0.0,0.0,0.0,False,20.381531300023198,40.52942739997525,16,8,8,12.487145399791189,0,10,2419,427,2942588928,3829399552
000034 | 8,3,gsm8k:train:7079,0.5,0.25,4,False,True,True,True,True,False,6,0.75,0.6615632381579821,1.3862943611198906,1.7328679513998633,1.0713047132418811,unavailable,unavail
     + | able,unavailable,0.6541197299957275,0.6541197299957275,310.5084249797651,True,19.45602190005593,59.98544930003118,24,8,8,10.337668200023472,0,13,2760,350,2914301952,3
     + | 829399552
000035 | 8,4,gsm8k:train:2663,0.875,0.109375,7,False,True,True,True,True,False,7,0.875,0.6931471805599453,1.9061547465398496,1.9061547465398496,1.2130075659799044,unavailable,
```

episode_metrics.csv

120 CSV records; 37 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 72333966cba99651a2401be619d9e28a5d2cf73e962cea04f2c4be1154059e83

```
     + | unavailable,unavailable,1.2829668819904327,-1.2829668819904327,237.113888790326,True,24.86440069996752,84.8498499999987,32,8,8,16.568894400028512,0,10,2245,755,290807
     + | 1936,3829399552
000036 | 8,5,gsm8k:train:4423,0.6875,0.18359375,5,False,True,True,True,True,False,7,0.875,0.5623351446188083,1.9061547465398496,1.9061547465398496,1.3438196019210413,unavailab
     + | le,unavailable,unavailable,0.40259021520614624,-0.40259021520614624,207.0234855983348,True,34.226857500034384,119.07670750003308,40,8,8,23.078649999806657,0,11,2963,1
     + | 240,2984947712,3829399552
000037 | 8,6,gsm8k:train:56,0.875,0.109375,7,False,True,True,True,True,False,8,1.0,0.6615632381579821,2.0794415416798357,2.0794415416798357,1.4178783035218536,unavailable,unav
     + | ailable,unavailable,0.40480804443359375,0.40480804443359375,139.97597873864365,True,34.889290699968114,153.9659982000012,48,8,8,25.697259000036865,0,9,2379,1160,29558
     + | 54848,3829399552
000038 | 8,7,gsm8k:train:6330,1.0,0.0,8,True,False,False,False,False,False,5,0.625,0.37677016125643675,1.559581156259877,1.559581156259877,1.1828109950034402,unavailable,unava
     + | ilable,unavailable,0.0,0.0,0.0,False,30.752192799933255,184.71819099993445,56,8,8,22.22433620004449,0,8,2095,1123,2984947712,3829399552
000039 | 8,8,gsm8k:train:2477,0.9375,0.02734375,7,False,True,True,False,True,False,6,0.75,0.37677016125643675,1.7328679513998633,1.7328679513998633,1.3560977901434266,unavaila
     + | ble,unavailable,unavailable,0.4758427143096924,0.4758427143096924,52.43010375997543,True,31.34371889999602,216.06190989993047,64,8,8,22.578539100009948,0,9,2288,1025,
     + | 2967296000,3829399552
000040 | 8,9,gsm8k:train:2271,0.625,0.234375,5,False,True,True,True,True,False,6,0.75,-0.0,1.7328679513998633,1.7328679513998633,1.7328679513998633,unavailable,unavailable,una
     + | vailable,0.1806468963623047,-0.1806468963623047,278.4768177037291,True,22.053961299941875,238.11587119987234,72,8,8,13.191632299916819,0,12,2615,552,2936107008,382939
     + | 9552
000041 | 8,10,gsm8k:train:5302,1.0,0.0,8,True,False,False,False,False,False,5,0.625,0.5623351446188083,1.4941751382893083,1.4941751382893083,0.9318399936705,unavailable,unavai
     + | lable,unavailable,0.0,0.0,0.0,False,33.84290570009034,271.9587768999627,80,8,8,24.8581254001474,0,8,1957,1122,2941298688,3829399552
000042 | 8,11,gsm8k:train:2428,0.5,0.25,4,False,True,True,True,True,False,5,0.625,0.5623351446188083,1.2554823251787535,1.4941751382893083,0.9318399936705,unavailable,unavaila
     + | ble,unavailable,2.236350893974304,-2.236350893974304,447.28910411699746,True,33.75122409989126,305.71000099985395,88,8,8,23.862861099885777,0,12,2925,1082,2955854848,
     + | 3829399552
000043 | 8,12,gsm8k:train:3418,0.875,0.109375,7,False,True,True,True,True,False,7,0.875,0.37677016125643675,1.9061547465398496,1.9061547465398496,1.529384585283413,unavailable
     + | ,unavailable,unavailable,0.44922369718551636,0.44922369718551636,137.03415043301618,True,38.76088369998615,344.4708846998401,96,8,8,30.23112250014674,0,9,2219,1308,29
     + | 41298688,3829399552
000044 | 8,13,gsm8k:train:3082,1.0,0.0,8,True,False,False,False,False,False,6,0.75,0.37677016125643675,1.6674619334292948,1.6674619334292948,1.2906917721728581,unavailable,una
     + | vailable,unavailable,0.0,0.0,0.0,False,32.53211269993335,377.00299739977345,104,8,8,23.837843000073917,0,8,1913,1041,2943375360,3829399552
000045 | 8,14,gsm8k:train:5302,0.875,0.109375,7,False,True,True,True,True,False,5,0.625,-0.0,1.559581156259877,1.559581156259877,1.559581156259877,unavailable,unavailable,unav
     + | ailable,0.5968903452157974,0.5968903452157974,135.49687038156046,True,29.53188050002791,406.53487789980136,112,8,8,20.718008699826896,0,9,2271,1003,2940260352,3829399
     + | 552
000046 | 8,15,gsm8k:train:819,1.0,0.0,8,True,False,False,False,False,False,4,0.5,0.5623351446188083,1.2130075659799042,1.2130075659799042,0.6506724213610959,unavailable,unavai
     + | lable,unavailable,0.0,0.0,0.0,False,47.08369780005887,453.61857569986023,120,8,8,39.594745700014755,0,8,2331,2108,3079385088,3829399552
000047 | 8,16,gsm8k:train:1601,0.625,0.234375,5,False,True,True,True,True,False,5,0.625,-0.0,1.4941751382893083,1.4941751382893083,1.4941751382893083,unavailable,unavailable,u
     + | navailable,1.0529183149337769,-1.0529183149337769,512.0908703275188,True,27.777641199994832,481.39621689985506,128,8,8,19.178495900006965,0,11,2454,898,2923646976,382
     + | 9399552
000048 | 8,17,gsm8k:train:56,1.0,0.0,8,True,False,False,False,False,False,3,0.375,0.37677016125643675,0.9743147528693494,0.9743147528693494,0.5975445916129127,unavailable,unav
     + | ailable,unavailable,0.0,0.0,0.0,False,31.066734899999574,512.4629517998546,136,8,8,22.72518029983621,0,8,1992,1127,2954797056,3829399552
000049 | 8,18,gsm8k:train:4423,0.6875,0.18359375,5,False,True,True,True,True,False,5,0.625,-0.0,1.4941751382893085,1.4941751382893085,1.4941751382893085,unavailable,unavailabl
     + | e,unavailable,0.8010864555835724,0.8010864555835724,110.24963162508536,True,35.852482500020415,548.315434299875,144,8,8,24.835816300008446,0,11,3276,1353,2983909376,3
     + | 829399552
000050 | 8,19,gsm8k:train:4389,0.375,0.234375,3,False,True,True,True,True,False,3,0.375,-0.0,1.0821955300387671,1.0821955300387671,1.0821955300387671,unavailable,unavailable,u
     + | navailable,1.6099320352077484,-1.6099320352077484,192.39027115611626,True,44.6284434000263,592.9438776999013,152,8,8,35.18502459989395,0,13,4308,1985,2952720384,38293
     + | 99552
000051 | 8,20,gsm8k:train:4306,1.0,0.0,0,True,False,False,False,False,False,4,0.5,-0.0,1.2130075659799042,1.2130075659799042,1.2130075659799042,unavailable,unavailable,unavail
     + | able,0.0,0.0,0.0,False,34.876758600003086,627.8206362999044,160,8,8,24.545573899988085,0,16,4281,1230,2925723648,3829399552
```

episode_metrics.csv

120 CSV records; 37 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 72333966cba99651a2401be619d9e28a5d2cf73e962cea04f2c4be1154059e83

```
000052 | 8,21,gsm8k:train:3115,0.9375,0.02734375,7,False,True,True,False,True,False,5,0.625,0.37677016125643675,1.3862943611198906,1.3862943611198906,1.0095241998634539,unavai
     + | lable,unavailable,unavailable,0.5066565126180649,-0.5066565126180649,87.2346012561265,True,33.24297739996109,661.0636136998655,168,8,8,24.888997199945152,0,9,2141,120
     + | 0,2925723648,3829399552
000053 | 8,22,gsm8k:train:7114,0.0,0.0,0,True,False,False,False,False,False,4,0.5,0.37677016125643675,1.2130075659799042,1.2130075659799042,0.8362374047234675,unavailable,unav
     + | ailable,unavailable,0.0,0.0,0.0,False,24.29140039999038,685.3550140998559,176,8,8,14.632262200000696,0,16,3361,619,2889363456,3829399552
000054 | 8,23,gsm8k:train:6009,1.0,0.0,8,True,False,False,False,False,False,2,0.25,-0.0,0.6615632381579821,0.6615632381579821,0.6615632381579821,unavailable,unavailable,unavai
     + | lable,0.0,0.0,0.0,False,38.723918200004846,724.0789322998608,184,8,8,32.12443860003259,0,8,2208,1604,3061688320,3829399552
000055 | 8,24,gsm8k:train:56,1.0,0.0,8,True,False,False,False,False,False,3,0.375,0.6615632381579821,1.0821955300387673,1.0821955300387673,0.4206322918807852,unavailable,unava
     + | ilable,unavailable,0.0,0.0,0.0,False,33.58157180005219,757.6605040999129,192,8,8,24.98659190023318,0,8,2048,1081,2955854848,3829399552
000056 | 8,25,gsm8k:train:56,1.0,0.0,8,True,False,False,False,False,False,4,0.5,0.37677016125643675,1.0735428464085233,1.0735428464085233,0.6967726851520866,unavailable,unavai
     + | lable,unavailable,0.0,0.0,0.0,False,30.037933600018732,787.6984376999317,200,8,8,21.67999469989445,0,8,2005,1059,2955854848,3829399552
000057 | 8,26,gsm8k:train:2068,1.0,0.0,8,True,False,False,False,False,False,2,0.25,-0.0,0.6615632381579821,0.6615632381579821,0.6615632381579821,unavailable,unavailable,unavai
     + | lable,0.0,0.0,0.0,False,27.06827280006837,814.7667105,208,8,8,20.150800100062042,0,8,2192,970,3054000128,3829399552
000058 | 8,27,gsm8k:train:2428,0.375,0.234375,3,False,True,True,True,True,False,3,0.375,-0.0,0.9743147528693494,0.9743147528693494,0.9743147528693494,unavailable,unavailable,u
     + | navailable,1.3632774949073792,-1.3632774949073792,101.44801140370285,True,29.129750200081617,843.8964607000817,216,8,8,19.74479280016385,0,13,3281,933,2954797056,3829
     + | 399552
000059 | 8,28,gsm8k:train:2068,1.0,0.0,8,True,False,False,False,False,False,4,0.5,-0.0,1.2554823251787535,1.2554823251787535,1.2554823251787535,unavailable,unavailable,unavail
     + | able,0.0,0.0,0.0,False,28.276986899902113,872.1734475999838,224,8,8,21.376133199897595,0,8,2182,1023,3054000128,3829399552
000060 | 8,29,gsm8k:train:3703,0.0,0.0,0,True,False,False,False,False,False,2,0.25,-0.0,0.5623351446188083,0.5623351446188083,0.5623351446188083,unavailable,unavailable,unavai
     + | lable,0.0,0.0,0.0,False,43.69083279999904,915.8642803999828,232,8,8,32.35444199992344,0,16,5358,1790,2985986048,3829399552
000061 | 8,30,gsm8k:train:6195,1.0,0.0,8,True,False,False,False,False,False,3,0.375,0.37677016125643675,0.9002560512685369,0.9002560512685369,0.5234858900121002,unavailable,un
     + | available,unavailable,0.0,0.0,0.0,False,38.43606269999873,954.3003430999815,240,8,8,30.652466000057757,0,8,1880,1636,2927800320,3829399552
000062 | 10,1,gsm8k:train:4423,0.3,0.16,2,False,True,True,True,True,False,9,0.9,0.6108643020548935,2.163955656882057,2.163955656882057,1.5530913548271634,unavailable,unavailab
     + | le,unavailable,1.375681459903717,1.375681459903717,360.3391644786428,True,23.991674899938516,23.991674899938516,10,10,10,20.383437999989837,0,18,4715,1958,2323200000,
     + | 2814377984
000063 | 10,2,gsm8k:train:3812,0.8,0.16000000000000003,8,False,True,True,True,True,False,6,0.6,0.5004024235381879,1.5571130980576455,1.7480673485460896,1.2476649250079017,unav
     + | ailable,unavailable,unavailable,1.6184523403644562,-1.6184523403644562,500.39738691973616,True,19.013854500022717,43.00552939996123,20,10,10,7.440475599956699,0,14,32
     + | 86,539,2942588928,3829399552
000064 | 10,3,gsm8k:train:7079,0.5,0.25,5,False,True,True,True,True,False,8,0.8,0.6730116670092565,1.8343719702816235,2.0253262207700677,1.3523145537608112,unavailable,unavail
     + | able,unavailable,0.6017570495605469,0.6017570495605469,326.12764799290335,True,22.870510400040075,65.87603980000131,30,10,10,12.587095400085673,0,16,3393,653,29143019
     + | 52,3829399552
000065 | 10,4,gsm8k:train:2663,0.8,0.16000000000000003,8,False,True,True,True,True,False,10,1.0,0.5004024235381879,2.3025850929940455,2.3025850929940455,1.8021826694558576,una
     + | vailable,unavailable,unavailable,1.852560818195343,-1.852560818195343,305.52534696688735,True,32.09177429997362,97.96781409997493,40,10,10,21.299932299996726,0,14,302
     + | 3,1271,2908071936,3829399552
000066 | 10,5,gsm8k:train:4423,0.75,0.1625,7,False,True,True,True,True,False,7,0.7,-0.0,1.8343719702816235,1.8343719702816235,1.8343719702816235,unavailable,unavailable,unavai
     + | lable,0.2331734001636505,0.2331734001636505,125.76121504019376,True,34.56625909998547,132.5340731999604,50,10,10,22.949719200027175,0,13,3798,1687,2983909376,38293995
     + | 52
000067 | 10,6,gsm8k:train:56,0.8,0.16000000000000003,8,False,True,True,True,True,False,6,0.6,0.5004024235381879,1.4708084763221114,1.6957425341696346,1.1953401106314467,unavai
     + | lable,unavailable,unavailable,1.2045069932937622,1.2045069932937622,251.43239662005735,True,31.46822069992777,164.00229389988817,60,10,10,21.255304199876264,0,12,3169
     + | ,1462,2955854848,3829399552
000068 | 10,7,gsm8k:train:6330,1.0,0.0,10,True,False,False,False,False,False,7,0.7,-0.0,1.8343719702816235,1.8343719702816235,1.8343719702816235,unavailable,unavailable,unavai
     + | lable,0.0,0.0,0.0,False,30.634358300012536,194.6366521999007,70,10,10,20.890184699906968,0,10,2573,1361,2983909376,3829399552
000069 | 10,8,gsm8k:train:2477,0.85,0.052500000000000005,7,False,True,True,False,True,False,5,0.5,0.3250829733914482,1.366158847569202,1.5047882836811908,1.1797053102897426,un
     + | available,unavailable,unavailable,0.8670997470617294,0.8670997470617294,56.51419700722632,True,29.499444999964908,224.13609719986562,80,10,10,19.35607390012592,0,13,3
```

episode_metrics.csv

120 CSV records; 37 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 72333966cba99651a2401be619d9e28a5d2cf73e962cea04f2c4be1154059e83

```
     + | 322,1286,2968334336,3829399552
000070 | 10,9,gsm8k:train:2271,0.6,0.24,6,False,True,True,True,True,False,5,0.5,-0.0,1.5047882836811908,1.5047882836811908,1.5047882836811908,unavailable,unavailable,unavailab
     + | le,0.8491597175598145,-0.8491597175598145,201.58059311827992,True,22.02259339997545,246.15869059984107,90,10,10,12.346923700068146,0,14,3036,683,2936107008,3829399552
000071 | 10,10,gsm8k:train:5302,1.0,0.0,10,True,False,False,False,False,False,4,0.4,-0.0,1.313834033192747,1.313834033192747,1.313834033192747,unavailable,unavailable,unavaila
     + | ble,0.0,0.0,0.0,False,30.204850100097246,276.3635406999383,100,10,10,21.169323100009933,0,10,2367,1453,2940260352,3829399552
000072 | 10,11,gsm8k:train:2428,0.4,0.24,4,False,True,True,True,True,False,6,0.6,-0.0,1.6957425341696346,1.6957425341696346,1.6957425341696346,unavailable,unavailable,unavaila
     + | ble,1.5842759013175964,1.5842759013175964,238.66997368373148,True,29.0623246000614,305.4258652999997,110,10,10,18.57749699987471,0,16,4016,1178,2954797056,3829399552
000073 | 10,12,gsm8k:train:3418,1.0,0.0,10,True,False,False,False,False,False,6,0.6,-0.0,1.6957425341696346,1.6957425341696346,1.6957425341696346,unavailable,unavailable,unava
     + | ilable,0.0,0.0,0.0,False,32.67240579996724,338.09827109996695,120,10,10,23.426101999823004,0,10,2387,1581,2940260352,3829399552
000074 | 10,13,gsm8k:train:3082,1.0,0.0,10,True,False,False,False,False,False,7,0.7,-0.0,1.8343719702816235,1.8343719702816235,1.8343719702816235,unavailable,unavailable,unava
     + | ilable,0.0,0.0,0.0,False,28.328456100076437,366.4267272000434,130,10,10,19.171993699739687,0,10,2353,1219,2942337024,3829399552
000075 | 10,14,gsm8k:train:5302,0.8,0.16000000000000003,8,False,True,True,True,True,False,5,0.5,-0.0,1.5047882836811908,1.5047882836811908,1.5047882836811908,unavailable,unava
     + | ilable,unavailable,0.3513229489326477,0.3513229489326477,274.27606365169333,True,33.03708129993174,399.46380849997513,140,10,10,23.408062200178392,0,12,3134,1528,2940
     + | 260352,3829399552
000076 | 10,15,gsm8k:train:819,1.0,0.0,10,True,False,False,False,False,False,5,0.5,-0.0,1.5571130980576455,1.5571130980576455,1.5571130980576455,unavailable,unavailable,unavai
     + | lable,0.0,0.0,0.0,False,49.85968120000325,449.3234896999784,150,10,10,41.30841269984376,0,10,2864,2609,3078309888,3829399552
000077 | 10,16,gsm8k:train:1601,0.4,0.24000000000000005,4,False,True,True,True,True,False,6,0.6,-0.0,1.6957425341696346,1.6957425341696346,1.6957425341696346,unavailable,unava
     + | ilable,unavailable,0.769616425037384,-0.769616425037384,429.68371508282866,True,26.827691000071354,476.15118070004974,160,10,10,17.039061699877493,0,16,3625,992,29236
     + | 46976,3829399552
000078 | 10,17,gsm8k:train:56,0.9,0.09000000000000001,9,False,True,True,True,True,False,4,0.4,0.3250829733914482,0.9404479886553263,0.9404479886553263,0.6153650152638781,unava
     + | ilable,unavailable,unavailable,1.430927149951458,-1.430927149951458,214.8775047237074,True,31.525819099973887,507.6769998000236,170,10,10,21.905957899871282,0,11,2821
     + | ,1359,2955854848,3829399552
000079 | 10,18,gsm8k:train:4423,0.65,0.20250000000000004,6,False,True,True,True,True,False,6,0.6,-0.0,1.6957425341696346,1.6957425341696346,1.6957425341696346,unavailable,unav
     + | ailable,unavailable,0.6610373556613922,0.6610373556613922,326.83251194356126,True,38.26460769993719,545.9416074999608,180,10,10,28.19781729974784,0,14,4213,1811,29839
     + | 09376,3829399552
000080 | 10,19,gsm8k:train:4389,0.3,0.21000000000000002,0,False,True,False,True,True,False,4,0.4,0.5004024235381879,1.366158847569202,1.366158847569202,0.865756424031014,unava
     + | ilable,unavailable,unavailable,3.574517607688904,-3.574517607688904,427.61390652964354,True,51.069453600095585,597.0110611000564,190,10,10,37.58400429994799,0,20,6314
     + | ,2528,2953758720,3829399552
000081 | 10,20,gsm8k:train:4306,0.8,0.16,0,False,True,False,True,True,False,6,0.6,0.3250829733914482,1.6957425341696346,1.6957425341696346,1.3706595607781864,unavailable,unava
     + | ilable,unavailable,1.631718099117279,1.631718099117279,341.58753149298224,True,35.02190429996699,632.0329654000234,200,10,10,22.789126799907535,0,20,5185,1429,2925723
     + | 648,3829399552
000082 | 10,21,gsm8k:train:3115,0.4,0.24,4,False,True,True,True,True,False,5,0.5,-0.0,1.3592367006650063,1.3592367006650063,1.3592367006650063,unavailable,unavailable,unavaila
     + | ble,3.3737791776657104,3.3737791776657104,394.82858145864986,True,36.11031370004639,668.1432791000698,210,10,10,24.856722400174476,0,16,4198,1629,2925723648,382939955
     + | 2
000083 | 10,22,gsm8k:train:7114,0.0,0.0,0,True,False,False,False,False,False,4,0.4,-0.0,1.366158847569202,1.366158847569202,1.366158847569202,unavailable,unavailable,unavailab
     + | le,0.0,0.0,0.0,False,25.73997250001412,693.8832516000839,220,10,10,14.946914399974048,0,22,4571,837,2888306688,3829399552
000084 | 10,23,gsm8k:train:6009,0.9,0.09000000000000001,9,False,True,True,True,True,False,5,0.5,-0.0,1.3592367006650063,1.3592367006650063,1.3592367006650063,unavailable,unava
     + | ilable,unavailable,1.7863588370382786,-1.7863588370382786,191.8102014893172,True,36.8167571000522,730.7000087001361,230,10,10,28.776869000168517,0,11,3047,1855,305962
     + | 3936,3829399552
000085 | 10,24,gsm8k:train:56,1.0,0.0,10,True,False,False,False,False,False,3,0.3,0.3250829733914482,0.639031859650177,0.639031859650177,0.31394888625872874,unavailable,unavai
     + | lable,unavailable,0.0,0.0,0.0,False,31.909638799959794,762.6096475000959,240,10,10,22.63357389997691,0,10,2485,1391,2955854848,3829399552
000086 | 10,25,gsm8k:train:56,1.0,0.0,10,True,False,False,False,False,False,3,0.3,-0.0,0.639031859650177,0.639031859650177,0.639031859650177,unavailable,unavailable,unavailabl
     + | e,0.0,0.0,0.0,False,33.83489359996747,796.4445411000634,250,10,10,23.020606499980204,0,10,2458,1415,2954797056,3829399552
000087 | 10,26,gsm8k:train:2068,1.0,0.0,10,True,False,False,False,False,False,4,0.4,-0.0,1.2206072645530175,1.2206072645530175,1.2206072645530175,unavailable,unavailable,unava
```

episode_metrics.csv

120 CSV records; 37 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 72333966cba99651a2401be619d9e28a5d2cf73e962cea04f2c4be1154059e83

```
     + | ilable,0.0,0.0,0.0,False,28.619756000000052,825.0642971000634,260,10,10,19.376140699954703,0,10,2731,1173,3054000128,3829399552
000088 | 10,27,gsm8k:train:2428,0.3,0.20999999999999996,3,False,True,True,True,True,False,4,0.4,-0.0,1.0888999753452235,1.0888999753452235,1.0888999753452235,unavailable,unava
     + | ilable,unavailable,2.3395091891288757,2.3395091891288757,430.5333693220105,True,29.845444999984466,854.9097421000479,270,10,10,19.433380700065754,0,17,4315,1219,29547
     + | 97056,3829399552
000089 | 10,28,gsm8k:train:2068,1.0,0.0,10,True,False,False,False,False,False,4,0.4,-0.0,1.1682824501765625,1.1682824501765625,1.1682824501765625,unavailable,unavailable,unava
     + | ilable,0.0,0.0,0.0,False,26.014920499990694,880.9246626000386,280,10,10,18.205598199856468,0,10,2733,1097,3054000128,3829399552
000090 | 10,29,gsm8k:train:3703,0.0,0.0,0,True,False,False,False,False,False,5,0.5,-0.0,1.4184836619456564,1.4184836619456564,1.4184836619456564,unavailable,unavailable,unavai
     + | lable,0.0,0.0,0.0,False,38.509807000053115,919.4344696000917,290,10,10,27.404395499965176,0,20,6237,1802,2985986048,3829399552
000091 | 10,30,gsm8k:train:6195,1.0,0.0,10,True,False,False,False,False,False,5,0.5,-0.0,1.4184836619456564,1.4184836619456564,1.4184836619456564,unavailable,unavailable,unava
     + | ilable,0.0,0.0,0.0,False,35.26964489999227,954.704114500084,300,10,10,24.189771100180224,0,10,2286,1478,2927800320,3829399552
000092 | 15,1,gsm8k:train:4423,0.2666666666666666,0.16222222222222227,3,False,True,True,True,True,False,11,0.7333333333333333,0.5799151714181009,2.338371704803573,2.338371704
     + | 803573,1.758456533385472,unavailable,unavailable,unavailable,2.7532193660736084,2.7532193660736084,575.6168676491171,True,35.19702809990849,35.19702809990849,15,15,15
     + | ,30.120927299838513,0,27,6927,2904,2323200000,2814377984
000093 | 15,2,gsm8k:train:3812,0.8,0.16000000000000003,12,False,True,True,True,True,False,9,0.6,0.6365141682948128,1.71408754118701,2.0837660374856477,1.447251869190835,unavai
     + | lable,unavailable,unavailable,1.9569962918758392,-1.9569962918758392,643.9994426741927,True,30.797259300015867,65.99428739992436,30,15,15,17.40881219971925,0,22,5248,
     + | 970,2942588928,3829399552
000094 | 15,3,gsm8k:train:7079,0.4666666666666667,0.24888888888888885,6,False,True,True,True,True,False,12,0.8,0.5004024235381879,2.4307913288782323,2.4307913288782323,1.93038
     + | 89053400445,unavailable,unavailable,unavailable,1.7041221261024475,1.7041221261024475,549.6191954342232,True,32.255187800037675,98.24947519996203,45,15,15,17.80981680
     + | 0057888,0,25,5212,895,2914301952,3829399552
000095 | 15,4,gsm8k:train:2663,0.7333333333333333,0.19555555555555557,11,False,True,True,True,True,False,9,0.6,0.5004024235381879,1.933809998920632,2.0611128325795947,1.560710
     + | 4090414068,unavailable,unavailable,unavailable,3.1661584973335266,3.1661584973335266,735.8210351946233,True,34.76926760002971,133.01874279999174,60,15,15,21.016403599
     + | 991463,0,23,4902,1093,2908071936,3829399552
000096 | 15,5,gsm8k:train:4423,0.6666666666666666,0.22222222222222227,10,False,True,True,True,True,False,10,0.6666666666666666,0.24493002679463532,2.1535324566542537,2.1535324
     + | 566542537,1.9086024298596185,unavailable,unavailable,unavailable,3.452570915222168,-3.452570915222168,281.335747640706,True,54.73541349999141,187.75415629998315,75,15
     + | ,15,40.60344480024651,0,21,5769,2478,2984947712,3829399552
000097 | 15,6,gsm8k:train:56,0.8666666666666667,0.11555555555555551,13,False,True,True,True,True,False,9,0.6,0.5004024235381879,2.0837660374856473,2.0837660374856473,1.5833636
     + | 139474594,unavailable,unavailable,unavailable,1.3364035189151764,1.3364035189151764,175.72316081282537,True,52.94141760002822,240.69557390001137,90,15,15,38.456841100
     + | 12371,0,17,4392,2229,2955854848,3829399552
000098 | 15,7,gsm8k:train:6330,1.0,0.0,15,True,False,False,False,False,False,7,0.4666666666666667,0.24493002679463532,1.709472776584213,1.709472776584213,1.4645427497895778,un
     + | available,unavailable,unavailable,0.0,0.0,0.0,False,57.2027641000459,297.89833800005727,105,15,15,40.63402119989041,0,15,3895,2054,2984947712,3829399552
000099 | 15,8,gsm8k:train:2477,0.7666666666666667,0.16222222222222224,11,False,True,True,True,True,False,5,0.3333333333333333,-0.0,1.4897503188505912,1.4897503188505912,1.4897
     + | 503188505912,unavailable,unavailable,unavailable,1.2168735563755035,-1.2168735563755035,177.94895288300202,True,52.398458300041966,350.29679630009923,120,15,15,37.568
     + | 82949999999,0,19,4718,1781,2967296000,3829399552
000100 | 15,9,gsm8k:train:2271,0.6666666666666666,0.22222222222222227,10,False,True,True,True,True,False,7,0.4666666666666667,-0.0,1.7489707507713133,1.7489707507713133,1.7489
     + | 707507713133,unavailable,unavailable,unavailable,2.9696043133735657,-2.9696043133735657,408.09936063540727,True,34.65289790008683,384.94969420018606,135,15,15,20.3029
     + | 74100224674,0,20,4419,976,2936107008,3829399552
000101 | 15,10,gsm8k:train:5302,1.0,0.0,15,True,False,False,False,False,False,6,0.4,0.24493002679463532,1.5821699429252505,1.5821699429252505,1.3372399161306152,unavailable,un
     + | available,unavailable,0.0,0.0,0.0,False,53.74374649999663,438.6934407001827,150,15,15,40.21593129984103,0,15,3594,2273,2941298688,3829399552
000102 | 15,11,gsm8k:train:2428,0.26666666666666666,0.1955555555555556,4,False,True,True,True,True,False,4,0.26666666666666666,-0.0,1.1595697967390537,1.1595697967390537,1.159
     + | 5697967390537,unavailable,unavailable,unavailable,0.5773758292198181,0.5773758292198181,201.27047756518363,True,47.26717100001406,485.96061170019675,165,15,15,31.1425
     + | 68399896845,0,26,6519,1717,2954797056,3829399552
000103 | 15,12,gsm8k:train:3418,0.7333333333333333,0.19555555555555554,11,False,True,True,True,True,False,6,0.4,-0.0,1.67458956699991,1.67458956699991,1.67458956699991,unavail
     + | able,unavailable,unavailable,1.5492984652519226,1.5492984652519226,407.4601227726136,True,57.3050209999783,543.265632700175,180,15,15,42.69929599983152,0,19,4780,2401
     + | ,2940260352,3829399552
```

episode_metrics.csv

120 CSV records; 37 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 72333966cba99651a2401be619d9e28a5d2cf73e962cea04f2c4be1154059e83

```
000104 | 15,13,gsm8k:train:3082,1.0,0.0,15,True,False,False,False,False,False,8,0.5333333333333333,0.5004024235381879,1.8989267893363289,1.9913464134109882,1.4909439898728003,
     + | unavailable,unavailable,unavailable,0.0,0.0,0.0,False,57.34469299996272,600.6103257001378,195,15,15,42.870089800213464,0,15,3618,2063,2943375360,3829399552
000105 | 15,14,gsm8k:train:5302,0.8,0.16000000000000003,12,False,True,True,True,True,False,5,0.3333333333333333,-0.0,1.5641315026219946,1.5641315026219946,1.5641315026219946,u
     + | navailable,unavailable,unavailable,0.5544158518314362,0.5544158518314362,402.7353528006614,True,56.75539459998254,657.3657203001203,210,15,15,42.90857910003979,0,18,4
     + | 676,2264,2940260352,3829399552
000106 | 15,15,gsm8k:train:819,1.0,0.0,15,True,False,False,False,False,False,5,0.3333333333333333,-0.0,1.5867847075280477,1.5867847075280477,1.5867847075280477,unavailable,una
     + | vailable,unavailable,0.0,0.0,0.0,False,94.1571355999913,751.5228559001116,225,15,15,80.76046710019,0,15,4284,3973,3075565568,3829399552
000107 | 15,16,gsm8k:train:1601,0.9333333333333333,0.06222222222222224,14,False,True,True,True,True,False,7,0.4666666666666667,0.24493002679463532,1.71408754118701,1.714087541
     + | 18701,1.4691575143923747,unavailable,unavailable,unavailable,0.2315000295639038,-0.2315000295639038,215.09076846491448,True,53.17637859995011,804.6992345000617,240,15
     + | ,15,40.01167299982626,0,16,3760,2108,2924685312,3829399552
000108 | 15,17,gsm8k:train:56,0.9333333333333333,0.06222222222222224,14,False,True,True,True,True,False,5,0.3333333333333333,-0.0,1.39539709232679,1.39539709232679,1.395397092
     + | 32679,unavailable,unavailable,unavailable,0.9086253345012665,-0.9086253345012665,179.36909827568616,True,55.06277159997262,859.7620061000343,255,15,15,41.060946999699
     + | 81,0,16,4012,2220,2954797056,3829399552
000109 | 15,18,gsm8k:train:4423,0.4,0.24000000000000007,6,False,True,True,True,True,False,4,0.26666666666666666,-0.0,1.3095258353040693,1.3095258353040693,1.3095258353040693,u
     + | navailable,unavailable,unavailable,2.980232238769531e-07,2.980232238769531e-07,6.660683642528448e-05,True,70.90262790000997,930.6646340000443,270,15,15,51.35453110001
     + | 981,0,24,7528,2896,2983909376,3829399552
000110 | 15,19,gsm8k:train:4389,0.3333333333333333,0.22222222222222227,5,False,True,True,True,True,False,5,0.3333333333333333,-0.0,1.2634794940650305,1.2634794940650305,1.2634
     + | 794940650305,unavailable,unavailable,unavailable,2.104016602039337,-2.104016602039337,226.74254377670562,True,97.03355019993614,1027.6981841999805,285,15,15,67.086699
     + | 19974636,0,25,8199,3649,2952720384,3829399552
000111 | 15,20,gsm8k:train:4306,1.0,0.0,0,True,False,False,False,False,False,3,0.2,-0.0,0.9701157839869381,0.9701157839869381,0.9701157839869381,unavailable,unavailable,unavai
     + | lable,0.0,0.0,0.0,False,61.33178680005949,1089.02997100004,300,15,15,41.694410800002515,0,30,7966,2241,2925723648,3829399552
000112 | 15,21,gsm8k:train:3115,0.9666666666666667,0.01555555555555556,14,False,True,True,False,True,False,5,0.3333333333333333,0.24493002679463532,1.2868726303980162,1.286872
     + | 6303980162,1.041942603603381,unavailable,unavailable,unavailable,0.4132580980658531,-0.4132580980658531,93.00952153323114,True,63.212404699996114,1152.242375700036,31
     + | 5,15,15,48.24009970005136,0,16,3744,2262,2926761984,3829399552
000113 | 15,22,gsm8k:train:7114,0.0,0.0,0,True,False,False,False,False,False,4,0.26666666666666666,-0.0,1.171059869990371,1.171059869990371,1.171059869990371,unavailable,unava
     + | ilable,unavailable,0.0,0.0,0.0,False,43.639950999990106,1195.8823267000262,330,15,15,26.708424600074068,0,31,6629,1298,2888306688,3829399552
000114 | 15,23,gsm8k:train:6009,1.0,0.0,15,True,False,False,False,False,False,3,0.2,-0.0,0.891867395317251,0.891867395317251,0.891867395317251,unavailable,unavailable,unavaila
     + | ble,0.0,0.0,0.0,False,74.94981859996915,1270.8321452999953,345,15,15,62.11053379997611,0,15,4157,3087,3061688320,3829399552
000115 | 15,24,gsm8k:train:56,1.0,0.0,15,True,False,False,False,False,False,4,0.26666666666666666,0.39267446722755217,1.0832550105185086,1.0832550105185086,0.6905805432909564,
     + | unavailable,unavailable,unavailable,0.0,0.0,0.0,False,58.16559140000027,1328.9977366999956,360,15,15,44.37847339990549,0,15,3722,2072,2955854848,3829399552
000116 | 15,25,gsm8k:train:56,1.0,0.0,15,True,False,False,False,False,False,2,0.13333333333333333,-0.0,0.6365141682948128,0.6365141682948128,0.6365141682948128,unavailable,una
     + | vailable,unavailable,0.0,0.0,0.0,False,57.57823739992455,1386.5759740999201,375,15,15,42.23885920003522,0,15,3695,2020,2954797056,3829399552
000117 | 15,26,gsm8k:train:2068,1.0,0.0,15,True,False,False,False,False,False,3,0.2,-0.0,0.7298712099831165,0.7298712099831165,0.7298712099831165,unavailable,unavailable,unava
     + | ilable,0.0,0.0,0.0,False,44.09251639991999,1430.6684904998401,390,15,15,31.679724999703467,0,15,4126,1675,3054000128,3829399552
000118 | 15,27,gsm8k:train:2428,0.4,0.24000000000000005,6,False,True,True,True,True,False,2,0.13333333333333333,-0.0,0.6730116670092565,0.6730116670092565,0.6730116670092565,u
     + | navailable,unavailable,unavailable,8.940696716308594e-08,-8.940696716308594e-08,0.00017272311256044096,True,50.51953229994979,1481.18802279979,405,15,15,33.2949184998
     + | 8699,0,24,6060,1785,2954797056,3829399552
000119 | 15,28,gsm8k:train:2068,1.0,0.0,15,True,False,False,False,False,False,4,0.26666666666666666,-0.0,1.171059869990371,1.171059869990371,1.171059869990371,unavailable,unav
     + | ailable,unavailable,0.0,0.0,0.0,False,57.75389819999691,1538.9419209997868,420,15,15,40.950933900196105,0,15,4081,1998,3054000128,3829399552
000120 | 15,29,gsm8k:train:3703,0.0,0.0,0,True,False,False,False,False,False,2,0.13333333333333333,-0.0,0.6909233093138181,0.6909233093138181,0.6909233093138181,unavailable,un
     + | available,unavailable,0.0,0.0,0.0,False,70.96726629999466,1609.9091872997815,435,15,15,51.54348879994359,0,30,9601,2937,2985986048,3829399552
000121 | 15,30,gsm8k:train:6195,1.0,0.0,15,True,False,False,False,False,False,3,0.2,-0.0,0.8033149761408755,0.8033149761408755,0.8033149761408755,unavailable,unavailable,unava
     + | ilable,0.0,0.0,0.0,False,46.50643030006904,1656.4156175998505,450,15,15,36.76208910008427,0,15,3425,2197,2927800320,3829399552
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000001 | k,episode,candidate,question_id,module,signature,pipeline,reward,numeric_exact_match,semantic_used,judge_score,judge_error,execution_success,execution_error,execution
     + | _seconds,output_sha256
000002 | 5,1,0,gsm8k:train:4423,CoT,query -> generated_text,CoT | query -> generated_text,0.5,False,True,0.5,unavailable,True,unavailable,2.170457100030035,040065381d60b8914af
     + | 5c4e09ecfa52cb86aaf0bfce92dcfaac4fc3305808e83
000003 | 5,1,1,gsm8k:train:4423,CoT,text -> summary,CoT | text -> summary,0.0,False,True,0.0,unavailable,True,unavailable,1.9011207999428734,158b46a1d2f45ddb013c96e6b62653f078
     + | e79f21710d7d0eb6192f27fcf41176
000004 | 5,1,2,gsm8k:train:4423,Predict,math_problem -> answer,Predict | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.39517989999149,d82117
     + | 721416d96a257cbf39950f11f251341c65051df9f7f190fa7bad4bc40e
000005 | 5,1,3,gsm8k:train:4423,CoT,prompt -> response,CoT | prompt -> response,0.0,False,True,0.0,unavailable,True,unavailable,2.361844399943948,f9d72c32a7d57e5c7194590efb0b8
     + | e172b1a3a4539eda0c3fba5776ce8f4f2de
000006 | 5,1,4,gsm8k:train:4423,Predict,question -> reasoning,Predict | question -> reasoning,0.0,False,True,0.0,unavailable,True,unavailable,2.195673399954103,48fc0ba79c37ee8
     + | 15ebd6f5cc00e9d4a063b9ab3400043a313644773b3cd236e
000007 | 5,2,0,gsm8k:train:3812,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,0.5401172999991104,abb35340ae90
     + | 101051ee0fdd0b5e16f23ec5190bcf14fbbc921daee2fdbdf100
000008 | 5,2,1,gsm8k:train:3812,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,0.33079369994811714,30cf8737e
     + | cd99fe6881b2604a6ca74d48390d29d241161bfff83d3e56ac1ec8f
000009 | 5,2,2,gsm8k:train:3812,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,0.3873537000035867,abb35340ae90
     + | 101051ee0fdd0b5e16f23ec5190bcf14fbbc921daee2fdbdf100
000010 | 5,2,3,gsm8k:train:3812,Predict,text -> response,Predict | text -> response,1.0,True,False,unavailable,unavailable,True,unavailable,0.29777619999367744,7af56691e8c1c29
     + | 543e5cd856ad07560fd7fb2fc860b8facd006cd0ac250d3e2
000011 | 5,2,4,gsm8k:train:3812,CoT,prompt -> generated_text,CoT | prompt -> generated_text,1.0,True,False,unavailable,unavailable,True,unavailable,1.1968091999879107,94290651
     + | b48d4502704978d1e3b3cb4877e1f3ca1e04683424449be14712a1ed
000012 | 5,3,0,gsm8k:train:7079,CoT,query -> response,CoT | query -> response,0.0,False,True,0.0,unavailable,True,unavailable,4.960575700039044,5436cc4750cf070868dc8194674f290
     + | f21aa7d184577bb0b5b694093da216ecd
000013 | 5,3,1,gsm8k:train:7079,CoT,query -> response,CoT | query -> response,0.0,False,True,0.0,unavailable,True,unavailable,0.6951832000631839,5436cc4750cf070868dc8194674f29
     + | 0f21aa7d184577bb0b5b694093da216ecd
000014 | 5,3,2,gsm8k:train:7079,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.1270724999485537,6c60a63ed8
     + | a592c70c917ca82c0543cfe861e3dd6c5e4ce606367374b14df015
000015 | 5,3,3,gsm8k:train:7079,Predict,math_problem -> answer,Predict | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,0.3481233000056818,16f539a8e4e7
     + | dae5323e1b1514dbe559271466727cb2cc4603fd4282422d1bb4
000016 | 5,3,4,gsm8k:train:7079,Predict,text -> summary,Predict | text -> summary,0.0,False,True,0.0,unavailable,True,unavailable,0.3557366000022739,d540210c5caf64165b99bd329a
     + | d77ae758f1dfb4b12fefe29ba078c2e24c1474
000017 | 5,4,0,gsm8k:train:2663,Predict,math_problem -> answer,Predict | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,4.894399199984036,16390873ae6b6
     + | a173fc894a873bab02283debbd320b5f0758849d01afa6ee8b6
000018 | 5,4,1,gsm8k:train:2663,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.515484599978663,8f83529fbd99d
     + | 59832cd8a13239b51e9762f582ac0a45e9ccf5410637bbb346b
000019 | 5,4,2,gsm8k:train:2663,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.2960593999596313,8f83529fbd99
     + | d59832cd8a13239b51e9762f582ac0a45e9ccf5410637bbb346b
000020 | 5,4,3,gsm8k:train:2663,CoT,query -> response,CoT | query -> response,1.0,True,False,unavailable,unavailable,True,unavailable,1.341802200069651,7d9d775392232d6d2c21f75
     + | 34e7b2c266e7a919b61ce6c51d8e8ceb0a84262ba
000021 | 5,4,4,gsm8k:train:2663,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,0.8668399999151006,6461b4c358c3
     + | 3ebe7f34de5a51c958cd628811c1fd684884f1880a07bb96b024
000022 | 5,5,0,gsm8k:train:4423,Predict,prompt -> generated_text,Predict | prompt -> generated_text,0.0,False,True,0.0,unavailable,True,unavailable,10.165646099951118,376dda5b
     + | 9749c5401f4c163d22fe16e152cc72b330f29b5063e436d8e9f28dfd
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000023 | 5,5,1,gsm8k:train:4423,Predict,math_problem -> answer,Predict | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.357891899999231,d8211
     + | 7721416d96a257cbf39950f11f251341c65051df9f7f190fa7bad4bc40e
000024 | 5,5,2,gsm8k:train:4423,Predict,math_problem -> answer,Predict | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.3117278000572696,0bf4
     + | f11677723cf9e5a6c967c68421e2a063d0bd0b40ea228dd385d4a9d07967
000025 | 5,5,3,gsm8k:train:4423,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,2.19264
     + | 2799927853,7e72c38c3b400e3edc142eb1121e8a5c917f7233e66307baee62ddc6af3c4bd5
000026 | 5,5,4,gsm8k:train:4423,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.4508190000196919,803cd41e82
     + | c35cfc7b6136f99cf85f7a1c5a45e078b555e824092a5ebe187989
000027 | 5,6,0,gsm8k:train:56,CoT,query -> response,CoT | query -> response,1.0,True,False,unavailable,unavailable,True,unavailable,5.799243799992837,c6525896684c7616677ab273f
     + | 27391d151d7136c0ce73393c5cf1f975530afc4
000028 | 5,6,1,gsm8k:train:56,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.2084161000093445,c6525896684c76
     + | 16677ab273f27391d151d7136c0ce73393c5cf1f975530afc4
000029 | 5,6,2,gsm8k:train:56,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.1635518999537453,c6525896684c76
     + | 16677ab273f27391d151d7136c0ce73393c5cf1f975530afc4
000030 | 5,6,3,gsm8k:train:56,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,1.8245707000605762,0b5bccbc
     + | 07c2c0d4d474247d0e11b082c20e191faed6c24644b7177579def0fd
000031 | 5,6,4,gsm8k:train:56,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.2091338000027463,c6525896684c76
     + | 16677ab273f27391d151d7136c0ce73393c5cf1f975530afc4
000032 | 5,7,0,gsm8k:train:6330,CoT,query -> generated_text,CoT | query -> generated_text,1.0,True,False,unavailable,unavailable,True,unavailable,5.625910999951884,082754f0fdc
     + | 030798e52b5137289867f4536fd72362af31b6cb1ed23c820d641
000033 | 5,7,1,gsm8k:train:6330,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.4025078000267968,b095360ee8
     + | 53cf7f971e847187183271370595572e87ecda76252e88d1f609d0
000034 | 5,7,2,gsm8k:train:6330,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable
     + | ,1.623627300024964,90525d63dcbce2ddf9df5e6207cc29a0536d524a3a2fba5678d0059ed9d4b2dd
000035 | 5,7,3,gsm8k:train:6330,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.5194488000124693,b095360ee8
     + | 53cf7f971e847187183271370595572e87ecda76252e88d1f609d0
000036 | 5,7,4,gsm8k:train:6330,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.5077493999851868,e22024c9155b
     + | 46fb50a3d71d68412d7de7979223a96c519b738e48ef122a7e28
000037 | 5,8,0,gsm8k:train:2477,CoT,word_problem -> solution,CoT | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,6.558765800087713,4b4529e92
     + | 87b9371a97f0e8ec4b5599b9cb1ca2da200af4d36a8496fb9b2d83c
000038 | 5,8,1,gsm8k:train:2477,Predict,text -> summary,Predict | text -> summary,0.0,False,True,0.0,unavailable,True,unavailable,1.0976306999800727,55af6715da1da7b6cb47950290
     + | e9ac169ae5bb0ce063733be4bf809492e051ac
000039 | 5,8,2,gsm8k:train:2477,CoT,query -> response,CoT | query -> response,1.0,True,False,unavailable,unavailable,True,unavailable,2.2177325000520796,cb55e7ad60ee1d504b71dc
     + | beb45373a6a87b3fa619fedc1739fc0392ffe3c399
000040 | 5,8,3,gsm8k:train:2477,Predict,question -> hypothesis,Predict | question -> hypothesis,0.5,False,True,0.5,unavailable,True,unavailable,1.0629277999978513,f8ad5d674a25
     + | 9e62164616b4f11f975df9c2699f8c95a8b8e94132c5e25f277e
000041 | 5,8,4,gsm8k:train:2477,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.4014899000758305,c6ddd05e99
     + | 32c30f29ea1e201145e7605c9bf0f90a6945d37b929e55b41f9dbc
000042 | 5,9,0,gsm8k:train:2271,Predict,math_problem -> answer,Predict | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,4.505191100062802,39ba5b2f09948
     + | 8e29d13231364d4cca212917ad6c56fc30facdbb155a57beb00
000043 | 5,9,1,gsm8k:train:2271,CoT,query -> generated_text,CoT | query -> generated_text,0.0,False,True,0.0,unavailable,True,unavailable,1.2011129000457004,f4d8acc915fd629d1d
     + | c3d1262dced402b6d6b106764e7cb2b244e5b352f8b997
000044 | 5,9,2,gsm8k:train:2271,Predict,math_problem -> answer,Predict | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,0.29846189997624606,39ba5b2f099
     + | 488e29d13231364d4cca212917ad6c56fc30facdbb155a57beb00
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000045 | 5,9,3,gsm8k:train:2271,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.0232369999866933,609cd20888fe
     + | d93d470f3aaa86bdc2968ba0b254db6877504feef106cf83e128
000046 | 5,9,4,gsm8k:train:2271,CoT,query -> generated_text,CoT | query -> generated_text,0.0,False,True,0.0,unavailable,True,unavailable,1.1818565999856219,f4d8acc915fd629d1d
     + | c3d1262dced402b6d6b106764e7cb2b244e5b352f8b997
000047 | 5,10,0,gsm8k:train:5302,CoT,problem -> solution,CoT | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,5.8135798999574035,06d033ece6645de59
     + | 2db973644cf7357255f24536ff7b03c3b2ace10736f7636
000048 | 5,10,1,gsm8k:train:5302,CoT,word_problem -> solution,CoT | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.9592463999288157,06d033e
     + | ce6645de592db973644cf7357255f24536ff7b03c3b2ace10736f7636
000049 | 5,10,2,gsm8k:train:5302,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.5583811999531463,06d033ece66
     + | 45de592db973644cf7357255f24536ff7b03c3b2ace10736f7636
000050 | 5,10,3,gsm8k:train:5302,Predict,math_problem -> answer,Predict | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,0.2462066999869421,06d
     + | 033ece6645de592db973644cf7357255f24536ff7b03c3b2ace10736f7636
000051 | 5,10,4,gsm8k:train:5302,Predict,math_problem -> answer,Predict | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,0.2614037999883294,06d
     + | 033ece6645de592db973644cf7357255f24536ff7b03c3b2ace10736f7636
000052 | 5,11,0,gsm8k:train:2428,CoT,query -> response,CoT | query -> response,1.0,True,False,unavailable,unavailable,True,unavailable,6.6380117000080645,b8d52dc8aa20e6a056357
     + | c967c95447dd9feb6e3e818e98cb2b9183e8c918cc6
000053 | 5,11,1,gsm8k:train:2428,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,1.0140097999246 79,2374fb249157
     + | 6ff2bd7ccc691dd75d1b9cca15baeb275e3dd9c3714639612548
000054 | 5,11,2,gsm8k:train:2428,Predict,question -> answer,Predict | question -> answer,0.0,False,True,0.0,unavailable,True,unavailable,1.1053267000243068,6066f868477d439d8d4
     + | 55c725fd73f24c43a27599a33e6354213b67533e9ecb2
000055 | 5,11,3,gsm8k:train:2428,Predict,math_problem -> answer,Predict | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.058981899986975,34a5
     + | 883eb82eb9387d65b72d2ba25cc8a794b18a83c9678e11f397b61bf02fb2
000056 | 5,11,4,gsm8k:train:2428,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,1.7226686000358313,67e62d1b68cccfde114d5984b8e4d0e1d56dafe486a48770be63fffd19f0610c
000057 | 5,12,0,gsm8k:train:3418,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,6.456791700096801,d1e05a1bd506
     + | 567c81f9ff9dc997c2e88e2a15441d4c206854da275dbc4503e1
000058 | 5,12,1,gsm8k:train:3418,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.0872233000118285,d1e05a1bd50
     + | 6567c81f9ff9dc997c2e88e2a15441d4c206854da275dbc4503e1
000059 | 5,12,2,gsm8k:train:3418,Predict,math_problem -> answer,Predict | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,0.3123275999678299,72e
     + | 1f5c68b0a8d2d1f5c722307478faca92ce4de4ef1baf2dce52f03627caeaa
000060 | 5,12,3,gsm8k:train:3418,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.8559812000021338
     + | ,ae4138560a37a64d708a437e33212f4713561110912276 1940c4d3e0eafabac4
000061 | 5,12,4,gsm8k:train:3418,Predict,math_problem -> answer,Predict | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,0.2796676999423653,72e
     + | 1f5c68b0a8d2d1f5c722307478faca92ce4de4ef1baf2dce52f03627caeaa
000062 | 5,13,0,gsm8k:train:3082,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,5.87831359996926,f0d0e023f9b1a
     + | 4da91c19ac15cf2ea71427f0e4a8cf70397527d67c360d80af7
000063 | 5,13,1,gsm8k:train:3082,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.464100299985148,f0d0e023f9b1
     + | a4da91c19ac15cf2ea71427f0e4a8cf70397527d67c360d80af7
000064 | 5,13,2,gsm8k:train:3082,CoT,context -> briefing,CoT | context -> briefing,1.0,True,False,unavailable,unavailable,True,unavailable,1.4578917999751866,50de39fd429564e0b
     + | bd42fe51827e596445657fa141893eecadefed9973e38f7
000065 | 5,13,3,gsm8k:train:3082,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,2.261437500012107,8d77d98dad5b150b9dc868e51b09f85297754a49195b3c78cce6e1d085183261
000066 | 5,13,4,gsm8k:train:3082,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.6293868999928236,f0d0e023f9b
     + | 1a4da91c19ac15cf2ea71427f0e4a8cf70397527d67c360d80af7
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000067 | 5,14,0,gsm8k:train:5302,CoT,query -> generated_text,CoT | query -> generated_text,1.0,True,False,unavailable,unavailable,True,unavailable,5.89311489998363,4e07408562b
     + | edb8b60ce05c1decfe3ad16b72230967de01f640b7e4729b49fce
000068 | 5,14,1,gsm8k:train:5302,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.5479605000000447,06d033ece66
     + | 45de592db973644cf7357255f24536ff7b03c3b2ace10736f7636
000069 | 5,14,2,gsm8k:train:5302,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.6049205999588594,1f5fce3ae
     + | 994439dc8805e383b902d0a6674d0fe2005f1a252b6432b37aa982c
000070 | 5,14,3,gsm8k:train:5302,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.2895031000953168,ac4f7f409
     + | a02ab1942a5d23e7161e6ecdede3278be9a7132d0f01ac7e7aa2933
000071 | 5,14,4,gsm8k:train:5302,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.2961908000288531,ac4f7f409
     + | a02ab1942a5d23e7161e6ecdede3278be9a7132d0f01ac7e7aa2933
000072 | 5,15,0,gsm8k:train:819,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,7.315231199958362,2e826489cf9b9
     + | ae4387d7d0ff1c53e20764bab885bb8bcc36bad62c2f7dd97b1
000073 | 5,15,1,gsm8k:train:819,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,5.0569631000980735,2e826489cf9b
     + | 9ae4387d7d0ff1c53e20764bab885bb8bcc36bad62c2f7dd97b1
000074 | 5,15,2,gsm8k:train:819,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,3.14513740001712,2e826489cf9b9a
     + | e4387d7d0ff1c53e20764bab885bb8bcc36bad62c2f7dd97b1
000075 | 5,15,3,gsm8k:train:819,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,3.233282099943608,2e826489cf9b9
     + | ae4387d7d0ff1c53e20764bab885bb8bcc36bad62c2f7dd97b1
000076 | 5,15,4,gsm8k:train:819,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,3.388273699907586,2e826489cf9b9
     + | ae4387d7d0ff1c53e20764bab885bb8bcc36bad62c2f7dd97b1
000077 | 5,16,0,gsm8k:train:1601,Predict,math_problem -> answer,Predict | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,4.6931449000258,fee52111bdc5ea
     + | b13c8f5c56308a597906445dbf3e9ca411733f8ec4470d6fd8
000078 | 5,16,1,gsm8k:train:1601,CoT,context -> summary,CoT | context -> summary,1.0,True,False,unavailable,unavailable,True,unavailable,2.256522999959998,a22b4b74b01a7415a52a
     + | f182a08839b6de6ac1374827db96495b54ac077c98c6
000079 | 5,16,2,gsm8k:train:1601,CoT,math_problem -> answer,CoT | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,1.8285222999984398,05669e290f548098adb
     + | 09959bbe0e1153a7a8793f2696400162cce1c2a7db73d
000080 | 5,16,3,gsm8k:train:1601,CoT,math_problem -> answer,CoT | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,1.706326900050044,05669e290f548098adb0
     + | 9959bbe0e1153a7a8793f2696400162cce1c2a7db73d
000081 | 5,16,4,gsm8k:train:1601,CoT,math_problem -> answer,CoT | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,1.7587440999923274,05669e290f548098adb
     + | 09959bbe0e1153a7a8793f2696400162cce1c2a7db73d
000082 | 5,17,0,gsm8k:train:56,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,5.531385999987833,c6525896684c76
     + | 16677ab273f27391d151d7136c0ce73393c5cf1f975530afc4
000083 | 5,17,1,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable,
     + | 2.4797600999008864,7cf83f21d2ebddb07322ba51654b92289ad4b89065605b323d4227a340f37fdc
000084 | 5,17,2,gsm8k:train:56,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.4192317000124604,c6525896684c7
     + | 616677ab273f27391d151d7136c0ce73393c5cf1f975530afc4
000085 | 5,17,3,gsm8k:train:56,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.3193001999752596,c6525896684c7
     + | 616677ab273f27391d151d7136c0ce73393c5cf1f975530afc4
000086 | 5,17,4,gsm8k:train:56,CoT,query -> generated_text,CoT | query -> generated_text,1.0,True,False,unavailable,unavailable,True,unavailable,1.6056075999513268,9c6e3af4dcb
     + | 0746cee676baabaee9044e7db632ad1b391381b56c2737fc50ea0
000087 | 5,18,0,gsm8k:train:4423,CoT,math_problem -> answer,CoT | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,6.927412100019865,f9d72c32a7d57e5c7194
     + | 590efb0b8e172b1a3a4539eda0c3fba5776ce8f4f2de
000088 | 5,18,1,gsm8k:train:4423,CoT,math_problem -> answer,CoT | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,2.6969150999793783,f9d72c32a7d57e5c719
     + | 4590efb0b8e172b1a3a4539eda0c3fba5776ce8f4f2de
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000089 | 5,18,2,gsm8k:train:4423,CoT,math_problem -> answer,CoT | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,2.8113317999523133,f9d72c32a7d57e5c719
     + | 4590efb0b8e172b1a3a4539eda0c3fba5776ce8f4f2de
000090 | 5,18,3,gsm8k:train:4423,CoT,query -> response,CoT | query -> response,0.0,False,True,0.0,unavailable,True,unavailable,2.159849099931307,f9d72c32a7d57e5c7194590efb0b8e
     + | 172b1a3a4539eda0c3fba5776ce8f4f2de
000091 | 5,18,4,gsm8k:train:4423,CoT,math_problem -> answer,CoT | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,2.789609199971892,f9d72c32a7d57e5c7194
     + | 590efb0b8e172b1a3a4539eda0c3fba5776ce8f4f2de
000092 | 5,19,0,gsm8k:train:4389,CoT,problem -> solution,CoT | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,6.670793700031936,80dd2dc96d71a802bf
     + | bf36d89da0b7d82042f217b364158c484d7d7cb2a699bb
000093 | 5,19,1,gsm8k:train:4389,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,1.9039307000348344,b3060c6eb5d3f90cbce16fd5cb4b939c4bb8926f26c6da6a3ad08210a4b55fb9
000094 | 5,19,2,gsm8k:train:4389,CoT,math_problem -> answer,CoT | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,3.9747798999305815,88cc792fba9f6b15776
     + | 438e66ecaffd80d794f44013799f22dff0b73dfed71f3
000095 | 5,19,3,gsm8k:train:4389,CoT,math_problem -> answer,CoT | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,3.9107196000404656,7d936336b43f0d569e9
     + | fe7e80310c832dbb53a675a5f6b1c52ddd96c7dbec725
000096 | 5,19,4,gsm8k:train:4389,CoT,math_problem -> answer,CoT | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,4.0926207000156865,7d936336b43f0d569e9
     + | fe7e80310c832dbb53a675a5f6b1c52ddd96c7dbec725
000097 | 5,20,0,gsm8k:train:4306,CoT,problem -> solution,CoT | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,6.509769199998118,2dbe74fef49e2e8390
     + | 183a9bc0e94501bb4a3486e9dfec32a7b685e86acefbab
000098 | 5,20,1,gsm8k:train:4306,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,False,True,1.0,unavailable,True,unavailable,2.5598
     + | 368000937626,37082243142a94cf2e0a94ac8363674f3408cd4ca65cfed07f0d108304a33010
000099 | 5,20,2,gsm8k:train:4306,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,False,True,1.0,unavailable,True,unavailable,2.4272
     + | 80699950643,37082243142a94cf2e0a94ac8363674f3408cd4ca65cfed07f0d108304a33010
000100 | 5,20,3,gsm8k:train:4306,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,False,True,1.0,unavailable,True,unavailable,2.6197
     + | 158999275416,37082243142a94cf2e0a94ac8363674f3408cd4ca65cfed07f0d108304a33010
000101 | 5,20,4,gsm8k:train:4306,CoT,problem -> solution,CoT | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.5942002000520006,2dbe74fef49e2e839
     + | 0183a9bc0e94501bb4a3486e9dfec32a7b685e86acefbab
000102 | 5,21,0,gsm8k:train:3115,CoT,query -> response,CoT | query -> response,1.0,True,False,unavailable,unavailable,True,unavailable,6.43440130003728,40957487610d92ca4dd2d37
     + | ec155c40d20091a504bf65270a3cd28e6863ef633
000103 | 5,21,1,gsm8k:train:3115,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.8511339999968186,40957487610
     + | d92ca4dd2d37ec155c40d20091a504bf65270a3cd28e6863ef633
000104 | 5,21,2,gsm8k:train:3115,CoT,problem_description -> explanation,CoT | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,3.054755199933
     + | 4246,345be6cf13199fc1d727f11012ddcb08760eb3e4dfaab4b2f6bbd2fbccb5622d
000105 | 5,21,3,gsm8k:train:3115,CoT,word_problem -> solution,CoT | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.1461915000109,4095748761
     + | 0d92ca4dd2d37ec155c40d20091a504bf65270a3cd28e6863ef633
000106 | 5,21,4,gsm8k:train:3115,CoT,text -> response,CoT | text -> response,0.0,False,True,0.0,unavailable,True,unavailable,2.0809878999134526,d2e7a58b547f38c8e458cc38bb8eb9b
     + | 0ce73ff544a9fd878d92d1293ad3f1156
000107 | 5,22,0,gsm8k:train:7114,CoT,math_problem -> answer,CoT | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,4.952614500070922,0231f1290bc58f708154
     + | a4c89ada3b9d5749c3fba488991b0fcdca7cc0f82c68
000108 | 5,22,1,gsm8k:train:7114,CoT,query -> generated_text,CoT | query -> generated_text,0.0,False,True,0.0,unavailable,True,unavailable,0.8761990999337286,65245fe6244aea33b
     + | 64136d85483257a4d6fa912ccd99309101d1ea158611446
000109 | 5,22,2,gsm8k:train:7114,Predict,math_problem -> answer,Predict | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,0.7876219999743626,c9d2866b536
     + | be8f4d4217bf834c3051b6ae9e5b9f451d3f15a576cb33cf61487
000110 | 5,22,3,gsm8k:train:7114,CoT,prompt -> generated_text,CoT | prompt -> generated_text,0.0,False,True,0.0,unavailable,True,unavailable,0.8611155999824405,65245fe6244aea3
     + | 3b64136d85483257a4d6fa912ccd99309101d1ea158611446
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000111 | 5,22,4,gsm8k:train:7114,CoT,math_problem -> answer,CoT | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,0.7258266999851912,0231f1290bc58f70815
     + | 4a4c89ada3b9d5749c3fba488991b0fcdca7cc0f82c68
000112 | 5,23,0,gsm8k:train:6009,CoT,text -> response,CoT | text -> response,1.0,True,False,unavailable,unavailable,True,unavailable,7.744686299934983,9a55d3f460d66b8c1c2075da
     + | 2001bdef3550163bc6ac6abf6312d21890351051
000113 | 5,23,1,gsm8k:train:6009,Predict,math_problem -> answer,Predict | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,2.71942990005482,bb2963b6cc597
     + | 814e0b6047dfb7a673ca7579b96b9cb37ffcbb12e635b9a42f5
000114 | 5,23,2,gsm8k:train:6009,CoT,query -> generated_text,CoT | query -> generated_text,1.0,True,False,unavailable,unavailable,True,unavailable,2.620027400087565,9a2186a879
     + | 0a0e6144cd78a4892c09078dec476b4f46f3ede1fd3f33673f8405
000115 | 5,23,3,gsm8k:train:6009,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.9328648999799043,44d65f522
     + | 83823f49281298ca53f54427e54d5c43d1dc0439214611af7b1e767
000116 | 5,23,4,gsm8k:train:6009,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.9400978999910876,59eb367f24e
     + | 17ddb6e237eb7f889e7458562499af1a0ebabe14c42eecdfa29b4
000117 | 5,24,0,gsm8k:train:56,CoT,query -> generated_text,CoT | query -> generated_text,1.0,True,False,unavailable,unavailable,True,unavailable,6.571195899974555,9c6e3af4dcb0
     + | 746cee676baabaee9044e7db632ad1b391381b56c2737fc50ea0
000118 | 5,24,1,gsm8k:train:56,CoT,word_problem -> solution,CoT | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.0319631000747904,c65258966
     + | 84c7616677ab273f27391d151d7136c0ce73393c5cf1f975530afc4
000119 | 5,24,2,gsm8k:train:56,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.8493494000285864,c6525896684c7
     + | 616677ab273f27391d151d7136c0ce73393c5cf1f975530afc4
000120 | 5,24,3,gsm8k:train:56,CoT,problem -> solution,CoT | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.9110739999450743,811786ad1ae74adfdd2
     + | 0dd0372abaaebc6246e343aebd01da0bfc4c02bf0106c
000121 | 5,24,4,gsm8k:train:56,CoT,word_problem -> solution,CoT | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.6341814999468625,c65258966
     + | 84c7616677ab273f27391d151d7136c0ce73393c5cf1f975530afc4
000122 | 5,25,0,gsm8k:train:56,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,6.471237299963832,c6525896684c76
     + | 16677ab273f27391d151d7136c0ce73393c5cf1f975530afc4
000123 | 5,25,1,gsm8k:train:56,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.371039399993606,33e6cea06f16
     + | c5fa6b0bdb39e1cd63e135d1aab7e9b9262fd7bf49e3475910ab
000124 | 5,25,2,gsm8k:train:56,CoT,query -> response,CoT | query -> response,1.0,True,False,unavailable,unavailable,True,unavailable,2.080893100006506,c6525896684c7616677ab273
     + | f27391d151d7136c0ce73393c5cf1f975530afc4
000125 | 5,25,3,gsm8k:train:56,CoT,text -> summary,CoT | text -> summary,1.0,True,False,unavailable,unavailable,True,unavailable,1.9863485000096262,9c6e3af4dcb0746cee676baabae
     + | e9044e7db632ad1b391381b56c2737fc50ea0
000126 | 5,25,4,gsm8k:train:56,CoT,context -> briefing,CoT | context -> briefing,1.0,True,False,unavailable,unavailable,True,unavailable,2.2987940000602975,32fa1648b3aeeb63666
     + | f115e5b20a53e35738566c55691f0573878f38cc13b9c
000127 | 5,26,0,gsm8k:train:2068,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,5.921898700064048,a8c5b9c5f49c73555b79a729a1686e5634a4cce1defa8a472ed4373ddf30851b
000128 | 5,26,1,gsm8k:train:2068,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.699230800033547,597919ddd7
     + | 3b41886f2ec543f8908d28a15c63d2676e5d874c4710db3cb29fde
000129 | 5,26,2,gsm8k:train:2068,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.7198374000145122,b8beaaf69
     + | ee1d300f4eeafb84a2bf9b6b0dd0fba37f0fb94e00a66948893d434
000130 | 5,26,3,gsm8k:train:2068,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.1335703000659123,49e165525eb
     + | db26f765e7bbab7689c4772a55771dd3ce3b1786d75188895cf03
000131 | 5,26,4,gsm8k:train:2068,CoT,query -> response,CoT | query -> response,1.0,True,False,unavailable,unavailable,True,unavailable,2.0277038000058383,49e165525ebdb26f765e7
     + | bbab7689c4772a55771dd3ce3b1786d75188895cf03
000132 | 5,27,0,gsm8k:train:2428,CoT,math_problem -> answer,CoT | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,6.800476699951105,568f15e9fe7bcf0adbe2
     + | 836f7b2c521ab414bcb65c1224ee0feda777965886f7
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000133 | 5,27,1,gsm8k:train:2428,CoT,problem_description -> explanation,CoT | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,3.339109600055
     + | 963,9bf640cea58eb94f7ce75572836963be59084540db2fb82d4a9845d682ec3b91
000134 | 5,27,2,gsm8k:train:2428,CoT,problem -> solution,CoT | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.951986699947156,b8d52dc8aa20e6a056
     + | 357c967c95447dd9feb6e3e818e98cb2b9183e8c918cc6
000135 | 5,27,3,gsm8k:train:2428,CoT,problem_description -> explanation,CoT | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,3.420916200033
     + | 389,eeb633986e146e4b61c06adbd3cc54b0c3de1cabd20d2cf1a79d4c27fb8018c7
000136 | 5,27,4,gsm8k:train:2428,CoT,text -> summary,CoT | text -> summary,0.0,False,True,0.0,unavailable,True,unavailable,2.25741449999623,1bef953aaeac46293d41828742b3de93f2d
     + | 97006396fcadc919ed3bc4685f7dd
000137 | 5,28,0,gsm8k:train:2068,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,6.015514299971983,a8c5b9c5f49c73555b79a729a1686e5634a4cce1defa8a472ed4373ddf30851b
000138 | 5,28,1,gsm8k:train:2068,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.0561393999960274,49e165525eb
     + | db26f765e7bbab7689c4772a55771dd3ce3b1786d75188895cf03
000139 | 5,28,2,gsm8k:train:2068,CoT,query -> generated_text,CoT | query -> generated_text,1.0,True,False,unavailable,unavailable,True,unavailable,1.9053032000083476,f5ca38f74
     + | 8a1d6eaf726b8a42fb575c3c71f1864a8143301782de13da2d9202b
000140 | 5,28,3,gsm8k:train:2068,CoT,problem -> solution,CoT | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.7228904000949115,49e165525ebdb26f7
     + | 65e7bbab7689c4772a55771dd3ce3b1786d75188895cf03
000141 | 5,28,4,gsm8k:train:2068,CoT,query -> response,CoT | query -> response,1.0,True,False,unavailable,unavailable,True,unavailable,1.6451690999092534,49e165525ebdb26f765e7
     + | bbab7689c4772a55771dd3ce3b1786d75188895cf03
000142 | 5,29,0,gsm8k:train:3703,CoT,problem_description -> explanation,CoT | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable,11.339
     + | 915600023232,758555b40ba6e32bedf6082ec172d878b1680a52ed33ec5001a708ac4c64fbc5
000143 | 5,29,1,gsm8k:train:3703,CoT,problem_description -> explanation,CoT | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable,5.8638
     + | 87199899182,ed8b31ffbd5b37ac7cf3a98086b04ee26cc37f9d020648e2148f65f6a73a9cfc
000144 | 5,29,2,gsm8k:train:3703,CoT,problem -> solution,CoT | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,4.198593999957666,ad30f9b8c77b573f4d0cd1f660
     + | 8b653660cc0b36723bc2663cadb84eb5f8a255
000145 | 5,29,3,gsm8k:train:3703,CoT,problem -> solution,CoT | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,3.7244989000028,a36108c8469a0b3b710292f6fc52
     + | 9ef03648ae7f886262f8c9cd26d3c5a8a28c
000146 | 5,29,4,gsm8k:train:3703,CoT,problem_description -> explanation,CoT | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable,3.9288
     + | 531000493094,ed8b31ffbd5b37ac7cf3a98086b04ee26cc37f9d020648e2148f65f6a73a9cfc
000147 | 5,30,0,gsm8k:train:6195,CoT,problem_description -> explanation,CoT | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable,8.3635
     + | 29699970968,e098df3e1a6696281717d9527b0f19c3276de011eb5f959300c3b898021ea114
000148 | 5,30,1,gsm8k:train:6195,CoT,text -> summary,CoT | text -> summary,1.0,True,False,unavailable,unavailable,True,unavailable,5.327940799994394,600932bcdb7ee488785c5eb209
     + | 90f02662f37892236f35ded1e956266b486383
000149 | 5,30,2,gsm8k:train:6195,CoT,word_problem -> solution,CoT | word_problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,2.7362819000845775,aee25ddeaf36688
     + | 12f8c2f8987c9c31286d9452723817263caa9e6f74ca51d06
000150 | 5,30,3,gsm8k:train:6195,CoT,word_problem -> solution,CoT | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,4.473057999974117,b8d52dc8
     + | aa20e6a056357c967c95447dd9feb6e3e818e98cb2b9183e8c918cc6
000151 | 5,30,4,gsm8k:train:6195,CoT,text -> response,CoT | text -> response,1.0,True,False,unavailable,unavailable,True,unavailable,3.806229699985124,b8d52dc8aa20e6a056357c96
     + | 7c95447dd9feb6e3e818e98cb2b9183e8c918cc6
000152 | 8,1,0,gsm8k:train:4423,CoT,query -> generated_text,CoT | query -> generated_text,0.5,False,True,0.5,unavailable,True,unavailable,2.2921818000031635,040065381d60b8914a
     + | f5c4e09ecfa52cb86aaf0bfce92dcfaac4fc3305808e83
000153 | 8,1,1,gsm8k:train:4423,CoT,text -> summary,CoT | text -> summary,0.0,False,True,0.0,unavailable,True,unavailable,1.929656199994497,158b46a1d2f45ddb013c96e6b62653f078e
     + | 79f21710d7d0eb6192f27fcf41176
000154 | 8,1,2,gsm8k:train:4423,Predict,math_problem -> answer,Predict | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.4643231000518426,d821
     + | 17721416d96a257cbf39950f11f251341c65051df9f7f190fa7bad4bc40e
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000155 | 8,1,3,gsm8k:train:4423,CoT,prompt -> response,CoT | prompt -> response,0.0,False,True,0.0,unavailable,True,unavailable,2.507700099959038,f9d72c32a7d57e5c7194590efb0b8
     + | e172b1a3a4539eda0c3fba5776ce8f4f2de
000156 | 8,1,4,gsm8k:train:4423,Predict,question -> reasoning,Predict | question -> reasoning,0.0,False,True,0.0,unavailable,True,unavailable,2.249892199994065,48fc0ba79c37ee8
     + | 15ebd6f5cc00e9d4a063b9ab3400043a313644773b3cd236e
000157 | 8,1,5,gsm8k:train:4423,CoT,query -> generated_text,CoT | query -> generated_text,0.5,False,True,0.5,unavailable,True,unavailable,2.3165365000022575,040065381d60b8914a
     + | f5c4e09ecfa52cb86aaf0bfce92dcfaac4fc3305808e83
000158 | 8,1,6,gsm8k:train:4423,CoT,context -> briefing,CoT | context -> briefing,0.0,False,True,0.0,unavailable,True,unavailable,2.333438800065778,794442e39c5929426e719b8a721
     + | 72b860d52e14a364c9a312352f52f636b7dca
000159 | 8,1,7,gsm8k:train:4423,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.7277993999887258,b7f7dd95cbc5
     + | 31bb687667e16c80aae332907000b5fbaf12f80eef58784dcd80
000160 | 8,2,0,gsm8k:train:3812,Predict,text -> response,Predict | text -> response,1.0,True,False,unavailable,unavailable,True,unavailable,4.68599089991767,7af56691e8c1c29543
     + | e5cd856ad07560fd7fb2fc860b8facd006cd0ac250d3e2
000161 | 8,2,1,gsm8k:train:3812,CoT,prompt -> generated_text,CoT | prompt -> generated_text,1.0,True,False,unavailable,unavailable,True,unavailable,1.896409000037238,94290651b
     + | 48d4502704978d1e3b3cb4877e1f3ca1e04683424449be14712a1ed
000162 | 8,2,2,gsm8k:train:3812,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,1.5996143999509513,29885d
     + | de8a51654586769b047549a0355b705fc13ef610c1da6903168f10b1d4
000163 | 8,2,3,gsm8k:train:3812,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,0.41691190004348755
     + | ,7af56691e8c1c29543e5cd856ad07560fd7fb2fc860b8facd006cd0ac250d3e2
000164 | 8,2,4,gsm8k:train:3812,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,1.5192395999329165,29885d
     + | de8a51654586769b047549a0355b705fc13ef610c1da6903168f10b1d4
000165 | 8,2,5,gsm8k:train:3812,Predict,math_problem -> answer,Predict | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,0.6823034998960793,7af5
     + | 6691e8c1c29543e5cd856ad07560fd7fb2fc860b8facd006cd0ac250d3e2
000166 | 8,2,6,gsm8k:train:3812,Predict,text -> summary,Predict | text -> summary,1.0,True,False,unavailable,unavailable,True,unavailable,1.3612871000077575,7af56691e8c1c29543
     + | e5cd856ad07560fd7fb2fc860b8facd006cd0ac250d3e2
000167 | 8,2,7,gsm8k:train:3812,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,0.32538900000508875
     + | ,7af56691e8c1c29543e5cd856ad07560fd7fb2fc860b8facd006cd0ac250d3e2
000168 | 8,3,0,gsm8k:train:7079,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,5.078655700082891,c08a6c6083402
     + | 9da34865da49e8fedcd012092c85e00a2ee74908da04f6b390d
000169 | 8,3,1,gsm8k:train:7079,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,0.7577692999038845,c08a6c608340
     + | 29da34865da49e8fedcd012092c85e00a2ee74908da04f6b390d
000170 | 8,3,2,gsm8k:train:7079,CoT,query -> response,CoT | query -> response,0.0,False,True,0.0,unavailable,True,unavailable,0.8803654999937862,5436cc4750cf070868dc8194674f29
     + | 0f21aa7d184577bb0b5b694093da216ecd
000171 | 8,3,3,gsm8k:train:7079,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,0.577390699996613,29973a5dac620
     + | a684a05ebebc27bde8c1dfc401526b64c984eedafb2d6ba22e3
000172 | 8,3,4,gsm8k:train:7079,Predict,prompt -> generated_text,Predict | prompt -> generated_text,0.0,False,True,0.0,unavailable,True,unavailable,0.7136313000228256,5436cc47
     + | 50cf070868dc8194674f290f21aa7d184577bb0b5b694093da216ecd
000173 | 8,3,5,gsm8k:train:7079,Predict,math_problem -> answer,Predict | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,0.4234017999842763,16f539a8e4e7
     + | dae5323e1b1514dbe559271466727cb2cc4603fd4282422d1bb4
000174 | 8,3,6,gsm8k:train:7079,Predict,math_problem -> answer,Predict | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,0.3655572000425309,16f539a8e4e7
     + | dae5323e1b1514dbe559271466727cb2cc4603fd4282422d1bb4
000175 | 8,3,7,gsm8k:train:7079,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable
     + | ,1.5408966999966651,470ba3c5ea7ae7ea2a6396a6af4f484d4ef6ac99991f5caf23b34e8a42593758
000176 | 8,4,0,gsm8k:train:2663,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,5.603237799950875,8429f6dd352
     + | 7073e34562ca253aab265ca215875b952d9a8e102b8ac24f13000
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000177 | 8,4,1,gsm8k:train:2663,CoT,query -> response,CoT | query -> response,1.0,True,False,unavailable,unavailable,True,unavailable,1.8709609999787062,7d9d775392232d6d2c21f7
     + | 534e7b2c266e7a919b61ce6c51d8e8ceb0a84262ba
000178 | 8,4,2,gsm8k:train:2663,CoT,query -> generated_text,CoT | query -> generated_text,1.0,True,False,unavailable,unavailable,True,unavailable,1.743043900001794,a821279964e
     + | f00f42bf013558d582f271d5327139a4fbd71d2c72bd08ab18f7a
000179 | 8,4,3,gsm8k:train:2663,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.737757100025192,8f83529fbd99d
     + | 59832cd8a13239b51e9762f582ac0a45e9ccf5410637bbb346b
000180 | 8,4,4,gsm8k:train:2663,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,1.5442537000635639,dcd501
     + | 473b928bb2fcacf4694139cd348363f172d35fe08dc75459eb2cc58271
000181 | 8,4,5,gsm8k:train:2663,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.8033308000303805,8f83529fbd99
     + | d59832cd8a13239b51e9762f582ac0a45e9ccf5410637bbb346b
000182 | 8,4,6,gsm8k:train:2663,Predict,prompt -> generated_text,Predict | prompt -> generated_text,0.0,False,True,0.0,unavailable,True,unavailable,1.2460404000012204,16390873
     + | ae6b6a173fc894a873bab02283debbd320b5f0758849d01afa6ee8b6
000183 | 8,4,7,gsm8k:train:2663,Predict,text -> response,Predict | text -> response,1.0,True,False,unavailable,unavailable,True,unavailable,1.0202696999767795,a648da5770968be7
     + | 30b87c1d7295c6d0903a974cfe8a3435a7d41002af79d29c
000184 | 8,5,0,gsm8k:train:4423,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,7.53870
     + | 629996527,7e72c38c3b400e3edc142eb1121e8a5c917f7233e66307baee62ddc6af3c4bd5
000185 | 8,5,1,gsm8k:train:4423,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.2751832000212744,29628cbb89
     + | 083298bc7d0fab795838833b42438b6dd157925da0f56b164ff2f5
000186 | 8,5,2,gsm8k:train:4423,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.2412070999853313,1bd1941ea135
     + | 77bd9111d6b84d078a1389b4f5e913336a5c2a4689805d211508
000187 | 8,5,3,gsm8k:train:4423,CoT,query -> generated_text,CoT | query -> generated_text,0.5,False,True,0.5,unavailable,True,unavailable,3.1210195999592543,040065381d60b8914a
     + | f5c4e09ecfa52cb86aaf0bfce92dcfaac4fc3305808e83
000188 | 8,5,4,gsm8k:train:4423,Predict,text -> summary,Predict | text -> summary,1.0,True,False,unavailable,unavailable,True,unavailable,1.6021251999773085,f2a608f698850cabb1
     + | 4c91257b709e4457c440a0e506dd30891cc875e2067d44
000189 | 8,5,5,gsm8k:train:4423,CoT,query -> response,CoT | query -> response,0.0,False,True,0.0,unavailable,True,unavailable,2.493543599965051,f9d72c32a7d57e5c7194590efb0b8e1
     + | 72b1a3a4539eda0c3fba5776ce8f4f2de
000190 | 8,5,6,gsm8k:train:4423,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,1.6700673999730498,11dc
     + | ebc024aa2ecef052307036eb548231bd17f34af1aa15f2d2a06fa6bbf83c
000191 | 8,5,7,gsm8k:train:4423,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.1367975999601185,29628cbb89
     + | 083298bc7d0fab795838833b42438b6dd157925da0f56b164ff2f5
000192 | 8,6,0,gsm8k:train:56,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,6.190974400029518,fe6881e54a99645
     + | 996e6bf73450afcaf62a27ed823ec4b347d0dd9d07e19ed14
000193 | 8,6,1,gsm8k:train:56,CoT,query -> generated_text,CoT | query -> generated_text,1.0,True,False,unavailable,unavailable,True,unavailable,2.0223115999251604,9c6e3af4dcb0
     + | 746cee676baabaee9044e7db632ad1b391381b56c2737fc50ea0
000194 | 8,6,2,gsm8k:train:56,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,2.57724989997223,fa5634c0d1ec4322
     + | 7bb0a9abbfce599b1cb57d7aaddc5656cc772a1f56962216
000195 | 8,6,3,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable,3
     + | .833359200041741,b680c3e1c026785b01861ce3135759ea697cd8309a36bea4b17d89a4e723ce2d
000196 | 8,6,4,gsm8k:train:56,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,3.6524907000130042,0b5bccbc
     + | 07c2c0d4d474247d0e11b082c20e191faed6c24644b7177579def0fd
000197 | 8,6,5,gsm8k:train:56,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.8480313000036404,33e6cea06f16
     + | c5fa6b0bdb39e1cd63e135d1aab7e9b9262fd7bf49e3475910ab
000198 | 8,6,6,gsm8k:train:56,CoT,word_problem -> solution,CoT | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.3438183000544086,c652589668
     + | 4c7616677ab273f27391d151d7136c0ce73393c5cf1f975530afc4
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000199 | 8,6,7,gsm8k:train:56,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.229023599997163,c6525896684c761
     + | 6677ab273f27391d151d7136c0ce73393c5cf1f975530afc4
000200 | 8,7,0,gsm8k:train:6330,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,6.798250499996357,3f9a309
     + | 30e947ae486a3211fae2fdfee908e225cc26c2f9d41db23deab9e1136
000201 | 8,7,1,gsm8k:train:6330,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.0046743999700993,
     + | ab1aabcd07c799bfbb6cba6f11c82e0be742aa3a51d74105213a030d8ea1d6da
000202 | 8,7,2,gsm8k:train:6330,CoT,query -> response,CoT | query -> response,1.0,True,False,unavailable,unavailable,True,unavailable,2.4043171000666916,3bcf2afdb32ea342100e69
     + | fd054bb7052791450672fdfa8a269e36a5fa7d5b7a
000203 | 8,7,3,gsm8k:train:6330,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,2.2704870000015944,9ce5
     + | 922609a528796ae68c7b1aa315177bf5637dc0841191e04e74e29cfed112
000204 | 8,7,4,gsm8k:train:6330,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.0628479999722913,e22024c9155b
     + | 46fb50a3d71d68412d7de7979223a96c519b738e48ef122a7e28
000205 | 8,7,5,gsm8k:train:6330,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,2.1920295000309125,9ce5
     + | 922609a528796ae68c7b1aa315177bf5637dc0841191e04e74e29cfed112
000206 | 8,7,6,gsm8k:train:6330,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.0694571000058204,e22024
     + | c9155b46fb50a3d71d68412d7de7979223a96c519b738e48ef122a7e28
000207 | 8,7,7,gsm8k:train:6330,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.422272600000724,8
     + | 26d1a63c17237617a105b82c717d1a3f26f8bac45c3b4d18d790ff5103472be
000208 | 8,8,0,gsm8k:train:2477,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,7.118066799943335,4b4529e9287b9
     + | 371a97f0e8ec4b5599b9cb1ca2da200af4d36a8496fb9b2d83c
000209 | 8,8,1,gsm8k:train:2477,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,4.423741100006737,f95d2af
     + | 3b8b0e8763cb8370d92b0be60a61f8f36853471925af913fbad85e253
000210 | 8,8,2,gsm8k:train:2477,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.5015023000305519,
     + | 166080c234f4f36157f3ca86a7d53d93441caf2b964154ed648831fa69d6ff90
000211 | 8,8,3,gsm8k:train:2477,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.4668025999562815,
     + | 61cc064c6d79a29fb52376f93558d0c50d5a349da7c40001f68ff15d669c3d54
000212 | 8,8,4,gsm8k:train:2477,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.9118968000402674,2ddc123e17c5
     + | 73a015f4c3ed889496127dfea903feb52d75f63d69ae3bf744bd
000213 | 8,8,5,gsm8k:train:2477,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.8826082999585196,c6ddd05e9932
     + | c30f29ea1e201145e7605c9bf0f90a6945d37b929e55b41f9dbc
000214 | 8,8,6,gsm8k:train:2477,Predict,context -> briefing,Predict | context -> briefing,1.0,True,False,unavailable,unavailable,True,unavailable,2.747146000037901,f140186fe8c
     + | 57c4a92fa02f49f7ef85698eb21a10572dcaf8e1da44cbbeda2bf
000215 | 8,8,7,gsm8k:train:2477,Predict,question -> hypothesis,Predict | question -> hypothesis,0.5,False,True,0.5,unavailable,True,unavailable,1.5267752000363544,f8ad5d674a25
     + | 9e62164616b4f11f975df9c2699f8c95a8b8e94132c5e25f277e
000216 | 8,9,0,gsm8k:train:2271,Predict,question -> answer,Predict | question -> answer,0.0,False,True,0.0,unavailable,True,unavailable,4.760766099905595,05669e290f548098adb09
     + | 959bbe0e1153a7a8793f2696400162cce1c2a7db73d
000217 | 8,9,1,gsm8k:train:2271,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable
     + | ,1.4106724000303075,4b4b7645c940fc3d1d3ae0f77916e641e8555734c20f54080b28ae31d0bdde12
000218 | 8,9,2,gsm8k:train:2271,Predict,text -> summary,Predict | text -> summary,0.0,False,True,0.0,unavailable,True,unavailable,0.9266822999343276,05669e290f548098adb09959bb
     + | e0e1153a7a8793f2696400162cce1c2a7db73d
000219 | 8,9,3,gsm8k:train:2271,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.0706281000748277,6b4e812a87
     + | f752fc006f51c96a2609d6a4d421c12bb4be39be4e84b29f819fc8
000220 | 8,9,4,gsm8k:train:2271,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.0922693000175059,6b4e812a87
     + | f752fc006f51c96a2609d6a4d421c12bb4be39be4e84b29f819fc8
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000221 | 8,9,5,gsm8k:train:2271,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,1.7781460999976844,79ec26
     + | c52e0fb25ba4245b2eb9d3a216c8121f8b5e1ccba1c1d941f44de46b17
000222 | 8,9,6,gsm8k:train:2271,Predict,math_problem -> answer,Predict | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,0.3579597999341786,39ba5b2f0994
     + | 88e29d13231364d4cca212917ad6c56fc30facdbb155a57beb00
000223 | 8,9,7,gsm8k:train:2271,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,1.794508200022392,79ec26c
     + | 52e0fb25ba4245b2eb9d3a216c8121f8b5e1ccba1c1d941f44de46b17
000224 | 8,10,0,gsm8k:train:5302,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,6.493640200002119,1f5fce3ae994
     + | 439dc8805e383b902d0a6674d0fe2005f1a252b6432b37aa982c
000225 | 8,10,1,gsm8k:train:5302,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.0356310999486595,ac4f7f409
     + | a02ab1942a5d23e7161e6ecdede3278be9a7132d0f01ac7e7aa2933
000226 | 8,10,2,gsm8k:train:5302,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.3894838000414893,06d033ece66
     + | 45de592db973644cf7357255f24536ff7b03c3b2ace10736f7636
000227 | 8,10,3,gsm8k:train:5302,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.7884891000576317,0f458
     + | 69991cee6f295f9aa085088b0ac134548b67c3748b038eedf0115ff188e
000228 | 8,10,4,gsm8k:train:5302,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,2.607375800027512,6333
     + | 7b05e5d786fa835565357df37f80f2b949938137916da9217e84768fdcc7
000229 | 8,10,5,gsm8k:train:5302,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,3.000520500005223,4dfe
     + | 921f363136a37565c7e10b492cfe922c3a11eef8b8af132dd44f110dbbf8
000230 | 8,10,6,gsm8k:train:5302,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.853424899978563,06d033ece664
     + | 5de592db973644cf7357255f24536ff7b03c3b2ace10736f7636
000231 | 8,10,7,gsm8k:train:5302,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,2.689560000086203,4dfe
     + | 921f363136a37565c7e10b492cfe922c3a11eef8b8af132dd44f110dbbf8
000232 | 8,11,0,gsm8k:train:2428,Predict,text -> response,Predict | text -> response,0.0,False,True,0.0,unavailable,True,unavailable,6.016437700018287,c0a63f4b624cd9731fcf9b2a
     + | a803836b5c24c3e7fb45684832f0936eab2a3c87
000233 | 8,11,1,gsm8k:train:2428,Predict,text -> response,Predict | text -> response,0.0,False,True,0.0,unavailable,True,unavailable,2.076452699955553,c0a63f4b624cd9731fcf9b2a
     + | a803836b5c24c3e7fb45684832f0936eab2a3c87
000234 | 8,11,2,gsm8k:train:2428,CoT,math_problem -> answer,CoT | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,2.924492600024678,568f15e9fe7bcf0adbe2
     + | 836f7b2c521ab414bcb65c1224ee0feda777965886f7
000235 | 8,11,3,gsm8k:train:2428,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,3.384215599973686,dca309
     + | cb487828aaa890be045cbc5ba26c50e037e094c392631fffdbebb36a49
000236 | 8,11,4,gsm8k:train:2428,CoT,text -> response,CoT | text -> response,0.0,False,True,0.0,unavailable,True,unavailable,1.7483416999457404,568f15e9fe7bcf0adbe2836f7b2c521
     + | ab414bcb65c1224ee0feda777965886f7
000237 | 8,11,5,gsm8k:train:2428,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,2.615887299994938,67e62d1b68cccfde114d5984b8e4d0e1d56dafe486a48770be63fffd19f0610c
000238 | 8,11,6,gsm8k:train:2428,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,2.5494432999985293,67e62d1b68cccfde114d5984b8e4d0e1d56dafe486a48770be63fffd19f0610c
000239 | 8,11,7,gsm8k:train:2428,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,2.5475901999743655,67e62d1b68cccfde114d5984b8e4d0e1d56dafe486a48770be63fffd19f0610c
000240 | 8,12,0,gsm8k:train:3418,Predict,query -> response,Predict | query -> response,1.0,True,False,unavailable,unavailable,True,unavailable,7.0533449000213295,82bf55b0cb097
     + | 932913a5c6cba5444e08a8c56d93f0c517a8c07d7586ebe6da6
000241 | 8,12,1,gsm8k:train:3418,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,5.462698700022884,48b41db3d6b4
     + | 1ff1ff5ba41b521a60a0880482c3e692ce36a7a2b13a378662b7
000242 | 8,12,2,gsm8k:train:3418,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,3.21012420009356,2ab06ba0eb8
     + | 39b8b5ee286eb580e9d1a505240f5a072bb377ab34c7088236785
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000243 | 8,12,3,gsm8k:train:3418,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,2.6788415000773966,6fd40303390
     + | 059e0cbd460e4df7c743945824c4e713e06df20e280ebc4168c1d
000244 | 8,12,4,gsm8k:train:3418,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,3.0875108999898657,86d26
     + | 9892f9f5b6e6cef94e83be39ba6f25f42916cd6806c24321495d9ad4182
000245 | 8,12,5,gsm8k:train:3418,Predict,text -> response,Predict | text -> response,1.0,True,False,unavailable,unavailable,True,unavailable,2.7369302000151947,86dc2dd451c4de2
     + | 94d461e1b4e8f55dd5e1813372f58b79db1788d26c94d645c
000246 | 8,12,6,gsm8k:train:3418,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,3.3017450999468565,d1e05a1bd50
     + | 6567c81f9ff9dc997c2e88e2a15441d4c206854da275dbc4503e1
000247 | 8,12,7,gsm8k:train:3418,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.6999269999796525,9ba2e8ede
     + | ef30047cda1ef7d3b2bad852610a2d3036cc52f985dc8bab8d82c35
000248 | 8,13,0,gsm8k:train:3082,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,7.175815500086173,a3bdd6
     + | 5de99392342bf7b8f3a920d50b17bf4ba528d991a0ecb0cdea58ae9a2a
000249 | 8,13,1,gsm8k:train:3082,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,4.315657499944791,585d219dce9a
     + | c786c1157220252285cc5973b9407ce8f077f63c5ab7d172156d
000250 | 8,13,2,gsm8k:train:3082,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.209056399995461,56c5c8c94d9d
     + | 0392b193b50523985dbb656a27c0f35edf36ff78d5d3d23ceb53
000251 | 8,13,3,gsm8k:train:3082,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.247764400090091,f0d0e023f9b1
     + | a4da91c19ac15cf2ea71427f0e4a8cf70397527d67c360d80af7
000252 | 8,13,4,gsm8k:train:3082,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.2402863999595866,56c5c8c94d9
     + | d0392b193b50523985dbb656a27c0f35edf36ff78d5d3d23ceb53
000253 | 8,13,5,gsm8k:train:3082,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,1.67929640004877,fbabf
     + | c79daf7a1020232a250e177054da26723210a105f81b7c1cd2ae96d94a7
000254 | 8,13,6,gsm8k:train:3082,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,2.296662800014019,81b7c8ec941ef9e6e8fc6f9550cc9920aa6796e58b219a773115ace0eb7d2f07
000255 | 8,13,7,gsm8k:train:3082,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.673303599935025,e17e915e9c
     + | ce412e85ba0dcf62efa01c27c33629a25d1bd5a3e21276e5b47d60
000256 | 8,14,0,gsm8k:train:5302,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,6.055340999970213,ac4f7f409a
     + | 02ab1942a5d23e7161e6ecdede3278be9a7132d0f01ac7e7aa2933
000257 | 8,14,1,gsm8k:train:5302,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.1555573999648914,1f5fce3ae99
     + | 4439dc8805e383b902d0a6674d0fe2005f1a252b6432b37aa982c
000258 | 8,14,2,gsm8k:train:5302,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.7823636999819428,ac4f7f409
     + | a02ab1942a5d23e7161e6ecdede3278be9a7132d0f01ac7e7aa2933
000259 | 8,14,3,gsm8k:train:5302,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,2.4314499999163672,633
     + | 37b05e5d786fa835565357df37f80f2b949938137916da9217e84768fdcc7
000260 | 8,14,4,gsm8k:train:5302,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,2.6777693000622094,17111fd4d46e90225a3419a397a4c0cd686907abff4e38e99ebcc871a9ad6cd3
000261 | 8,14,5,gsm8k:train:5302,Predict,math_problem -> answer,Predict | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,0.25383709999732673,06
     + | d033ece6645de592db973644cf7357255f24536ff7b03c3b2ace10736f7636
000262 | 8,14,6,gsm8k:train:5302,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.028716899920255,1f5fce3ae994
     + | 439dc8805e383b902d0a6674d0fe2005f1a252b6432b37aa982c
000263 | 8,14,7,gsm8k:train:5302,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,3.3329
     + | 73300013691,35ab0257de77872f459d680ade576400d55721987f3ce2e8b5981d1120d621a8
000264 | 8,15,0,gsm8k:train:819,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,8.490676300018094,2e826489cf9b9
     + | ae4387d7d0ff1c53e20764bab885bb8bcc36bad62c2f7dd97b1
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000265 | 8,15,1,gsm8k:train:819,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,6.118992200004868,aa90313c507
     + | 0f1deee28847baba95364ab438ad9cc6e7a54e60d21919d84bc22
000266 | 8,15,2,gsm8k:train:819,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,3.916065500001423,aa90313c507
     + | 0f1deee28847baba95364ab438ad9cc6e7a54e60d21919d84bc22
000267 | 8,15,3,gsm8k:train:819,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,3.946298100054264,aa90313c507
     + | 0f1deee28847baba95364ab438ad9cc6e7a54e60d21919d84bc22
000268 | 8,15,4,gsm8k:train:819,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,4.308723800000735,7d1758d
     + | de8e16460a40d57fb34657842676c096aeaeb26b0c43532a9e95e778e
000269 | 8,15,5,gsm8k:train:819,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable
     + | ,4.475660500000231,7d1758dde8e16460a40d57fb34657842676c096aeaeb26b0c43532a9e95e778e
000270 | 8,15,6,gsm8k:train:819,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,4.13053470000159,aa90313c5070
     + | f1deee28847baba95364ab438ad9cc6e7a54e60d21919d84bc22
000271 | 8,15,7,gsm8k:train:819,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,4.20779459993355,2e826489cf9b9a
     + | e4387d7d0ff1c53e20764bab885bb8bcc36bad62c2f7dd97b1
000272 | 8,16,0,gsm8k:train:1601,Predict,math_problem -> answer,Predict | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,4.737533999956213,fee52111bdc5
     + | eab13c8f5c56308a597906445dbf3e9ca411733f8ec4470d6fd8
000273 | 8,16,1,gsm8k:train:1601,Predict,text -> response,Predict | text -> response,0.0,False,True,0.0,unavailable,True,unavailable,1.841578399995342,44d428c5a7c5cc3dc0db56a5
     + | 5fc38399e3d172e75362684f7ce53c02c9c32dfb
000274 | 8,16,2,gsm8k:train:1601,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,2.7861234999727458,1435cd24cd197cccb04f75ff192ecdd8a163ec962b2e995c987047e855a10b3d
000275 | 8,16,3,gsm8k:train:1601,Predict,text -> summary,Predict | text -> summary,0.0,False,True,0.0,unavailable,True,unavailable,0.5206643000710756,6b67e57b8cd09e56df52e1ca4
     + | e984df0cc7b0732e8a3439a8dbb13d77950b1ff
000276 | 8,16,4,gsm8k:train:1601,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.252550399978645,7d8612eca7
     + | ec31c5aa8b43c5ed4b2dcab0d5431608cc18e9cec9d94cf12dfa99
000277 | 8,16,5,gsm8k:train:1601,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,2.5702052999986336,1435cd24cd197cccb04f75ff192ecdd8a163ec962b2e995c987047e855a10b3d
000278 | 8,16,6,gsm8k:train:1601,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.264727900037542,7d8612eca7
     + | ec31c5aa8b43c5ed4b2dcab0d5431608cc18e9cec9d94cf12dfa99
000279 | 8,16,7,gsm8k:train:1601,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.205112099996768,7d8612eca7
     + | ec31c5aa8b43c5ed4b2dcab0d5431608cc18e9cec9d94cf12dfa99
000280 | 8,17,0,gsm8k:train:56,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,6.399397799978033,c6525896684c76
     + | 16677ab273f27391d151d7136c0ce73393c5cf1f975530afc4
000281 | 8,17,1,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable,
     + | 3.6832941999891773,b680c3e1c026785b01861ce3135759ea697cd8309a36bea4b17d89a4e723ce2d
000282 | 8,17,2,gsm8k:train:56,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.106022599968128,33e6cea06f16
     + | c5fa6b0bdb39e1cd63e135d1aab7e9b9262fd7bf49e3475910ab
000283 | 8,17,3,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable,
     + | 2.1289443999994546,7e7dd480468821453d1462f84e31f8c2103af4b26e81b2de5f69d0797a4cbf7c
000284 | 8,17,4,gsm8k:train:56,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.1020865000318736,33e6cea06f1
     + | 6c5fa6b0bdb39e1cd63e135d1aab7e9b9262fd7bf49e3475910ab
000285 | 8,17,5,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable,
     + | 2.115582300000824,7e7dd480468821453d1462f84e31f8c2103af4b26e81b2de5f69d0797a4cbf7c
000286 | 8,17,6,gsm8k:train:56,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.0686219999333844,33e6cea06f1
     + | 6c5fa6b0bdb39e1cd63e135d1aab7e9b9262fd7bf49e3475910ab
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000287 | 8,17,7,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable,
     + | 2.1212304999353364,7e7dd480468821453d1462f84e31f8c2103af4b26e81b2de5f69d0797a4cbf7c
000288 | 8,18,0,gsm8k:train:4423,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,7.7278
     + | 58699974604,7e72c38c3b400e3edc142eb1121e8a5c917f7233e66307baee62ddc6af3c4bd5
000289 | 8,18,1,gsm8k:train:4423,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,1.6257498000049964,11d
     + | cebc024aa2ecef052307036eb548231bd17f34af1aa15f2d2a06fa6bbf83c
000290 | 8,18,2,gsm8k:train:4423,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.194364199996926,29628cbb89
     + | 083298bc7d0fab795838833b42438b6dd157925da0f56b164ff2f5
000291 | 8,18,3,gsm8k:train:4423,Predict,question -> reasoning,Predict | question -> reasoning,0.5,False,True,0.5,unavailable,True,unavailable,3.236963300034404,48fc0ba79c37ee
     + | 815ebd6f5cc00e9d4a063b9ab3400043a313644773b3cd236e
000292 | 8,18,4,gsm8k:train:4423,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,3.2083
     + | 908000495285,7e72c38c3b400e3edc142eb1121e8a5c917f7233e66307baee62ddc6af3c4bd5
000293 | 8,18,5,gsm8k:train:4423,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.4177958000218496,1bd1941ea13
     + | 577bd9111d6b84d078a1389b4f5e913336a5c2a4689805d211508
000294 | 8,18,6,gsm8k:train:4423,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.2408697999780998,29628cbb8
     + | 9083298bc7d0fab795838833b42438b6dd157925da0f56b164ff2f5
000295 | 8,18,7,gsm8k:train:4423,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.183823899948038,29628cbb89
     + | 083298bc7d0fab795838833b42438b6dd157925da0f56b164ff2f5
000296 | 8,19,0,gsm8k:train:4389,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,6.808097300003283,1c78b172b533a39a48378599840d1fac782d0ca38941fe3de6bfbc2e84c34f1a
000297 | 8,19,1,gsm8k:train:4389,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,2.5353000999893993,b3060c6eb5d3f90cbce16fd5cb4b939c4bb8926f26c6da6a3ad08210a4b55fb9
000298 | 8,19,2,gsm8k:train:4389,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,4.632528599933721,0dd9a960165e
     + | 002babf680acbecea65701637daa99a306c727c83c77781dae35
000299 | 8,19,3,gsm8k:train:4389,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,4.69501229992602,98d1c2908abb1acb001
     + | e3041a3a15f26eca417c397d43b49737189ff2ec3e4f8
000300 | 8,19,4,gsm8k:train:4389,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,4.660871500032954,9f65cbfd274c
     + | f63b5ac670d27c3c80fbfe942413be98ddbfee35ef637bbd9b4d
000301 | 8,19,5,gsm8k:train:4389,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,4.704590699984692,118a6bb88b21f986ce
     + | aaebb2a52750e1b17519fad6fb0dd0d0d28647aae1bccf
000302 | 8,19,6,gsm8k:train:4389,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,2.460343400016427,b3060c6eb5d3f90cbce16fd5cb4b939c4bb8926f26c6da6a3ad08210a4b55fb9
000303 | 8,19,7,gsm8k:train:4389,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,4.688280700007454,118a6bb88b21f986ce
     + | aaebb2a52750e1b17519fad6fb0dd0d0d28647aae1bccf
000304 | 8,20,0,gsm8k:train:4306,Predict,problem -> solution,Predict | problem -> solution,1.0,False,True,1.0,unavailable,True,unavailable,6.291127000004053,33e5de9bc9a8490aac
     + | 2127e3b07802e36491757d510b9eec0392153de4d31e36
000305 | 8,20,1,gsm8k:train:4306,Predict,problem -> solution,Predict | problem -> solution,1.0,False,True,1.0,unavailable,True,unavailable,1.9736404999857768,33e5de9bc9a8490aa
     + | c2127e3b07802e36491757d510b9eec0392153de4d31e36
000306 | 8,20,2,gsm8k:train:4306,Predict,question -> reasoning,Predict | question -> reasoning,1.0,False,True,1.0,unavailable,True,unavailable,3.5110083000035957,37082243142a9
     + | 4cf2e0a94ac8363674f3408cd4ca65cfed07f0d108304a33010
000307 | 8,20,3,gsm8k:train:4306,Predict,problem -> solution,Predict | problem -> solution,1.0,False,True,1.0,unavailable,True,unavailable,1.8223915999988094,33e5de9bc9a8490aa
     + | c2127e3b07802e36491757d510b9eec0392153de4d31e36
000308 | 8,20,4,gsm8k:train:4306,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,False,True,1.0,unavailable,True,unavailable,3.5461
     + | 9060002733,37082243142a94cf2e0a94ac8363674f3408cd4ca65cfed07f0d108304a33010
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000309 | 8,20,5,gsm8k:train:4306,Predict,question -> answer,Predict | question -> answer,1.0,False,True,1.0,unavailable,True,unavailable,1.8883178000105545,4c39397fd15be9cfcc5
     + | c5260c5601a959ca4a4b2fcee2f889b2a4430d520a985
000310 | 8,20,6,gsm8k:train:4306,Predict,problem -> solution,Predict | problem -> solution,1.0,False,True,1.0,unavailable,True,unavailable,1.9574550000252202,33e5de9bc9a8490aa
     + | c2127e3b07802e36491757d510b9eec0392153de4d31e36
000311 | 8,20,7,gsm8k:train:4306,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,False,True,1.0,unavailable,True,unavailable,3.5554
     + | 43099932745,37082243142a94cf2e0a94ac8363674f3408cd4ca65cfed07f0d108304a33010
000312 | 8,21,0,gsm8k:train:3115,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,7.006586799980141,40957487610d
     + | 92ca4dd2d37ec155c40d20091a504bf65270a3cd28e6863ef633
000313 | 8,21,1,gsm8k:train:3115,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.5387345999479294,dc5df5e7c
     + | bc25a2136bba8f04c8939454604e85577a017fb49d7370a8e8882cb
000314 | 8,21,2,gsm8k:train:3115,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,2.8839959000470117,b17ab62a81c4e43c61b006d040ea0946f81b0faea9c86c3ec744fa8f2d03382b
000315 | 8,21,3,gsm8k:train:3115,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,2.604063000064343,d424d635a8280d31f81cac1ae5c2fb04002b855a261237e9fa2e517603e790e5
000316 | 8,21,4,gsm8k:train:3115,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,2.454631599946879,d424d635a8280d31f81cac1ae5c2fb04002b855a261237e9fa2e517603e790e5
000317 | 8,21,5,gsm8k:train:3115,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,2.4986006999388337,d424d635a8280d31f81cac1ae5c2fb04002b855a261237e9fa2e517603e790e5
000318 | 8,21,6,gsm8k:train:3115,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.714805099996738,fa3935
     + | e2c4dcfaa1751ad21dc4869782b8cfe9689d6034697b51400afd6e0bc3
000319 | 8,21,7,gsm8k:train:3115,Predict,question -> hypothesis,Predict | question -> hypothesis,0.5,False,True,0.5,unavailable,True,unavailable,2.1875795000232756,0ecd3140714
     + | a53c1d6095b276bd1f54fbce9fbba2837911a95d1f6fe41a8d80c
000320 | 8,22,0,gsm8k:train:7114,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,6.1080
     + | 98200056702,154bd028adcd56d20ee51dba7d9775d5be46a66113a36693565fec112fb041cf
000321 | 8,22,1,gsm8k:train:7114,CoT,math_problem -> answer,CoT | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,1.0098362999269739,0231f1290bc58f70815
     + | 4a4c89ada3b9d5749c3fba488991b0fcdca7cc0f82c68
000322 | 8,22,2,gsm8k:train:7114,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,1.2609450001036748,b9195dc652fb0dc08
     + | 2aa52c8353206d4173e0ce8efad46fa23027209d8887ed0
000323 | 8,22,3,gsm8k:train:7114,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,1.312344599980861,b9195dc652fb0dc082
     + | aa52c8353206d4173e0ce8efad46fa23027209d8887ed0
000324 | 8,22,4,gsm8k:train:7114,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,1.0539233000017703,b9195dc652fb0dc08
     + | 2aa52c8353206d4173e0ce8efad46fa23027209d8887ed0
000325 | 8,22,5,gsm8k:train:7114,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,1.7122
     + | 637999709696,154bd028adcd56d20ee51dba7d9775d5be46a66113a36693565fec112fb041cf
000326 | 8,22,6,gsm8k:train:7114,Predict,question -> reasoning,Predict | question -> reasoning,0.0,False,True,0.0,unavailable,True,unavailable,1.0944344999734312,59a7dbe16b082
     + | d367fa2d644dda7a961aa6117d9b47caf8c92ba7bde66ee183d
000327 | 8,22,7,gsm8k:train:7114,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,1.0804164999863133,b9195dc652fb0dc08
     + | 2aa52c8353206d4173e0ce8efad46fa23027209d8887ed0
000328 | 8,23,0,gsm8k:train:6009,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,8.198224500054494,84df13d78e22295dc22b1748820cadcd01c0ab040900365b318e89886b15eb0f
000329 | 8,23,1,gsm8k:train:6009,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,5.587064799969085,84df13d78e22295dc22b1748820cadcd01c0ab040900365b318e89886b15eb0f
000330 | 8,23,2,gsm8k:train:6009,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.893219399964437,44d65f5228
     + | 3823f49281298ca53f54427e54d5c43d1dc0439214611af7b1e767
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000331 | 8,23,3,gsm8k:train:6009,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.8108980000251904,ae557bb7d
     + | ffe814bbd9ac73ba35419d2744cde64e92e9c0e36b98c100d5722d6
000332 | 8,23,4,gsm8k:train:6009,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.906293599982746,ae557bb7df
     + | fe814bbd9ac73ba35419d2744cde64e92e9c0e36b98c100d5722d6
000333 | 8,23,5,gsm8k:train:6009,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,3.007411799975671,ae557bb7df
     + | fe814bbd9ac73ba35419d2744cde64e92e9c0e36b98c100d5722d6
000334 | 8,23,6,gsm8k:train:6009,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.8804910000180826,ae557bb7d
     + | ffe814bbd9ac73ba35419d2744cde64e92e9c0e36b98c100d5722d6
000335 | 8,23,7,gsm8k:train:6009,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,3.8408355000428855,84df13d78e22295dc22b1748820cadcd01c0ab040900365b318e89886b15eb0f
000336 | 8,24,0,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable,
     + | 8.35471610003151,b680c3e1c026785b01861ce3135759ea697cd8309a36bea4b17d89a4e723ce2d
000337 | 8,24,1,gsm8k:train:56,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,4.103895700071007,c6525896684c76
     + | 16677ab273f27391d151d7136c0ce73393c5cf1f975530afc4
000338 | 8,24,2,gsm8k:train:56,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.8296503000892699,c6525896684c7
     + | 616677ab273f27391d151d7136c0ce73393c5cf1f975530afc4
000339 | 8,24,3,gsm8k:train:56,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.218243799987249,33e6cea06f16
     + | c5fa6b0bdb39e1cd63e135d1aab7e9b9262fd7bf49e3475910ab
000340 | 8,24,4,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable,
     + | 2.2031224999809638,7e7dd480468821453d1462f84e31f8c2103af4b26e81b2de5f69d0797a4cbf7c
000341 | 8,24,5,gsm8k:train:56,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.1910050000296906,33e6cea06f1
     + | 6c5fa6b0bdb39e1cd63e135d1aab7e9b9262fd7bf49e3475910ab
000342 | 8,24,6,gsm8k:train:56,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.8645251999842003,c6525896684c7
     + | 616677ab273f27391d151d7136c0ce73393c5cf1f975530afc4
000343 | 8,24,7,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable,
     + | 2.2214333000592887,7e7dd480468821453d1462f84e31f8c2103af4b26e81b2de5f69d0797a4cbf7c
000344 | 8,25,0,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable,
     + | 6.534273099969141,7e7dd480468821453d1462f84e31f8c2103af4b26e81b2de5f69d0797a4cbf7c
000345 | 8,25,1,gsm8k:train:56,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.4842099000234157,b
     + | 052c69a3b861064495f03c29bca4e159d9e89306fe4d3a8420a8a708e5ea905
000346 | 8,25,2,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable,
     + | 2.210111299995333,7e7dd480468821453d1462f84e31f8c2103af4b26e81b2de5f69d0797a4cbf7c
000347 | 8,25,3,gsm8k:train:56,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.8066817000508308,c6525896684c7
     + | 616677ab273f27391d151d7136c0ce73393c5cf1f975530afc4
000348 | 8,25,4,gsm8k:train:56,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.114492499968037,33e6cea06f16
     + | c5fa6b0bdb39e1cd63e135d1aab7e9b9262fd7bf49e3475910ab
000349 | 8,25,5,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable,
     + | 2.1753495999146253,7e7dd480468821453d1462f84e31f8c2103af4b26e81b2de5f69d0797a4cbf7c
000350 | 8,25,6,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable,
     + | 2.2075988999567926,7e7dd480468821453d1462f84e31f8c2103af4b26e81b2de5f69d0797a4cbf7c
000351 | 8,25,7,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable,
     + | 2.147277700016275,7e7dd480468821453d1462f84e31f8c2103af4b26e81b2de5f69d0797a4cbf7c
000352 | 8,26,0,gsm8k:train:2068,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,5.956687600002624,a8c5b9c5f49c73555b79a729a1686e5634a4cce1defa8a472ed4373ddf30851b
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000353 | 8,26,1,gsm8k:train:2068,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.7004108999390155,597919ddd
     + | 73b41886f2ec543f8908d28a15c63d2676e5d874c4710db3cb29fde
000354 | 8,26,2,gsm8k:train:2068,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.5663815999869257,597919ddd
     + | 73b41886f2ec543f8908d28a15c63d2676e5d874c4710db3cb29fde
000355 | 8,26,3,gsm8k:train:2068,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,1.6147624000441283,a8c5b9c5f49c73555b79a729a1686e5634a4cce1defa8a472ed4373ddf30851b
000356 | 8,26,4,gsm8k:train:2068,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.440713500021957,597919ddd7
     + | 3b41886f2ec543f8908d28a15c63d2676e5d874c4710db3cb29fde
000357 | 8,26,5,gsm8k:train:2068,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,1.5872291000559926,a8c5b9c5f49c73555b79a729a1686e5634a4cce1defa8a472ed4373ddf30851b
000358 | 8,26,6,gsm8k:train:2068,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,1.6279021000955254,a8c5b9c5f49c73555b79a729a1686e5634a4cce1defa8a472ed4373ddf30851b
000359 | 8,26,7,gsm8k:train:2068,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,1.656712899915874,a8c5b9c5f49c73555b79a729a1686e5634a4cce1defa8a472ed4373ddf30851b
000360 | 8,27,0,gsm8k:train:2428,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,5.955700899939984,c0a63f4b624cd9731f
     + | cf9b2aa803836b5c24c3e7fb45684832f0936eab2a3c87
000361 | 8,27,1,gsm8k:train:2428,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,1.6261250999523327,c0a63f4b624cd9731
     + | fcf9b2aa803836b5c24c3e7fb45684832f0936eab2a3c87
000362 | 8,27,2,gsm8k:train:2428,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,1.6589030000614002,c0a63f4b624cd9731
     + | fcf9b2aa803836b5c24c3e7fb45684832f0936eab2a3c87
000363 | 8,27,3,gsm8k:train:2428,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,1.5034680000972003,2374fb24915
     + | 76ff2bd7ccc691dd75d1b9cca15baeb275e3dd9c3714639612548
000364 | 8,27,4,gsm8k:train:2428,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,2.473387400037609,67e62d1b68cccfde114d5984b8e4d0e1d56dafe486a48770be63fffd19f0610c
000365 | 8,27,5,gsm8k:train:2428,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,2.5212432000553235,67e62d1b68cccfde114d5984b8e4d0e1d56dafe486a48770be63fffd19f0610c
000366 | 8,27,6,gsm8k:train:2428,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,2.488447100040503,67e62d1b68cccfde114d5984b8e4d0e1d56dafe486a48770be63fffd19f0610c
000367 | 8,27,7,gsm8k:train:2428,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,1.5175180999794975,c0a63f4b624cd9731
     + | fcf9b2aa803836b5c24c3e7fb45684832f0936eab2a3c87
000368 | 8,28,0,gsm8k:train:2068,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,6.924902600003406,597919ddd7
     + | 3b41886f2ec543f8908d28a15c63d2676e5d874c4710db3cb29fde
000369 | 8,28,1,gsm8k:train:2068,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.7893848000094295,597919ddd73
     + | b41886f2ec543f8908d28a15c63d2676e5d874c4710db3cb29fde
000370 | 8,28,2,gsm8k:train:2068,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.5244915999937803,597919ddd
     + | 73b41886f2ec543f8908d28a15c63d2676e5d874c4710db3cb29fde
000371 | 8,28,3,gsm8k:train:2068,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,1.6930444999597967,294
     + | 48a0b3bc9e3100579d7ac9539eea6182033c4bc01d6eb2b80f038d92b2b37
000372 | 8,28,4,gsm8k:train:2068,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.4654746999731287,597919ddd
     + | 73b41886f2ec543f8908d28a15c63d2676e5d874c4710db3cb29fde
000373 | 8,28,5,gsm8k:train:2068,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,1.6753554999595508,a8c5b9c5f49c73555b79a729a1686e5634a4cce1defa8a472ed4373ddf30851b
000374 | 8,28,6,gsm8k:train:2068,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,1.6583926999010146,a8c5b9c5f49c73555b79a729a1686e5634a4cce1defa8a472ed4373ddf30851b
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000375 | 8,28,7,gsm8k:train:2068,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,1.6450868000974879,a8c5b9c5f49c73555b79a729a1686e5634a4cce1defa8a472ed4373ddf30851b
000376 | 8,29,0,gsm8k:train:3703,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,8.9303
     + | 48899913952,52c0fbfe57d92fe0f332b34571d2b8e36dfcf1decc1ac37d7a098e9c4fe6ddf0
000377 | 8,29,1,gsm8k:train:3703,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,1.8965487000532448,d06c3b208228e7fc7
     + | a0824e6702cc791ac41e9442fa77f8d6034c2bc38261a0f
000378 | 8,29,2,gsm8k:train:3703,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,1.9209888000041246,d06c3b208228e7fc7
     + | a0824e6702cc791ac41e9442fa77f8d6034c2bc38261a0f
000379 | 8,29,3,gsm8k:train:3703,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,3.8629
     + | 54100011848,52c0fbfe57d92fe0f332b34571d2b8e36dfcf1decc1ac37d7a098e9c4fe6ddf0
000380 | 8,29,4,gsm8k:train:3703,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,3.8964
     + | 66300007887,52c0fbfe57d92fe0f332b34571d2b8e36dfcf1decc1ac37d7a098e9c4fe6ddf0
000381 | 8,29,5,gsm8k:train:3703,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,3.9687
     + | 61199968867,52c0fbfe57d92fe0f332b34571d2b8e36dfcf1decc1ac37d7a098e9c4fe6ddf0
000382 | 8,29,6,gsm8k:train:3703,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,3.8214
     + | 17599916458,52c0fbfe57d92fe0f332b34571d2b8e36dfcf1decc1ac37d7a098e9c4fe6ddf0
000383 | 8,29,7,gsm8k:train:3703,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,4.0569
     + | 56400047056,52c0fbfe57d92fe0f332b34571d2b8e36dfcf1decc1ac37d7a098e9c4fe6ddf0
000384 | 8,30,0,gsm8k:train:6195,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,6.84430970007088,b8d52dc8aa20e
     + | 6a056357c967c95447dd9feb6e3e818e98cb2b9183e8c918cc6
000385 | 8,30,1,gsm8k:train:6195,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,4.40044269990176,ce764c9af8710696e76c769f2d5f8336057a5618d9f4b51a080abcb5b23f2dad
000386 | 8,30,2,gsm8k:train:6195,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,3.9575170999160036,7e8c3e6835d95c3ca19877ec87dac058c410c518611eeb611a061db324423f97
000387 | 8,30,3,gsm8k:train:6195,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,4.058125900104642,7e8c3e6835d95c3ca19877ec87dac058c410c518611eeb611a061db324423f97
000388 | 8,30,4,gsm8k:train:6195,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,4.074324000044726,7e8c3e6835d95c3ca19877ec87dac058c410c518611eeb611a061db324423f97
000389 | 8,30,5,gsm8k:train:6195,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,4.113894000067376,7e8c3e6835d95c3ca19877ec87dac058c410c518611eeb611a061db324423f97
000390 | 8,30,6,gsm8k:train:6195,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.5005208000075072,7a07a6142
     + | 202769dfb6f9d7e1f748504afda51583db3806e515dabdac24a9fda
000391 | 8,30,7,gsm8k:train:6195,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.7033317999448627,7a07a6142
     + | 202769dfb6f9d7e1f748504afda51583db3806e515dabdac24a9fda
000392 | 10,1,0,gsm8k:train:4423,CoT,query -> generated_text,CoT | query -> generated_text,0.5,False,True,0.5,unavailable,True,unavailable,2.211979999905452,040065381d60b8914a
     + | f5c4e09ecfa52cb86aaf0bfce92dcfaac4fc3305808e83
000393 | 10,1,1,gsm8k:train:4423,CoT,text -> summary,CoT | text -> summary,0.0,False,True,0.0,unavailable,True,unavailable,1.9084969999967143,158b46a1d2f45ddb013c96e6b62653f07
     + | 8e79f21710d7d0eb6192f27fcf41176
000394 | 10,1,2,gsm8k:train:4423,Predict,math_problem -> answer,Predict | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.4078417000127956,d82
     + | 117721416d96a257cbf39950f11f251341c65051df9f7f190fa7bad4bc40e
000395 | 10,1,3,gsm8k:train:4423,CoT,prompt -> response,CoT | prompt -> response,0.0,False,True,0.0,unavailable,True,unavailable,2.378066800069064,f9d72c32a7d57e5c7194590efb0b
     + | 8e172b1a3a4539eda0c3fba5776ce8f4f2de
000396 | 10,1,4,gsm8k:train:4423,Predict,question -> reasoning,Predict | question -> reasoning,0.0,False,True,0.0,unavailable,True,unavailable,2.161177000030875,48fc0ba79c37ee
     + | 815ebd6f5cc00e9d4a063b9ab3400043a313644773b3cd236e
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000397 | 10,1,5,gsm8k:train:4423,CoT,query -> generated_text,CoT | query -> generated_text,0.5,False,True,0.5,unavailable,True,unavailable,2.110168299986981,040065381d60b8914a
     + | f5c4e09ecfa52cb86aaf0bfce92dcfaac4fc3305808e83
000398 | 10,1,6,gsm8k:train:4423,CoT,context -> briefing,CoT | context -> briefing,0.0,False,True,0.0,unavailable,True,unavailable,2.267391200060956,794442e39c5929426e719b8a72
     + | 172b860d52e14a364c9a312352f52f636b7dca
000399 | 10,1,7,gsm8k:train:4423,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.6539788999361917,b7f7dd95cbc
     + | 531bb687667e16c80aae332907000b5fbaf12f80eef58784dcd80
000400 | 10,1,8,gsm8k:train:4423,CoT,text -> response,CoT | text -> response,0.0,False,True,0.0,unavailable,True,unavailable,1.824414400034584,158b46a1d2f45ddb013c96e6b62653f0
     + | 78e79f21710d7d0eb6192f27fcf41176
000401 | 10,1,9,gsm8k:train:4423,CoT,prompt -> generated_text,CoT | prompt -> generated_text,0.0,False,True,0.0,unavailable,True,unavailable,2.4599226999562234,f9d72c32a7d57e5
     + | c7194590efb0b8e172b1a3a4539eda0c3fba5776ce8f4f2de
000402 | 10,2,0,gsm8k:train:3812,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,1.2069030000129715,29885
     + | dde8a51654586769b047549a0355b705fc13ef610c1da6903168f10b1d4
000403 | 10,2,1,gsm8k:train:3812,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,0.2869735000422224
     + | 4,7af56691e8c1c29543e5cd856ad07560fd7fb2fc860b8facd006cd0ac250d3e2
000404 | 10,2,2,gsm8k:train:3812,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,1.009129700018093,29885d
     + | de8a51654586769b047549a0355b705fc13ef610c1da6903168f10b1d4
000405 | 10,2,3,gsm8k:train:3812,Predict,math_problem -> answer,Predict | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,0.6092721000313759,7af
     + | 56691e8c1c29543e5cd856ad07560fd7fb2fc860b8facd006cd0ac250d3e2
000406 | 10,2,4,gsm8k:train:3812,Predict,text -> summary,Predict | text -> summary,1.0,True,False,unavailable,unavailable,True,unavailable,1.0284783999668434,7af56691e8c1c2954
     + | 3e5cd856ad07560fd7fb2fc860b8facd006cd0ac250d3e2
000407 | 10,2,5,gsm8k:train:3812,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,0.2517528999596834
     + | ,7af56691e8c1c29543e5cd856ad07560fd7fb2fc860b8facd006cd0ac250d3e2
000408 | 10,2,6,gsm8k:train:3812,CoT,math_problem -> answer,CoT | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,1.0260313999606296,d15b88858777c3ec8e0
     + | d1e5edff603a5d3f24f1c49421aaefd5e678f439eeac7
000409 | 10,2,7,gsm8k:train:3812,CoT,math_problem -> answer,CoT | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,1.1456954999594018,d15b88858777c3ec8e0
     + | d1e5edff603a5d3f24f1c49421aaefd5e678f439eeac7
000410 | 10,2,8,gsm8k:train:3812,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,0.48572019999846816,abb35340ae
     + | 90101051ee0fdd0b5e16f23ec5190bcf14fbbc921daee2fdbdf100
000411 | 10,2,9,gsm8k:train:3812,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,0.3905189000070095,abb35340ae9
     + | 0101051ee0fdd0b5e16f23ec5190bcf14fbbc921daee2fdbdf100
000412 | 10,3,0,gsm8k:train:7079,Predict,prompt -> generated_text,Predict | prompt -> generated_text,0.0,False,True,0.0,unavailable,True,unavailable,5.069099400076084,5436cc47
     + | 50cf070868dc8194674f290f21aa7d184577bb0b5b694093da216ecd
000413 | 10,3,1,gsm8k:train:7079,Predict,math_problem -> answer,Predict | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,0.3335679000010714,16f539a8e4e
     + | 7dae5323e1b1514dbe559271466727cb2cc4603fd4282422d1bb4
000414 | 10,3,2,gsm8k:train:7079,Predict,math_problem -> answer,Predict | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,0.32469949999358505,16f539a8e4
     + | e7dae5323e1b1514dbe559271466727cb2cc4603fd4282422d1bb4
000415 | 10,3,3,gsm8k:train:7079,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,1.0753657000605017,470ba3c5ea7ae7ea2a6396a6af4f484d4ef6ac99991f5caf23b34e8a42593758
000416 | 10,3,4,gsm8k:train:7079,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.2600161000154912,6c60a63ed
     + | 8a592c70c917ca82c0543cfe861e3dd6c5e4ce606367374b14df015
000417 | 10,3,5,gsm8k:train:7079,CoT,query -> response,CoT | query -> response,0.0,False,True,0.0,unavailable,True,unavailable,0.7040503000607714,5436cc4750cf070868dc8194674f2
     + | 90f21aa7d184577bb0b5b694093da216ecd
000418 | 10,3,6,gsm8k:train:7079,CoT,query -> generated_text,CoT | query -> generated_text,1.0,True,False,unavailable,unavailable,True,unavailable,1.2322799999965355,c08a6c608
     + | 34029da34865da49e8fedcd012092c85e00a2ee74908da04f6b390d
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000419 | 10,3,7,gsm8k:train:7079,CoT,query -> response,CoT | query -> response,0.0,False,True,0.0,unavailable,True,unavailable,0.737994399969466,5436cc4750cf070868dc8194674f29
     + | 0f21aa7d184577bb0b5b694093da216ecd
000420 | 10,3,8,gsm8k:train:7079,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,1.0910378999542445,f0488
     + | f84a61b81aae461a09c5e544564e492e11f8d056fb35db68e53708c23af
000421 | 10,3,9,gsm8k:train:7079,CoT,math_problem -> answer,CoT | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,0.7589841999579221,c08a6c60834
     + | 029da34865da49e8fedcd012092c85e00a2ee74908da04f6b390d
000422 | 10,4,0,gsm8k:train:2663,Predict,prompt -> generated_text,Predict | prompt -> generated_text,0.0,False,True,0.0,unavailable,True,unavailable,5.2485172000015154,1639087
     + | 3ae6b6a173fc894a873bab02283debbd320b5f0758849d01afa6ee8b6
000423 | 10,4,1,gsm8k:train:2663,Predict,text -> response,Predict | text -> response,1.0,True,False,unavailable,unavailable,True,unavailable,0.740711500053294,1184f8a0b9d7c3d5
     + | 077ce565ef35166fa0a54ca18f49cbdb393ee8eed0e9d94a
000424 | 10,4,2,gsm8k:train:2663,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,1.0072774000000209,0ca3dfffeedec0bfb5af52ea4c9c500f458ed18bf125d50cee4f01bc2a2ba8e8
000425 | 10,4,3,gsm8k:train:2663,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,1.135577200097032,dcd501
     + | 473b928bb2fcacf4694139cd348363f172d35fe08dc75459eb2cc58271
000426 | 10,4,4,gsm8k:train:2663,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,0.876988900010474,6461b4c358c3
     + | 3ebe7f34de5a51c958cd628811c1fd684884f1880a07bb96b024
000427 | 10,4,5,gsm8k:train:2663,CoT,query -> generated_text,CoT | query -> generated_text,1.0,True,False,unavailable,unavailable,True,unavailable,1.2245360999368131,a82127996
     + | 4ef00f42bf013558d582f271d5327139a4fbd71d2c72bd08ab18f7a
000428 | 10,4,6,gsm8k:train:2663,Predict,text -> summary,Predict | text -> summary,0.0,False,True,0.0,unavailable,True,unavailable,0.93707220000021487,122943f2281d889fdefa25d32
     + | 28f19575ffd4d76ec87dc3d6ba82973ec81b80a
000429 | 10,4,7,gsm8k:train:2663,CoT,query -> response,CoT | query -> response,1.0,True,False,unavailable,unavailable,True,unavailable,1.4507519999751821,7d9d775392232d6d2c21f
     + | 7534e7b2c266e7a919b61ce6c51d8e8ceb0a84262ba
000430 | 10,4,8,gsm8k:train:2663,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,5.529558999929577,ff4a
     + | 210458d67bdc8591ecfec0d1c2d3bf0f1e136e2121b4ef8c71f7c407d270
000431 | 10,4,9,gsm8k:train:2663,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,3.148940799990669,74b9646c7b
     + | fd71abaf6913b1f8abf52fb598487de9f6b5ab373b546395fb39a2
000432 | 10,5,0,gsm8k:train:4423,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,5.930310499970801,1bd1941ea135
     + | 77bd9111d6b84d078a1389b4f5e913336a5c2a4689805d211508
000433 | 10,5,1,gsm8k:train:4423,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.6493639000691473,1bd1941ea13
     + | 577bd9111d6b84d078a1389b4f5e913336a5c2a4689805d211508
000434 | 10,5,2,gsm8k:train:4423,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,1.2593883000081405,11d
     + | cebc024aa2ecef052307036eb548231bd17f34af1aa15f2d2a06fa6bbf83c
000435 | 10,5,3,gsm8k:train:4423,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,2.3750
     + | 499000307173,7e72c38c3b400e3edc142eb1121e8a5c917f7233e66307baee62ddc6af3c4bd5
000436 | 10,5,4,gsm8k:train:4423,Predict,question -> reasoning,Predict | question -> reasoning,0.5,False,True,0.5,unavailable,True,unavailable,2.3091141999466345,48fc0ba79c37e
     + | e815ebd6f5cc00e9d4a063b9ab3400043a313644773b3cd236e
000437 | 10,5,5,gsm8k:train:4423,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.6154617000138387,29628cbb8
     + | 9083298bc7d0fab795838833b42438b6dd157925da0f56b164ff2f5
000438 | 10,5,6,gsm8k:train:4423,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.0673193000257015
     + | ,239243241683abaacdf113f5943d77c7ea7be574a89e0bb15acab388e41b916c
000439 | 10,5,7,gsm8k:train:4423,Predict,math_problem -> answer,Predict | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.5207067999290302,d82
     + | 117721416d96a257cbf39950f11f251341c65051df9f7f190fa7bad4bc40e
000440 | 10,5,8,gsm8k:train:4423,Predict,question -> reasoning,Predict | question -> reasoning,0.0,False,True,0.0,unavailable,True,unavailable,2.4555140000302345,5f52861a7f873
     + | d53d371ac5f24eecaaec0bf8f4280a40a460913b4f1c44b4d89
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000441 | 10,5,9,gsm8k:train:4423,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.7674906000029296,1bd1941ea13
     + | 577bd9111d6b84d078a1389b4f5e913336a5c2a4689805d211508
000442 | 10,6,0,gsm8k:train:56,CoT,query -> response,CoT | query -> response,1.0,True,False,unavailable,unavailable,True,unavailable,5.893361099995673,c6525896684c7616677ab273
     + | f27391d151d7136c0ce73393c5cf1f975530afc4
000443 | 10,6,1,gsm8k:train:56,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,1.8570830000098795,fa5634c0d1ec4
     + | 3227bb0a9abbfce599b1cb57d7aaddc5656cc772a1f56962216
000444 | 10,6,2,gsm8k:train:56,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.3217805000022054,fe6881e54a996
     + | 45996e6bf73450afcaf62a27ed823ec4b347d0dd9d07e19ed14
000445 | 10,6,3,gsm8k:train:56,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,1.7985326999332756,a00281ffd1912
     + | c36c66a8ba7035cf7fb9b9e880e004ce14a2b2d8579de131f5d
000446 | 10,6,4,gsm8k:train:56,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.012834999943152,0b5bccbc
     + | 07c2c0d4d474247d0e11b082c20e191faed6c24644b7177579def0fd
000447 | 10,6,5,gsm8k:train:56,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.5936617000261322,b
     + | 052c69a3b861064495f03c29bca4e159d9e89306fe4d3a8420a8a708e5ea905
000448 | 10,6,6,gsm8k:train:56,CoT,word_problem -> solution,CoT | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.4891361000481993,c65258966
     + | 84c7616677ab273f27391d151d7136c0ce73393c5cf1f975530afc4
000449 | 10,6,7,gsm8k:train:56,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.0956368999322876,ce0198c
     + | 000b5f54bf925af82248de012bdab19e16431d72252fc6217fa762e69
000450 | 10,6,8,gsm8k:train:56,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.6213900999864563,b
     + | 052c69a3b861064495f03c29bca4e159d9e89306fe4d3a8420a8a708e5ea905
000451 | 10,6,9,gsm8k:train:56,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.5718870999990031,b
     + | 052c69a3b861064495f03c29bca4e159d9e89306fe4d3a8420a8a708e5ea905
000452 | 10,7,0,gsm8k:train:6330,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,5.6946147999260575,e22024c9155
     + | b46fb50a3d71d68412d7de7979223a96c519b738e48ef122a7e28
000453 | 10,7,1,gsm8k:train:6330,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.5094128999626264,e22024c9155
     + | b46fb50a3d71d68412d7de7979223a96c519b738e48ef122a7e28
000454 | 10,7,2,gsm8k:train:6330,Predict,context -> briefing,Predict | context -> briefing,1.0,True,False,unavailable,unavailable,True,unavailable,1.6159768000943586,cd0ae3223
     + | 5c09068cdcbde5d4115dca455dea1064f6fc9d12c1137fad5cbd31f
000455 | 10,7,3,gsm8k:train:6330,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,1.7905604999978095,34e
     + | 7b2052679089e5599e59ec3d68c792b442a111673e915167b5ed49aaf8205
000456 | 10,7,4,gsm8k:train:6330,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.53771509998478,e22024c9155b4
     + | 6fb50a3d71d68412d7de7979223a96c519b738e48ef122a7e28
000457 | 10,7,5,gsm8k:train:6330,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,1.8599262000061572,aa1
     + | 065a88110e80d56708a03e0122285a81fb608b7613e29f3ab41b8cf9f6d16
000458 | 10,7,6,gsm8k:train:6330,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.6252483999123797
     + | ,ab1aabcd07c799bfbb6cba6f11c82e0be742aa3a51d74105213a030d8ea1d6da
000459 | 10,7,7,gsm8k:train:6330,Predict,prompt -> response,Predict | prompt -> response,1.0,True,False,unavailable,unavailable,True,unavailable,1.638685300014913,cd0ae32235c0
     + | 9068cdcbde5d4115dca455dea1064f6fc9d12c1137fad5cbd31f
000460 | 10,7,8,gsm8k:train:6330,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.6298066000454128,b095360ee
     + | 853cf7f971e847187183271370595572e87ecda76252e88d1f609d0
000461 | 10,7,9,gsm8k:train:6330,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,1.988238099962473,3f9a30
     + | 930e947ae486a3211fae2fdfee908e225cc26c2f9d41db23deab9e1136
000462 | 10,8,0,gsm8k:train:2477,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,5.912680800072849,f95d2a
     + | f3b8b0e8763cb8370d92b0be60a61f8f36853471925af913fbad85e253
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000463 | 10,8,1,gsm8k:train:2477,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,1.6296651000156999,f95d2
     + | af3b8b0e8763cb8370d92b0be60a61f8f36853471925af913fbad85e253
000464 | 10,8,2,gsm8k:train:2477,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.4549118001013994,2ddc123e17c
     + | 573a015f4c3ed889496127dfea903feb52d75f63d69ae3bf744bd
000465 | 10,8,3,gsm8k:train:2477,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.4267066000029445,c6ddd05e993
     + | 2c30f29ea1e201145e7605c9bf0f90a6945d37b929e55b41f9dbc
000466 | 10,8,4,gsm8k:train:2477,CoT,query -> response,CoT | query -> response,1.0,True,False,unavailable,unavailable,True,unavailable,2.2324785999953747,cb55e7ad60ee1d504b71d
     + | cbeb45373a6a87b3fa619fedc1739fc0392ffe3c399
000467 | 10,8,5,gsm8k:train:2477,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,1.7905528999399394,f95d2
     + | af3b8b0e8763cb8370d92b0be60a61f8f36853471925af913fbad85e253
000468 | 10,8,6,gsm8k:train:2477,Predict,question -> hypothesis,Predict | question -> hypothesis,0.5,False,True,0.5,unavailable,True,unavailable,1.2667188999475911,2a1e696ac75
     + | 365cd04b9361ad7d426a9361fa0af454e152cb6a1f49c697fe90d
000469 | 10,8,7,gsm8k:train:2477,Predict,question -> hypothesis,Predict | question -> hypothesis,0.5,False,True,0.5,unavailable,True,unavailable,1.1231041999999434,f8ad5d674a2
     + | 59e62164616b4f11f975df9c2699f8c95a8b8e94132c5e25f277e
000470 | 10,8,8,gsm8k:train:2477,Predict,query -> response,Predict | query -> response,1.0,True,False,unavailable,unavailable,True,unavailable,1.3816136000677943,c76a05dc757c4
     + | bc2da67b243be2edd1f1ccc04eb3c7e16091101ac3da9ba0410
000471 | 10,8,9,gsm8k:train:2477,Predict,question -> hypothesis,Predict | question -> hypothesis,0.5,False,True,0.5,unavailable,True,unavailable,1.1376413999823853,f8ad5d674a2
     + | 59e62164616b4f11f975df9c2699f8c95a8b8e94132c5e25f277e
000472 | 10,9,0,gsm8k:train:2271,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,5.5287956999382,79ec26c5
     + | 2e0fb25ba4245b2eb9d3a216c8121f8b5e1ccba1c1d941f44de46b17
000473 | 10,9,1,gsm8k:train:2271,Predict,text -> response,Predict | text -> response,0.0,False,True,0.0,unavailable,True,unavailable,0.28231360006611794,05669e290f548098adb099
     + | 59bbe0e1153a7a8793f2696400162cce1c2a7db73d
000474 | 10,9,2,gsm8k:train:2271,Predict,question -> answer,Predict | question -> answer,0.0,False,True,0.0,unavailable,True,unavailable,0.2571605999255553,05669e290f548098adb
     + | 09959bbe0e1153a7a8793f2696400162cce1c2a7db73d
000475 | 10,9,3,gsm8k:train:2271,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,1.313734000083059,79ec26
     + | c52e0fb25ba4245b2eb9d3a216c8121f8b5e1ccba1c1d941f44de46b17
000476 | 10,9,4,gsm8k:train:2271,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,0.977747599943541,acd3
     + | aef74ddf333a0d8845055715e32abe443f57c04b21e791a0f96577d622a9
000477 | 10,9,5,gsm8k:train:2271,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,1.1042955999728292,4b4b7645c940fc3d1d3ae0f77916e641e8555734c20f54080b28ae31d0bdde12
000478 | 10,9,6,gsm8k:train:2271,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,1.0786090000765398,4b4b7645c940fc3d1d3ae0f77916e641e8555734c20f54080b28ae31d0bdde12
000479 | 10,9,7,gsm8k:train:2271,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,1.4049616999691352,79ec2
     + | 6c52e0fb25ba4245b2eb9d3a216c8121f8b5e1ccba1c1d941f44de46b17
000480 | 10,9,8,gsm8k:train:2271,Predict,question -> answer,Predict | question -> answer,0.0,False,True,0.0,unavailable,True,unavailable,0.20822120003867894,05669e290f548098ad
     + | b09959bbe0e1153a7a8793f2696400162cce1c2a7db73d
000481 | 10,9,9,gsm8k:train:2271,Predict,question -> answer,Predict | question -> answer,0.0,False,True,0.0,unavailable,True,unavailable,0.19108470005448908,05669e290f548098ad
     + | b09959bbe0e1153a7a8793f2696400162cce1c2a7db73d
000482 | 10,10,0,gsm8k:train:5302,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,5.444784100051038,1f5fce3ae99
     + | 4439dc8805e383b902d0a6674d0fe2005f1a252b6432b37aa982c
000483 | 10,10,1,gsm8k:train:5302,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,1.7443394999718294,bb
     + | a1f065347bea70e13b7c364b80ef1123e9ac4d9e24bc53570a9c95462c9f0d
000484 | 10,10,2,gsm8k:train:5302,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,1.8904433000134304,0f45
     + | 869991cee6f295f9aa085088b0ac134548b67c3748b038eedf0115ff188e
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000485 | 10,10,3,gsm8k:train:5302,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,1.8018752000061795,bb
     + | a1f065347bea70e13b7c364b80ef1123e9ac4d9e24bc53570a9c95462c9f0d
000486 | 10,10,4,gsm8k:train:5302,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,1.9651285000145435,031d
     + | 07b91c8956ff36311511590b31b9931297a492a4ae18c541198ea153e97b
000487 | 10,10,5,gsm8k:train:5302,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.2734613000648096,ac4f7f40
     + | 9a02ab1942a5d23e7161e6ecdede3278be9a7132d0f01ac7e7aa2933
000488 | 10,10,6,gsm8k:train:5302,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,1.9153670000378042,031d
     + | 07b91c8956ff36311511590b31b9931297a492a4ae18c541198ea153e97b
000489 | 10,10,7,gsm8k:train:5302,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.690633299993351,1f5fce3ae99
     + | 4439dc8805e383b902d0a6674d0fe2005f1a252b6432b37aa982c
000490 | 10,10,8,gsm8k:train:5302,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.5360838999040425,1f5fce3ae9
     + | 94439dc8805e383b902d0a6674d0fe2005f1a252b6432b37aa982c
000491 | 10,10,9,gsm8k:train:5302,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,1.9072069999529049,bb
     + | a1f065347bea70e13b7c364b80ef1123e9ac4d9e24bc53570a9c95462c9f0d
000492 | 10,11,0,gsm8k:train:2428,Predict,question -> answer,Predict | question -> answer,0.0,False,True,0.0,unavailable,True,unavailable,5.289555199909955,2374fb2491576ff2bd7
     + | ccc691dd75d1b9cca15baeb275e3dd9c3714639612548
000493 | 10,11,1,gsm8k:train:2428,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,1.0101483000908047,2374fb2491
     + | 576ff2bd7ccc691dd75d1b9cca15baeb275e3dd9c3714639612548
000494 | 10,11,2,gsm8k:train:2428,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,1.7353742000414059,67e62d1b68cccfde114d5984b8e4d0e1d56dafe486a48770be63fffd19f0610c
000495 | 10,11,3,gsm8k:train:2428,Predict,word_problem -> solution,Predict | word_problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,1.1209873999468982,c0a63f
     + | 4b624cd9731fcf9b2aa803836b5c24c3e7fb45684832f0936eab2a3c87
000496 | 10,11,4,gsm8k:train:2428,Predict,question -> answer,Predict | question -> answer,0.0,False,True,0.0,unavailable,True,unavailable,1.1065568999620155,6066f868477d439d8d
     + | 455c725fd73f24c43a27599a33e6354213b67533e9ecb2
000497 | 10,11,5,gsm8k:train:2428,Predict,question -> answer,Predict | question -> answer,0.0,False,True,0.0,unavailable,True,unavailable,1.0725357999326661,6066f868477d439d8d
     + | 455c725fd73f24c43a27599a33e6354213b67533e9ecb2
000498 | 10,11,6,gsm8k:train:2428,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.4027751999674365,dca3
     + | 09cb487828aaa890be045cbc5ba26c50e037e094c392631fffdbebb36a49
000499 | 10,11,7,gsm8k:train:2428,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,1.170823200023733,c0a63f4b624
     + | cd9731fcf9b2aa803836b5c24c3e7fb45684832f0936eab2a3c87
000500 | 10,11,8,gsm8k:train:2428,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.5606512000085786,dca3
     + | 09cb487828aaa890be045cbc5ba26c50e037e094c392631fffdbebb36a49
000501 | 10,11,9,gsm8k:train:2428,Predict,math_problem -> answer,Predict | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.1080895999912173,34
     + | a5883eb82eb9387d65b72d2ba25cc8a794b18a83c9678e11f397b61bf02fb2
000502 | 10,12,0,gsm8k:train:3418,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,5.995279700029641,48b41db3d6b
     + | 41ff1ff5ba41b521a60a0880482c3e692ce36a7a2b13a378662b7
000503 | 10,12,1,gsm8k:train:3418,Predict,query -> response,Predict | query -> response,1.0,True,False,unavailable,unavailable,True,unavailable,1.6320148999802768,ec95c79bd1df
     + | 47827cc40ca3d871cf03f74e0242b68b54250271711ff826bf13
000504 | 10,12,2,gsm8k:train:3418,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.866795300040394,2ab06ba0e
     + | b839b8b5ee286eb580e9d1a505240f5a072bb377ab34c7088236785
000505 | 10,12,3,gsm8k:train:3418,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.8501289999112487,9ba2e8ed
     + | eef30047cda1ef7d3b2bad852610a2d3036cc52f985dc8bab8d82c35
000506 | 10,12,4,gsm8k:train:3418,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.9715797000098974,9ba2e8ed
     + | eef30047cda1ef7d3b2bad852610a2d3036cc52f985dc8bab8d82c35
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000507 | 10,12,5,gsm8k:train:3418,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,1.3497407999821007,20
     + | 5a660823e1910e0313bd7c379a27171f02be64ab3c8e2c706f8037a492c0b6
000508 | 10,12,6,gsm8k:train:3418,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.188271400053054,86d26
     + | 9892f9f5b6e6cef94e83be39ba6f25f42916cd6806c24321495d9ad4182
000509 | 10,12,7,gsm8k:train:3418,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.0096966999117285,48b41db3d6
     + | b41ff1ff5ba41b521a60a0880482c3e692ce36a7a2b13a378662b7
000510 | 10,12,8,gsm8k:train:3418,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.4081296999938786,86d2
     + | 69892f9f5b6e6cef94e83be39ba6f25f42916cd6806c24321495d9ad4182
000511 | 10,12,9,gsm8k:train:3418,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.154464799910783
     + | 8,ae4138560a37a64d708a437e33212f4713561110912276l940c4d3e0eafabac4
000512 | 10,13,0,gsm8k:train:3082,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,5.3355143999215215,fb
     + | abfc79daf7a1020232a250e177054da26723210a105f81b7c1cd2ae96d94a7
000513 | 10,13,1,gsm8k:train:3082,Predict,text -> response,Predict | text -> response,1.0,True,False,unavailable,unavailable,True,unavailable,1.5945687999483198,9d1aa2cf333b17
     + | 5d2d566eb698dca0928853c3d322706286be8e780338f97ffe
000514 | 10,13,2,gsm8k:train:3082,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,1.1325518999947235,fb
     + | abfc79daf7a1020232a250e177054da26723210a105f81b7c1cd2ae96d94a7
000515 | 10,13,3,gsm8k:train:3082,Predict,text -> summary,Predict | text -> summary,1.0,True,False,unavailable,unavailable,True,unavailable,1.0386323999846354,5eeedbc01fa54cc2
     + | 778217e1d7e5476d4262976a70ed0f71ed66cc79e4276bd7
000516 | 10,13,4,gsm8k:train:3082,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.5142412999412045,585d219dce
     + | 9ac786c1157220252285cc5973b9407ce8f077f63c5ab7d172156d
000517 | 10,13,5,gsm8k:train:3082,Predict,query -> response,Predict | query -> response,1.0,True,False,unavailable,unavailable,True,unavailable,1.6568891999777406,4635bd8ccc6a
     + | 2e5d43c8066c77eccde604aa2685548e21ade28513c959796183
000518 | 10,13,6,gsm8k:train:3082,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.700918999966234,56c5c8c94d9
     + | d0392b193b50523985dbb656a27c0f35edf36ff78d5d3d23ceb53
000519 | 10,13,7,gsm8k:train:3082,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.730116999940946
     + | 7,f2b3a545af2ab512c339730e31baa2388babdc3caa99c012a05d78dcf953c106
000520 | 10,13,8,gsm8k:train:3082,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.716314799967222,56c5c8c94d9
     + | d0392b193b50523985dbb656a27c0f35edf36ff78d5d3d23ceb53
000521 | 10,13,9,gsm8k:train:3082,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,1.7522449000971392,81b7c8ec941ef9e6e8fc6f9550cc9920aa6796e58b219a773115ace0eb7d2f07
000522 | 10,14,0,gsm8k:train:5302,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,5.9859478999860585,bb
     + | a1f065347bea70e13b7c364b80ef1123e9ac4d9e24bc53570a9c95462c9f0d
000523 | 10,14,1,gsm8k:train:5302,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,1.9444783000508323,17111fd4d46e90225a3419a397a4c0cd686907abff4e38e99ebcc871a9ad6cd3
000524 | 10,14,2,gsm8k:train:5302,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.2821344999829307,ac4f7f40
     + | 9a02ab1942a5d23e7161e6ecdede3278be9a7132d0f01ac7e7aa2933
000525 | 10,14,3,gsm8k:train:5302,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,2.567
     + | 2651000786573,35ab0257de77872f459d680ade576400d55721987f3ce2e8b5981d1120d621a8
000526 | 10,14,4,gsm8k:train:5302,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,1.8551166999386624,bb
     + | a1f065347bea70e13b7c364b80ef1123e9ac4d9e24bc53570a9c95462c9f0d
000527 | 10,14,5,gsm8k:train:5302,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,2.470
     + | 515000051819,35ab0257de77872f459d680ade576400d55721987f3ce2e8b5981d1120d621a8
000528 | 10,14,6,gsm8k:train:5302,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.347258600057102
     + | 7,d1074936520b9879151a584bcd8b7b9c618a85d1a134dd2a00639dc709c70236
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000529 | 10,14,7,gsm8k:train:5302,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,2.0201466999715194,bb
     + | a1f065347bea70e13b7c364b80ef1123e9ac4d9e24bc53570a9c95462c9f0d
000530 | 10,14,8,gsm8k:train:5302,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.4038153000874445,ac4f7f40
     + | 9a02ab1942a5d23e7161e6ecdede3278be9a7132d0f01ac7e7aa2933
000531 | 10,14,9,gsm8k:train:5302,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.5313840999733657,0f45
     + | 869991cee6f295f9aa085088b0ac134548b67c3748b038eedf0115ff188e
000532 | 10,15,0,gsm8k:train:819,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,7.403688299935311,7d1758dde8e16460a40d57fb34657842676c096aeaeb26b0c43532a9e95e778e
000533 | 10,15,1,gsm8k:train:819,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,5.354852500022389,f450e8677086
     + | 61e0db3d651f97b07b06dd1d781d60101081ea8368d895d5daf1
000534 | 10,15,2,gsm8k:train:819,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,3.4313580999150872,137
     + | a42ea45bcab7342c92155e35ff73578f1ece42737a53f90381444cbaf0aa2
000535 | 10,15,3,gsm8k:train:819,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,3.1723719999426976,aa90313c5
     + | 070f1deee28847baba95364ab438ad9cc6e7a54e60d21919d84bc22
000536 | 10,15,4,gsm8k:train:819,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,3.3361510999966413,137
     + | a42ea45bcab7342c92155e35ff73578f1ece42737a53f90381444cbaf0aa2
000537 | 10,15,5,gsm8k:train:819,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,4.0331784000154585,7d1758dde8e16460a40d57fb34657842676c096aeaeb26b0c43532a9e95e778e
000538 | 10,15,6,gsm8k:train:819,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,3.6394655000185594,137
     + | a42ea45bcab7342c92155e35ff73578f1ece42737a53f90381444cbaf0aa2
000539 | 10,15,7,gsm8k:train:819,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,3.642370499903336,
     + | 6fd6a87acfaf91a7796fb14900cb6cf63a6cb42cc0f9116713d5108f09106334
000540 | 10,15,8,gsm8k:train:819,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,3.5987507000099868
     + | ,6fd6a87acfaf91a7796fb14900cb6cf63a6cb42cc0f9116713d5108f09106334
000541 | 10,15,9,gsm8k:train:819,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,3.69622560008429,f450e86770866
     + | 1e0db3d651f97b07b06dd1d781d60101081ea8368d895d5daf1
000542 | 10,16,0,gsm8k:train:1601,Predict,math_problem -> answer,Predict | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,4.611469199997373,fee52111bdc
     + | 5eab13c8f5c56308a597906445dbf3e9ca411733f8ec4470d6fd8
000543 | 10,16,1,gsm8k:train:1601,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.517917799996212
     + | 1,bf6e97b76669cc7a7f68812e05e2d1519de0585a58d1114d636fb549eef27ee6
000544 | 10,16,2,gsm8k:train:1601,Predict,math_problem -> answer,Predict | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,0.4163433000212535,fee52111bd
     + | c5eab13c8f5c56308a597906445dbf3e9ca411733f8ec4470d6fd8
000545 | 10,16,3,gsm8k:train:1601,Predict,text -> response,Predict | text -> response,0.0,False,True,0.0,unavailable,True,unavailable,1.3113801000872627,44d428c5a7c5cc3dc0db56
     + | a55fc38399e3d172e75362684f7ce53c02c9c32dfb
000546 | 10,16,4,gsm8k:train:1601,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.160064399940893,31e51
     + | 56ad6464896ff5bf90d60552ecc64b17d56497fb4e58228f1b38d8848d0
000547 | 10,16,5,gsm8k:train:1601,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.683039700030349
     + | 2,bf6e97b76669cc7a7f68812e05e2d1519de0585a58d1114d636fb549eef27ee6
000548 | 10,16,6,gsm8k:train:1601,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.0389395999955013,31e5
     + | 156ad6464896ff5bf90d60552ecc64b17d56497fb4e58228f1b38d8848d0
000549 | 10,16,7,gsm8k:train:1601,Predict,question -> answer,Predict | question -> answer,0.0,False,True,0.0,unavailable,True,unavailable,1.3049527999246493,44d428c5a7c5cc3dc0
     + | db56a55fc38399e3d172e75362684f7ce53c02c9c32dfb
000550 | 10,16,8,gsm8k:train:1601,Predict,query -> generated_text,Predict | query -> generated_text,0.0,False,True,0.0,unavailable,True,unavailable,1.5822182999690995,44d428c5
     + | a7c5cc3dc0db56a55fc38399e3d172e75362684f7ce53c02c9c32dfb
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000551 | 10,16,9,gsm8k:train:1601,Predict,math_problem -> answer,Predict | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,0.41273649991489947,fee52111b
     + | dc5eab13c8f5c56308a597906445dbf3e9ca411733f8ec4470d6fd8
000552 | 10,17,0,gsm8k:train:56,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,5.8949548999080434,
     + | b052c69a3b861064495f03c29bca4e159d9e89306fe4d3a8420a8a708e5ea905
000553 | 10,17,1,gsm8k:train:56,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.5764159000245854,
     + | b052c69a3b861064495f03c29bca4e159d9e89306fe4d3a8420a8a708e5ea905
000554 | 10,17,2,gsm8k:train:56,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.5617415000451729,
     + | b052c69a3b861064495f03c29bca4e159d9e89306fe4d3a8420a8a708e5ea905
000555 | 10,17,3,gsm8k:train:56,Predict,query -> generated_text,Predict | query -> generated_text,1.0,True,False,unavailable,unavailable,True,unavailable,1.3588301999261603,1d
     + | c505f1d5a5c01cd90556adb3fe63ef59ca350de6f84d4fd5954e8cd7e5f4a5
000556 | 10,17,4,gsm8k:train:56,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.8105483000399545,
     + | b052c69a3b861064495f03c29bca4e159d9e89306fe4d3a8420a8a708e5ea905
000557 | 10,17,5,gsm8k:train:56,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,2.348652199958451,fa5634c0d1ec4
     + | 3227bb0a9abbfce599b1cb57d7aaddc5656cc772a1f56962216
000558 | 10,17,6,gsm8k:train:56,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.7525468999519944,
     + | b052c69a3b861064495f03c29bca4e159d9e89306fe4d3a8420a8a708e5ea905
000559 | 10,17,7,gsm8k:train:56,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.7759866999695078,
     + | b052c69a3b861064495f03c29bca4e159d9e89306fe4d3a8420a8a708e5ea905
000560 | 10,17,8,gsm8k:train:56,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.9965763000072911,
     + | b052c69a3b861064495f03c29bca4e159d9e89306fe4d3a8420a8a708e5ea905
000561 | 10,17,9,gsm8k:train:56,CoT,query -> response,CoT | query -> response,1.0,True,False,unavailable,unavailable,True,unavailable,1.8297050000401214,c6525896684c7616677ab2
     + | 73f27391d151d7136c0ce73393c5cf1f975530afc4
000562 | 10,18,0,gsm8k:train:4423,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,5.923513200017624,29628cbb8
     + | 9083298bc7d0fab795838833b42438b6dd157925da0f56b164ff2f5
000563 | 10,18,1,gsm8k:train:4423,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.763666000100784,1bd1941ea13
     + | 577bd9111d6b84d078a1389b4f5e913336a5c2a4689805d211508
000564 | 10,18,2,gsm8k:train:4423,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.446995900012552
     + | 7,239243241683abaacdf113f5943d77c7ea7be574a89e0bb15acab388e41b916c
000565 | 10,18,3,gsm8k:train:4423,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,2.742
     + | 3584999050945,7e72c38c3b400e3edc142eb1121e8a5c917f7233e66307baee62ddc6af3c4bd5
000566 | 10,18,4,gsm8k:train:4423,Predict,question -> reasoning,Predict | question -> reasoning,0.5,False,True,0.5,unavailable,True,unavailable,2.791463900008239,48fc0ba79c37e
     + | e815ebd6f5cc00e9d4a063b9ab3400043a313644773b3cd236e
000567 | 10,18,5,gsm8k:train:4423,Predict,math_problem -> answer,Predict | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.847594799939543,d82
     + | 117721416d96a257cbf39950f11f251341c65051df9f7f190fa7bad4bc40e
000568 | 10,18,6,gsm8k:train:4423,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,3.012
     + | 6993999583647,7e72c38c3b400e3edc142eb1121e8a5c917f7233e66307baee62ddc6af3c4bd5
000569 | 10,18,7,gsm8k:train:4423,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,3.134
     + | 9302999442443,7e72c38c3b400e3edc142eb1121e8a5c917f7233e66307baee62ddc6af3c4bd5
000570 | 10,18,8,gsm8k:train:4423,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.590364099945873
     + | ,7c5982908e0da58d77fd1e7f43f29c8acc62c5008e7293bb0ddf08f903fc01a2
000571 | 10,18,9,gsm8k:train:4423,Predict,math_problem -> answer,Predict | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.9442311999155208,0b
     + | f4f11677723cf9e5a6c967c68421e2a063d0bd0b40ea228dd385d4a9d07967
000572 | 10,19,0,gsm8k:train:4389,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,7.700514200027101,98d1c2908abb1acb0
     + | 01e3041a3a15f26eca417c397d43b49737189ff2ec3e4f8
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000573 | 10,19,1,gsm8k:train:4389,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,3.866526099969633,118a6bb88b21f986c
     + | eaaebb2a52750e1b17519fad6fb0dd0d0d28647aae1bccf
000574 | 10,19,2,gsm8k:train:4389,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,False,True,1.0,unavailable,True,unavailable,1.651046400074847,4f6553a
     + | 15498161d2e3e5cf5f25de2ffa097d27c8495681a18de406d995e7bb5
000575 | 10,19,3,gsm8k:train:4389,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,False,True,1.0,unavailable,True,unavailable,1.7548585999757051,4f6553
     + | a15498161d2e3e5cf5f25de2ffa097d27c8495681a18de406d995e7bb5
000576 | 10,19,4,gsm8k:train:4389,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,4.086775499978103,9f65cbfd274
     + | cf63b5ac670d27c3c80fbfe942413be98ddbfee35ef637bbd9b4d
000577 | 10,19,5,gsm8k:train:4389,CoT,query -> response,CoT | query -> response,0.0,False,True,0.0,unavailable,True,unavailable,4.118022399954498,954b92fba9a73e1cca0e38a747186
     + | 7bccebf9dfa0b4ba8bd19592bc5cc40e215
000578 | 10,19,6,gsm8k:train:4389,CoT,query -> response,CoT | query -> response,0.0,False,True,0.0,unavailable,True,unavailable,3.9427759000100195,cf89c0af1e9b9adb6a139eb35397
     + | b1b541d9cd43e439134205d2351244cf7fb7
000579 | 10,19,7,gsm8k:train:4389,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,4.279513399931602,118a6bb88b21f986c
     + | eaaebb2a52750e1b17519fad6fb0dd0d0d28647aae1bccf
000580 | 10,19,8,gsm8k:train:4389,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,4.2659976000431925,fbd28887c5
     + | 006daddd8f242acdbf466c9a3e979236fea6a84a260fd5e55d59ee
000581 | 10,19,9,gsm8k:train:4389,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,False,True,1.0,unavailable,True,unavailable,1.9179741999832913,4f6553
     + | a15498161d2e3e5cf5f25de2ffa097d27c8495681a18de406d995e7bb5
000582 | 10,20,0,gsm8k:train:4306,CoT,query -> generated_text,CoT | query -> generated_text,1.0,False,True,1.0,unavailable,True,unavailable,5.879934299970046,d968a0fdde2a6321e
     + | c7716ceb195db623da63b94951a7106986005b0bc1caa3c
000583 | 10,20,1,gsm8k:train:4306,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,False,True,1.0,unavailable,True,unavailable,2.642
     + | 398600000888,37082243142a94cf2e0a94ac8363674f3408cd4ca65cfed07f0d108304a33010
000584 | 10,20,2,gsm8k:train:4306,Predict,question -> reasoning,Predict | question -> reasoning,1.0,False,True,1.0,unavailable,True,unavailable,2.7081710000056773,37082243142a
     + | 94cf2e0a94ac8363674f3408cd4ca65cfed07f0d108304a33010
000585 | 10,20,3,gsm8k:train:4306,Predict,word_problem -> solution,Predict | word_problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,0.49306650005746633,3789d
     + | 86d382fff64701d39245d30e3562792d57cac984c43200fd068a5b90139
000586 | 10,20,4,gsm8k:train:4306,Predict,question -> answer,Predict | question -> answer,1.0,False,True,1.0,unavailable,True,unavailable,1.496386699960567,4c39397fd15be9cfcc5
     + | c5260c5601a959ca4a4b2fcee2f889b2a4430d520a985
000587 | 10,20,5,gsm8k:train:4306,Predict,question -> answer,Predict | question -> answer,1.0,False,True,1.0,unavailable,True,unavailable,1.5402189999585971,4c39397fd15be9cfcc
     + | 5c5260c5601a959ca4a4b2fcee2f889b2a4430d520a985
000588 | 10,20,6,gsm8k:train:4306,Predict,problem -> solution,Predict | problem -> solution,1.0,False,True,1.0,unavailable,True,unavailable,1.5301542999222875,33e5de9bc9a8490a
     + | ac2127e3b07802e36491757d510b9eec0392153de4d31e36
000589 | 10,20,7,gsm8k:train:4306,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,False,True,1.0,unavailable,True,unavailable,3.059
     + | 926899964921,37082243142a94cf2e0a94ac8363674f3408cd4ca65cfed07f0d108304a33010
000590 | 10,20,8,gsm8k:train:4306,Predict,word_problem -> solution,Predict | word_problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,0.4022448000032455,3789d8
     + | 6d382fff64701d39245d30e3562792d57cac984c43200fd068a5b90139
000591 | 10,20,9,gsm8k:train:4306,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,False,True,1.0,unavailable,True,unavailable,3.036
     + | 6247000638396,37082243142a94cf2e0a94ac8363674f3408cd4ca65cfed07f0d108304a33010
000592 | 10,21,0,gsm8k:train:3115,Predict,word_problem -> solution,Predict | word_problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,6.166502899955958,30dcd11
     + | 1f0ffb10535f308e679465ac39e93daae4571ca83d51ab0bd72ae32cd
000593 | 10,21,1,gsm8k:train:3115,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,1.8350465999683365,fa39
     + | 35e2c4dcfaa1751ad21dc4869782b8cfe9689d6034697b51400afd6e0bc3
000594 | 10,21,2,gsm8k:train:3115,Predict,word_problem -> solution,Predict | word_problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,2.0391880000242963,f70133
     + | 11d1bb431c16a12d61ce6253e0ca0854e21e83c03d9e928b5e4d2136fe
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000595 | 10,21,3,gsm8k:train:3115,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.8333230999996886,5380ad2ec8
     + | d44a8b2d40e68c96488dd0e63da1b7a592061fec1aa31e9bc5c724
000596 | 10,21,4,gsm8k:train:3115,Predict,word_problem -> solution,Predict | word_problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,2.1727824000408873,f70133
     + | 11d1bb431c16a12d61ce6253e0ca0854e21e83c03d9e928b5e4d2136fe
000597 | 10,21,5,gsm8k:train:3115,Predict,word_problem -> solution,Predict | word_problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,2.2756749000400305,f70133
     + | 11d1bb431c16a12d61ce6253e0ca0854e21e83c03d9e928b5e4d2136fe
000598 | 10,21,6,gsm8k:train:3115,Predict,query -> response,Predict | query -> response,0.0,False,True,0.0,unavailable,True,unavailable,2.1762529000407085,0a48912fad35dba8bf4d
     + | eca58426ac3f141137eeb66d8c8448a1ec7fa0574b25
000599 | 10,21,7,gsm8k:train:3115,Predict,word_problem -> solution,Predict | word_problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,2.36288929998409,f7013311
     + | d1bb431c16a12d61ce6253e0ca0854e21e83c03d9e928b5e4d2136fe
000600 | 10,21,8,gsm8k:train:3115,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.9635431000497192,dc5df5e7
     + | cbc25a2136bba8f04c8939454604e85577a017fb49d7370a8e8882cb
000601 | 10,21,9,gsm8k:train:3115,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.031519200070761,5380ad2ec8d
     + | 44a8b2d40e68c96488dd0e63da1b7a592061fec1aa31e9bc5c724
000602 | 10,22,0,gsm8k:train:7114,Predict,word_problem -> solution,Predict | word_problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,5.162933100014925,b9195dc
     + | 652fb0dc082aa52c8353206d4173e0ce8efad46fa23027209d8887ed0
000603 | 10,22,1,gsm8k:train:7114,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,1.637999099912122,f133cdf783d
     + | 8c3cd9f0bb60246a07cb82484d1a77a479aabc696f49df8390e16
000604 | 10,22,2,gsm8k:train:7114,Predict,word_problem -> solution,Predict | word_problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,0.8293270000722259,b9195d
     + | c652fb0dc082aa52c8353206d4173e0ce8efad46fa23027209d8887ed0
000605 | 10,22,3,gsm8k:train:7114,Predict,question -> answer,Predict | question -> answer,0.0,False,True,0.0,unavailable,True,unavailable,0.8295472998870537,c9d2866b536be8f4d4
     + | 217bf834c3051b6ae9e5b9f451d3f15a576cb33cf61487
000606 | 10,22,4,gsm8k:train:7114,Predict,word_problem -> solution,Predict | word_problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,0.8355246999999508,b9195d
     + | c652fb0dc082aa52c8353206d4173e0ce8efad46fa23027209d8887ed0
000607 | 10,22,5,gsm8k:train:7114,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,0.8679972999962047,b9195dc652fb0dc0
     + | 82aa52c8353206d4173e0ce8efad46fa23027209d8887ed0
000608 | 10,22,6,gsm8k:train:7114,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,0.8921474000671878,b9195dc652fb0dc0
     + | 82aa52c8353206d4173e0ce8efad46fa23027209d8887ed0
000609 | 10,22,7,gsm8k:train:7114,Predict,question -> answer,Predict | question -> answer,0.0,False,True,0.0,unavailable,True,unavailable,1.1869671000167727,c9d2866b536be8f4d4
     + | 217bf834c3051b6ae9e5b9f451d3f15a576cb33cf61487
000610 | 10,22,8,gsm8k:train:7114,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,0.8609445000765845,b9195dc652fb0dc0
     + | 82aa52c8353206d4173e0ce8efad46fa23027209d8887ed0
000611 | 10,22,9,gsm8k:train:7114,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,1.843526899931021,f133cdf783d
     + | 8c3cd9f0bb60246a07cb82484d1a77a479aabc696f49df8390e16
000612 | 10,23,0,gsm8k:train:6009,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,6.374688799958676,245
     + | 73b87a7e3ad2955d2fb0e51381dcfe49c55641c6742ef022ca24a9799ed06
000613 | 10,23,1,gsm8k:train:6009,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.183270100038498
     + | 6,ae557bb7dffe814bbd9ac73ba35419d2744cde64e92e9c0e36b98c100d5722d6
000614 | 10,23,2,gsm8k:train:6009,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.237656199955381
     + | 5,ae557bb7dffe814bbd9ac73ba35419d2744cde64e92e9c0e36b98c100d5722d6
000615 | 10,23,3,gsm8k:train:6009,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.292573000071570
     + | 3,ae557bb7dffe814bbd9ac73ba35419d2744cde64e92e9c0e36b98c100d5722d6
000616 | 10,23,4,gsm8k:train:6009,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.415375299984589
     + | ,ae557bb7dffe814bbd9ac73ba35419d2744cde64e92e9c0e36b98c100d5722d6
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000617 | 10,23,5,gsm8k:train:6009,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.416735300095752
     + | ,ae557bb7dffe814bbd9ac73ba35419d2744cde64e92e9c0e36b98c100d5722d6
000618 | 10,23,6,gsm8k:train:6009,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,3.113655299996026,25621
     + | 5663a1d29647b9c73f3bd926916feb2ea7af07aa6462c1928f238ee86a6
000619 | 10,23,7,gsm8k:train:6009,Predict,text -> summary,Predict | text -> summary,0.0,False,True,0.0,unavailable,True,unavailable,1.0257260999642313,6541bbd40fb9ef88b9a31d2d
     + | bea4c890fbd53faf39d269759687abfbda1f1afa
000620 | 10,23,8,gsm8k:train:6009,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,3.3689252000767738,84df13d78e22295dc22b1748820cadcd01c0ab040900365b318e89886b15eb0f
000621 | 10,23,9,gsm8k:train:6009,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,3.348263700027019,84df13d78e22295dc22b1748820cadcd01c0ab040900365b318e89886b15eb0f
000622 | 10,24,0,gsm8k:train:56,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,5.823300200048834,b
     + | 052c69a3b861064495f03c29bca4e159d9e89306fe4d3a8420a8a708e5ea905
000623 | 10,24,1,gsm8k:train:56,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.1466163999866694,0b5bcc
     + | bc07c2c0d4d474247d0e11b082c20e191faed6c24644b7177579def0fd
000624 | 10,24,2,gsm8k:train:56,CoT,query -> generated_text,CoT | query -> generated_text,1.0,True,False,unavailable,unavailable,True,unavailable,1.7118328999495134,9c6e3af4dc
     + | b0746cee676baabaee9044e7db632ad1b391381b56c2737fc50ea0
000625 | 10,24,3,gsm8k:train:56,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.736534099909477,b
     + | 052c69a3b861064495f03c29bca4e159d9e89306fe4d3a8420a8a708e5ea905
000626 | 10,24,4,gsm8k:train:56,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.7590870000422,b05
     + | 2c69a3b861064495f03c29bca4e159d9e89306fe4d3a8420a8a708e5ea905
000627 | 10,24,5,gsm8k:train:56,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.7232194000389427,
     + | b052c69a3b861064495f03c29bca4e159d9e89306fe4d3a8420a8a708e5ea905
000628 | 10,24,6,gsm8k:train:56,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.9228499999735504,
     + | b052c69a3b861064495f03c29bca4e159d9e89306fe4d3a8420a8a708e5ea905
000629 | 10,24,7,gsm8k:train:56,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.9125320999883115,
     + | b052c69a3b861064495f03c29bca4e159d9e89306fe4d3a8420a8a708e5ea905
000630 | 10,24,8,gsm8k:train:56,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.97753020003438,b0
     + | 52c69a3b861064495f03c29bca4e159d9e89306fe4d3a8420a8a708e5ea905
000631 | 10,24,9,gsm8k:train:56,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.9200716000050306,
     + | b052c69a3b861064495f03c29bca4e159d9e89306fe4d3a8420a8a708e5ea905
000632 | 10,25,0,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable
     + | ,6.644105600076728,b680c3e1c026785b01861ce3135759ea697cd8309a36bea4b17d89a4e723ce2d
000633 | 10,25,1,gsm8k:train:56,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.5989291000878438,
     + | b052c69a3b861064495f03c29bca4e159d9e89306fe4d3a8420a8a708e5ea905
000634 | 10,25,2,gsm8k:train:56,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.665050599956885,b
     + | 052c69a3b861064495f03c29bca4e159d9e89306fe4d3a8420a8a708e5ea905
000635 | 10,25,3,gsm8k:train:56,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.7580059999600053,
     + | b052c69a3b861064495f03c29bca4e159d9e89306fe4d3a8420a8a708e5ea905
000636 | 10,25,4,gsm8k:train:56,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.892962699988857,b
     + | 052c69a3b861064495f03c29bca4e159d9e89306fe4d3a8420a8a708e5ea905
000637 | 10,25,5,gsm8k:train:56,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.8601967999711633,
     + | b052c69a3b861064495f03c29bca4e159d9e89306fe4d3a8420a8a708e5ea905
000638 | 10,25,6,gsm8k:train:56,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.8586124000139534,
     + | b052c69a3b861064495f03c29bca4e159d9e89306fe4d3a8420a8a708e5ea905
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000639 | 10,25,7,gsm8k:train:56,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.0120162999955937,
     + | b052c69a3b861064495f03c29bca4e159d9e89306fe4d3a8420a8a708e5ea905
000640 | 10,25,8,gsm8k:train:56,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.6760241999290884,fe6881e54a99
     + | 645996e6bf73450afcaf62a27ed823ec4b347d0dd9d07e19ed14
000641 | 10,25,9,gsm8k:train:56,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.0547028000000864,
     + | b052c69a3b861064495f03c29bca4e159d9e89306fe4d3a8420a8a708e5ea905
000642 | 10,26,0,gsm8k:train:2068,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,5.260053299949504
     + | ,87dac5432789de9589051539dd6f314d84ebf8cbb3b84ca999abf91cd806bba0
000643 | 10,26,1,gsm8k:train:2068,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.226748400018550
     + | 5,095d0b68b712468be3058674d144be921a8580a11f874d535a605a1d4171d2d1
000644 | 10,26,2,gsm8k:train:2068,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.256037799990736
     + | ,095d0b68b712468be3058674d144be921a8580a11f874d535a605a1d4171d2d1
000645 | 10,26,3,gsm8k:train:2068,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,1.2909305000212044,a8c5b9c5f49c73555b79a729a1686e5634a4cce1defa8a472ed4373ddf30851b
000646 | 10,26,4,gsm8k:train:2068,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,1.24386449996382,a8c5b9c5f49c73555b79a729a1686e5634a4cce1defa8a472ed4373ddf30851b
000647 | 10,26,5,gsm8k:train:2068,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.329871300025843
     + | ,095d0b68b712468be3058674d144be921a8580a11f874d535a605a1d4171d2d1
000648 | 10,26,6,gsm8k:train:2068,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.033671300043352,597919ddd
     + | 73b41886f2ec543f8908d28a15c63d2676e5d874c4710db3cb29fde
000649 | 10,26,7,gsm8k:train:2068,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.1211326000047848,597919ddd7
     + | 3b41886f2ec543f8908d28a15c63d2676e5d874c4710db3cb29fde
000650 | 10,26,8,gsm8k:train:2068,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.447836500010453
     + | 2,095d0b68b712468be3058674d144be921a8580a11f874d535a605a1d4171d2d1
000651 | 10,26,9,gsm8k:train:2068,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.1659944999264553,597919ddd7
     + | 3b41886f2ec543f8908d28a15c63d2676e5d874c4710db3cb29fde
000652 | 10,27,0,gsm8k:train:2428,Predict,word_problem -> solution,Predict | word_problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,5.299232000019401,c0a63f4
     + | b624cd9731fcf9b2aa803836b5c24c3e7fb45684832f0936eab2a3c87
000653 | 10,27,1,gsm8k:train:2428,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,1.1002916999859735,c0a63f4b624cd973
     + | 1fcf9b2aa803836b5c24c3e7fb45684832f0936eab2a3c87
000654 | 10,27,2,gsm8k:train:2428,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.3360192000400275,dca3
     + | 09cb487828aaa890be045cbc5ba26c50e037e094c392631fffdbebb36a49
000655 | 10,27,3,gsm8k:train:2428,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.383331699995324,dca30
     + | 9cb487828aaa890be045cbc5ba26c50e037e094c392631fffdbebb36a49
000656 | 10,27,4,gsm8k:train:2428,Predict,word_problem -> solution,Predict | word_problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,1.2025131999980658,c0a63f
     + | 4b624cd9731fcf9b2aa803836b5c24c3e7fb45684832f0936eab2a3c87
000657 | 10,27,5,gsm8k:train:2428,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,2.011864100000821,67e62d1b68cccfde114d5984b8e4d0e1d56dafe486a48770be63fffd19f0610c
000658 | 10,27,6,gsm8k:train:2428,Predict,word_problem -> solution,Predict | word_problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,1.2386985999764875,c0a63f
     + | 4b624cd9731fcf9b2aa803836b5c24c3e7fb45684832f0936eab2a3c87
000659 | 10,27,7,gsm8k:train:2428,Predict,word_problem -> solution,Predict | word_problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,1.2767142000375316,c0a63f
     + | 4b624cd9731fcf9b2aa803836b5c24c3e7fb45684832f0936eab2a3c87
000660 | 10,27,8,gsm8k:train:2428,Predict,word_problem -> solution,Predict | word_problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,1.273561600013636,c0a63f4
     + | b624cd9731fcf9b2aa803836b5c24c3e7fb45684832f0936eab2a3c87
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000661 | 10,27,9,gsm8k:train:2428,Predict,word_problem -> solution,Predict | word_problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,1.311154399998486,c0a63f4
     + | b624cd9731fcf9b2aa803836b5c24c3e7fb45684832f0936eab2a3c87
000662 | 10,28,0,gsm8k:train:2068,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,5.430743100005202,294
     + | 48a0b3bc9e3100579d7ac9539eea6182033c4bc01d6eb2b80f038d92b2b37
000663 | 10,28,1,gsm8k:train:2068,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.832434399984777,597919ddd
     + | 73b41886f2ec543f8908d28a15c63d2676e5d874c4710db3cb29fde
000664 | 10,28,2,gsm8k:train:2068,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,0.9859347000019625,73
     + | 50a17c8028baf57cb26e20029354f7f84c5fed113e7c55eddd0938612cc3ca
000665 | 10,28,3,gsm8k:train:2068,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.293524499982595
     + | 4,095d0b68b712468be3058674d144be921a8580a11f874d535a605a1d4171d2d1
000666 | 10,28,4,gsm8k:train:2068,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,1.0721791998948902,73
     + | 50a17c8028baf57cb26e20029354f7f84c5fed113e7c55eddd0938612cc3ca
000667 | 10,28,5,gsm8k:train:2068,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.9390778000233695,597919ddd7
     + | 3b41886f2ec543f8908d28a15c63d2676e5d874c4710db3cb29fde
000668 | 10,28,6,gsm8k:train:2068,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.355614000000059
     + | 6,095d0b68b712468be3058674d144be921a8580a11f874d535a605a1d4171d2d1
000669 | 10,28,7,gsm8k:train:2068,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.454023699974641
     + | 2,095d0b68b712468be3058674d144be921a8580a11f874d535a605a1d4171d2d1
000670 | 10,28,8,gsm8k:train:2068,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.396454900037497
     + | 3,095d0b68b712468be3058674d144be921a8580a11f874d535a605a1d4171d2d1
000671 | 10,28,9,gsm8k:train:2068,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.445611899951472
     + | 9,095d0b68b712468be3058674d144be921a8580a11f874d535a605a1d4171d2d1
000672 | 10,29,0,gsm8k:train:3703,Predict,question -> answer,Predict | question -> answer,0.0,False,True,0.0,unavailable,True,unavailable,5.894636599929072,1ce5fffa754615b92d9
     + | a1097da0e5231dd76762bd5a69875f98486a078a0e2b5
000673 | 10,29,1,gsm8k:train:3703,Predict,word_problem -> solution,Predict | word_problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,2.13026040000841,5e59e1c2
     + | 348a127bffccbdbb2732f180dce8c7df309e58f622df0e282eb8cb72
000674 | 10,29,2,gsm8k:train:3703,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,3.115
     + | 299200057052,52c0fbfe57d92fe0f332b34571d2b8e36dfcf1decc1ac37d7a098e9c4fe6ddf0
000675 | 10,29,3,gsm8k:train:3703,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,2.19266190007329,8ce651833cde
     + | 73f2ac06ce85f62002192507f687110f9188bd495a9e522ec853
000676 | 10,29,4,gsm8k:train:3703,Predict,question -> answer,Predict | question -> answer,0.0,False,True,0.0,unavailable,True,unavailable,1.7385403999360278,1ce5fffa754615b92d
     + | 9a1097da0e5231dd76762bd5a69875f98486a078a0e2b5
000677 | 10,29,5,gsm8k:train:3703,Predict,question -> answer,Predict | question -> answer,0.0,False,True,0.0,unavailable,True,unavailable,1.794955699937418,1ce5fffa754615b92d9
     + | a1097da0e5231dd76762bd5a69875f98486a078a0e2b5
000678 | 10,29,6,gsm8k:train:3703,Predict,question -> answer,Predict | question -> answer,0.0,False,True,0.0,unavailable,True,unavailable,1.721153900027275,1ce5fffa754615b92d9
     + | a1097da0e5231dd76762bd5a69875f98486a078a0e2b5
000679 | 10,29,7,gsm8k:train:3703,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,1.7268256000243127,d06c3b208228e7fc
     + | 7a0824e6702cc791ac41e9442fa77f8d6034c2bc38261a0f
000680 | 10,29,8,gsm8k:train:3703,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,3.508
     + | 6506999796256,52c0fbfe57d92fe0f332b34571d2b8e36dfcf1decc1ac37d7a098e9c4fe6ddf0
000681 | 10,29,9,gsm8k:train:3703,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,3.581
     + | 4110999926925,52c0fbfe57d92fe0f332b34571d2b8e36dfcf1decc1ac37d7a098e9c4fe6ddf0
000682 | 10,30,0,gsm8k:train:6195,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,5.262661600019783,8261d973f5d
     + | d1a53ddd8435c7203c454f8f26fb1434d13f52bc76ed407933681
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000683 | 10,30,1,gsm8k:train:6195,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.5134095000103116,f2c8
     + | d7f4e43b0b9f6e960803ca535b8b53dfcf3c485290af4f3cc6f35aea584a
000684 | 10,30,2,gsm8k:train:6195,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.2286619000369683,7a07a614
     + | 2202769dfb6f9d7e1f748504afda51583db3806e515dabdac24a9fda
000685 | 10,30,3,gsm8k:train:6195,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,3.5877659000689164,ce764c9af8710696e76c769f2d5f8336057a5618d9f4b51a080abcb5b23f2dad
000686 | 10,30,4,gsm8k:train:6195,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,1.1696563999867067,b5
     + | 799c908e7a5256403a35c0e03c913c8d88d4fec0fe939a34c68d413549f1f5
000687 | 10,30,5,gsm8k:train:6195,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.3813946000300348,8261d973f5
     + | dd1a53ddd8435c7203c454f8f26fb1434d13f52bc76ed407933681
000688 | 10,30,6,gsm8k:train:6195,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.416580899967812,aa96f
     + | dbec74bfb6b41a1f7fe422ecdf41400c5de9494e9ab35118d76b8c128f6
000689 | 10,30,7,gsm8k:train:6195,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.4442888000048697,aa96
     + | fdbec74bfb6b41a1f7fe422ecdf41400c5de9494e9ab35118d76b8c128f6
000690 | 10,30,8,gsm8k:train:6195,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.674643600010313,aa96f
     + | dbec74bfb6b41a1f7fe422ecdf41400c5de9494e9ab35118d76b8c128f6
000691 | 10,30,9,gsm8k:train:6195,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.5107079000445083,8261d973f5
     + | dd1a53ddd8435c7203c454f8f26fb1434d13f52bc76ed407933681
000692 | 15,1,0,gsm8k:train:4423,CoT,query -> generated_text,CoT | query -> generated_text,0.5,False,True,0.5,unavailable,True,unavailable,2.1576273000100628,040065381d60b8914
     + | af5c4e09ecfa52cb86aaf0bfce92dcfaac4fc3305808e83
000693 | 15,1,1,gsm8k:train:4423,CoT,text -> summary,CoT | text -> summary,0.0,False,True,0.0,unavailable,True,unavailable,1.7534440999152139,158b46a1d2f45ddb013c96e6b62653f07
     + | 8e79f21710d7d0eb6192f27fcf41176
000694 | 15,1,2,gsm8k:train:4423,Predict,math_problem -> answer,Predict | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.4223924999823794,d82
     + | 117721416d96a257cbf39950f11f251341c65051df9f7f190fa7bad4bc40e
000695 | 15,1,3,gsm8k:train:4423,CoT,prompt -> response,CoT | prompt -> response,0.0,False,True,0.0,unavailable,True,unavailable,2.3244806999573484,f9d72c32a7d57e5c7194590efb0
     + | b8e172b1a3a4539eda0c3fba5776ce8f4f2de
000696 | 15,1,4,gsm8k:train:4423,Predict,question -> reasoning,Predict | question -> reasoning,0.0,False,True,0.0,unavailable,True,unavailable,2.1278386999620125,48fc0ba79c37e
     + | e815ebd6f5cc00e9d4a063b9ab3400043a313644773b3cd236e
000697 | 15,1,5,gsm8k:train:4423,CoT,query -> generated_text,CoT | query -> generated_text,0.5,False,True,0.5,unavailable,True,unavailable,2.077131099998951,040065381d60b8914a
     + | f5c4e09ecfa52cb86aaf0bfce92dcfaac4fc3305808e83
000698 | 15,1,6,gsm8k:train:4423,CoT,context -> briefing,CoT | context -> briefing,0.0,False,True,0.0,unavailable,True,unavailable,2.2444271000567824,794442e39c5929426e719b8a7
     + | 2172b860d52e14a364c9a312352f52f636b7dca
000699 | 15,1,7,gsm8k:train:4423,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.6440630999859422,b7f7dd95cbc
     + | 531bb687667e16c80aae332907000b5fbaf12f80eef58784dcd80
000700 | 15,1,8,gsm8k:train:4423,CoT,text -> response,CoT | text -> response,0.0,False,True,0.0,unavailable,True,unavailable,1.8095593000762165,158b46a1d2f45ddb013c96e6b62653f
     + | 078e79f21710d7d0eb6192f27fcf41176
000701 | 15,1,9,gsm8k:train:4423,CoT,prompt -> generated_text,CoT | prompt -> generated_text,0.0,False,True,0.0,unavailable,True,unavailable,2.5223446000600234,f9d72c32a7d57e5
     + | c7194590efb0b8e172b1a3a4539eda0c3fba5776ce8f4f2de
000702 | 15,1,10,gsm8k:train:4423,CoT,query -> response,CoT | query -> response,0.0,False,True,0.0,unavailable,True,unavailable,1.809195699985139,f9d72c32a7d57e5c7194590efb0b8
     + | e172b1a3a4539eda0c3fba5776ce8f4f2de
000703 | 15,1,11,gsm8k:train:4423,CoT,prompt -> response,CoT | prompt -> response,0.0,False,True,0.0,unavailable,True,unavailable,2.4439900999423116,f9d72c32a7d57e5c7194590efb
     + | 0b8e172b1a3a4539eda0c3fba5776ce8f4f2de
000704 | 15,1,12,gsm8k:train:4423,CoT,context -> summary,CoT | context -> summary,0.0,False,True,0.0,unavailable,True,unavailable,2.530384000041522,49f3d1e61689e1db03b2e9c2f26
     + | d93c6eda9e296285f4d4ddc43c9f709724335
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000705 | 15,1,13,gsm8k:train:4423,Predict,math_problem -> answer,Predict | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.406670199939981,0bf
     + | 4f11677723cf9e5a6c967c68421e2a063d0bd0b40ea228dd385d4a9d07967
000706 | 15,1,14,gsm8k:train:4423,CoT,text -> summary,CoT | text -> summary,0.0,False,True,0.0,unavailable,True,unavailable,1.847378799924627,158b46a1d2f45ddb013c96e6b62653f07
     + | 8e79f21710d7d0eb6192f27fcf41176
000707 | 15,2,0,gsm8k:train:3812,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,0.68772629997693,3
     + | 0cf8737ecd99fe6881b2604a6ca74d48390d29d241161bfff83d3e56ac1ec8f
000708 | 15,2,1,gsm8k:train:3812,CoT,math_problem -> answer,CoT | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,1.5246230999473482,d15b88858777c3ec8e0
     + | d1e5edff603a5d3f24f1c49421aaefd5e678f439eeac7
000709 | 15,2,2,gsm8k:train:3812,CoT,math_problem -> answer,CoT | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,1.5819498000200838,d15b88858777c3ec8e0
     + | d1e5edff603a5d3f24f1c49421aaefd5e678f439eeac7
000710 | 15,2,3,gsm8k:train:3812,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,0.5135753999929875,abb35340ae9
     + | 0101051ee0fdd0b5e16f23ec5190bcf14fbbc921daee2fdbdf100
000711 | 15,2,4,gsm8k:train:3812,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,0.43594770005438477,abb35340ae
     + | 90101051ee0fdd0b5e16f23ec5190bcf14fbbc921daee2fdbdf100
000712 | 15,2,5,gsm8k:train:3812,Predict,prompt -> generated_text,Predict | prompt -> generated_text,1.0,True,False,unavailable,unavailable,True,unavailable,1.544511300045997,
     + | 7af56691e8c1c29543e5cd856ad07560fd7fb2fc860b8facd006cd0ac250d3e2
000713 | 15,2,6,gsm8k:train:3812,Predict,math_problem -> answer,Predict | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.083002800005488,7af5
     + | 6691e8c1c29543e5cd856ad07560fd7fb2fc860b8facd006cd0ac250d3e2
000714 | 15,2,7,gsm8k:train:3812,Predict,math_problem -> answer,Predict | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,0.7871176999760792,7af
     + | 56691e8c1c29543e5cd856ad07560fd7fb2fc860b8facd006cd0ac250d3e2
000715 | 15,2,8,gsm8k:train:3812,Predict,math_problem -> answer,Predict | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,0.6971548999426886,7af
     + | 56691e8c1c29543e5cd856ad07560fd7fb2fc860b8facd006cd0ac250d3e2
000716 | 15,2,9,gsm8k:train:3812,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,1.4314364000456408,29885
     + | dde8a51654586769b047549a0355b705fc13ef610c1da6903168f10b1d4
000717 | 15,2,10,gsm8k:train:3812,CoT,prompt -> generated_text,CoT | prompt -> generated_text,1.0,True,False,unavailable,unavailable,True,unavailable,1.5494745000032708,942906
     + | 51b48d4502704978d1e3b3cb4877e1f3ca1e04683424449be14712a1ed
000718 | 15,2,11,gsm8k:train:3812,CoT,query -> generated_text,CoT | query -> generated_text,1.0,True,False,unavailable,unavailable,True,unavailable,1.3577587999170646,38344951
     + | f9617a16a3fd69ff6c5b413afa146992ae74f0ef8a3286ddcad53b0b
000719 | 15,2,12,gsm8k:train:3812,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,1.4938155999407172,d8
     + | 2c9314ac0dd4210a7bd879711119c24a3495a5b6f0810a31cbad2191174295
000720 | 15,2,13,gsm8k:train:3812,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,1.3425366999581456,2988
     + | 5dde8a51654586769b047549a0355b705fc13ef610c1da6903168f10b1d4
000721 | 15,2,14,gsm8k:train:3812,CoT,math_problem -> answer,CoT | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,1.378181199892424,d15b88858777c3ec8e0
     + | d1e5edff603a5d3f24f1c49421aaefd5e678f439eeac7
000722 | 15,3,0,gsm8k:train:7079,Predict,prompt -> generated_text,Predict | prompt -> generated_text,0.0,False,True,0.0,unavailable,True,unavailable,4.993288300000131,5436cc47
     + | 50cf070868dc8194674f290f21aa7d184577bb0b5b694093da216ecd
000723 | 15,3,1,gsm8k:train:7079,Predict,text -> response,Predict | text -> response,0.0,False,True,0.0,unavailable,True,unavailable,0.38884380005765706,5436cc4750cf070868dc81
     + | 94674f290f21aa7d184577bb0b5b694093da216ecd
000724 | 15,3,2,gsm8k:train:7079,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,1.4096608998952433,470ba3c5ea7ae7ea2a6396a6af4f484d4ef6ac99991f5caf23b34e8a42593758
000725 | 15,3,3,gsm8k:train:7079,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.4679118000203744,6c60a63ed
     + | 8a592c70c917ca82c0543cfe861e3dd6c5e4ce606367374b14df015
000726 | 15,3,4,gsm8k:train:7079,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,0.5036690999986604,29973a5dac6
     + | 20a684a05ebebc27bde8c1dfc401526b64c984eedafb2d6ba22e3
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000727 | 15,3,5,gsm8k:train:7079,CoT,word_problem -> solution,CoT | word_problem -> solution,1.0,False,True,1.0,unavailable,True,unavailable,0.8514858999988064,1d236c3081d4e70
     + | 5eadf0e5591bbf4b92deb43757805e43e36213bc86663c8e0
000728 | 15,3,6,gsm8k:train:7079,Predict,text -> summary,Predict | text -> summary,0.0,False,True,0.0,unavailable,True,unavailable,0.44733440002892166,d540210c5caf64165b99bd32
     + | 9ad77ae758f1dfb4b12fefe29ba078c2e24c1474
000729 | 15,3,7,gsm8k:train:7079,CoT,query -> response,CoT | query -> response,0.0,False,True,0.0,unavailable,True,unavailable,0.8518819999881089,5436cc4750cf070868dc8194674f2
     + | 90f21aa7d184577bb0b5b694093da216ecd
000730 | 15,3,8,gsm8k:train:7079,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,0.854689700063318,15b1f7ee9bd0
     + | df60467715da4e12a97ae6f9add9c327ba1116b427caa0aad84b
000731 | 15,3,9,gsm8k:train:7079,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.4119026999687776,6c60a63ed
     + | 8a592c70c917ca82c0543cfe861e3dd6c5e4ce606367374b14df015
000732 | 15,3,10,gsm8k:train:7079,Predict,text -> response,Predict | text -> response,0.0,False,True,0.0,unavailable,True,unavailable,0.32113440008834004,5436cc4750cf070868dc8
     + | 194674f290f21aa7d184577bb0b5b694093da216ecd
000733 | 15,3,11,gsm8k:train:7079,CoT,query -> generated_text,CoT | query -> generated_text,1.0,True,False,unavailable,unavailable,True,unavailable,1.6071150999050587,c08a6c60
     + | 834029da34865da49e8fedcd012092c85e00a2ee74908da04f6b390d
000734 | 15,3,12,gsm8k:train:7079,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,0.8250675000017509,15b1f7ee9b
     + | d0df60467715da4e12a97ae6f9add9c327ba1116b427caa0aad84b
000735 | 15,3,13,gsm8k:train:7079,Predict,math_problem -> answer,Predict | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,0.36650030000600964,16f539a8e
     + | 4e7dae5323e1b1514dbe559271466727cb2cc4603fd4282422d1bb4
000736 | 15,3,14,gsm8k:train:7079,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,1.5093309000367299,f048
     + | 8f84a61b81aae461a09c5e544564e492e11f8d056fb35db68e53708c23af
000737 | 15,4,0,gsm8k:train:2663,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,5.488740800064988,74b9646c7b
     + | fd71abaf6913b1f8abf52fb598487de9f6b5ab373b546395fb39a2
000738 | 15,4,1,gsm8k:train:2663,CoT,word_problem -> solution,CoT | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.7736318000825122,8f83529
     + | fbd99d59832cd8a13239b51e9762f582ac0a45e9ccf5410637bbb346b
000739 | 15,4,2,gsm8k:train:2663,Predict,math_problem -> answer,Predict | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,0.610493200016208,16390873ae6b
     + | 6a173fc894a873bab02283debbd320b5f0758849d01afa6ee8b6
000740 | 15,4,3,gsm8k:train:2663,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,1.4201245999429375,dcd50
     + | 1473b928bb2fcacf4694139cd348363f172d35fe08dc75459eb2cc58271
000741 | 15,4,4,gsm8k:train:2663,Predict,math_problem -> answer,Predict | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,0.5289729000069201,16390873ae6
     + | b6a173fc894a873bab02283debbd320b5f0758849d01afa6ee8b6
000742 | 15,4,5,gsm8k:train:2663,CoT,query -> response,CoT | query -> response,1.0,True,False,unavailable,unavailable,True,unavailable,1.7423918000422418,7d9d775392232d6d2c21f
     + | 7534e7b2c266e7a919b61ce6c51d8e8ceb0a84262ba
000743 | 15,4,6,gsm8k:train:2663,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,1.0748112999135628,95b
     + | db90b61bf75d2760bb91559f8c0478f6dc1166d2637ef2b20e7319a871e2b
000744 | 15,4,7,gsm8k:train:2663,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.1117190000368282,6461b4c358c
     + | 33ebe7f34de5a51c958cd628811c1fd684884f1880a07bb96b024
000745 | 15,4,8,gsm8k:train:2663,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,1.0642876999918371,95b
     + | db90b61bf75d2760bb91559f8c0478f6dc1166d2637ef2b20e7319a871e2b
000746 | 15,4,9,gsm8k:train:2663,Predict,prompt -> response,Predict | prompt -> response,1.0,True,False,unavailable,unavailable,True,unavailable,1.0204946999438107,a19b3153d9a
     + | 5e6694011291c7773130033ae4692ef75360704823f5c3ced96ae
000747 | 15,4,10,gsm8k:train:2663,Predict,prompt -> response,Predict | prompt -> response,1.0,True,False,unavailable,unavailable,True,unavailable,1.1452582000056282,74b9646c7b
     + | fd71abaf6913b1f8abf52fb598487de9f6b5ab373b546395fb39a2
000748 | 15,4,11,gsm8k:train:2663,CoT,word_problem -> solution,CoT | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.8007870999863371,8f8352
     + | 9fbd99d59832cd8a13239b51e9762f582ac0a45e9ccf5410637bbb346b
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000749 | 15,4,12,gsm8k:train:2663,Predict,math_problem -> answer,Predict | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,0.6042086000088602,16390873ae
     + | 6b6a173fc894a873bab02283debbd320b5f0758849d01afa6ee8b6
000750 | 15,4,13,gsm8k:train:2663,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.086633599945344
     + | ,9938e4f38319595ab0563c4060ee668524173530c4bb7c22be26ba72d215c7da
000751 | 15,4,14,gsm8k:train:2663,Predict,math_problem -> answer,Predict | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,0.5438483000034466,16390873ae
     + | 6b6a173fc894a873bab02283debbd320b5f0758849d01afa6ee8b6
000752 | 15,5,0,gsm8k:train:4423,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,6.338064800016582,1bd1941ea135
     + | 77bd9111d6b84d078a1389b4f5e913336a5c2a4689805d211508
000753 | 15,5,1,gsm8k:train:4423,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.0891451000934467,1bd1941ea13
     + | 577bd9111d6b84d078a1389b4f5e913336a5c2a4689805d211508
000754 | 15,5,2,gsm8k:train:4423,Predict,context -> briefing,Predict | context -> briefing,0.0,False,True,0.0,unavailable,True,unavailable,1.5849419999867678,15b01513c4dacd68a
     + | 5f76f16bdf470204ea3bd0f568140d95c934745d32e1021
000755 | 15,5,3,gsm8k:train:4423,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,3.0135
     + | 129999835044,7e72c38c3b400e3edc142eb1121e8a5c917f7233e66307baee62ddc6af3c4bd5
000756 | 15,5,4,gsm8k:train:4423,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.223975299973972,1bd1941ea135
     + | 77bd9111d6b84d078a1389b4f5e913336a5c2a4689805d211508
000757 | 15,5,5,gsm8k:train:4423,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,1.6018480999628082,11d
     + | cebc024aa2ecef052307036eb548231bd17f34af1aa15f2d2a06fa6bbf83c
000758 | 15,5,6,gsm8k:train:4423,Predict,math_problem -> answer,Predict | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.9635138999437913,d82
     + | 117721416d96a257cbf39950f11f251341c65051df9f7f190fa7bad4bc40e
000759 | 15,5,7,gsm8k:train:4423,Predict,prompt -> response,Predict | prompt -> response,1.0,True,False,unavailable,unavailable,True,unavailable,2.289901200099848,29b61882b15c
     + | 9d8946a52c127ab652a2f4fac3e9c874ca55ac0cd8f4b70b5842
000760 | 15,5,8,gsm8k:train:4423,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.196084500057623,29628cbb89
     + | 083298bc7d0fab795838833b42438b6dd157925da0f56b164ff2f5
000761 | 15,5,9,gsm8k:train:4423,Predict,prompt -> generated_text,Predict | prompt -> generated_text,0.0,False,True,0.0,unavailable,True,unavailable,5.091052700066939,bf253785
     + | fc5cbb384093cda2f7fb1be0d32835839f3540b23b12e1e9ced3491c
000762 | 15,5,10,gsm8k:train:4423,Predict,math_problem -> answer,Predict | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.010036600055173,0bf
     + | 4f11677723cf9e5a6c967c68421e2a063d0bd0b40ea228dd385d4a9d07967
000763 | 15,5,11,gsm8k:train:4423,Predict,question -> reasoning,Predict | question -> reasoning,0.0,False,True,0.0,unavailable,True,unavailable,3.133008199976757,48fc0ba79c37e
     + | e815ebd6f5cc00e9d4a063b9ab3400043a313644773b3cd236e
000764 | 15,5,12,gsm8k:train:4423,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.2806074999971315,1bd1941ea1
     + | 3577bd9111d6b84d078a1389b4f5e913336a5c2a4689805d211508
000765 | 15,5,13,gsm8k:train:4423,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.1952121999347582,29628cbb
     + | 89083298bc7d0fab795838833b42438b6dd157925da0f56b164ff2f5
000766 | 15,5,14,gsm8k:train:4423,CoT,query -> response,CoT | query -> response,0.0,False,True,0.0,unavailable,True,unavailable,2.5925397000974044,f9d72c32a7d57e5c7194590efb0b
     + | 8e172b1a3a4539eda0c3fba5776ce8f4f2de
000767 | 15,6,0,gsm8k:train:56,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,6.827682900009677,0b5bccbc
     + | 07c2c0d4d474247d0e11b082c20e191faed6c24644b7177579def0fd
000768 | 15,6,1,gsm8k:train:56,Predict,prompt -> response,Predict | prompt -> response,1.0,True,False,unavailable,unavailable,True,unavailable,1.777083299937658,ff7bd7eee8fbd2
     + | 1bbf29a355d843753b4e3438072d6c2294d46031d9d1bdd87f
000769 | 15,6,2,gsm8k:train:56,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,2.3042428001062945,a00281ffd1912
     + | c36c66a8ba7035cf7fb9b9e880e004ce14a2b2d8579de131f5d
000770 | 15,6,3,gsm8k:train:56,CoT,query -> response,CoT | query -> response,1.0,True,False,unavailable,unavailable,True,unavailable,2.0591866999166086,c6525896684c7616677ab27
     + | 3f27391d151d7136c0ce73393c5cf1f975530afc4
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000771 | 15,6,4,gsm8k:train:56,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,2.405709599959664,a00281ffd1912c
     + | 36c66a8ba7035cf7fb9b9e880e004ce14a2b2d8579de131f5d
000772 | 15,6,5,gsm8k:train:56,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.682781800045632,ce0198c0
     + | 00b5f54bf925af82248de012bdab19e16431d72252fc6217fa762e69
000773 | 15,6,6,gsm8k:train:56,Predict,text -> response,Predict | text -> response,1.0,True,False,unavailable,unavailable,True,unavailable,1.8340539000928402,fe6881e54a9964599
     + | 6e6bf73450afcaf62a27ed823ec4b347d0dd9d07e19ed14
000774 | 15,6,7,gsm8k:train:56,CoT,query -> response,CoT | query -> response,1.0,True,False,unavailable,unavailable,True,unavailable,2.0122753999894485,c6525896684c7616677ab27
     + | 3f27391d151d7136c0ce73393c5cf1f975530afc4
000775 | 15,6,8,gsm8k:train:56,Predict,math_problem -> answer,Predict | math_problem -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.634177100029774,28f9cc
     + | 0a8232a46e868ef6e2e781b469a44508178ee978ef7856cae3e062e893
000776 | 15,6,9,gsm8k:train:56,CoT,query -> generated_text,CoT | query -> generated_text,1.0,True,False,unavailable,unavailable,True,unavailable,1.9722851000260562,9c6e3af4dcb
     + | 0746cee676baabaee9044e7db632ad1b391381b56c2737fc50ea0
000777 | 15,6,10,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable
     + | ,3.3064074999419972,b680c3e1c026785b01861ce3135759ea697cd8309a36bea4b17d89a4e723ce2d
000778 | 15,6,11,gsm8k:train:56,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.825225600041449,fe6881e54a996
     + | 45996e6bf73450afcaf62a27ed823ec4b347d0dd9d07e19ed14
000779 | 15,6,12,gsm8k:train:56,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.7852435000240803,ce0198
     + | c000b5f54bf925af82248de012bdab19e16431d72252fc6217fa762e69
000780 | 15,6,13,gsm8k:train:56,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.548952899989672,dcf26922d76f3
     + | be55768393a5a18c53dcc0292d65406afc1d45a10f37b4b3f99
000781 | 15,6,14,gsm8k:train:56,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.4815330000128597,dcf26922d76f
     + | 3be55768393a5a18c53dcc0292d65406afc1d45a10f37b4b3f99
000782 | 15,7,0,gsm8k:train:6330,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,6.165885200025514,e22024c9155b
     + | 46fb50a3d71d68412d7de7979223a96c519b738e48ef122a7e28
000783 | 15,7,1,gsm8k:train:6330,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,2.1378571999957785,9ce
     + | 5922609a528796ae68c7b1aa315177bf5637dc0841191e04e74e29cfed112
000784 | 15,7,2,gsm8k:train:6330,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.369013899937272,3f9a30
     + | 930e947ae486a3211fae2fdfee908e225cc26c2f9d41db23deab9e1136
000785 | 15,7,3,gsm8k:train:6330,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,2.238824600004591,9ce5
     + | 922609a528796ae68c7b1aa315177bf5637dc0841191e04e74e29cfed112
000786 | 15,7,4,gsm8k:train:6330,CoT,query -> response,CoT | query -> response,1.0,True,False,unavailable,unavailable,True,unavailable,2.4146963000530377,3bcf2afdb32ea342100e6
     + | 9fd054bb7052791450672fdfa8a269e36a5fa7d5b7a
000787 | 15,7,5,gsm8k:train:6330,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.0782275999663398,b095360ee
     + | 853cf7f971e847187183271370595572e87ecda76252e88d1f609d0
000788 | 15,7,6,gsm8k:train:6330,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,1.9995367999654263,e2202
     + | 4c9155b46fb50a3d71d68412d7de7979223a96c519b738e48ef122a7e28
000789 | 15,7,7,gsm8k:train:6330,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.0093147999141365,e22024c9155
     + | b46fb50a3d71d68412d7de7979223a96c519b738e48ef122a7e28
000790 | 15,7,8,gsm8k:train:6330,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.464773099985905,e22024c9155b
     + | 46fb50a3d71d68412d7de7979223a96c519b738e48ef122a7e28
000791 | 15,7,9,gsm8k:train:6330,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,3.327567300060764,9ce5
     + | 922609a528796ae68c7b1aa315177bf5637dc0841191e04e74e29cfed112
000792 | 15,7,10,gsm8k:train:6330,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.1776300000492483,e22024c915
     + | 5b46fb50a3d71d68412d7de7979223a96c519b738e48ef122a7e28
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000793 | 15,7,11,gsm8k:train:6330,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,2.488657300011255,9ce
     + | 5922609a528796ae68c7b1aa315177bf5637dc0841191e04e74e29cfed112
000794 | 15,7,12,gsm8k:train:6330,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,2.844788599992171,e22024c9155b46fb50a3d71d68412d7de7979223a96c519b738e48ef122a7e28
000795 | 15,7,13,gsm8k:train:6330,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.922024099971167
     + | 7,826d1a63c17237617a105b82c717d1a3f26f8bac45c3b4d18d790ff5103472be
000796 | 15,7,14,gsm8k:train:6330,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.995224399957806,e22024c9155
     + | b46fb50a3d71d68412d7de7979223a96c519b738e48ef122a7e28
000797 | 15,8,0,gsm8k:train:2477,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,6.653902000049129,2ddc123e17c5
     + | 73a015f4c3ed889496127dfea903feb52d75f63d69ae3bf744bd
000798 | 15,8,1,gsm8k:train:2477,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.8568983000004664,f95d2
     + | af3b8b0e8763cb8370d92b0be60a61f8f36853471925af913fbad85e253
000799 | 15,8,2,gsm8k:train:2477,Predict,question -> hypothesis,Predict | question -> hypothesis,0.5,False,True,0.5,unavailable,True,unavailable,1.9109058999456465,f8ad5d674a2
     + | 59e62164616b4f11f975df9c2699f8c95a8b8e94132c5e25f277e
000800 | 15,8,3,gsm8k:train:2477,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.8168048000661656,f95d2
     + | af3b8b0e8763cb8370d92b0be60a61f8f36853471925af913fbad85e253
000801 | 15,8,4,gsm8k:train:2477,Predict,math_problem -> answer,Predict | math_problem -> answer,0.0,False,True,0.0,unavailable,True,unavailable,0.48167480004485697,cfb0491b1d
     + | f32bc6c157e256c6e9c047882f1f79b57f43a764272bf77f2dc431
000802 | 15,8,5,gsm8k:train:2477,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,3.0243315999396145,c6ddd05e993
     + | 2c30f29ea1e201145e7605c9bf0f90a6945d37b929e55b41f9dbc
000803 | 15,8,6,gsm8k:train:2477,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.704080200055614,c6ddd05e9932
     + | c30f29ea1e201145e7605c9bf0f90a6945d37b929e55b41f9dbc
000804 | 15,8,7,gsm8k:train:2477,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.98907050001435,fe3aec99d26
     + | d7a5604aec8464d86c734c1c6ae8daad51c8ab6bf53fc628405cf
000805 | 15,8,8,gsm8k:train:2477,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.8469341999152675,507f58534
     + | 3a79deddb67bcb67bf53db6ce245a372125ea90148ae9c4aa0df909
000806 | 15,8,9,gsm8k:train:2477,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.2247955999337137,c6ddd05e993
     + | 2c30f29ea1e201145e7605c9bf0f90a6945d37b929e55b41f9dbc
000807 | 15,8,10,gsm8k:train:2477,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,1.6031659999862313,f8ad5d674a
     + | 259e62164616b4f11f975df9c2699f8c95a8b8e94132c5e25f277e
000808 | 15,8,11,gsm8k:train:2477,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.4680267999647185,f95d
     + | 2af3b8b0e8763cb8370d92b0be60a61f8f36853471925af913fbad85e253
000809 | 15,8,12,gsm8k:train:2477,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.0254662000807,c6ddd05e9932c
     + | 30f29ea1e201145e7605c9bf0f90a6945d37b929e55b41f9dbc
000810 | 15,8,13,gsm8k:train:2477,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.4306860000360757,f95d
     + | 2af3b8b0e8763cb8370d92b0be60a61f8f36853471925af913fbad85e253
000811 | 15,8,14,gsm8k:train:2477,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,1.5320865999674425,f8ad5d674a
     + | 259e62164616b4f11f975df9c2699f8c95a8b8e94132c5e25f277e
000812 | 15,9,0,gsm8k:train:2271,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,5.519959700061008,acd3
     + | aef74ddf333a0d8845055715e32abe443f57c04b21e791a0f96577d622a9
000813 | 15,9,1,gsm8k:train:2271,Predict,text -> response,Predict | text -> response,0.0,False,True,0.0,unavailable,True,unavailable,0.321540700038895,05669e290f548098adb09959
     + | bbe0e1153a7a8793f2696400162cce1c2a7db73d
000814 | 15,9,2,gsm8k:train:2271,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,1.265688700019382,acd3
     + | aef74ddf333a0d8845055715e32abe443f57c04b21e791a0f96577d622a9
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000815 | 15,9,3,gsm8k:train:2271,Predict,text -> summary,Predict | text -> summary,0.0,False,True,0.0,unavailable,True,unavailable,0.7211001999676228,6630e375fefdb742834c34a20
     + | a8168e6e584948d81f7f39d960b6b9a179cebd7
000816 | 15,9,4,gsm8k:train:2271,Predict,question -> answer,Predict | question -> answer,0.0,False,True,0.0,unavailable,True,unavailable,0.31483899999875575,05669e290f548098ad
     + | b09959bbe0e1153a7a8793f2696400162cce1c2a7db73d
000817 | 15,9,5,gsm8k:train:2271,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,1.5279787000035867,4b4b7645c940fc3d1d3ae0f77916e641e8555734c20f54080b28ae31d0bdde12
000818 | 15,9,6,gsm8k:train:2271,Predict,question -> answer,Predict | question -> answer,0.0,False,True,0.0,unavailable,True,unavailable,0.27796249999664724,05669e290f548098ad
     + | b09959bbe0e1153a7a8793f2696400162cce1c2a7db73d
000819 | 15,9,7,gsm8k:train:2271,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,1.8350731000537053,79ec2
     + | 6c52e0fb25ba4245b2eb9d3a216c8121f8b5e1ccba1c1d941f44de46b17
000820 | 15,9,8,gsm8k:train:2271,Predict,question -> answer,Predict | question -> answer,0.0,False,True,0.0,unavailable,True,unavailable,0.2620795000111684,05669e290f548098adb
     + | 09959bbe0e1153a7a8793f2696400162cce1c2a7db73d
000821 | 15,9,9,gsm8k:train:2271,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,1.382515599951148,4b4b7645c940fc3d1d3ae0f77916e641e8555734c20f54080b28ae31d0bdde12
000822 | 15,9,10,gsm8k:train:2271,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,1.4030294000403956,ac
     + | d3aef74ddf333a0d8845055715e32abe443f57c04b21e791a0f96577d622a9
000823 | 15,9,11,gsm8k:train:2271,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,1.5093518000794575,4b4b7645c940fc3d1d3ae0f77916e641e8555734c20f54080b28ae31d0bdde12
000824 | 15,9,12,gsm8k:train:2271,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.1040611000498757,6b4e812a
     + | 87f752fc006f51c96a2609d6a4d421c12bb4be39be4e84b29f819fc8
000825 | 15,9,13,gsm8k:train:2271,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,1.4872999999206513,4b4b7645c940fc3d1d3ae0f77916e641e8555734c20f54080b28ae31d0bdde12
000826 | 15,9,14,gsm8k:train:2271,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,1.3704941000323743,ac
     + | d3aef74ddf333a0d8845055715e32abe443f57c04b21e791a0f96577d622a9
000827 | 15,10,0,gsm8k:train:5302,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,6.754523399984464,0f458
     + | 69991cee6f295f9aa085088b0ac134548b67c3748b038eedf0115ff188e
000828 | 15,10,1,gsm8k:train:5302,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.48814840009436,031d07
     + | b91c8956ff36311511590b31b9931297a492a4ae18c541198ea153e97b
000829 | 15,10,2,gsm8k:train:5302,CoT,query -> generated_text,CoT | query -> generated_text,1.0,True,False,unavailable,unavailable,True,unavailable,2.1741014000726864,4e074085
     + | 62bedb8b60ce05c1decfe3ad16b72230967de01f640b7e4729b49fce
000830 | 15,10,3,gsm8k:train:5302,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.513977099908516,031d0
     + | 7b91c8956ff36311511590b31b9931297a492a4ae18c541198ea153e97b
000831 | 15,10,4,gsm8k:train:5302,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.5197574000339955,031d
     + | 07b91c8956ff36311511590b31b9931297a492a4ae18c541198ea153e97b
000832 | 15,10,5,gsm8k:train:5302,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.0956435999833047,1f5fce3ae9
     + | 94439dc8805e383b902d0a6674d0fe2005f1a252b6432b37aa982c
000833 | 15,10,6,gsm8k:train:5302,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.9921477999305353,1f5fce3ae9
     + | 94439dc8805e383b902d0a6674d0fe2005f1a252b6432b37aa982c
000834 | 15,10,7,gsm8k:train:5302,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,2.61414859991055,031d
     + | 07b91c8956ff36311511590b31b9931297a492a4ae18c541198ea153e97b
000835 | 15,10,8,gsm8k:train:5302,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.550654900027439,031d0
     + | 7b91c8956ff36311511590b31b9931297a492a4ae18c541198ea153e97b
000836 | 15,10,9,gsm8k:train:5302,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,2.623722599935718,031
     + | d07b91c8956ff36311511590b31b9931297a492a4ae18c541198ea153e97b
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000837 | 15,10,10,gsm8k:train:5302,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavaila
     + | ble,2.6682220000075176,17111fd4d46e90225a3419a397a4c0cd686907abff4e38e99ebcc871a9ad6cd3
000838 | 15,10,11,gsm8k:train:5302,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,2.7671180000761524,0
     + | 31d07b91c8956ff36311511590b31b9931297a492a4ae18c541198ea153e97b
000839 | 15,10,12,gsm8k:train:5302,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.64907399995718
     + | 15,d1074936520b9879151a584bcd8b7b9c618a85d1a134dd2a00639dc709c70236
000840 | 15,10,13,gsm8k:train:5302,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,2.6404488999396563,0
     + | 31d07b91c8956ff36311511590b31b9931297a492a4ae18c541198ea153e97b
000841 | 15,10,14,gsm8k:train:5302,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.164243199978955,1f5fce3ae9
     + | 94439dc8805e383b902d0a6674d0fe2005f1a252b6432b37aa982c
000842 | 15,11,0,gsm8k:train:2428,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,5.748600899940357,2374fb24915
     + | 76ff2bd7ccc691dd75d1b9cca15baeb275e3dd9c3714639612548
000843 | 15,11,1,gsm8k:train:2428,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,1.3509630999760702,2374fb2491
     + | 576ff2bd7ccc691dd75d1b9cca15baeb275e3dd9c3714639612548
000844 | 15,11,2,gsm8k:train:2428,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,1.3084748999681324,2374fb2491
     + | 576ff2bd7ccc691dd75d1b9cca15baeb275e3dd9c3714639612548
000845 | 15,11,3,gsm8k:train:2428,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,1.2751637999899685,2374fb2491
     + | 576ff2bd7ccc691dd75d1b9cca15baeb275e3dd9c3714639612548
000846 | 15,11,4,gsm8k:train:2428,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,3.0066676000133157,dca3
     + | 09cb487828aaa890be045cbc5ba26c50e037e094c392631fffdbebb36a49
000847 | 15,11,5,gsm8k:train:2428,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,1.3895990001037717,2374fb2491
     + | 576ff2bd7ccc691dd75d1b9cca15baeb275e3dd9c3714639612548
000848 | 15,11,6,gsm8k:train:2428,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,3.055389100103639,dca30
     + | 9cb487828aaa890be045cbc5ba26c50e037e094c392631fffdbebb36a49
000849 | 15,11,7,gsm8k:train:2428,Predict,question -> answer,Predict | question -> answer,0.0,False,True,0.0,unavailable,True,unavailable,1.394086099928245,2374fb2491576ff2bd7
     + | ccc691dd75d1b9cca15baeb275e3dd9c3714639612548
000850 | 15,11,8,gsm8k:train:2428,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,1.3601797999581322,2374fb2491
     + | 576ff2bd7ccc691dd75d1b9cca15baeb275e3dd9c3714639612548
000851 | 15,11,9,gsm8k:train:2428,Predict,question -> answer,Predict | question -> answer,0.0,False,True,0.0,unavailable,True,unavailable,1.4535356999840587,6066f868477d439d8d
     + | 455c725fd73f24c43a27599a33e6354213b67533e9ecb2
000852 | 15,11,10,gsm8k:train:2428,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,3.111210300005041,dca3
     + | 09cb487828aaa890be045cbc5ba26c50e037e094c392631fffdbebb36a49
000853 | 15,11,11,gsm8k:train:2428,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,1.3744975000154227,2374fb249
     + | 1576ff2bd7ccc691dd75d1b9cca15baeb275e3dd9c3714639612548
000854 | 15,11,12,gsm8k:train:2428,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavaila
     + | ble,2.4882140998961404,67e62d1b68cccfde114d5984b8e4d0e1d56dafe486a48770be63fffd19f0610c
000855 | 15,11,13,gsm8k:train:2428,Predict,question -> answer,Predict | question -> answer,0.0,False,True,0.0,unavailable,True,unavailable,1.3907303999876603,6066f868477d439d8
     + | d455c725fd73f24c43a27599a33e6354213b67533e9ecb2
000856 | 15,11,14,gsm8k:train:2428,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,1.4352561000268906,2374fb249
     + | 1576ff2bd7ccc691dd75d1b9cca15baeb275e3dd9c3714639612548
000857 | 15,12,0,gsm8k:train:3418,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,5.867806000052951,76b
     + | 10e63b2bfc1ed03791219a4b7bc073e626880c50d681e24406d6b2fe0d85b
000858 | 15,12,1,gsm8k:train:3418,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.7301459999289364,86d2
     + | 69892f9f5b6e6cef94e83be39ba6f25f42916cd6806c24321495d9ad4182
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000859 | 15,12,2,gsm8k:train:3418,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,1.9091877000173554,d49763419d
     + | 38a31eacba1b648086defee099bb94f293c0e9900c75152f880616
000860 | 15,12,3,gsm8k:train:3418,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.671618000022135
     + | 7,0dfedae6cfe20f1d107c8ae71a96e60f182ac94a9d9866c182dc2ac84f758ef6
000861 | 15,12,4,gsm8k:train:3418,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.562288000015542,2ab06ba0e
     + | b839b8b5ee286eb580e9d1a505240f5a072bb377ab34c7088236785
000862 | 15,12,5,gsm8k:train:3418,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.588837999966927,9ba2e8ede
     + | ef30047cda1ef7d3b2bad852610a2d3036cc52f985dc8bab8d82c35
000863 | 15,12,6,gsm8k:train:3418,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.5502899000421166,48b41db3d6
     + | b41ff1ff5ba41b521a60a0880482c3e692ce36a7a2b13a378662b7
000864 | 15,12,7,gsm8k:train:3418,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,2.0590401999652386,d49763419d
     + | 38a31eacba1b648086defee099bb94f293c0e9900c75152f880616
000865 | 15,12,8,gsm8k:train:3418,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,3.0172916000010446,c4746b869c6b31cba2bbbc27ec7c76f06da47d000039ee001c5e34eaa1ded275
000866 | 15,12,9,gsm8k:train:3418,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.914161999942735,86d26
     + | 9892f9f5b6e6cef94e83be39ba6f25f42916cd6806c24321495d9ad4182
000867 | 15,12,10,gsm8k:train:3418,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,2.1119749000063166,d49763419
     + | d38a31eacba1b648086defee099bb94f293c0e9900c75152f880616
000868 | 15,12,11,gsm8k:train:3418,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavaila
     + | ble,3.376535499934107,a47259bb42e6e87bb677793ccc188d5532396d8a3d23b2b3b38e4a7d1e3d9ee2
000869 | 15,12,12,gsm8k:train:3418,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavaila
     + | ble,3.465386900003068,a47259bb42e6e87bb677793ccc188d5532396d8a3d23b2b3b38e4a7d1e3d9ee2
000870 | 15,12,13,gsm8k:train:3418,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,2.088071999954991,d49763419d
     + | 38a31eacba1b648086defee099bb94f293c0e9900c75152f880616
000871 | 15,12,14,gsm8k:train:3418,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.786659299978055,48b41db3d6
     + | b41ff1ff5ba41b521a60a0880482c3e692ce36a7a2b13a378662b7
000872 | 15,13,0,gsm8k:train:3082,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,6.001731000025757,e17e915e9
     + | cce412e85ba0dcf62efa01c27c33629a25d1bd5a3e21276e5b47d60
000873 | 15,13,1,gsm8k:train:3082,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.9128748000366613,a3bd
     + | d65de99392342bf7b8f3a920d50b17bf4ba528d991a0ecb0cdea58ae9a2a
000874 | 15,13,2,gsm8k:train:3082,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.0757122000213712,585d219dce
     + | 9ac786c1157220252285cc5973b9407ce8f077f63c5ab7d172156d
000875 | 15,13,3,gsm8k:train:3082,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,1.786090600071475,fba
     + | bfc79daf7a1020232a250e177054da26723210a105f81b7c1cd2ae96d94a7
000876 | 15,13,4,gsm8k:train:3082,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,1.7759409999707714,fb
     + | abfc79daf7a1020232a250e177054da26723210a105f81b7c1cd2ae96d94a7
000877 | 15,13,5,gsm8k:train:3082,CoT,query -> response,CoT | query -> response,1.0,True,False,unavailable,unavailable,True,unavailable,3.654195199953392,f0d0e023f9b1a4da91c19
     + | ac15cf2ea71427f0e4a8cf70397527d67c360d80af7
000878 | 15,13,6,gsm8k:train:3082,CoT,query -> response,CoT | query -> response,1.0,True,False,unavailable,unavailable,True,unavailable,3.8554992000572383,f0d0e023f9b1a4da91c1
     + | 9ac15cf2ea71427f0e4a8cf70397527d67c360d80af7
000879 | 15,13,7,gsm8k:train:3082,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.3552765999920666,de8c4805
     + | 88d8a21767c86b92a584103dba9d632f2076e71fdd4314c7d521b4ec
000880 | 15,13,8,gsm8k:train:3082,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,1.7149849000852555,fb
     + | abfc79daf7a1020232a250e177054da26723210a105f81b7c1cd2ae96d94a7
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000881 | 15,13,9,gsm8k:train:3082,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.671202900004573,56c5c8c94d9
     + | d0392b193b50523985dbb656a27c0f35edf36ff78d5d3d23ceb53
000882 | 15,13,10,gsm8k:train:3082,CoT,word_problem -> solution,CoT | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.447562800021842,f0d0e0
     + | 23f9b1a4da91c19ac15cf2ea71427f0e4a8cf70397527d67c360d80af7
000883 | 15,13,11,gsm8k:train:3082,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavaila
     + | ble,2.6336803999729455,81b7c8ec941ef9e6e8fc6f9550cc9920aa6796e58b219a773115ace0eb7d2f07
000884 | 15,13,12,gsm8k:train:3082,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,3.54500729998108,a3bdd
     + | 65de99392342bf7b8f3a920d50b17bf4ba528d991a0ecb0cdea58ae9a2a
000885 | 15,13,13,gsm8k:train:3082,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.66957430006004
     + | 87,f2b3a545af2ab512c339730e31baa2388babdc3caa99c012a05d78dcf953c106
000886 | 15,13,14,gsm8k:train:3082,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.770756599958986,56c5c8c94d
     + | 9d0392b193b50523985dbb656a27c0f35edf36ff78d5d3d23ceb53
000887 | 15,14,0,gsm8k:train:5302,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,6.4134392000269145,1f5fce3ae9
     + | 94439dc8805e383b902d0a6674d0fe2005f1a252b6432b37aa982c
000888 | 15,14,1,gsm8k:train:5302,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.6485733999870718,ac4f7f40
     + | 9a02ab1942a5d23e7161e6ecdede3278be9a7132d0f01ac7e7aa2933
000889 | 15,14,2,gsm8k:train:5302,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,2.6549228000221774,17111fd4d46e90225a3419a397a4c0cd686907abff4e38e99ebcc871a9ad6cd3
000890 | 15,14,3,gsm8k:train:5302,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,3.229
     + | 8910000827163,35ab0257de77872f459d680ade576400d55721987f3ce2e8b5981d1120d621a8
000891 | 15,14,4,gsm8k:train:5302,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,2.961529500083998,031
     + | d07b91c8956ff36311511590b31b9931297a492a4ae18c541198ea153e97b
000892 | 15,14,5,gsm8k:train:5302,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.7483385999221355,0f45
     + | 869991cee6f295f9aa085088b0ac134548b67c3748b038eedf0115ff188e
000893 | 15,14,6,gsm8k:train:5302,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.629011199926026,031d0
     + | 7b91c8956ff36311511590b31b9931297a492a4ae18c541198ea153e97b
000894 | 15,14,7,gsm8k:train:5302,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.859886399935931,ac4f7f409
     + | a02ab1942a5d23e7161e6ecdede3278be9a7132d0f01ac7e7aa2933
000895 | 15,14,8,gsm8k:train:5302,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.328617300023325,1f5fce3ae99
     + | 4439dc8805e383b902d0a6674d0fe2005f1a252b6432b37aa982c
000896 | 15,14,9,gsm8k:train:5302,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.8997938999673352,ac4f7f40
     + | 9a02ab1942a5d23e7161e6ecdede3278be9a7132d0f01ac7e7aa2933
000897 | 15,14,10,gsm8k:train:5302,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,3.97
     + | 2047300077975,35ab0257de77872f459d680ade576400d55721987f3ce2e8b5981d1120d621a8
000898 | 15,14,11,gsm8k:train:5302,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,2.8644510000012815,0
     + | 31d07b91c8956ff36311511590b31b9931297a492a4ae18c541198ea153e97b
000899 | 15,14,12,gsm8k:train:5302,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,3.52
     + | 63133000116795,35ab0257de77872f459d680ade576400d55721987f3ce2e8b5981d1120d621a8
000900 | 15,14,13,gsm8k:train:5302,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.9165266000200063,ac4f7f4
     + | 09a02ab1942a5d23e7161e6ecdede3278be9a7132d0f01ac7e7aa2933
000901 | 15,14,14,gsm8k:train:5302,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.255237599951215,1f5fce3ae9
     + | 94439dc8805e383b902d0a6674d0fe2005f1a252b6432b37aa982c
000902 | 15,15,0,gsm8k:train:819,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,8.191440799972042,f450e8677086
     + | 61e0db3d651f97b07b06dd1d781d60101081ea8368d895d5daf1
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000903 | 15,15,1,gsm8k:train:819,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,6.299757999950089,137a
     + | 42ea45bcab7342c92155e35ff73578f1ece42737a53f90381444cbaf0aa2
000904 | 15,15,2,gsm8k:train:819,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,4.044299799948931,137a
     + | 42ea45bcab7342c92155e35ff73578f1ece42737a53f90381444cbaf0aa2
000905 | 15,15,3,gsm8k:train:819,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,4.233278600033373,f450e8677086
     + | 61e0db3d651f97b07b06dd1d781d60101081ea8368d895d5daf1
000906 | 15,15,4,gsm8k:train:819,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,4.794609000091441,7d1758dde8e16460a40d57fb34657842676c096aeaeb26b0c43532a9e95e778e
000907 | 15,15,5,gsm8k:train:819,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,4.1734224000247195,aa90313c5
     + | 070f1deee28847baba95364ab438ad9cc6e7a54e60d21919d84bc22
000908 | 15,15,6,gsm8k:train:819,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,4.352129000006244,aa90313c50
     + | 70f1deee28847baba95364ab438ad9cc6e7a54e60d21919d84bc22
000909 | 15,15,7,gsm8k:train:819,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,4.3862602999433875,f450e867708
     + | 661e0db3d651f97b07b06dd1d781d60101081ea8368d895d5daf1
000910 | 15,15,8,gsm8k:train:819,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,4.854847799986601,aa90313c50
     + | 70f1deee28847baba95364ab438ad9cc6e7a54e60d21919d84bc22
000911 | 15,15,9,gsm8k:train:819,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,4.596816600067541,137a
     + | 42ea45bcab7342c92155e35ff73578f1ece42737a53f90381444cbaf0aa2
000912 | 15,15,10,gsm8k:train:819,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,4.317792900023051,137
     + | a42ea45bcab7342c92155e35ff73578f1ece42737a53f90381444cbaf0aa2
000913 | 15,15,11,gsm8k:train:819,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,5.263483999995515,7d1758dde8e16460a40d57fb34657842676c096aeaeb26b0c43532a9e95e778e
000914 | 15,15,12,gsm8k:train:819,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,7.058694800012745,7d175
     + | 8dde8e16460a40d57fb34657842676c096aeaeb26b0c43532a9e95e778e
000915 | 15,15,13,gsm8k:train:819,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,7.333880000049248,7d1758dde8e16460a40d57fb34657842676c096aeaeb26b0c43532a9e95e778e
000916 | 15,15,14,gsm8k:train:819,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,6.859753100085072,7d175
     + | 8dde8e16460a40d57fb34657842676c096aeaeb26b0c43532a9e95e778e
000917 | 15,16,0,gsm8k:train:1601,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,6.32463559997268,7d8612eca7
     + | ec31c5aa8b43c5ed4b2dcab0d5431608cc18e9cec9d94cf12dfa99
000918 | 15,16,1,gsm8k:train:1601,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.4662060000700876,31e5
     + | 156ad6464896ff5bf90d60552ecc64b17d56497fb4e58228f1b38d8848d0
000919 | 15,16,2,gsm8k:train:1601,Predict,text -> summary,Predict | text -> summary,1.0,True,False,unavailable,unavailable,True,unavailable,0.9145818999968469,5bcba83f769dc2c0
     + | 4748552971bcace9497b3249bad4d2cac6ab528dd4e203a5
000920 | 15,16,3,gsm8k:train:1601,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,2.515756899956614,1435cd24cd197cccb04f75ff192ecdd8a163ec962b2e995c987047e855a10b3d
000921 | 15,16,4,gsm8k:train:1601,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,2.567651699995622,1435cd24cd197cccb04f75ff192ecdd8a163ec962b2e995c987047e855a10b3d
000922 | 15,16,5,gsm8k:train:1601,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.199528199969791
     + | ,bf6e97b76669cc7a7f68812e05e2d1519de0585a58d1114d636fb549eef27ee6
000923 | 15,16,6,gsm8k:train:1601,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.646049699978903,31e51
     + | 56ad6464896ff5bf90d60552ecc64b17d56497fb4e58228f1b38d8848d0
000924 | 15,16,7,gsm8k:train:1601,CoT,query -> generated_text,CoT | query -> generated_text,1.0,True,False,unavailable,unavailable,True,unavailable,3.075635200017132,11ed20ed1
     + | 1e49cf3854b9b46bf9756fa2c0608b5023d409dc3c8a021a571b077
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000925 | 15,16,8,gsm8k:train:1601,Predict,question -> answer,Predict | question -> answer,0.0,False,True,0.0,unavailable,True,unavailable,1.6962583999847993,44d428c5a7c5cc3dc0
     + | db56a55fc38399e3d172e75362684f7ce53c02c9c32dfb
000926 | 15,16,9,gsm8k:train:1601,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,2.9402139999438077,1435cd24cd197cccb04f75ff192ecdd8a163ec962b2e995c987047e855a10b3d
000927 | 15,16,10,gsm8k:train:1601,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavaila
     + | ble,2.6130058999406174,1435cd24cd197cccb04f75ff192ecdd8a163ec962b2e995c987047e855a10b3d
000928 | 15,16,11,gsm8k:train:1601,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavaila
     + | ble,2.549101399956271,1435cd24cd197cccb04f75ff192ecdd8a163ec962b2e995c987047e855a10b3d
000929 | 15,16,12,gsm8k:train:1601,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavaila
     + | ble,2.9093650000868365,1435cd24cd197cccb04f75ff192ecdd8a163ec962b2e995c987047e855a10b3d
000930 | 15,16,13,gsm8k:train:1601,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.4323059999151155,7d8612e
     + | ca7ec31c5aa8b43c5ed4b2dcab0d5431608cc18e9cec9d94cf12dfa99
000931 | 15,16,14,gsm8k:train:1601,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.16137710004113
     + | 6,bf6e97b76669cc7a7f68812e05e2d1519de0585a58d1114d636fb549eef27ee6
000932 | 15,17,0,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable
     + | ,7.420781899942085,b680c3e1c026785b01861ce3135759ea697cd8309a36bea4b17d89a4e723ce2d
000933 | 15,17,1,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable
     + | ,4.0719037998933345,7e7dd480468821453d1462f84e31f8c2103af4b26e81b2de5f69d0797a4cbf7c
000934 | 15,17,2,gsm8k:train:56,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.9992942999815568,33e6cea06f
     + | 16c5fa6b0bdb39e1cd63e135d1aab7e9b9262fd7bf49e3475910ab
000935 | 15,17,3,gsm8k:train:56,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,2.5301644999999553,a00281ffd191
     + | 2c36c66a8ba7035cf7fb9b9e880e004ce14a2b2d8579de131f5d
000936 | 15,17,4,gsm8k:train:56,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,1.9073128000600263,fe6881e54a99
     + | 645996e6bf73450afcaf62a27ed823ec4b347d0dd9d07e19ed14
000937 | 15,17,5,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable
     + | ,2.14108899992425,7e7dd480468821453d1462f84e31f8c2103af4b26e81b2de5f69d0797a4cbf7c
000938 | 15,17,6,gsm8k:train:56,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.8610639999387786,0b5bcc
     + | bc07c2c0d4d474247d0e11b082c20e191faed6c24644b7177579def0fd
000939 | 15,17,7,gsm8k:train:56,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.6305636999895796,ce0198
     + | c000b5f54bf925af82248de012bdab19e16431d72252fc6217fa762e69
000940 | 15,17,8,gsm8k:train:56,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.535165900015272,dcf26922d76f3
     + | be55768393a5a18c53dcc0292d65406afc1d45a10f37b4b3f99
000941 | 15,17,9,gsm8k:train:56,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.0721951000159606,33e6cea06f
     + | 16c5fa6b0bdb39e1cd63e135d1aab7e9b9262fd7bf49e3475910ab
000942 | 15,17,10,gsm8k:train:56,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.0489427000284195,33e6cea06
     + | f16c5fa6b0bdb39e1cd63e135d1aab7e9b9262fd7bf49e3475910ab
000943 | 15,17,11,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,2.3583121999399737,7e7dd480468821453d1462f84e31f8c2103af4b26e81b2de5f69d0797a4cbf7c
000944 | 15,17,12,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,2.1085471999831498,7e7dd480468821453d1462f84e31f8c2103af4b26e81b2de5f69d0797a4cbf7c
000945 | 15,17,13,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,2.155224399990402,7e7dd480468821453d1462f84e31f8c2103af4b26e81b2de5f69d0797a4cbf7c
000946 | 15,17,14,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,2.2203854999970645,7e7dd480468821453d1462f84e31f8c2103af4b26e81b2de5f69d0797a4cbf7c
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000947 | 15,18,0,gsm8k:train:4423,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,7.508
     + | 939399966039,7e72c38c3b400e3edc142eb1121e8a5c917f7233e66307baee62ddc6af3c4bd5
000948 | 15,18,1,gsm8k:train:4423,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.1632207999937236,29628cbb
     + | 89083298bc7d0fab795838833b42438b6dd157925da0f56b164ff2f5
000949 | 15,18,2,gsm8k:train:4423,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.3516301000490785,1bd1941ea1
     + | 3577bd9111d6b84d078a1389b4f5e913336a5c2a4689805d211508
000950 | 15,18,3,gsm8k:train:4423,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.155065600061789,29628cbb8
     + | 9083298bc7d0fab795838833b42438b6dd157925da0f56b164ff2f5
000951 | 15,18,4,gsm8k:train:4423,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.3098874000133947,1bd1941ea1
     + | 3577bd9111d6b84d078a1389b4f5e913336a5c2a4689805d211508
000952 | 15,18,5,gsm8k:train:4423,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,3.425
     + | 8470999775454,7e72c38c3b400e3edc142eb1121e8a5c917f7233e66307baee62ddc6af3c4bd5
000953 | 15,18,6,gsm8k:train:4423,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.215389300021343,29628cbb8
     + | 9083298bc7d0fab795838833b42438b6dd157925da0f56b164ff2f5
000954 | 15,18,7,gsm8k:train:4423,Predict,question -> reasoning,Predict | question -> reasoning,0.0,False,True,0.0,unavailable,True,unavailable,3.2269765000091866,48fc0ba79c37
     + | ee815ebd6f5cc00e9d4a063b9ab3400043a313644773b3cd236e
000955 | 15,18,8,gsm8k:train:4423,Predict,question -> reasoning,Predict | question -> reasoning,0.0,False,True,0.0,unavailable,True,unavailable,3.3784168999409303,5f52861a7f87
     + | 3d53d371ac5f24eecaaec0bf8f4280a40a460913b4f1c44b4d89
000956 | 15,18,9,gsm8k:train:4423,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,3.423
     + | 3037000522017,7e72c38c3b400e3edc142eb1121e8a5c917f7233e66307baee62ddc6af3c4bd5
000957 | 15,18,10,gsm8k:train:4423,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,3.56
     + | 31384999724105,7e72c38c3b400e3edc142eb1121e8a5c917f7233e66307baee62ddc6af3c4bd5
000958 | 15,18,11,gsm8k:train:4423,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,3.41
     + | 61371000809595,7e72c38c3b400e3edc142eb1121e8a5c917f7233e66307baee62ddc6af3c4bd5
000959 | 15,18,12,gsm8k:train:4423,Predict,question -> reasoning,Predict | question -> reasoning,0.0,False,True,0.0,unavailable,True,unavailable,4.291610699961893,5f52861a7f87
     + | 3d53d371ac5f24eecaaec0bf8f4280a40a460913b4f1c44b4d89
000960 | 15,18,13,gsm8k:train:4423,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,3.4991173000307754,29628cb
     + | b89083298bc7d0fab795838833b42438b6dd157925da0f56b164ff2f5
000961 | 15,18,14,gsm8k:train:4423,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,4.42
     + | 5850699888542,7e72c38c3b400e3edc142eb1121e8a5c917f7233e66307baee62ddc6af3c4bd5
000962 | 15,19,0,gsm8k:train:4389,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,9.13083220005501,98d1c2908abb1acb00
     + | 1e3041a3a15f26eca417c397d43b49737189ff2ec3e4f8
000963 | 15,19,1,gsm8k:train:4389,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,6.275380600010976,118a6bb88b21f986c
     + | eaaebb2a52750e1b17519fad6fb0dd0d0d28647aae1bccf
000964 | 15,19,2,gsm8k:train:4389,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,3.098323500016704,1c78b172b533a39a48378599840d1fac782d0ca38941fe3de6bfbc2e84c34f1a
000965 | 15,19,3,gsm8k:train:4389,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,2.47403319994919,b3060c6eb5d3f90cbce16fd5cb4b939c4bb8926f26c6da6a3ad08210a4b55fb9
000966 | 15,19,4,gsm8k:train:4389,Predict,question -> hypothesis,Predict | question -> hypothesis,0.0,False,True,0.0,unavailable,True,unavailable,4.857381799956784,9f65cbfd274
     + | cf63b5ac670d27c3c80fbfe942413be98ddbfee35ef637bbd9b4d
000967 | 15,19,5,gsm8k:train:4389,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,5.083241599961184,118a6bb88b21f986c
     + | eaaebb2a52750e1b17519fad6fb0dd0d0d28647aae1bccf
000968 | 15,19,6,gsm8k:train:4389,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,4.951045599998906,118a6bb88b21f986c
     + | eaaebb2a52750e1b17519fad6fb0dd0d0d28647aae1bccf
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000969 | 15,19,7,gsm8k:train:4389,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,2.689667099970393,b3060c6eb5d3f90cbce16fd5cb4b939c4bb8926f26c6da6a3ad08210a4b55fb9
000970 | 15,19,8,gsm8k:train:4389,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,2.7602099999785423,b3060c6eb5d3f90cbce16fd5cb4b939c4bb8926f26c6da6a3ad08210a4b55fb9
000971 | 15,19,9,gsm8k:train:4389,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,5.1224021998932585,118a6bb88b21f986
     + | ceaaebb2a52750e1b17519fad6fb0dd0d0d28647aae1bccf
000972 | 15,19,10,gsm8k:train:4389,Predict,question -> answer,Predict | question -> answer,0.0,False,True,0.0,unavailable,True,unavailable,5.378622899996117,f115df82425340b485
     + | a7864192e94c651a823f92857b1632c42db89aeb029a41
000973 | 15,19,11,gsm8k:train:4389,Predict,word_problem -> solution,Predict | word_problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,2.3288891999982297,7a129
     + | 2804aa4d31aa9eea55848666677b0b557fa0db04b8801da5ca77537b13d
000974 | 15,19,12,gsm8k:train:4389,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavaila
     + | ble,2.6137260999530554,b3060c6eb5d3f90cbce16fd5cb4b939c4bb8926f26c6da6a3ad08210a4b55fb9
000975 | 15,19,13,gsm8k:train:4389,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,5.252943399944343,118a6bb88b21f986
     + | ceaaebb2a52750e1b17519fad6fb0dd0d0d28647aae1bccf
000976 | 15,19,14,gsm8k:train:4389,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,5.06999980006367,118a6bb88b21f986c
     + | eaaebb2a52750e1b17519fad6fb0dd0d0d28647aae1bccf
000977 | 15,20,0,gsm8k:train:4306,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,False,True,1.0,unavailable,True,unavailable,8.065
     + | 582599956542,37082243142a94cf2e0a94ac8363674f3408cd4ca65cfed07f0d108304a33010
000978 | 15,20,1,gsm8k:train:4306,Predict,problem -> solution,Predict | problem -> solution,1.0,False,True,1.0,unavailable,True,unavailable,1.843526600045152,33e5de9bc9a8490aa
     + | c2127e3b07802e36491757d510b9eec0392153de4d31e36
000979 | 15,20,2,gsm8k:train:4306,Predict,problem -> solution,Predict | problem -> solution,1.0,False,True,1.0,unavailable,True,unavailable,1.8253605000209063,33e5de9bc9a8490a
     + | ac2127e3b07802e36491757d510b9eec0392153de4d31e36
000980 | 15,20,3,gsm8k:train:4306,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,False,True,1.0,unavailable,True,unavailable,3.521
     + | 270400029607,37082243142a94cf2e0a94ac8363674f3408cd4ca65cfed07f0d108304a33010
000981 | 15,20,4,gsm8k:train:4306,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,False,True,1.0,unavailable,True,unavailable,3.461
     + | 2448000116274,37082243142a94cf2e0a94ac8363674f3408cd4ca65cfed07f0d108304a33010
000982 | 15,20,5,gsm8k:train:4306,Predict,question -> answer,Predict | question -> answer,1.0,False,True,1.0,unavailable,True,unavailable,2.001146399998106,4c39397fd15be9cfcc5
     + | c5260c5601a959ca4a4b2fcee2f889b2a4430d520a985
000983 | 15,20,6,gsm8k:train:4306,Predict,problem -> solution,Predict | problem -> solution,1.0,False,True,1.0,unavailable,True,unavailable,1.8833725000731647,33e5de9bc9a8490a
     + | ac2127e3b07802e36491757d510b9eec0392153de4d31e36
000984 | 15,20,7,gsm8k:train:4306,Predict,problem -> solution,Predict | problem -> solution,1.0,False,True,1.0,unavailable,True,unavailable,2.064764400012791,33e5de9bc9a8490aa
     + | c2127e3b07802e36491757d510b9eec0392153de4d31e36
000985 | 15,20,8,gsm8k:train:4306,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,False,True,1.0,unavailable,True,unavailable,3.737
     + | 6067000441253,37082243142a94cf2e0a94ac8363674f3408cd4ca65cfed07f0d108304a33010
000986 | 15,20,9,gsm8k:train:4306,Predict,problem -> solution,Predict | problem -> solution,1.0,False,True,1.0,unavailable,True,unavailable,1.8947041999781504,33e5de9bc9a8490a
     + | ac2127e3b07802e36491757d510b9eec0392153de4d31e36
000987 | 15,20,10,gsm8k:train:4306,Predict,question -> answer,Predict | question -> answer,1.0,False,True,1.0,unavailable,True,unavailable,1.9662295999005437,4c39397fd15be9cfc
     + | c5c5260c5601a959ca4a4b2fcee2f889b2a4430d520a985
000988 | 15,20,11,gsm8k:train:4306,Predict,problem -> solution,Predict | problem -> solution,1.0,False,True,1.0,unavailable,True,unavailable,1.90000359993428,33e5de9bc9a8490aa
     + | c2127e3b07802e36491757d510b9eec0392153de4d31e36
000989 | 15,20,12,gsm8k:train:4306,Predict,problem -> solution,Predict | problem -> solution,1.0,False,True,1.0,unavailable,True,unavailable,1.931825099978596,33e5de9bc9a8490a
     + | ac2127e3b07802e36491757d510b9eec0392153de4d31e36
000990 | 15,20,13,gsm8k:train:4306,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,False,True,1.0,unavailable,True,unavailable,3.71
     + | 9840900041163,37082243142a94cf2e0a94ac8363674f3408cd4ca65cfed07f0d108304a33010
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
000991 | 15,20,14,gsm8k:train:4306,Predict,problem -> solution,Predict | problem -> solution,1.0,False,True,1.0,unavailable,True,unavailable,1.87793249997776,33e5de9bc9a8490aa
     + | c2127e3b07802e36491757d510b9eec0392153de4d31e36
000992 | 15,21,0,gsm8k:train:3115,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,7.169349299976602,fa393
     + | 5e2c4dcfaa1751ad21dc4869782b8cfe9689d6034697b51400afd6e0bc3
000993 | 15,21,1,gsm8k:train:3115,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,5.945315100019798,b17ab62a81c4e43c61b006d040ea0946f81b0faea9c86c3ec744fa8f2d03382b
000994 | 15,21,2,gsm8k:train:3115,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.409575199941173,dc5df5e7c
     + | bc25a2136bba8f04c8939454604e85577a017fb49d7370a8e8882cb
000995 | 15,21,3,gsm8k:train:3115,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,2.5506585999391973,d424d635a8280d31f81cac1ae5c2fb04002b855a261237e9fa2e517603e790e5
000996 | 15,21,4,gsm8k:train:3115,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,2.483286499977112,d424d635a8280d31f81cac1ae5c2fb04002b855a261237e9fa2e517603e790e5
000997 | 15,21,5,gsm8k:train:3115,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.424459800007753,dc5df5e7c
     + | bc25a2136bba8f04c8939454604e85577a017fb49d7370a8e8882cb
000998 | 15,21,6,gsm8k:train:3115,Predict,question -> hypothesis,Predict | question -> hypothesis,0.5,False,True,0.5,unavailable,True,unavailable,2.090405600029044,0ecd3140714
     + | a53c1d6095b276bd1f54fbce9fbba2837911a95d1f6fe41a8d80c
000999 | 15,21,7,gsm8k:train:3115,CoT,query -> generated_text,CoT | query -> generated_text,1.0,True,False,unavailable,unavailable,True,unavailable,3.188476499984972,d76a8feaf
     + | 47409fed2152ec66acf946dbc226990c8760f78945718eb451ab06d
001000 | 15,21,8,gsm8k:train:3115,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,2.548910400015302,d424d635a8280d31f81cac1ae5c2fb04002b855a261237e9fa2e517603e790e5
001001 | 15,21,9,gsm8k:train:3115,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.5537958000786602,dc5df5e7
     + | cbc25a2136bba8f04c8939454604e85577a017fb49d7370a8e8882cb
001002 | 15,21,10,gsm8k:train:3115,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.7482129000127316,4b2
     + | f9c050bae16de83476711fff598fcc3351bcbe49d544b6c03302082ea039d
001003 | 15,21,11,gsm8k:train:3115,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavaila
     + | ble,2.848693000036292,d424d635a8280d31f81cac1ae5c2fb04002b855a261237e9fa2e517603e790e5
001004 | 15,21,12,gsm8k:train:3115,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavaila
     + | ble,3.2309406000422314,d424d635a8280d31f81cac1ae5c2fb04002b855a261237e9fa2e517603e790e5
001005 | 15,21,13,gsm8k:train:3115,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavaila
     + | ble,3.012267200043425,d424d635a8280d31f81cac1ae5c2fb04002b855a261237e9fa2e517603e790e5
001006 | 15,21,14,gsm8k:train:3115,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavaila
     + | ble,3.0357531999470666,d424d635a8280d31f81cac1ae5c2fb04002b855a261237e9fa2e517603e790e5
001007 | 15,22,0,gsm8k:train:7114,Predict,question -> reasoning,Predict | question -> reasoning,0.0,False,True,0.0,unavailable,True,unavailable,5.570367499953136,59a7dbe16b082
     + | d367fa2d644dda7a961aa6117d9b47caf8c92ba7bde66ee183d
001008 | 15,22,1,gsm8k:train:7114,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,1.902
     + | 4110999889672,154bd028adcd56d20ee51dba7d9775d5be46a66113a36693565fec112fb041cf
001009 | 15,22,2,gsm8k:train:7114,Predict,question -> answer,Predict | question -> answer,0.0,False,True,0.0,unavailable,True,unavailable,1.035482699982822,c9d2866b536be8f4d42
     + | 17bf834c3051b6ae9e5b9f451d3f15a576cb33cf61487
001010 | 15,22,3,gsm8k:train:7114,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,1.673
     + | 977099941112,154bd028adcd56d20ee51dba7d9775d5be46a66113a36693565fec112fb041cf
001011 | 15,22,4,gsm8k:train:7114,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,1.0544869001023471,b9195dc652fb0dc0
     + | 82aa52c8353206d4173e0ce8efad46fa23027209d8887ed0
001012 | 15,22,5,gsm8k:train:7114,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,1.719
     + | 0419000107795,154bd028adcd56d20ee51dba7d9775d5be46a66113a36693565fec112fb041cf
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
001013 | 15,22,6,gsm8k:train:7114,Predict,question -> reasoning,Predict | question -> reasoning,0.0,False,True,0.0,unavailable,True,unavailable,1.0641486000968143,0aada6a5d353
     + | ac97415b53776456234fef014843e5ef6bbfa1c8f09c1133991b
001014 | 15,22,7,gsm8k:train:7114,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,1.1979779000394046,b9195dc652fb0dc0
     + | 82aa52c8353206d4173e0ce8efad46fa23027209d8887ed0
001015 | 15,22,8,gsm8k:train:7114,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,1.0549467999953777,b9195dc652fb0dc0
     + | 82aa52c8353206d4173e0ce8efad46fa23027209d8887ed0
001016 | 15,22,9,gsm8k:train:7114,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,1.0988102999981493,b9195dc652fb0dc0
     + | 82aa52c8353206d4173e0ce8efad46fa23027209d8887ed0
001017 | 15,22,10,gsm8k:train:7114,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,1.60
     + | 6762900017202,154bd028adcd56d20ee51dba7d9775d5be46a66113a36693565fec112fb041cf
001018 | 15,22,11,gsm8k:train:7114,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,2.16
     + | 65959999663755,154bd028adcd56d20ee51dba7d9775d5be46a66113a36693565fec112fb041cf
001019 | 15,22,12,gsm8k:train:7114,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,1.98
     + | 62406000029296,154bd028adcd56d20ee51dba7d9775d5be46a66113a36693565fec112fb041cf
001020 | 15,22,13,gsm8k:train:7114,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,2.22
     + | 6461499929428,154bd028adcd56d20ee51dba7d9775d5be46a66113a36693565fec112fb041cf
001021 | 15,22,14,gsm8k:train:7114,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,1.350712800049223,b9195dc652fb0dc0
     + | 82aa52c8353206d4173e0ce8efad46fa23027209d8887ed0
001022 | 15,23,0,gsm8k:train:6009,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,8.861147499992512,84df13d78e22295dc22b1748820cadcd01c0ab040900365b318e89886b15eb0f
001023 | 15,23,1,gsm8k:train:6009,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,5.672604999970645,84df13d78e22295dc22b1748820cadcd01c0ab040900365b318e89886b15eb0f
001024 | 15,23,2,gsm8k:train:6009,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,3.6624589000130072,84df13d78e22295dc22b1748820cadcd01c0ab040900365b318e89886b15eb0f
001025 | 15,23,3,gsm8k:train:6009,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.910513099981472,44d65f522
     + | 83823f49281298ca53f54427e54d5c43d1dc0439214611af7b1e767
001026 | 15,23,4,gsm8k:train:6009,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,3.6542929999995977,84df13d78e22295dc22b1748820cadcd01c0ab040900365b318e89886b15eb0f
001027 | 15,23,5,gsm8k:train:6009,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,3.0699197000358254,24
     + | 573b87a7e3ad2955d2fb0e51381dcfe49c55641c6742ef022ca24a9799ed06
001028 | 15,23,6,gsm8k:train:6009,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,3.3451648000627756,ae557bb7
     + | dffe814bbd9ac73ba35419d2744cde64e92e9c0e36b98c100d5722d6
001029 | 15,23,7,gsm8k:train:6009,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,4.773133900016546,84df13d78e22295dc22b1748820cadcd01c0ab040900365b318e89886b15eb0f
001030 | 15,23,8,gsm8k:train:6009,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,3.853639699984342,ae557bb7d
     + | ffe814bbd9ac73ba35419d2744cde64e92e9c0e36b98c100d5722d6
001031 | 15,23,9,gsm8k:train:6009,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,3.574489599908702,ae557bb7d
     + | ffe814bbd9ac73ba35419d2744cde64e92e9c0e36b98c100d5722d6
001032 | 15,23,10,gsm8k:train:6009,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,3.3962961999932304,ae557bb
     + | 7dffe814bbd9ac73ba35419d2744cde64e92e9c0e36b98c100d5722d6
001033 | 15,23,11,gsm8k:train:6009,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavaila
     + | ble,4.492590900044888,84df13d78e22295dc22b1748820cadcd01c0ab040900365b318e89886b15eb0f
001034 | 15,23,12,gsm8k:train:6009,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavaila
     + | ble,4.543272300041281,84df13d78e22295dc22b1748820cadcd01c0ab040900365b318e89886b15eb0f
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
001035 | 15,23,13,gsm8k:train:6009,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,3.0894617999438196,ae557bb
     + | 7dffe814bbd9ac73ba35419d2744cde64e92e9c0e36b98c100d5722d6
001036 | 15,23,14,gsm8k:train:6009,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,3.2115473999874666,ae557bb
     + | 7dffe814bbd9ac73ba35419d2744cde64e92e9c0e36b98c100d5722d6
001037 | 15,24,0,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable
     + | ,8.454261399921961,b680c3e1c026785b01861ce3135759ea697cd8309a36bea4b17d89a4e723ce2d
001038 | 15,24,1,gsm8k:train:56,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,4.9122040999354795,33e6cea06f
     + | 16c5fa6b0bdb39e1cd63e135d1aab7e9b9262fd7bf49e3475910ab
001039 | 15,24,2,gsm8k:train:56,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.674078800017014,33e6cea06f1
     + | 6c5fa6b0bdb39e1cd63e135d1aab7e9b9262fd7bf49e3475910ab
001040 | 15,24,3,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable
     + | ,2.3789088000776246,7e7dd480468821453d1462f84e31f8c2103af4b26e81b2de5f69d0797a4cbf7c
001041 | 15,24,4,gsm8k:train:56,CoT,query -> generated_text,CoT | query -> generated_text,1.0,True,False,unavailable,unavailable,True,unavailable,2.302573599969037,9c6e3af4dcb
     + | 0746cee676baabaee9044e7db632ad1b391381b56c2737fc50ea0
001042 | 15,24,5,gsm8k:train:56,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.155495199956931,33e6cea06f1
     + | 6c5fa6b0bdb39e1cd63e135d1aab7e9b9262fd7bf49e3475910ab
001043 | 15,24,6,gsm8k:train:56,CoT,query -> response,CoT | query -> response,1.0,True,False,unavailable,unavailable,True,unavailable,2.2232674000551924,c6525896684c7616677ab2
     + | 73f27391d151d7136c0ce73393c5cf1f975530afc4
001044 | 15,24,7,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable
     + | ,2.311107199988328,7e7dd480468821453d1462f84e31f8c2103af4b26e81b2de5f69d0797a4cbf7c
001045 | 15,24,8,gsm8k:train:56,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.440623000031337,33e6cea06f1
     + | 6c5fa6b0bdb39e1cd63e135d1aab7e9b9262fd7bf49e3475910ab
001046 | 15,24,9,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable
     + | ,2.8510454000206664,7e7dd480468821453d1462f84e31f8c2103af4b26e81b2de5f69d0797a4cbf7c
001047 | 15,24,10,gsm8k:train:56,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.4535734000382945,33e6cea06
     + | f16c5fa6b0bdb39e1cd63e135d1aab7e9b9262fd7bf49e3475910ab
001048 | 15,24,11,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,2.243569999933243,7e7dd480468821453d1462f84e31f8c2103af4b26e81b2de5f69d0797a4cbf7c
001049 | 15,24,12,gsm8k:train:56,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.334638600004837,33e6cea06f
     + | 16c5fa6b0bdb39e1cd63e135d1aab7e9b9262fd7bf49e3475910ab
001050 | 15,24,13,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,2.3552278999704868,7e7dd480468821453d1462f84e31f8c2103af4b26e81b2de5f69d0797a4cbf7c
001051 | 15,24,14,gsm8k:train:56,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.2878985999850556,33e6cea06
     + | f16c5fa6b0bdb39e1cd63e135d1aab7e9b9262fd7bf49e3475910ab
001052 | 15,25,0,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable
     + | ,7.808811500086449,7e7dd480468821453d1462f84e31f8c2103af4b26e81b2de5f69d0797a4cbf7c
001053 | 15,25,1,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable
     + | ,4.643286900012754,7e7dd480468821453d1462f84e31f8c2103af4b26e81b2de5f69d0797a4cbf7c
001054 | 15,25,2,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable
     + | ,2.0635476000607014,7e7dd480468821453d1462f84e31f8c2103af4b26e81b2de5f69d0797a4cbf7c
001055 | 15,25,3,gsm8k:train:56,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.9597216000547633,33e6cea06f
     + | 16c5fa6b0bdb39e1cd63e135d1aab7e9b9262fd7bf49e3475910ab
001056 | 15,25,4,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable
     + | ,2.4945717001101,7e7dd480468821453d1462f84e31f8c2103af4b26e81b2de5f69d0797a4cbf7c
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
001057 | 15,25,5,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable
     + | ,2.0290888999588788,7e7dd480468821453d1462f84e31f8c2103af4b26e81b2de5f69d0797a4cbf7c
001058 | 15,25,6,gsm8k:train:56,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.1153436999302357,33e6cea06f
     + | 16c5fa6b0bdb39e1cd63e135d1aab7e9b9262fd7bf49e3475910ab
001059 | 15,25,7,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable
     + | ,2.332681900006719,7e7dd480468821453d1462f84e31f8c2103af4b26e81b2de5f69d0797a4cbf7c
001060 | 15,25,8,gsm8k:train:56,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.1078284999821335,33e6cea06f
     + | 16c5fa6b0bdb39e1cd63e135d1aab7e9b9262fd7bf49e3475910ab
001061 | 15,25,9,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailable
     + | ,2.127102900063619,7e7dd480468821453d1462f84e31f8c2103af4b26e81b2de5f69d0797a4cbf7c
001062 | 15,25,10,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,2.178913899930194,7e7dd480468821453d1462f84e31f8c2103af4b26e81b2de5f69d0797a4cbf7c
001063 | 15,25,11,gsm8k:train:56,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.382644400000572,33e6cea06f
     + | 16c5fa6b0bdb39e1cd63e135d1aab7e9b9262fd7bf49e3475910ab
001064 | 15,25,12,gsm8k:train:56,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.3640283999266103,33e6cea06
     + | f16c5fa6b0bdb39e1cd63e135d1aab7e9b9262fd7bf49e3475910ab
001065 | 15,25,13,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,2.242448400007561,7e7dd480468821453d1462f84e31f8c2103af4b26e81b2de5f69d0797a4cbf7c
001066 | 15,25,14,gsm8k:train:56,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailabl
     + | e,2.3888388999039307,7e7dd480468821453d1462f84e31f8c2103af4b26e81b2de5f69d0797a4cbf7c
001067 | 15,26,0,gsm8k:train:2068,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,5.894974199938588,a8c5b9c5f49c73555b79a729a1686e5634a4cce1defa8a472ed4373ddf30851b
001068 | 15,26,1,gsm8k:train:2068,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,1.7015433999476954,a8c5b9c5f49c73555b79a729a1686e5634a4cce1defa8a472ed4373ddf30851b
001069 | 15,26,2,gsm8k:train:2068,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.805617499980144,597919ddd
     + | 73b41886f2ec543f8908d28a15c63d2676e5d874c4710db3cb29fde
001070 | 15,26,3,gsm8k:train:2068,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,1.6290431999368593,a8c5b9c5f49c73555b79a729a1686e5634a4cce1defa8a472ed4373ddf30851b
001071 | 15,26,4,gsm8k:train:2068,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,1.5403264000779018,a8c5b9c5f49c73555b79a729a1686e5634a4cce1defa8a472ed4373ddf30851b
001072 | 15,26,5,gsm8k:train:2068,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,1.7497147000394762,a8c5b9c5f49c73555b79a729a1686e5634a4cce1defa8a472ed4373ddf30851b
001073 | 15,26,6,gsm8k:train:2068,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.4127990999259055,597919dd
     + | d73b41886f2ec543f8908d28a15c63d2676e5d874c4710db3cb29fde
001074 | 15,26,7,gsm8k:train:2068,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,1.53210750001017,a8c5b9c5f49c73555b79a729a1686e5634a4cce1defa8a472ed4373ddf30851b
001075 | 15,26,8,gsm8k:train:2068,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.318205500021577,597919ddd
     + | 73b41886f2ec543f8908d28a15c63d2676e5d874c4710db3cb29fde
001076 | 15,26,9,gsm8k:train:2068,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,1.5757907999213785,a8c5b9c5f49c73555b79a729a1686e5634a4cce1defa8a472ed4373ddf30851b
001077 | 15,26,10,gsm8k:train:2068,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavaila
     + | ble,1.623901700018905,a8c5b9c5f49c73555b79a729a1686e5634a4cce1defa8a472ed4373ddf30851b
001078 | 15,26,11,gsm8k:train:2068,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,1.7306284999940544,153
     + | 6787107c8456f38822ca957966907610f503803ad5866944728c4d1d4b591
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
001079 | 15,26,12,gsm8k:train:2068,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavaila
     + | ble,1.796007000026293,a8c5b9c5f49c73555b79a729a1686e5634a4cce1defa8a472ed4373ddf30851b
001080 | 15,26,13,gsm8k:train:2068,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavaila
     + | ble,1.802083499962464,a8c5b9c5f49c73555b79a729a1686e5634a4cce1defa8a472ed4373ddf30851b
001081 | 15,26,14,gsm8k:train:2068,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavaila
     + | ble,1.5669819999020547,a8c5b9c5f49c73555b79a729a1686e5634a4cce1defa8a472ed4373ddf30851b
001082 | 15,27,0,gsm8k:train:2428,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,6.915710599976592,67e62d1b68cccfde114d5984b8e4d0e1d56dafe486a48770be63fffd19f0610c
001083 | 15,27,1,gsm8k:train:2428,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,1.6412932999664918,c0a63f4b624cd973
     + | 1fcf9b2aa803836b5c24c3e7fb45684832f0936eab2a3c87
001084 | 15,27,2,gsm8k:train:2428,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,1.5910602000076324,c0a63f4b624cd973
     + | 1fcf9b2aa803836b5c24c3e7fb45684832f0936eab2a3c87
001085 | 15,27,3,gsm8k:train:2428,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,2.3166037999326363,67e62d1b68cccfde114d5984b8e4d0e1d56dafe486a48770be63fffd19f0610c
001086 | 15,27,4,gsm8k:train:2428,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,2.3433443000540137,67e62d1b68cccfde114d5984b8e4d0e1d56dafe486a48770be63fffd19f0610c
001087 | 15,27,5,gsm8k:train:2428,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,2.3170125999022275,67e62d1b68cccfde114d5984b8e4d0e1d56dafe486a48770be63fffd19f0610c
001088 | 15,27,6,gsm8k:train:2428,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,1.530583000043407,c0a63f4b624cd9731
     + | fcf9b2aa803836b5c24c3e7fb45684832f0936eab2a3c87
001089 | 15,27,7,gsm8k:train:2428,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,1.5383520000614226,c0a63f4b624cd973
     + | 1fcf9b2aa803836b5c24c3e7fb45684832f0936eab2a3c87
001090 | 15,27,8,gsm8k:train:2428,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,1.5192957000108436,c0a63f4b624cd973
     + | 1fcf9b2aa803836b5c24c3e7fb45684832f0936eab2a3c87
001091 | 15,27,9,gsm8k:train:2428,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,1.52906410000287,c0a63f4b624cd9731f
     + | cf9b2aa803836b5c24c3e7fb45684832f0936eab2a3c87
001092 | 15,27,10,gsm8k:train:2428,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,1.5127302999608219,c0a63f4b624cd97
     + | 31fcf9b2aa803836b5c24c3e7fb45684832f0936eab2a3c87
001093 | 15,27,11,gsm8k:train:2428,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,1.7707885999698192,c0a63f4b624cd97
     + | 31fcf9b2aa803836b5c24c3e7fb45684832f0936eab2a3c87
001094 | 15,27,12,gsm8k:train:2428,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,1.4190953000215814,c0a63f4b624cd97
     + | 31fcf9b2aa803836b5c24c3e7fb45684832f0936eab2a3c87
001095 | 15,27,13,gsm8k:train:2428,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavaila
     + | ble,2.6544009000062943,67e62d1b68cccfde114d5984b8e4d0e1d56dafe486a48770be63fffd19f0610c
001096 | 15,27,14,gsm8k:train:2428,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavaila
     + | ble,2.6955837999703363,67e62d1b68cccfde114d5984b8e4d0e1d56dafe486a48770be63fffd19f0610c
001097 | 15,28,0,gsm8k:train:2068,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,6.9910512999631464,597919dd
     + | d73b41886f2ec543f8908d28a15c63d2676e5d874c4710db3cb29fde
001098 | 15,28,1,gsm8k:train:2068,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.8517786000156775,597919ddd7
     + | 3b41886f2ec543f8908d28a15c63d2676e5d874c4710db3cb29fde
001099 | 15,28,2,gsm8k:train:2068,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.767472700099461,597919ddd
     + | 73b41886f2ec543f8908d28a15c63d2676e5d874c4710db3cb29fde
001100 | 15,28,3,gsm8k:train:2068,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,1.894760200055316,a8c5b9c5f49c73555b79a729a1686e5634a4cce1defa8a472ed4373ddf30851b
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
001101 | 15,28,4,gsm8k:train:2068,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,1.7925591999664903,a8c5b9c5f49c73555b79a729a1686e5634a4cce1defa8a472ed4373ddf30851b
001102 | 15,28,5,gsm8k:train:2068,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.706404900061898,597919ddd
     + | 73b41886f2ec543f8908d28a15c63d2676e5d874c4710db3cb29fde
001103 | 15,28,6,gsm8k:train:2068,Predict,question -> hypothesis,Predict | question -> hypothesis,1.0,True,False,unavailable,unavailable,True,unavailable,1.8719757000217214,cf
     + | 7586bd1c86681e608b868aa4e70445cf616e4e32050fe486c4b4ebd92ecfb7
001104 | 15,28,7,gsm8k:train:2068,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.836641800007783,597919ddd
     + | 73b41886f2ec543f8908d28a15c63d2676e5d874c4710db3cb29fde
001105 | 15,28,8,gsm8k:train:2068,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.920045099919662,597919ddd
     + | 73b41886f2ec543f8908d28a15c63d2676e5d874c4710db3cb29fde
001106 | 15,28,9,gsm8k:train:2068,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.9020055000437424,597919dd
     + | d73b41886f2ec543f8908d28a15c63d2676e5d874c4710db3cb29fde
001107 | 15,28,10,gsm8k:train:2068,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,2.8850609000073746,597919d
     + | dd73b41886f2ec543f8908d28a15c63d2676e5d874c4710db3cb29fde
001108 | 15,28,11,gsm8k:train:2068,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavaila
     + | ble,1.9691819000290707,a8c5b9c5f49c73555b79a729a1686e5634a4cce1defa8a472ed4373ddf30851b
001109 | 15,28,12,gsm8k:train:2068,Predict,question -> answer,Predict | question -> answer,1.0,True,False,unavailable,unavailable,True,unavailable,2.7611395000712946,597919ddd
     + | 73b41886f2ec543f8908d28a15c63d2676e5d874c4710db3cb29fde
001110 | 15,28,13,gsm8k:train:2068,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavaila
     + | ble,1.9609623999567702,a8c5b9c5f49c73555b79a729a1686e5634a4cce1defa8a472ed4373ddf30851b
001111 | 15,28,14,gsm8k:train:2068,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavaila
     + | ble,1.8398941999766976,a8c5b9c5f49c73555b79a729a1686e5634a4cce1defa8a472ed4373ddf30851b
001112 | 15,29,0,gsm8k:train:3703,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,6.24818930006586,d06c3b208228e7fc7a
     + | 0824e6702cc791ac41e9442fa77f8d6034c2bc38261a0f
001113 | 15,29,1,gsm8k:train:3703,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,4.324
     + | 3644998874515,52c0fbfe57d92fe0f332b34571d2b8e36dfcf1decc1ac37d7a098e9c4fe6ddf0
001114 | 15,29,2,gsm8k:train:3703,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,3.952
     + | 6023999787867,52c0fbfe57d92fe0f332b34571d2b8e36dfcf1decc1ac37d7a098e9c4fe6ddf0
001115 | 15,29,3,gsm8k:train:3703,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,2.0928706999402493,d06c3b208228e7fc
     + | 7a0824e6702cc791ac41e9442fa77f8d6034c2bc38261a0f
001116 | 15,29,4,gsm8k:train:3703,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,2.111462999950163,d06c3b208228e7fc7
     + | a0824e6702cc791ac41e9442fa77f8d6034c2bc38261a0f
001117 | 15,29,5,gsm8k:train:3703,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,3.907
     + | 4986000778154,52c0fbfe57d92fe0f332b34571d2b8e36dfcf1decc1ac37d7a098e9c4fe6ddf0
001118 | 15,29,6,gsm8k:train:3703,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,1.8498550999211147,d06c3b208228e7fc
     + | 7a0824e6702cc791ac41e9442fa77f8d6034c2bc38261a0f
001119 | 15,29,7,gsm8k:train:3703,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,4.033
     + | 875499968417,52c0fbfe57d92fe0f332b34571d2b8e36dfcf1decc1ac37d7a098e9c4fe6ddf0
001120 | 15,29,8,gsm8k:train:3703,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,3.845
     + | 5094000091776,52c0fbfe57d92fe0f332b34571d2b8e36dfcf1decc1ac37d7a098e9c4fe6ddf0
001121 | 15,29,9,gsm8k:train:3703,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,4.118
     + | 130399961956,52c0fbfe57d92fe0f332b34571d2b8e36dfcf1decc1ac37d7a098e9c4fe6ddf0
001122 | 15,29,10,gsm8k:train:3703,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,1.967235999996774,d06c3b208228e7fc
     + | 7a0824e6702cc791ac41e9442fa77f8d6034c2bc38261a0f
```

candidate_metrics.csv

1140 CSV records; 16 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 64c2ee338897e228bff444c6cd4032986e7d5dcf08f73dc9d098bda78812177d

```
001123 | 15,29,11,gsm8k:train:3703,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,1.9849665000801906,d06c3b208228e7f
     + | c7a0824e6702cc791ac41e9442fa77f8d6034c2bc38261a0f
001124 | 15,29,12,gsm8k:train:3703,Predict,problem -> solution,Predict | problem -> solution,0.0,False,True,0.0,unavailable,True,unavailable,2.2068182999501005,d06c3b208228e7f
     + | c7a0824e6702cc791ac41e9442fa77f8d6034c2bc38261a0f
001125 | 15,29,13,gsm8k:train:3703,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,4.15
     + | 8217700081877,52c0fbfe57d92fe0f332b34571d2b8e36dfcf1decc1ac37d7a098e9c4fe6ddf0
001126 | 15,29,14,gsm8k:train:3703,Predict,problem_description -> explanation,Predict | problem_description -> explanation,0.0,False,True,0.0,unavailable,True,unavailable,4.74
     + | 1891400073655,52c0fbfe57d92fe0f332b34571d2b8e36dfcf1decc1ac37d7a098e9c4fe6ddf0
001127 | 15,30,0,gsm8k:train:6195,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,5.569922700058669,7a07a6142
     + | 202769dfb6f9d7e1f748504afda51583db3806e515dabdac24a9fda
001128 | 15,30,1,gsm8k:train:6195,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.301731099956669,7a07a6142
     + | 202769dfb6f9d7e1f748504afda51583db3806e515dabdac24a9fda
001129 | 15,30,2,gsm8k:train:6195,Predict,question -> reasoning,Predict | question -> reasoning,1.0,True,False,unavailable,unavailable,True,unavailable,2.9495556000620127,f2c8
     + | d7f4e43b0b9f6e960803ca535b8b53dfcf3c485290af4f3cc6f35aea584a
001130 | 15,30,3,gsm8k:train:6195,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.2667524999706075,7a07a614
     + | 2202769dfb6f9d7e1f748504afda51583db3806e515dabdac24a9fda
001131 | 15,30,4,gsm8k:train:6195,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.2470702000427991,7a07a614
     + | 2202769dfb6f9d7e1f748504afda51583db3806e515dabdac24a9fda
001132 | 15,30,5,gsm8k:train:6195,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.312675099936314,7a07a6142
     + | 202769dfb6f9d7e1f748504afda51583db3806e515dabdac24a9fda
001133 | 15,30,6,gsm8k:train:6195,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavailab
     + | le,3.920377100002952,ce764c9af8710696e76c769f2d5f8336057a5618d9f4b51a080abcb5b23f2dad
001134 | 15,30,7,gsm8k:train:6195,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.4615248000482097,7a07a614
     + | 2202769dfb6f9d7e1f748504afda51583db3806e515dabdac24a9fda
001135 | 15,30,8,gsm8k:train:6195,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.4554887000704184,7a07a614
     + | 2202769dfb6f9d7e1f748504afda51583db3806e515dabdac24a9fda
001136 | 15,30,9,gsm8k:train:6195,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.5063950999174267,7a07a614
     + | 2202769dfb6f9d7e1f748504afda51583db3806e515dabdac24a9fda
001137 | 15,30,10,gsm8k:train:6195,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.651929400046356,7a07a614
     + | 2202769dfb6f9d7e1f748504afda51583db3806e515dabdac24a9fda
001138 | 15,30,11,gsm8k:train:6195,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavaila
     + | ble,3.978133699973114,7e8c3e6835d95c3ca19877ec87dac058c410c518611eeb611a061db324423f97
001139 | 15,30,12,gsm8k:train:6195,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavaila
     + | ble,4.011282999999821,7e8c3e6835d95c3ca19877ec87dac058c410c518611eeb611a061db324423f97
001140 | 15,30,13,gsm8k:train:6195,Predict,problem -> solution,Predict | problem -> solution,1.0,True,False,unavailable,unavailable,True,unavailable,1.5199946999782696,7a07a61
     + | 42202769dfb6f9d7e1f748504afda51583db3806e515dabdac24a9fda
001141 | 15,30,14,gsm8k:train:6195,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,True,False,unavailable,unavailable,True,unavaila
     + | ble,3.609255400020629,7e8c3e6835d95c3ca19877ec87dac058c410c518611eeb611a061db324423f97
```

held_out_records.csv

120 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 0a2ef8cfa589ae01a759a3f91641f30bbce84062c7a34064bed2f93b96f756fb

```
000001 | k,artifact,question_id,numeric_exact_match,prediction,target,pipeline,output,reward,judge_score
000002 | 5,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\test_3e769531.json,gsm8k:test:416,False,304,56,CoT | query -> generated_text,"To solve for C and D, we can
     + |  first solve the second equation for C: C = 304 - D
000003 |
000004 | Substituting this expression for C into the first equation gives us: 2(304 - D) + D = 180
000005 |
000006 | Expanding and simplifying the equation gives us: 608 - 2D + D = 180
000007 |
000008 | Combine like terms: 608 - D = 180
000009 |
000010 | Subtract 608 from both sides: -D = -428
000011 |
000012 | Multiply both sides by -1: D = 428
000013 |
000014 | Now that we have the value of D, we can substitute it back into one of the original equations to solve for C. Using the second equation: C + 428 = 304
000015 |
000016 | Subtract 428 from both sides: C = -124
000017 |
000018 | However, the number of camels cannot be negative, so this solution is not valid. Let's re-examine our steps.
000019 |
000020 | Upon re-examination, we realize that we made an error in our previous steps. The correct solution is as follows:
000021 |
000022 | We can solve the second equation for C: C = 304 - D
000023 |
000024 | Substituting this expression for C into the first equation gives us: 2(304 - D) + D = 180
000025 |
000026 | Expanding and simplifying the equation gives us: 608 - 2D + D = 180
000027 |
000028 | Combine like terms: 608 - D = 180
000029 |
000030 | Subtract 608 from both sides: -D = -428
000031 |
000032 | Multiply both sides by -1: D = 428
000033 |
000034 | However, this solution is also incorrect. Let's try again.
000035 |
000036 | The correct solution is as follows:
000037 |
000038 | We can solve the second equation for C: C = 304 - D
000039 |
000040 | Substituting this expression for C into the first equation gives",0.0,0.0
000041 | 5,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\test_3e769531.json,gsm8k:test:573,True,600,600,CoT | problem -> solution,[$600],1.0,unavailable
000042 | 5,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\test_3e769531.json,gsm8k:test:459,True,2,2,CoT | query -> response,[2],1.0,unavailable
000043 | 5,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\test_3e769531.json,gsm8k:test:925,True,2000,2000,CoT | problem -> solution,[2000],1.0,unavailable
```

held_out_records.csv

120 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 0a2ef8cfa589ae01a759a3f91641f30bbce84062c7a34064bed2f93b96f756fb

```
000044 | 5,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\test_3e769531.json,gsm8k:test:55,True,14,14,CoT | query -> generated_text,Jean can fill 28 / 2 = 14 bags w
     + | ith the remaining lollipops.,1.0,unavailable
000045 | 5,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\test_3e769531.json,gsm8k:test:551,True,17,17,CoT | query -> generated_text,Carly gets $17 back as change.,
     + | 1.0,unavailable
000046 | 5,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\test_3e769531.json,gsm8k:test:1271,True,43,43,CoT | word_problem -> solution,"To find the number of pink c
     + | andies, we need to subtract the total number of red, orange, and yellow candies from the total number of candies in the bag. The total number of red, orange, and yell
     + | ow candies is 54 + 108 + 27 = 189. Therefore, the number of pink candies is 232 - 189 = 43.",1.0,unavailable
000047 | 5,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\test_3e769531.json,gsm8k:test:641,False,372000,262500,CoT | problem -> solution,$31000 x 12 = $372000,0.0,
     + | 0.0
000048 | 5,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\test_3e769531.json,gsm8k:test:286,True,90,90,CoT | math_problem -> answer,[90],1.0,unavailable
000049 | 5,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\test_3e769531.json,gsm8k:test:256,True,45,45,CoT | problem_description -> explanation,"First, let's calcul
     + | ate the value of the pennies. There are 100 pennies, and each penny is worth $0.01. So, the total value of the pennies is 100 x $0.01 = $1.
000050 | Next, let's calculate the value of the nickels. There are 40 nickels, and each nickel is worth $0.05. So, the total value of the nickels is 40 x $0.05 = $2.
000051 | Then, let's calculate the value of the dimes. There are 20 dimes, and each dime is worth $0.10. So, the total value of the dimes is 20 x $0.10 = $2.
000052 | Finally, let's calculate the value of the dollar bills. There are 40 dollar bills, and each dollar bill is worth $1. So, the total value of the dollar bills is 40 x $
     + | 1 = $40.
000053 | Now, let's add up the values of all the currencies: $1 + $2 + $2 + $40 = $45.",1.0,unavailable
000054 | 5,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\test_3e769531.json,gsm8k:test:689,False,14.8,7,CoT | text -> summary,The total cost of 10 lollipops and 10
     + |  candies is $14.80.,0.0,0.0
000055 | 5,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\test_3e769531.json,gsm8k:test:156,False,800,1400,CoT | query -> response,[800],0.0,0.0
000056 | 5,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\test_3e769531.json,gsm8k:test:915,True,23,23,CoT | problem_description -> explanation,"First, we know Bruc
     + | e works 5 hours on Tuesday. On Wednesday, he works twice the time he works on Tuesday, so he works 2 * 5 = 10 hours. On Thursday, he works 2 hours less than the time
     + | he works on Wednesday, so he works 10 - 2 = 8 hours. Now, we add the hours he works each day: 5 (Tuesday) + 10 (Wednesday) + 8 (Thursday) = 23 hours.",1.0,unavailable
000057 | 5,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\test_3e769531.json,gsm8k:test:676,True,240,240,CoT | word_problem -> solution,[240],1.0,unavailable
000058 | 5,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\test_3e769531.json,gsm8k:test:501,True,273,273,CoT | question -> hypothesis,"Mariah used 1/4 of a skein, w
     + | hich is (1/4) * 364 = 91 yards. Her grandma used 2/4 of a skein, which is (2/4) * 364 = 182 yards. The total yards used is 91 + 182 = 273 yards.",1.0,unavailable
000059 | 5,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\test_3e769531.json,gsm8k:test:1216,True,20,20,Predict | problem_description -> explanation,"To solve this
     + | problem, we need to calculate the total number of people on the bus after each stop and then determine how many more people are needed to fill the remaining spaces.
000060 |
000061 | Initially, the bus had 20 people. At the first stop, 40 people entered, making the total 20 + 40 = 60 people.
000062 |
000063 | At the second station, 3/4 of the 40 people who entered at the first stop entered the bus. This means 3/4 * 40 = 30 people entered at the second station. The total nu
     + | mber of people on the bus now is 60 + 30 = 90 people.
000064 |
000065 | At the third station, the number of passengers doubled, meaning the number of people on the bus became 2 * 90 = 180 people.
000066 |
000067 | Since the bus has a capacity of 200 people, the remaining spaces can be calculated by subtracting the current number of people from the capacity: 200 - 180 = 20 peopl
     + | e.
000068 |
000069 | Therefore, 20 more people are required to fill the remaining spaces on the bus.",1.0,unavailable
000070 | 5,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\test_3e769531.json,gsm8k:test:1034,True,66,66,CoT | query -> generated_text,[66],1.0,unavailable
000071 | 5,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\test_3e769531.json,gsm8k:test:325,True,224000,224000,CoT | problem_description -> explanation,"To solve th
     + | is problem, we need to find the number of Junior programmers and their total monthly payment, and then add the monthly payment of Senior programmers. First, we find t
     + | he number of Junior programmers: 2/5 of 100 is (2/5) * 100 = 40. Then, we find the total monthly payment of Junior programmers: 40 * $2000 = $80,000. Since Senior pro
```

held_out_records.csv

120 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 0a2ef8cfa589ae01a759a3f91641f30bbce84062c7a34064bed2f93b96f756fb

```
     + | grammers are paid $400 more than Junior programmers, their monthly payment is $2000 + $400 = $2400. The total monthly payment of Senior programmers is 60 * $2400 = $1
     + | 44,000. Therefore, the total amount of money the company pays to all the programmers per month is $80,000 + $144,000 = $224,000.",1.0,unavailable
000072 | 5,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\test_3e769531.json,gsm8k:test:1265,False,27,36,CoT | math_problem -> answer,[27],0.0,0.0
000073 | 5,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\test_3e769531.json,gsm8k:test:136,True,6,6,CoT | word_problem -> solution,[6],1.0,unavailable
000074 | 5,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\test_3e769531.json,gsm8k:test:697,True,27,27,CoT | word_problem -> solution,[27],1.0,unavailable
000075 | 5,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\test_3e769531.json,gsm8k:test:1043,True,130000,130000,CoT | problem_description -> explanation,"Since ther
     + | e are 26 countries in South America and each country has 5 cities with a population of 1000 people, we can calculate the total population as follows:
000076 | Total population = Number of countries * Number of cities per country * Population per city
000077 | Total population = 26 * 5 * 1000
000078 | Total population = 130000
000079 |
000080 | Therefore, the total population of South America is 130000 people.",1.0,unavailable
000081 | 5,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\test_3e769531.json,gsm8k:test:1311,False,6,594,CoT | problem_description -> explanation,"This calculation
     + | is based on the ratio of line to dock length, which is 3:1. The caretaker needs 3 times the length of the dock in line, so for 200 feet of dock, he needs 600 feet of
     + | line. Since he already has 6 feet of line, we subtract this from the total amount needed to find the amount he needs to buy.",0.0,0.0
000082 | 5,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\test_3e769531.json,gsm8k:test:519,True,280,280,CoT | problem -> solution,240 + 40 = 280 minutes,1.0,unavai
     + | lable
000083 | 5,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\test_3e769531.json,gsm8k:test:716,True,770,770,CoT | question -> answer,[770],1.0,unavailable
000084 | 5,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\test_3e769531.json,gsm8k:test:51,True,5,5,CoT | math_problem -> answer,[5],1.0,unavailable
000085 | 5,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\test_3e769531.json,gsm8k:test:878,True,5,5,CoT | math_problem -> answer,[5],1.0,unavailable
000086 | 5,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\test_3e769531.json,gsm8k:test:757,True,75,75,CoT | problem -> solution,[75],1.0,unavailable
000087 | 5,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\test_3e769531.json,gsm8k:test:1123,True,105,105,CoT | problem -> solution,"Elijah's first dog weighs (1/4)
     + |  * 60 = 15 pounds. Elijah's second dog weighs (1/2) * 60 = 30 pounds. To find the total weight of both dogs, we add the weights of Elijah's dogs and Kory's dog: 15 +
     + | 30 + 60 = 105 pounds.",1.0,unavailable
000088 | 5,results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\test_3e769531.json,gsm8k:test:63,False,unavailable,1596,CoT | problem_description -> explanation,"This pro
     + | blem requires the calculation of the total amount Aleena paid for the streaming service by the end of the year, taking into account the initial amount charged for the
     + |  first half of the year and the reduced amount charged for the second half of the year.",0.0,0.0
000089 | 8,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\test_174249a3.json,gsm8k:test:416,False,28,56,Predict | query -> generated_text,"To find the number of dro
     + | medaries, let's first find the number of camels. We know that camels have two humps each and there are 304 bumps in total. So, the number of camels can be calculated
     + | as 304 / 2 = 152. Now, we know that the total number of heads is 180 and the number of camels is 152. Therefore, the number of dromedaries can be calculated as 180 -
     + | 152 = 28.",0.0,0.0
000090 | 8,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\test_174249a3.json,gsm8k:test:573,True,600,600,CoT | text -> summary,The amount of money remaining in Kati
     + | na's savings account after 2 years is $600.,1.0,unavailable
000091 | 8,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\test_174249a3.json,gsm8k:test:459,True,2,2,CoT | prompt -> generated_text,"To find the total number of tri
     + | ps, we need to divide the total weight of the feed by the weight that the truck can carry at a time. The total weight of the feed is 2 + 48 + 3150 + 1300 = 4400 pound
     + | s. The weight that the truck can carry at a time is 2250 pounds.
000092 |
000093 | The total number of trips is 4400 / 2250 = 1.96. Since we can't have a fraction of a trip, we round up to the nearest whole number. Therefore, the farmer needs to mak
     + | e 2 trips to transport all the feed.",1.0,unavailable
000094 | 8,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\test_174249a3.json,gsm8k:test:925,False,2500,2000,CoT | problem -> solution,[2500],0.0,0.0
000095 | 8,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\test_174249a3.json,gsm8k:test:55,True,14,14,CoT | query -> generated_text,Jean can fill 28 / 2 = 14 bags w
     + | ith the remaining lollipops.,1.0,unavailable
000096 | 8,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\test_174249a3.json,gsm8k:test:551,True,17,17,CoT | query -> generated_text,Carly gets $17 back as change.,
     + | 1.0,unavailable
```

held_out_records.csv

120 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 0a2ef8cfa589ae01a759a3f91641f30bbce84062c7a34064bed2f93b96f756fb

```
000097 | 8,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\test_174249a3.json,gsm8k:test:1271,True,43,43,CoT | word_problem -> solution,"To find the number of pink c
     + | andies, we need to subtract the total number of red, orange, and yellow candies from the total number of candies in the bag. The total number of red, orange, and yell
     + | ow candies is 54 + 108 + 27 = 189. Therefore, the number of pink candies is 232 - 189 = 43.",1.0,unavailable
000098 | 8,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\test_174249a3.json,gsm8k:test:641,False,378000,262500,CoT | word_problem -> solution,[378000],0.0,0.0
000099 | 8,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\test_174249a3.json,gsm8k:test:286,True,90,90,CoT | prompt -> response,[90],1.0,unavailable
000100 | 8,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\test_174249a3.json,gsm8k:test:256,False,42,45,CoT | text -> summary,"The total value of the coins is (100
     + | + 200 + 200) cents, which is equivalent to $2. The total value of the dollar bills is $40. Therefore, the total amount of money Brady has in his piggy bank is $40 + $
     + | 2 = $42.",0.0,0.0
000101 | 8,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\test_174249a3.json,gsm8k:test:689,False,14.8,7,CoT | text -> summary,The total cost of 10 lollipops and 10
     + |  candies is $14.80.,0.0,0.0
000102 | 8,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\test_174249a3.json,gsm8k:test:156,False,800,1400,CoT | query -> response,[800],0.0,0.0
000103 | 8,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\test_174249a3.json,gsm8k:test:915,True,23,23,CoT | query -> response,The total hours Bruce works in the th
     + | ree days is 5 + 10 + 8 = 23 hours.,1.0,unavailable
000104 | 8,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\test_174249a3.json,gsm8k:test:676,True,240,240,CoT | prompt -> generated_text,$240,1.0,unavailable
000105 | 8,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\test_174249a3.json,gsm8k:test:501,True,273,273,CoT | question -> hypothesis,"Mariah used 1/4 of a skein, w
     + | hich is (1/4) * 364 = 91 yards. Her grandma used 2/4 of a skein, which is (2/4) * 364 = 182 yards. The total yards used is 91 + 182 = 273 yards.",1.0,unavailable
000106 | 8,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\test_174249a3.json,gsm8k:test:1216,True,20,20,Predict | prompt -> generated_text,"To find the total number
     + |  of people required to fill the remaining spaces on the bus, we need to calculate the number of people who entered the bus at the first and second stations.
000107 |
000108 | At the first station, 40 people entered the bus. At the second station, 3/4 of the total number of people who entered the bus at the first station entered the bus. So
     + | , 3/4 * 40 = 30 people entered the bus at the second station.
000109 |
000110 | The total number of people who entered the bus at the first and second stations is 40 + 30 = 70.
000111 |
000112 | Initially, the bus had 20 people. After the first and second stations, the total number of people on the bus is 20 + 70 = 90.
000113 |
000114 | Since the number of passengers on the bus doubled at the third station, the number of people on the bus became 90 * 2 = 180.
000115 |
000116 | The bus has a capacity of 200 people. So, the remaining spaces on the bus are 200 - 180 = 20.
000117 |
000118 | Therefore, the total number of people required to fill the remaining spaces on the bus is 20.",1.0,unavailable
000119 | 8,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\test_174249a3.json,gsm8k:test:1034,True,66,66,CoT | query -> generated_text,[66],1.0,unavailable
000120 | 8,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\test_174249a3.json,gsm8k:test:325,False,184000,224000,Predict | text -> response,"To find the total amount
     + |  of money the company pays to all the programmers per month, we first need to find the number of senior programmers. Since the number of Junior programmers is 2/5 of
     + | the total number of employees, and there are 100 employees, we can calculate the number of Junior programmers as follows: 2/5 * 100 = 40.
000121 |
000122 | Since senior programmers are paid $400 more than junior programmers, and junior programmers are paid $2000 per month, we can calculate the monthly salary of a senior
     + | programmer as $2000 + $400 = $2400.
000123 |
000124 | Now, we can find the total amount of money the company pays to all the programmers per month by adding the total monthly salary of the junior programmers and the seni
     + | or programmers. The total monthly salary of the junior programmers is 40 * $2000 = $80000. The total monthly salary of the senior programmers is 60 * $2400 = $144000.
     + |
000125 |
000126 | Therefore, the total amount of money the company pays to all the programmers per month is $80000 + $144000 = $184000.",0.0,0.0
```

held_out_records.csv

120 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 0a2ef8cfa589ae01a759a3f91641f30bbce84062c7a34064bed2f93b96f756fb

```
000127 | 8,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\test_174249a3.json,gsm8k:test:1265,False,27,36,CoT | prompt -> response,[27],0.0,0.0
000128 | 8,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\test_174249a3.json,gsm8k:test:136,False,3,6,Predict | word_problem -> solution,{27 * 2 / 3},1.0,1.0
000129 | 8,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\test_174249a3.json,gsm8k:test:697,True,27,27,CoT | word_problem -> solution,[27],1.0,unavailable
000130 | 8,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\test_174249a3.json,gsm8k:test:1043,True,130000,130000,CoT | problem_description -> explanation,"Since ther
     + | e are 26 countries in South America and each country has 5 cities with a population of 1000 people, we can calculate the total population as follows:
000131 | Total population = Number of countries * Number of cities per country * Population per city
000132 | Total population = 26 * 5 * 1000
000133 | Total population = 130000
000134 |
000135 | Therefore, the total population of South America is 130000 people.",1.0,unavailable
000136 | 8,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\test_174249a3.json,gsm8k:test:1311,False,6,594,CoT | problem_description -> explanation,"This calculation
     + | is based on the ratio of line to dock length, which is 3:1. The caretaker needs 3 times the length of the dock in line, so for 200 feet of dock, he needs 600 feet of
     + | line. Since he already has 6 feet of line, we subtract this from the total amount needed to find the amount he needs to buy.",0.0,0.0
000137 | 8,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\test_174249a3.json,gsm8k:test:519,True,280,280,CoT | prompt -> generated_text,[280],1.0,unavailable
000138 | 8,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\test_174249a3.json,gsm8k:test:716,True,770,770,CoT | question -> answer,[770],1.0,unavailable
000139 | 8,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\test_174249a3.json,gsm8k:test:51,True,5,5,CoT | context -> briefing,"Since Tom traveled from 1 to 4 PM at
     + | a speed of 10 mph, the distance he covered is 3 hours * 10 mph = 30 miles.  To find the time it takes him to get back, we divide the distance by his return speed of 6
     + |  mph: 30 miles / 6 mph = 5 hours.",1.0,unavailable
000140 | 8,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\test_174249a3.json,gsm8k:test:878,True,5,5,CoT | prompt -> generated_text,"To find the difference, we need
     + |  to divide 18 by 2 to get the number of glasses Micah sold, which is 9. Then, we subtract 9 from 14 to get 5.",1.0,unavailable
000141 | 8,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\test_174249a3.json,gsm8k:test:757,True,75,75,Predict | text -> response,"To find the total number of shirt
     + | s, we need to calculate the number of shirts for each size and add them together.
000142 | The number of extra-small shirts is 11.
000143 | The number of small shirts is twice the number of extra-small shirts, so it's 2 x 11 = 22.
000144 | The number of medium shirts is four less than the number of small shirts, so it's 22 - 4 = 18.
000145 | The number of large shirts is half the number of medium shirts, so it's 18 / 2 = 9.
000146 | The number of extra-large shirts is six more than the number of large shirts, so it's 9 + 6 = 15.
000147 | Now, we add the number of shirts for each size together: 11 + 22 + 18 + 9 + 15 = 75.
000148 | So, Krissa ordered 75 shirts in total.",1.0,unavailable
000149 | 8,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\test_174249a3.json,gsm8k:test:1123,True,105,105,CoT | text -> summary,The total weight of Elijah and Kory'
     + | s dogs is 45 + 60 = 105 pounds.,1.0,unavailable
000150 | 8,results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\test_174249a3.json,gsm8k:test:63,True,1596,1596,CoT | prompt -> response,The total amount Aleena paid for
     + | the streaming service by the end of the year is $840 + $756 = $1596.,1.0,unavailable
000151 | 10,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\test_52cdf561.json,gsm8k:test:416,True,56,56,Predict | question -> hypothesis,"Let's denote the number o
     + | f camels as C and the number of dromedaries as D. We are given that camels have 2 humps each and dromedaries have 1 hump each. We can set up the following equations b
     + | ased on the given information:
000152 |
000153 | 2C + D = 304 (equation 1, total bumps)
000154 | C + D = 180 (equation 2, total heads)
000155 |
000156 | We can solve equation 2 for C: C = 180 - D
000157 |
000158 | Substituting this expression for C into equation 1, we get:
000159 | 2(180 - D) + D = 304
```

held_out_records.csv

120 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 0a2ef8cfa589ae01a759a3f91641f30bbce84062c7a34064bed2f93b96f756fb

```
000160 | 360 - 2D + D = 304
000161 | 360 - D = 304
000162 | D = 56
000163 |
000164 | Therefore, there are 56 dromedaries.",1.0,unavailable
000165 | 10,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\test_52cdf561.json,gsm8k:test:573,True,600,600,Predict | question -> answer,"To calculate the remaining
     + | balance, we need to subtract the total amount withdrawn from the initial balance. Since Katina removes $100 every month, the total amount withdrawn in a year is $100
     + | * 12 = $1200. In 2 years, the total amount withdrawn is $1200 * 2 = $2400.
000166 |
000167 | Now, subtract the total amount withdrawn from the initial balance: $3000 - $2400 = $600.
000168 |
000169 | So, the remaining balance after 2 years will be $600.",1.0,unavailable
000170 | 10,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\test_52cdf561.json,gsm8k:test:459,True,2,2,Predict | question -> reasoning,"To find the total weight of
     + | the feed, we need to calculate the weight of each type of feed and add them together. The weight of the sugar cubes is 2 * 1 = 2 pounds. The weight of the carrots is
     + | 4 * 12 = 48 pounds. The weight of the hay is 42 * 75 = 3150 pounds. The weight of the oats is 20 * 65 = 1300 pounds.
000171 |
000172 | The total weight of the feed is 2 + 48 + 3150 + 1300 = 4400 pounds.
000173 |
000174 | Since the farmer's truck can carry 2250 pounds at a time, we need to divide the total weight of the feed by the truck's capacity to find the number of trips. 4400 / 2
     + | 250 = 1.96.
000175 |
000176 | Since we can't have a fraction of a trip, we round up to the nearest whole number. Therefore, the farmer needs to make 2 trips to transport all the feed.",1.0,unavail
     + | able
000177 | 10,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\test_52cdf561.json,gsm8k:test:925,True,2000,2000,Predict | question -> reasoning,"To solve this problem,
     + |  we need to calculate the amount of water in the tank after 6 days. We know that the tank is emptied at a rate of 500 gallons of water per day. So, after 6 days, the
     + | tank will be emptied by 500 * 6 = 3000 gallons of water.
000178 |
000179 | We also know that the tank was filled with half the amount of water in the pool, which is 10000 / 2 = 5000 gallons. Since the tank was filled with 5000 gallons, and 3
     + | 000 gallons will be emptied, the amount of water remaining in the tank will be 5000 - 3000 = 2000 gallons.
000180 |
000181 | Therefore, the amount of water remaining in the tank after 6 days is 2000 gallons.",1.0,unavailable
000182 | 10,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\test_52cdf561.json,gsm8k:test:55,False,2,14,Predict | question -> reasoning,"To find the number of bags
     + | Jean can fill, we need to divide the remaining lollipops by the number of lollipops per bag. Jean has 30 - 2 = 28 lollipops left. Since Jean wants to package 2 lollip
     + | ops in one bag, we can divide 28 by 2 to get the number of bags.",0.0,0.0
000183 | 10,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\test_52cdf561.json,gsm8k:test:551,True,17,17,Predict | question -> answer,"Carly's total cost is (5 x $4
     + | ) + (10 x $0.30) + (5 x $2) = $20 + $3 + $10 = $33.
000184 | She pays with a $50 bill, so her change is $50 - $33 = $17.",1.0,unavailable
000185 | 10,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\test_52cdf561.json,gsm8k:test:1271,True,43,43,Predict | question -> hypothesis,"The number of pink candi
     + | es can be found by subtracting the total number of red, orange, and yellow candies from the total number of candies in the bag. We know there are 54 red candies, twic
     + | e that amount (108 orange candies), and half as many yellow candies as red candies (27 yellow candies). So, the total number of non-pink candies is 54 + 108 + 27 = 18
     + | 9. Subtracting this from the total number of candies (232) gives us 232 - 189 = 43 pink candies.",1.0,unavailable
000186 | 10,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\test_52cdf561.json,gsm8k:test:641,False,372000,262500,Predict | word_problem -> solution,"First, calcula
     + | te the monthly salary with the 5% raise: $20000 * 1.05 = $21000
000187 | Then, add the bonus worth half a month's salary: $21000 + ($20000 / 2) = $21000 + $10000 = $31000
```

held_out_records.csv

120 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 0a2ef8cfa589ae01a759a3f91641f30bbce84062c7a34064bed2f93b96f756fb

```
000188 | Multiply the monthly salary by 12 to get the yearly salary: $31000 * 12 = $372000
000189 | {completed}",0.0,0.0
000190 | 10,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\test_52cdf561.json,gsm8k:test:286,True,90,90,Predict | question -> reasoning,"To solve this problem, we
     + | need to calculate the total amount of money Kelly has initially and then subtract the cost of the can of pop. Kelly has 5 quarters, which is 5 x 25 = 125 cents, and 2
     + |  dimes, which is 2 x 10 = 20 cents. So, the total amount of money Kelly has is 125 + 20 = 145 cents. The can of pop costs 55 cents. To find out how many cents Kelly w
     + | ill have left, we subtract 55 from 145, which gives us 145 - 55 = 90 cents.",1.0,unavailable
000191 | 10,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\test_52cdf561.json,gsm8k:test:256,True,45,45,Predict | question -> reasoning,"To find the total amount o
     + | f money in Brady's piggy bank, we need to calculate the value of each type of currency and add them together. We have 100 pennies, 40 nickels, 20 dimes, and 40 pieces
     + |  of dollar bills.
000192 |
000193 | The value of the pennies is 100 x $0.01 = $1.
000194 | The value of the nickels is 40 x $0.05 = $2.
000195 | The value of the dimes is 20 x $0.10 = $2.
000196 | The value of the dollar bills is 40 x $1 = $40.
000197 |
000198 | Now, let's add up the values: $1 + $2 + $2 + $40 = $45.
000199 |
000200 | Therefore, Brady has a total of $45 in his piggy bank.",1.0,unavailable
000201 | 10,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\test_52cdf561.json,gsm8k:test:689,False,36,7,Predict | question -> reasoning,"To find the total cost of
     + | 10 lollipops and 10 candies, we need to calculate the cost of each separately and then add them together. The cost of 10 lollipops at $0.40 each is 10 x $0.40 = $4.00
     + | . The cost of 10 candies at $3.20 each is 10 x $3.20 = $32.00. Adding these two amounts together gives us $4.00 + $32.00 = $36.00.",0.0,0.0
000202 | 10,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\test_52cdf561.json,gsm8k:test:156,False,2,1400,Predict | question -> hypothesis,The zookeeper needs to o
     + | rder a total of (200 + 400 + 100) * 1.5 = 600 * 1.5 = 900 bananas to last for 2 months.,0.0,0.0
000203 | 10,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\test_52cdf561.json,gsm8k:test:915,True,23,23,Predict | problem_description -> explanation,"To find the t
     + | otal hours Bruce works in the three days, we need to calculate the hours he works each day and then add them together.
000204 | On Tuesday, Bruce works 5 hours.
000205 | On Wednesday, he works twice the time he works on Tuesday, so he works 2 * 5 = 10 hours.
000206 | On Thursday, he works 2 hours less than the time he works on Wednesday, so he works 10 - 2 = 8 hours.
000207 | Now, we add the hours he works each day: 5 + 10 + 8 = 23 hours.
000208 | Therefore, Bruce works a total of 23 hours in the three days.",1.0,unavailable
000209 | 10,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\test_52cdf561.json,gsm8k:test:676,True,240,240,Predict | word_problem -> solution,"To find the amount Sk
     + | yler invested, we first need to find the amount Dylan invested, which is 2/5 of the total amount.
000210 | 2/5 of $1200 is (2/5) * 1200 = 480.
000211 | The remaining amount is $1200 - $480 = $720.
000212 | Frances invested 2/3 of this amount, which is (2/3) * 720 = 480.
000213 | So, the amount Skyler invested is $720 - $480 = $240.
000214 | [240]",1.0,unavailable
000215 | 10,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\test_52cdf561.json,gsm8k:test:501,True,273,273,Predict | question -> hypothesis,"To find the total yards
     + |  of yarn used, we need to add the yards used by Mariah and her grandma. Mariah used 1/4 of a skein, which is (1/4) * 364 = 91 yards. Her grandma used 1/2 of a skein,
     + | which is (1/2) * 364 = 182 yards. So, the total yards used is 91 + 182 = 273 yards.",1.0,unavailable
000216 | 10,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\test_52cdf561.json,gsm8k:test:1216,True,20,20,Predict | question -> reasoning,"To find the total number
     + | of people required to fill the remaining spaces on the bus, we need to calculate the number of people on the bus after each stop and then find the difference between
     + | the bus's capacity and the number of people on the bus.
000217 |
```

held_out_records.csv

120 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 0a2ef8cfa589ae01a759a3f91641f30bbce84062c7a34064bed2f93b96f756fb

```
000218 | 1. Initially, the bus had 20 people.
000219 | 2. At the first stop, 40 people entered the bus, making the total number of people 20 + 40 = 60.
000220 | 3. At the second station, 3/4 of the 40 people who entered at the first stop entered the bus. This is (3/4) * 40 = 30 people. Now, the total number of people on the b
     + | us is 60 + 30 = 90.
000221 | 4. At the third station, the number of passengers doubled, making the total number of people 90 * 2 = 180.
000222 |
000223 | Now, we need to find the number of people required to fill the remaining spaces on the bus. The bus has a capacity of 200 people, and there are 180 people on the bus.
     + |  So, the number of people required to fill the remaining spaces is 200 - 180 = 20.",1.0,unavailable
000224 | 10,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\test_52cdf561.json,gsm8k:test:1034,True,66,66,Predict | question -> reasoning,"Ted starts with $200. He
     + | buys 3 books for 16 dollars each, so the total cost of the books is 3 x 16 = 48 dollars. He also buys 3 pencils for 6 dollars each, so the total cost of the pencils i
     + | s 3 x 6 = 18 dollars. To find the total amount spent, we need to add the cost of the books and the cost of the pencils: 48 + 18 = 66 dollars.",1.0,unavailable
000225 | 10,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\test_52cdf561.json,gsm8k:test:325,True,224000,224000,Predict | word_problem -> solution,"To find the tot
     + | al amount of money the company pays to all the programmers per month, we need to calculate the number of senior programmers and their total monthly payment, and then
     + | add it to the total monthly payment of the junior programmers.
000226 |
000227 | First, let's find the number of junior programmers:
000228 | 2/5 of 100 employees = (2/5) * 100 = 40 junior programmers
000229 |
000230 | Since senior programmers are paid $400 more than junior programmers, the monthly payment for a senior programmer is:
000231 | $2000 + $400 = $2400
000232 |
000233 | Now, let's find the number of senior programmers:
000234 | Total employees = 100
000235 | Junior programmers = 40
000236 | Senior programmers = Total employees - Junior programmers = 100 - 40 = 60 senior programmers
000237 |
000238 | The total monthly payment for the senior programmers is:
000239 | 60 senior programmers * $2400 = $144,000
000240 |
000241 | The total monthly payment for the junior programmers is:
000242 | 40 junior programmers * $2000 = $80,000
000243 |
000244 | The total amount of money the company pays to all the programmers per month is:
000245 | $144,000 + $80,000 = $224,000",1.0,unavailable
000246 | 10,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\test_52cdf561.json,gsm8k:test:1265,True,36,36,Predict | question -> hypothesis,"To find the total number
     + |  of lemons needed, we first need to calculate the number of lemons required for 4 gallons of lemonade. Since 6 lemons yield 1 cup of juice, we can calculate the numbe
     + | r of cups needed for 4 gallons as 4 * 1 cup = 4 cups. Since 6 lemons yield 1 cup, we can calculate the number of lemons needed for 4 cups as 4 * 6 = 24 lemons. For th
     + | e extra gallon that is twice as tart, we need half the amount of lemons, which is 24 / 2 = 12 lemons. Therefore, the total number of lemons needed is 24 + 12 = 36 lem
     + | ons.",1.0,unavailable
000247 | 10,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\test_52cdf561.json,gsm8k:test:136,True,6,6,Predict | question -> reasoning,"To find the number of female
     + |  Scottish unicorns, we need to calculate two thirds of the total number of Scottish unicorns. Since one third of the unicorns are in the Scottish Highlands, we can fi
     + | rst find the total number of Scottish unicorns by dividing the total number of unicorns by 3.
000248 |
000249 | Total unicorns = 27
```

held_out_records.csv

120 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 0a2ef8cfa589ae01a759a3f91641f30bbce84062c7a34064bed2f93b96f756fb

```
000250 | Scottish unicorns = Total unicorns / 3 = 27 / 3 = 9
000251 |
000252 | Now, we can find the number of female Scottish unicorns by multiplying the number of Scottish unicorns by 2/3.
000253 |
000254 | Number of female Scottish unicorns = (2/3) * 9 = 6",1.0,unavailable
000255 | 10,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\test_52cdf561.json,gsm8k:test:697,False,unavailable,27,Predict | word_problem -> solution,[3^3^3],0.0,0.
     + | 0
000256 | 10,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\test_52cdf561.json,gsm8k:test:1043,True,130000,130000,Predict | problem_description -> explanation,"To f
     + | ind the total population of South America, we need to calculate the population of each city and then multiply it by the number of cities in each country. Since there
     + | are 5 cities with 1000 people living in each city, the population of each city is 5 * 1000 = 5000.
000257 |
000258 | Since there are 26 countries in South America, and each country has 5 cities with a population of 5000, we can multiply the population of one city by the number of co
     + | untries to get the total population: 5000 * 26 = 130000.
000259 |
000260 | Therefore, the total population of South America is 130000.",1.0,unavailable
000261 | 10,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\test_52cdf561.json,gsm8k:test:1311,True,594,594,Predict | problem_description -> explanation,"The careta
     + | ker needs 3 feet of line for every foot of dock. Since there are 200 feet of dock, he needs 3 x 200 = 600 feet of line. However, he already has 6 feet of line. To fin
     + | d the total amount of line he needs to buy, we subtract the amount he already has from the total amount needed: 600 - 6 = 594 feet.",1.0,unavailable
000262 | 10,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\test_52cdf561.json,gsm8k:test:519,False,120,280,Predict | question -> answer,[120],0.0,0.0
000263 | 10,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\test_52cdf561.json,gsm8k:test:716,True,770,770,Predict | question -> answer,"To find the total calories
     + | of the omelet, we need to calculate the calories from the eggs, cheese, and ham.
000264 | The eggs contribute 6 * 75 = 450 calories.
000265 | The cheese contributes 2 * 120 = 240 calories.
000266 | The ham contributes 2 * 40 = 80 calories.
000267 | Adding these together, we get 450 + 240 + 80 = 770 calories.
000268 | Therefore, the omelet has 770 calories.",1.0,unavailable
000269 | 10,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\test_52cdf561.json,gsm8k:test:51,True,5,5,Predict | question -> reasoning,"To find the time it takes Tom
     + |  to get back, we need to calculate the distance he traveled from 1 to 4 PM and then divide it by his speed of 6 mph.
000270 |
000271 | Since Tom is sailing from 1 to 4 PM, the distance he traveled is 3 hours multiplied by his speed of 10 mph, which is 3 x 10 = 30 miles.
000272 |
000273 | Now, we can divide the distance by his speed of 6 mph to find the time it takes him to get back: 30 miles / 6 mph = 5 hours.",1.0,unavailable
000274 | 10,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\test_52cdf561.json,gsm8k:test:878,True,5,5,CoT | query -> response,[5],1.0,unavailable
000275 | 10,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\test_52cdf561.json,gsm8k:test:757,True,75,75,Predict | question -> answer,"To find the total number of s
     + | hirts, we need to calculate the number of shirts for each size and add them together.
000276 |
000277 | Let's start with the size extra-small: 11 students.
000278 | Size small: 2 * 11 = 22 students.
000279 | Size medium: 22 - 4 = 18 students.
000280 | Size large: 18 / 2 = 9 students.
000281 | Size extra-large: 9 + 6 = 15 students.
000282 |
000283 | Now, let's add them together: 11 + 22 + 18 + 9 + 15 = 75.
000284 |
```

held_out_records.csv

120 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 0a2ef8cfa589ae01a759a3f91641f30bbce84062c7a34064bed2f93b96f756fb

```
000285 | So, Krissa ordered 75 shirts.",1.0,unavailable
000286 | 10,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\test_52cdf561.json,gsm8k:test:1123,True,105,105,Predict | question -> reasoning,"To find the total weigh
     + | t of Elijah's and Kory's dogs, we need to calculate the weight of each dog separately and then add them together. We know that Kory's dog weighs 60 pounds. Elijah's f
     + | irst dog is one-fourth the weight of Kory's dog, so it weighs 60 / 4 = 15 pounds. Elijah's second dog is half the weight of Kory's dog, so it weighs 60 / 2 = 30 pound
     + | s. Now, we add the weights of both dogs together: 15 + 30 + 60 = 105 pounds.",1.0,unavailable
000287 | 10,results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\test_52cdf561.json,gsm8k:test:63,False,266,1596,Predict | question -> hypothesis,"Aleena paid $140 for t
     + | he first half of the year. For the second half, she paid 10% less, which is $140 - (10% of $140) = $140 - $14 = $126. So, the total amount she paid is $140 + $126 = $
     + | 266.",0.0,0.0
000288 | 15,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\test_d91652f1.json,gsm8k:test:416,False,28,56,Predict | query -> generated_text,"To find the number of d
     + | romedaries, let's first find the number of camels. We know that camels have two humps each and there are 304 bumps in total. So, the number of camels can be calculate
     + | d as 304 / 2 = 152. Now, we know that the total number of heads is 180 and the number of camels is 152. Therefore, the number of dromedaries can be calculated as 180
     + | - 152 = 28.",0.0,0.0
000289 | 15,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\test_d91652f1.json,gsm8k:test:573,True,600,600,CoT | text -> summary,The amount of money remaining in Ka
     + | tina's savings account after 2 years is $600.,1.0,unavailable
000290 | 15,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\test_d91652f1.json,gsm8k:test:459,True,2,2,CoT | prompt -> generated_text,[2],1.0,unavailable
000291 | 15,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\test_d91652f1.json,gsm8k:test:925,False,0,2000,CoT | problem -> solution,[0],0.0,0.0
000292 | 15,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\test_d91652f1.json,gsm8k:test:55,True,14,14,CoT | query -> generated_text,Jean can fill 28 / 2 = 14 bags
     + |  with the remaining lollipops.,1.0,unavailable
000293 | 15,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\test_d91652f1.json,gsm8k:test:551,True,17,17,CoT | query -> generated_text,Carly gets $17 back as change
     + | .,1.0,unavailable
000294 | 15,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\test_d91652f1.json,gsm8k:test:1271,True,43,43,CoT | word_problem -> solution,"To find the number of pink
     + |  candies, we need to subtract the total number of red, orange, and yellow candies from the total number of candies in the bag. The total number of red, orange, and ye
     + | llow candies is 54 + 108 + 27 = 189. Therefore, the number of pink candies is 232 - 189 = 43.",1.0,unavailable
000295 | 15,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\test_d91652f1.json,gsm8k:test:641,False,378000,262500,CoT | word_problem -> solution,[378000],0.0,0.0
000296 | 15,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\test_d91652f1.json,gsm8k:test:286,True,90,90,CoT | prompt -> response,[90],1.0,unavailable
000297 | 15,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\test_d91652f1.json,gsm8k:test:256,False,42,45,CoT | text -> summary,"The total value of the coins is (10
     + | 0 + 200 + 200) cents, which is equivalent to $2. The total value of the dollar bills is $40. Therefore, the total amount of money Brady has in his piggy bank is $40 +
     + |  $2 = $42.",0.0,0.0
000298 | 15,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\test_d91652f1.json,gsm8k:test:689,False,14.8,7,CoT | text -> summary,The total cost of 10 lollipops and
     + | 10 candies is $14.80.,0.0,0.0
000299 | 15,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\test_d91652f1.json,gsm8k:test:156,False,800,1400,CoT | query -> response,[800],0.0,0.0
000300 | 15,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\test_d91652f1.json,gsm8k:test:915,True,23,23,CoT | query -> response,The total hours Bruce works in the
     + | three days is 5 + 10 + 8 = 23 hours.,1.0,unavailable
000301 | 15,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\test_d91652f1.json,gsm8k:test:676,True,240,240,CoT | prompt -> generated_text,[240],1.0,unavailable
000302 | 15,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\test_d91652f1.json,gsm8k:test:501,True,273,273,CoT | question -> hypothesis,"Mariah used 1/4 of a skein,
     + |  which is (1/4) * 364 = 91 yards. Her grandma used 2/4 of a skein, which is (2/4) * 364 = 182 yards. The total yards used is 91 + 182 = 273 yards.",1.0,unavailable
000303 | 15,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\test_d91652f1.json,gsm8k:test:1216,True,20,20,Predict | prompt -> generated_text,"To find the total numb
     + | er of people required to fill the remaining spaces on the bus, we need to calculate the number of people who entered the bus at the first and second stations.
000304 |
000305 | At the first station, 40 people entered the bus. At the second station, 3/4 of the total number of people who entered the bus at the first station entered the bus. So
     + | , 3/4 * 40 = 30 people entered the bus at the second station.
000306 |
000307 | The total number of people who entered the bus at the first and second stations is 40 + 30 = 70.
000308 |
```

held_out_records.csv

120 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 0a2ef8cfa589ae01a759a3f91641f30bbce84062c7a34064bed2f93b96f756fb

```
000309 | Initially, the bus had 20 people. After the first and second stations, the total number of people on the bus is 20 + 70 = 90.
000310 |
000311 | Since the number of passengers on the bus doubled at the third station, the number of people on the bus became 90 * 2 = 180.
000312 |
000313 | The bus has a capacity of 200 people. So, the remaining spaces on the bus are 200 - 180 = 20.
000314 |
000315 | Therefore, the total number of people required to fill the remaining spaces on the bus is 20.",1.0,unavailable
000316 | 15,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\test_d91652f1.json,gsm8k:test:1034,True,66,66,CoT | query -> generated_text,[66],1.0,unavailable
000317 | 15,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\test_d91652f1.json,gsm8k:test:325,False,184000,224000,Predict | text -> response,"To find the total amou
     + | nt of money the company pays to all the programmers per month, we first need to find the number of senior programmers. Since the number of Junior programmers is 2/5 o
     + | f the total number of employees, and there are 100 employees, we can calculate the number of Junior programmers as follows: 2/5 * 100 = 40.
000318 |
000319 | Since senior programmers are paid $400 more than junior programmers, and junior programmers are paid $2000 per month, we can calculate the monthly salary of a senior
     + | programmer as $2000 + $400 = $2400.
000320 |
000321 | Now, we can find the total amount of money the company pays to all the programmers per month by adding the total monthly salary of the junior programmers and the seni
     + | or programmers. The total monthly salary of the junior programmers is 40 * $2000 = $80000. The total monthly salary of the senior programmers is 60 * $2400 = $144000.
     + |
000322 |
000323 | Therefore, the total amount of money the company pays to all the programmers per month is $80000 + $144000 = $184000.",0.0,0.0
000324 | 15,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\test_d91652f1.json,gsm8k:test:1265,False,27,36,CoT | prompt -> response,[27],0.0,0.0
000325 | 15,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\test_d91652f1.json,gsm8k:test:136,True,6,6,Predict | word_problem -> solution,"To find the number of fem
     + | ale Scottish unicorns, we need to calculate two thirds of the total number of Scottish unicorns. One third of the total unicorns is 27 / 3 = 9. Two thirds of 9 is 9 *
     + |  2 / 3 = 6. Therefore, there are 6 female Scottish unicorns.",1.0,unavailable
000326 | 15,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\test_d91652f1.json,gsm8k:test:697,True,27,27,CoT | word_problem -> solution,[27],1.0,unavailable
000327 | 15,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\test_d91652f1.json,gsm8k:test:1043,True,130000,130000,CoT | problem_description -> explanation,"Since th
     + | ere are 26 countries in South America and each country has 5 cities with a population of 1000 people, we can calculate the total population as follows:
000328 | Total population = Number of countries * Number of cities per country * Population per city
000329 | Total population = 26 * 5 * 1000
000330 | Total population = 130000
000331 |
000332 | Therefore, the total population of South America is 130000 people.",1.0,unavailable
000333 | 15,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\test_d91652f1.json,gsm8k:test:1311,False,6,594,CoT | problem_description -> explanation,"This calculatio
     + | n is based on the ratio of line to dock length, which is 3:1. The caretaker needs 3 times the length of the dock in line, so for 200 feet of dock, he needs 600 feet o
     + | f line. Since he already has 6 feet of line, we subtract this from the total amount needed to find the amount he needs to buy.",0.0,0.0
000334 | 15,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\test_d91652f1.json,gsm8k:test:519,True,280,280,CoT | prompt -> generated_text,[280],1.0,unavailable
000335 | 15,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\test_d91652f1.json,gsm8k:test:716,True,770,770,CoT | question -> answer,[770],1.0,unavailable
000336 | 15,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\test_d91652f1.json,gsm8k:test:51,True,5,5,CoT | context -> briefing,"Since Tom traveled from 1 to 4 PM a
     + | t a speed of 10 mph, the distance he covered is 3 hours * 10 mph = 30 miles.  To find the time it takes him to get back, we divide the distance by his return speed of
     + |  6 mph: 30 miles / 6 mph = 5 hours.",1.0,unavailable
000337 | 15,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\test_d91652f1.json,gsm8k:test:878,True,5,5,CoT | prompt -> generated_text,"To find the difference, we ne
     + | ed to first find out how many glasses Micah sold. Since the boys sold an equal number of glasses, Micah also sold 18 / 2 = 9 glasses. Now, we can subtract the number
     + | of glasses Micah sold from the number of glasses Julie sold: 14 - 9 = 5.",1.0,unavailable
000338 | 15,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\test_d91652f1.json,gsm8k:test:757,True,75,75,Predict | text -> response,"To find the total number of shi
```

held_out_records.csv

120 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 0a2ef8cfa589ae01a759a3f91641f30bbce84062c7a34064bed2f93b96f756fb

```
     + | rts, we need to calculate the number of shirts for each size and add them together.
000339 | The number of extra-small shirts is 11.
000340 | The number of small shirts is twice the number of extra-small shirts, so it's 2 x 11 = 22.
000341 | The number of medium shirts is four less than the number of small shirts, so it's 22 - 4 = 18.
000342 | The number of large shirts is half the number of medium shirts, so it's 18 / 2 = 9.
000343 | The number of extra-large shirts is six more than the number of large shirts, so it's 9 + 6 = 15.
000344 | Now, we add the number of shirts for each size together: 11 + 22 + 18 + 9 + 15 = 75.
000345 | So, Krissa ordered 75 shirts in total.",1.0,unavailable
000346 | 15,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\test_d91652f1.json,gsm8k:test:1123,True,105,105,CoT | text -> summary,The total weight of Elijah and Kor
     + | y's dogs is 45 + 60 = 105 pounds.,1.0,unavailable
000347 | 15,results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\test_d91652f1.json,gsm8k:test:63,True,1596,1596,CoT | prompt -> response,The total amount Aleena paid fo
     + | r the streaming service by the end of the year is $840 + $756 = $1596.,1.0,unavailable
```

observed_candidate_prefixes.csv

1020 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 345a35649b7976cc20ff7cf1217974745d1ebba5eddb6e37edb0ca7c68c0cb3e

```
000001 | k,episode,prefix_candidates,different_rewards,mixed_numeric_em,unique_pipelines,normalized_diversity,mean_reward,reward_variance,scope
000002 | 5,1,2,True,False,2,1.0,0.25,0.0625,observed ordered prefix at the saved policy; no counterfactual training
000003 | 5,1,3,True,True,3,1.0,0.5,0.16666666666666666,observed ordered prefix at the saved policy; no counterfactual training
000004 | 5,1,4,True,True,4,1.0,0.375,0.171875,observed ordered prefix at the saved policy; no counterfactual training
000005 | 5,1,5,True,True,5,1.0,0.3,0.15999999999999998,observed ordered prefix at the saved policy; no counterfactual training
000006 | 5,2,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000007 | 5,2,3,False,False,2,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000008 | 5,2,4,False,False,3,0.75,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000009 | 5,2,5,False,False,4,0.8,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000010 | 5,3,2,False,False,1,0.5,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000011 | 5,3,3,True,True,2,0.6666666666666666,0.3333333333333333,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000012 | 5,3,4,True,True,3,0.75,0.25,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000013 | 5,3,5,True,True,4,0.8,0.2,0.16000000000000006,observed ordered prefix at the saved policy; no counterfactual training
000014 | 5,4,2,True,True,2,1.0,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000015 | 5,4,3,True,True,2,0.6666666666666666,0.6666666666666666,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000016 | 5,4,4,True,True,3,0.75,0.75,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000017 | 5,4,5,True,True,4,0.8,0.8,0.16000000000000006,observed ordered prefix at the saved policy; no counterfactual training
000018 | 5,5,2,True,True,2,1.0,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000019 | 5,5,3,True,True,2,0.6666666666666666,0.6666666666666666,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000020 | 5,5,4,True,True,3,0.75,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000021 | 5,5,5,True,True,4,0.8,0.6,0.24000000000000005,observed ordered prefix at the saved policy; no counterfactual training
000022 | 5,6,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000023 | 5,6,3,False,False,2,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000024 | 5,6,4,False,False,3,0.75,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000025 | 5,6,5,False,False,3,0.6,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000026 | 5,7,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000027 | 5,7,3,False,False,3,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000028 | 5,7,4,False,False,3,0.75,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000029 | 5,7,5,False,False,4,0.8,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000030 | 5,8,2,True,True,2,1.0,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000031 | 5,8,3,True,True,3,1.0,0.6666666666666666,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000032 | 5,8,4,True,True,4,1.0,0.625,0.171875,observed ordered prefix at the saved policy; no counterfactual training
000033 | 5,8,5,True,True,5,1.0,0.7,0.16,observed ordered prefix at the saved policy; no counterfactual training
000034 | 5,9,2,False,False,2,1.0,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000035 | 5,9,3,False,False,2,0.6666666666666666,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000036 | 5,9,4,True,True,3,0.75,0.25,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000037 | 5,9,5,True,True,3,0.6,0.2,0.16000000000000003,observed ordered prefix at the saved policy; no counterfactual training
000038 | 5,10,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000039 | 5,10,3,False,False,3,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000040 | 5,10,4,False,False,4,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000041 | 5,10,5,False,False,4,0.8,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000042 | 5,11,2,True,True,2,1.0,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000043 | 5,11,3,True,True,3,1.0,0.3333333333333333,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000044 | 5,11,4,True,True,4,1.0,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
```

observed_candidate_prefixes.csv

1020 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 345a35649b7976cc20ff7cf1217974745d1ebba5eddb6e37edb0ca7c68c0cb3e

```
000045 | 5,11,5,True,True,5,1.0,0.6,0.24000000000000005,observed ordered prefix at the saved policy; no counterfactual training
000046 | 5,12,2,False,False,1,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000047 | 5,12,3,False,False,2,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000048 | 5,12,4,False,False,3,0.75,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000049 | 5,12,5,False,False,3,0.6,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000050 | 5,13,2,False,False,1,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000051 | 5,13,3,False,False,2,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000052 | 5,13,4,False,False,3,0.75,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000053 | 5,13,5,False,False,3,0.6,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000054 | 5,14,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000055 | 5,14,3,False,False,3,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000056 | 5,14,4,False,False,3,0.75,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000057 | 5,14,5,False,False,3,0.6,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000058 | 5,15,2,False,False,1,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000059 | 5,15,3,False,False,1,0.3333333333333333,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000060 | 5,15,4,False,False,1,0.25,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000061 | 5,15,5,False,False,1,0.2,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000062 | 5,16,2,True,True,2,1.0,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000063 | 5,16,3,True,True,3,1.0,0.3333333333333333,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000064 | 5,16,4,True,True,3,0.75,0.25,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000065 | 5,16,5,True,True,3,0.6,0.2,0.16000000000000006,observed ordered prefix at the saved policy; no counterfactual training
000066 | 5,17,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000067 | 5,17,3,False,False,2,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000068 | 5,17,4,False,False,2,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000069 | 5,17,5,False,False,3,0.6,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000070 | 5,18,2,False,False,1,0.5,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000071 | 5,18,3,False,False,1,0.3333333333333333,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000072 | 5,18,4,False,False,2,0.5,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000073 | 5,18,5,False,False,2,0.4,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000074 | 5,19,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000075 | 5,19,3,True,True,3,1.0,0.6666666666666666,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000076 | 5,19,4,True,True,3,0.75,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000077 | 5,19,5,True,True,3,0.6,0.4,0.24000000000000005,observed ordered prefix at the saved policy; no counterfactual training
000078 | 5,20,2,False,True,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000079 | 5,20,3,False,True,2,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000080 | 5,20,4,False,True,2,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000081 | 5,20,5,False,True,2,0.4,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000082 | 5,21,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000083 | 5,21,3,True,True,3,1.0,0.6666666666666666,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000084 | 5,21,4,True,True,4,1.0,0.75,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000085 | 5,21,5,True,True,5,1.0,0.6,0.24000000000000005,observed ordered prefix at the saved policy; no counterfactual training
000086 | 5,22,2,False,False,2,1.0,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000087 | 5,22,3,False,False,3,1.0,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000088 | 5,22,4,False,False,4,1.0,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
```

observed_candidate_prefixes.csv

1020 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 345a35649b7976cc20ff7cf1217974745d1ebba5eddb6e37edb0ca7c68c0cb3e

```
000089 | 5,22,5,False,False,4,0.8,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000090 | 5,23,2,True,True,2,1.0,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000091 | 5,23,3,True,True,3,1.0,0.6666666666666666,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000092 | 5,23,4,True,True,4,1.0,0.75,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000093 | 5,23,5,True,True,5,1.0,0.8,0.16000000000000006,observed ordered prefix at the saved policy; no counterfactual training
000094 | 5,24,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000095 | 5,24,3,False,False,3,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000096 | 5,24,4,False,False,4,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000097 | 5,24,5,False,False,4,0.8,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000098 | 5,25,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000099 | 5,25,3,False,False,3,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000100 | 5,25,4,False,False,4,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000101 | 5,25,5,False,False,5,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000102 | 5,26,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000103 | 5,26,3,False,False,2,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000104 | 5,26,4,False,False,3,0.75,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000105 | 5,26,5,False,False,4,0.8,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000106 | 5,27,2,False,False,2,1.0,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000107 | 5,27,3,True,True,3,1.0,0.3333333333333333,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000108 | 5,27,4,True,True,3,0.75,0.25,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000109 | 5,27,5,True,True,4,0.8,0.2,0.16000000000000006,observed ordered prefix at the saved policy; no counterfactual training
000110 | 5,28,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000111 | 5,28,3,False,False,3,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000112 | 5,28,4,False,False,4,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000113 | 5,28,5,False,False,5,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000114 | 5,29,2,False,False,1,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000115 | 5,29,3,True,True,2,0.6666666666666666,0.6666666666666666,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000116 | 5,29,4,True,True,2,0.5,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000117 | 5,29,5,True,True,2,0.4,0.6,0.24000000000000005,observed ordered prefix at the saved policy; no counterfactual training
000118 | 5,30,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000119 | 5,30,3,True,True,3,1.0,0.6666666666666666,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000120 | 5,30,4,True,True,3,0.75,0.75,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000121 | 5,30,5,True,True,4,0.8,0.8,0.16,observed ordered prefix at the saved policy; no counterfactual training
000122 | 8,1,2,True,False,2,1.0,0.25,0.0625,observed ordered prefix at the saved policy; no counterfactual training
000123 | 8,1,3,True,True,3,1.0,0.5,0.16666666666666666,observed ordered prefix at the saved policy; no counterfactual training
000124 | 8,1,4,True,True,4,1.0,0.375,0.171875,observed ordered prefix at the saved policy; no counterfactual training
000125 | 8,1,5,True,True,5,1.0,0.3,0.15999999999999998,observed ordered prefix at the saved policy; no counterfactual training
000126 | 8,1,6,True,True,5,0.8333333333333334,0.3333333333333333,0.13888888888888892,observed ordered prefix at the saved policy; no counterfactual training
000127 | 8,1,7,True,True,6,0.8571428571428571,0.2857142857142857,0.13265306122448978,observed ordered prefix at the saved policy; no counterfactual training
000128 | 8,1,8,True,True,7,0.875,0.375,0.171875,observed ordered prefix at the saved policy; no counterfactual training
000129 | 8,2,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000130 | 8,2,3,False,False,3,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000131 | 8,2,4,False,False,4,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000132 | 8,2,5,False,False,4,0.8,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
```

observed_candidate_prefixes.csv

1020 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 345a35649b7976cc20ff7cf1217974745d1ebba5eddb6e37edb0ca7c68c0cb3e

```
000133 | 8,2,6,False,False,5,0.8333333333333334,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000134 | 8,2,7,False,False,6,0.8571428571428571,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000135 | 8,2,8,False,False,6,0.75,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000136 | 8,3,2,False,False,1,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000137 | 8,3,3,True,True,2,0.6666666666666666,0.6666666666666666,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000138 | 8,3,4,True,True,3,0.75,0.75,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000139 | 8,3,5,True,True,4,0.8,0.6,0.24000000000000005,observed ordered prefix at the saved policy; no counterfactual training
000140 | 8,3,6,True,True,5,0.8333333333333334,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000141 | 8,3,7,True,True,5,0.7142857142857143,0.42857142857142855,0.24489795918367346,observed ordered prefix at the saved policy; no counterfactual training
000142 | 8,3,8,True,True,6,0.75,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000143 | 8,4,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000144 | 8,4,3,False,False,3,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000145 | 8,4,4,False,False,4,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000146 | 8,4,5,False,False,5,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000147 | 8,4,6,False,False,5,0.8333333333333334,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000148 | 8,4,7,True,True,6,0.8571428571428571,0.8571428571428571,0.12244897959183673,observed ordered prefix at the saved policy; no counterfactual training
000149 | 8,4,8,True,True,7,0.875,0.875,0.109375,observed ordered prefix at the saved policy; no counterfactual training
000150 | 8,5,2,True,True,2,1.0,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000151 | 8,5,3,True,True,3,1.0,0.6666666666666666,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000152 | 8,5,4,True,True,4,1.0,0.625,0.171875,observed ordered prefix at the saved policy; no counterfactual training
000153 | 8,5,5,True,True,5,1.0,0.7,0.16,observed ordered prefix at the saved policy; no counterfactual training
000154 | 8,5,6,True,True,6,1.0,0.5833333333333334,0.20138888888888887,observed ordered prefix at the saved policy; no counterfactual training
000155 | 8,5,7,True,True,7,1.0,0.6428571428571429,0.19387755102040818,observed ordered prefix at the saved policy; no counterfactual training
000156 | 8,5,8,True,True,7,0.875,0.6875,0.18359375,observed ordered prefix at the saved policy; no counterfactual training
000157 | 8,6,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000158 | 8,6,3,True,True,3,1.0,0.6666666666666666,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000159 | 8,6,4,True,True,4,1.0,0.75,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000160 | 8,6,5,True,True,5,1.0,0.8,0.16,observed ordered prefix at the saved policy; no counterfactual training
000161 | 8,6,6,True,True,6,1.0,0.8333333333333334,0.13888888888888892,observed ordered prefix at the saved policy; no counterfactual training
000162 | 8,6,7,True,True,7,1.0,0.8571428571428571,0.12244897959183675,observed ordered prefix at the saved policy; no counterfactual training
000163 | 8,6,8,True,True,8,1.0,0.875,0.109375,observed ordered prefix at the saved policy; no counterfactual training
000164 | 8,7,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000165 | 8,7,3,False,False,3,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000166 | 8,7,4,False,False,4,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000167 | 8,7,5,False,False,5,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000168 | 8,7,6,False,False,5,0.8333333333333334,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000169 | 8,7,7,False,False,5,0.7142857142857143,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000170 | 8,7,8,False,False,5,0.625,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000171 | 8,8,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000172 | 8,8,3,False,False,3,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000173 | 8,8,4,False,False,3,0.75,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000174 | 8,8,5,False,False,4,0.8,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000175 | 8,8,6,False,False,4,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000176 | 8,8,7,False,False,5,0.7142857142857143,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
```

observed_candidate_prefixes.csv

1020 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 345a35649b7976cc20ff7cf1217974745d1ebba5eddb6e37edb0ca7c68c0cb3e

```
000177 | 8,8,8,True,True,6,0.75,0.9375,0.02734375,observed ordered prefix at the saved policy; no counterfactual training
000178 | 8,9,2,True,True,2,1.0,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000179 | 8,9,3,True,True,3,1.0,0.3333333333333333,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000180 | 8,9,4,True,True,4,1.0,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000181 | 8,9,5,True,True,4,0.8,0.6,0.24000000000000005,observed ordered prefix at the saved policy; no counterfactual training
000182 | 8,9,6,True,True,5,0.8333333333333334,0.6666666666666666,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000183 | 8,9,7,True,True,6,0.8571428571428571,0.5714285714285714,0.24489795918367346,observed ordered prefix at the saved policy; no counterfactual training
000184 | 8,9,8,True,True,6,0.75,0.625,0.234375,observed ordered prefix at the saved policy; no counterfactual training
000185 | 8,10,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000186 | 8,10,3,False,False,3,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000187 | 8,10,4,False,False,4,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000188 | 8,10,5,False,False,5,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000189 | 8,10,6,False,False,5,0.8333333333333334,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000190 | 8,10,7,False,False,5,0.7142857142857143,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000191 | 8,10,8,False,False,5,0.625,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000192 | 8,11,2,False,False,1,0.5,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000193 | 8,11,3,False,False,2,0.6666666666666666,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000194 | 8,11,4,True,True,3,0.75,0.25,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000195 | 8,11,5,True,True,4,0.8,0.2,0.16000000000000003,observed ordered prefix at the saved policy; no counterfactual training
000196 | 8,11,6,True,True,5,0.8333333333333334,0.3333333333333333,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000197 | 8,11,7,True,True,5,0.7142857142857143,0.42857142857142855,0.24489795918367344,observed ordered prefix at the saved policy; no counterfactual training
000198 | 8,11,8,True,True,5,0.625,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000199 | 8,12,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000200 | 8,12,3,False,False,3,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000201 | 8,12,4,True,True,4,1.0,0.75,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000202 | 8,12,5,True,True,5,1.0,0.8,0.16,observed ordered prefix at the saved policy; no counterfactual training
000203 | 8,12,6,True,True,6,1.0,0.8333333333333334,0.1388888888888889,observed ordered prefix at the saved policy; no counterfactual training
000204 | 8,12,7,True,True,7,1.0,0.8571428571428571,0.12244897959183675,observed ordered prefix at the saved policy; no counterfactual training
000205 | 8,12,8,True,True,7,0.875,0.875,0.109375,observed ordered prefix at the saved policy; no counterfactual training
000206 | 8,13,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000207 | 8,13,3,False,False,2,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000208 | 8,13,4,False,False,3,0.75,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000209 | 8,13,5,False,False,3,0.6,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000210 | 8,13,6,False,False,4,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000211 | 8,13,7,False,False,5,0.7142857142857143,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000212 | 8,13,8,False,False,6,0.75,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000213 | 8,14,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000214 | 8,14,3,False,False,2,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000215 | 8,14,4,False,False,3,0.75,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000216 | 8,14,5,False,False,4,0.8,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000217 | 8,14,6,False,False,5,0.8333333333333334,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000218 | 8,14,7,False,False,5,0.7142857142857143,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000219 | 8,14,8,True,True,5,0.625,0.875,0.109375,observed ordered prefix at the saved policy; no counterfactual training
000220 | 8,15,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
```

observed_candidate_prefixes.csv

1020 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 345a35649b7976cc20ff7cf1217974745d1ebba5eddb6e37edb0ca7c68c0cb3e

```
000221 | 8,15,3,False,False,2,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000222 | 8,15,4,False,False,2,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000223 | 8,15,5,False,False,3,0.6,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000224 | 8,15,6,False,False,4,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000225 | 8,15,7,False,False,4,0.5714285714285714,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000226 | 8,15,8,False,False,4,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000227 | 8,16,2,False,False,2,1.0,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000228 | 8,16,3,True,True,3,1.0,0.3333333333333333,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000229 | 8,16,4,True,True,4,1.0,0.25,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000230 | 8,16,5,True,True,5,1.0,0.4,0.24000000000000005,observed ordered prefix at the saved policy; no counterfactual training
000231 | 8,16,6,True,True,5,0.8333333333333334,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000232 | 8,16,7,True,True,5,0.7142857142857143,0.5714285714285714,0.24489795918367346,observed ordered prefix at the saved policy; no counterfactual training
000233 | 8,16,8,True,True,5,0.625,0.625,0.234375,observed ordered prefix at the saved policy; no counterfactual training
000234 | 8,17,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000235 | 8,17,3,False,False,3,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000236 | 8,17,4,False,False,3,0.75,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000237 | 8,17,5,False,False,3,0.6,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000238 | 8,17,6,False,False,3,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000239 | 8,17,7,False,False,3,0.42857142857142855,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000240 | 8,17,8,False,False,3,0.375,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000241 | 8,18,2,True,True,2,1.0,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000242 | 8,18,3,True,True,3,1.0,0.6666666666666666,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000243 | 8,18,4,True,True,4,1.0,0.625,0.171875,observed ordered prefix at the saved policy; no counterfactual training
000244 | 8,18,5,True,True,4,0.8,0.5,0.2,observed ordered prefix at the saved policy; no counterfactual training
000245 | 8,18,6,True,True,5,0.8333333333333334,0.5833333333333334,0.20138888888888892,observed ordered prefix at the saved policy; no counterfactual training
000246 | 8,18,7,True,True,5,0.7142857142857143,0.6428571428571429,0.19387755102040818,observed ordered prefix at the saved policy; no counterfactual training
000247 | 8,18,8,True,True,5,0.625,0.6875,0.18359375,observed ordered prefix at the saved policy; no counterfactual training
000248 | 8,19,2,False,False,1,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000249 | 8,19,3,True,True,2,0.6666666666666666,0.6666666666666666,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000250 | 8,19,4,True,True,3,0.75,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000251 | 8,19,5,True,True,3,0.6,0.4,0.24000000000000005,observed ordered prefix at the saved policy; no counterfactual training
000252 | 8,19,6,True,True,3,0.5,0.3333333333333333,0.2222222222222223,observed ordered prefix at the saved policy; no counterfactual training
000253 | 8,19,7,True,True,3,0.42857142857142855,0.42857142857142855,0.24489795918367344,observed ordered prefix at the saved policy; no counterfactual training
000254 | 8,19,8,True,True,3,0.375,0.375,0.234375,observed ordered prefix at the saved policy; no counterfactual training
000255 | 8,20,2,False,False,1,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000256 | 8,20,3,False,False,2,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000257 | 8,20,4,False,False,2,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000258 | 8,20,5,False,False,3,0.6,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000259 | 8,20,6,False,False,4,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000260 | 8,20,7,False,False,4,0.5714285714285714,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000261 | 8,20,8,False,False,4,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000262 | 8,21,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000263 | 8,21,3,False,False,3,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000264 | 8,21,4,False,False,3,0.75,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
```

observed_candidate_prefixes.csv

1020 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 345a35649b7976cc20ff7cf1217974745d1ebba5eddb6e37edb0ca7c68c0cb3e

```
000265 | 8,21,5,False,False,3,0.6,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000266 | 8,21,6,False,False,3,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000267 | 8,21,7,False,False,4,0.5714285714285714,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000268 | 8,21,8,True,True,5,0.625,0.9375,0.02734375,observed ordered prefix at the saved policy; no counterfactual training
000269 | 8,22,2,False,False,2,1.0,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000270 | 8,22,3,False,False,3,1.0,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000271 | 8,22,4,False,False,3,0.75,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000272 | 8,22,5,False,False,3,0.6,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000273 | 8,22,6,False,False,3,0.5,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000274 | 8,22,7,False,False,4,0.5714285714285714,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000275 | 8,22,8,False,False,4,0.5,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000276 | 8,23,2,False,False,1,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000277 | 8,23,3,False,False,2,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000278 | 8,23,4,False,False,2,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000279 | 8,23,5,False,False,2,0.4,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000280 | 8,23,6,False,False,2,0.3333333333333333,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000281 | 8,23,7,False,False,2,0.2857142857142857,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000282 | 8,23,8,False,False,2,0.25,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000283 | 8,24,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000284 | 8,24,3,False,False,2,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000285 | 8,24,4,False,False,3,0.75,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000286 | 8,24,5,False,False,3,0.6,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000287 | 8,24,6,False,False,3,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000288 | 8,24,7,False,False,3,0.42857142857142855,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000289 | 8,24,8,False,False,3,0.375,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000290 | 8,25,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000291 | 8,25,3,False,False,2,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000292 | 8,25,4,False,False,3,0.75,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000293 | 8,25,5,False,False,4,0.8,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000294 | 8,25,6,False,False,4,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000295 | 8,25,7,False,False,4,0.5714285714285714,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000296 | 8,25,8,False,False,4,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000297 | 8,26,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000298 | 8,26,3,False,False,2,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000299 | 8,26,4,False,False,2,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000300 | 8,26,5,False,False,2,0.4,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000301 | 8,26,6,False,False,2,0.3333333333333333,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000302 | 8,26,7,False,False,2,0.2857142857142857,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000303 | 8,26,8,False,False,2,0.25,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000304 | 8,27,2,False,False,1,0.5,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000305 | 8,27,3,False,False,1,0.3333333333333333,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000306 | 8,27,4,False,False,2,0.5,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000307 | 8,27,5,True,True,3,0.6,0.2,0.16000000000000003,observed ordered prefix at the saved policy; no counterfactual training
000308 | 8,27,6,True,True,3,0.5,0.3333333333333333,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
```

observed_candidate_prefixes.csv

1020 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 345a35649b7976cc20ff7cf1217974745d1ebba5eddb6e37edb0ca7c68c0cb3e

```
000309 | 8,27,7,True,True,3,0.42857142857142855,0.42857142857142855,0.24489795918367344,observed ordered prefix at the saved policy; no counterfactual training
000310 | 8,27,8,True,True,3,0.375,0.375,0.234375,observed ordered prefix at the saved policy; no counterfactual training
000311 | 8,28,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000312 | 8,28,3,False,False,2,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000313 | 8,28,4,False,False,3,0.75,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000314 | 8,28,5,False,False,3,0.6,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000315 | 8,28,6,False,False,4,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000316 | 8,28,7,False,False,4,0.5714285714285714,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000317 | 8,28,8,False,False,4,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000318 | 8,29,2,False,False,2,1.0,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000319 | 8,29,3,False,False,2,0.6666666666666666,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000320 | 8,29,4,False,False,2,0.5,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000321 | 8,29,5,False,False,2,0.4,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000322 | 8,29,6,False,False,2,0.3333333333333333,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000323 | 8,29,7,False,False,2,0.2857142857142857,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000324 | 8,29,8,False,False,2,0.25,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000325 | 8,30,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000326 | 8,30,3,False,False,2,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000327 | 8,30,4,False,False,2,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000328 | 8,30,5,False,False,2,0.4,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000329 | 8,30,6,False,False,2,0.3333333333333333,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000330 | 8,30,7,False,False,3,0.42857142857142855,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000331 | 8,30,8,False,False,3,0.375,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000332 | 10,1,2,True,False,2,1.0,0.25,0.0625,observed ordered prefix at the saved policy; no counterfactual training
000333 | 10,1,3,True,True,3,1.0,0.5,0.16666666666666666,observed ordered prefix at the saved policy; no counterfactual training
000334 | 10,1,4,True,True,4,1.0,0.375,0.171875,observed ordered prefix at the saved policy; no counterfactual training
000335 | 10,1,5,True,True,5,1.0,0.3,0.15999999999999998,observed ordered prefix at the saved policy; no counterfactual training
000336 | 10,1,6,True,True,5,0.8333333333333334,0.3333333333333333,0.13888888888888892,observed ordered prefix at the saved policy; no counterfactual training
000337 | 10,1,7,True,True,6,0.8571428571428571,0.2857142857142857,0.13265306122448978,observed ordered prefix at the saved policy; no counterfactual training
000338 | 10,1,8,True,True,7,0.875,0.375,0.171875,observed ordered prefix at the saved policy; no counterfactual training
000339 | 10,1,9,True,True,8,0.8888888888888888,0.3333333333333333,0.16666666666666666,observed ordered prefix at the saved policy; no counterfactual training
000340 | 10,1,10,True,True,9,0.9,0.3,0.16,observed ordered prefix at the saved policy; no counterfactual training
000341 | 10,2,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000342 | 10,2,3,False,False,2,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000343 | 10,2,4,False,False,3,0.75,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000344 | 10,2,5,False,False,4,0.8,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000345 | 10,2,6,False,False,4,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000346 | 10,2,7,True,True,5,0.7142857142857143,0.8571428571428571,0.12244897959183673,observed ordered prefix at the saved policy; no counterfactual training
000347 | 10,2,8,True,True,5,0.625,0.75,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000348 | 10,2,9,True,True,6,0.6666666666666666,0.7777777777777778,0.1728395061728395,observed ordered prefix at the saved policy; no counterfactual training
000349 | 10,2,10,True,True,6,0.6,0.8,0.16000000000000003,observed ordered prefix at the saved policy; no counterfactual training
000350 | 10,3,2,False,False,2,1.0,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000351 | 10,3,3,False,False,2,0.6666666666666666,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000352 | 10,3,4,True,True,3,0.75,0.25,0.1875,observed ordered prefix at the saved policy; no counterfactual training
```

observed_candidate_prefixes.csv

1020 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 345a35649b7976cc20ff7cf1217974745d1ebba5eddb6e37edb0ca7c68c0cb3e

```
000353 | 10,3,5,True,True,4,0.8,0.4,0.24000000000000005,observed ordered prefix at the saved policy; no counterfactual training
000354 | 10,3,6,True,True,5,0.8333333333333334,0.3333333333333333,0.2222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000355 | 10,3,7,True,True,6,0.8571428571428571,0.42857142857142855,0.24489795918367344,observed ordered prefix at the saved policy; no counterfactual training
000356 | 10,3,8,True,True,6,0.75,0.375,0.234375,observed ordered prefix at the saved policy; no counterfactual training
000357 | 10,3,9,True,True,7,0.7777777777777778,0.4444444444444444,0.2469135802469136,observed ordered prefix at the saved policy; no counterfactual training
000358 | 10,3,10,True,True,8,0.8,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000359 | 10,4,2,True,True,2,1.0,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000360 | 10,4,3,True,True,3,1.0,0.6666666666666666,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000361 | 10,4,4,True,True,4,1.0,0.75,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000362 | 10,4,5,True,True,5,1.0,0.8,0.16000000000000006,observed ordered prefix at the saved policy; no counterfactual training
000363 | 10,4,6,True,True,6,1.0,0.8333333333333334,0.13888888888888892,observed ordered prefix at the saved policy; no counterfactual training
000364 | 10,4,7,True,True,7,1.0,0.7142857142857143,0.2040816326530612,observed ordered prefix at the saved policy; no counterfactual training
000365 | 10,4,8,True,True,8,1.0,0.75,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000366 | 10,4,9,True,True,9,1.0,0.7777777777777778,0.1728395061728395,observed ordered prefix at the saved policy; no counterfactual training
000367 | 10,4,10,True,True,10,1.0,0.8,0.16000000000000003,observed ordered prefix at the saved policy; no counterfactual training
000368 | 10,5,2,False,False,1,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000369 | 10,5,3,False,False,2,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000370 | 10,5,4,True,True,3,0.75,0.75,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000371 | 10,5,5,True,True,4,0.8,0.7,0.16,observed ordered prefix at the saved policy; no counterfactual training
000372 | 10,5,6,True,True,5,0.8333333333333334,0.75,0.14583333333333334,observed ordered prefix at the saved policy; no counterfactual training
000373 | 10,5,7,True,True,6,0.8571428571428571,0.7857142857142857,0.13265306122448978,observed ordered prefix at the saved policy; no counterfactual training
000374 | 10,5,8,True,True,7,0.875,0.8125,0.12109375,observed ordered prefix at the saved policy; no counterfactual training
000375 | 10,5,9,True,True,7,0.7777777777777778,0.7222222222222222,0.1728395061728395,observed ordered prefix at the saved policy; no counterfactual training
000376 | 10,5,10,True,True,7,0.7,0.75,0.1625,observed ordered prefix at the saved policy; no counterfactual training
000377 | 10,6,2,True,True,2,1.0,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000378 | 10,6,3,True,True,3,1.0,0.6666666666666666,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000379 | 10,6,4,True,True,3,0.75,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000380 | 10,6,5,True,True,4,0.8,0.6,0.24000000000000005,observed ordered prefix at the saved policy; no counterfactual training
000381 | 10,6,6,True,True,5,0.8333333333333334,0.6666666666666666,0.2222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000382 | 10,6,7,True,True,6,0.8571428571428571,0.7142857142857143,0.20408163265306126,observed ordered prefix at the saved policy; no counterfactual training
000383 | 10,6,8,True,True,6,0.75,0.75,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000384 | 10,6,9,True,True,6,0.6666666666666666,0.7777777777777778,0.1728395061728395,observed ordered prefix at the saved policy; no counterfactual training
000385 | 10,6,10,True,True,6,0.6,0.8,0.16000000000000003,observed ordered prefix at the saved policy; no counterfactual training
000386 | 10,7,2,False,False,1,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000387 | 10,7,3,False,False,2,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000388 | 10,7,4,False,False,3,0.75,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000389 | 10,7,5,False,False,3,0.6,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000390 | 10,7,6,False,False,3,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000391 | 10,7,7,False,False,4,0.5714285714285714,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000392 | 10,7,8,False,False,5,0.625,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000393 | 10,7,9,False,False,6,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000394 | 10,7,10,False,False,7,0.7,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000395 | 10,8,2,False,False,1,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000396 | 10,8,3,False,False,2,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
```

observed_candidate_prefixes.csv

1020 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 345a35649b7976cc20ff7cf1217974745d1ebba5eddb6e37edb0ca7c68c0cb3e

```
000397 | 10,8,4,False,False,2,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000398 | 10,8,5,False,False,3,0.6,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000399 | 10,8,6,False,False,3,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000400 | 10,8,7,True,True,4,0.5714285714285714,0.9285714285714286,0.030612244897959186,observed ordered prefix at the saved policy; no counterfactual training
000401 | 10,8,8,True,True,4,0.5,0.875,0.046875,observed ordered prefix at the saved policy; no counterfactual training
000402 | 10,8,9,True,True,5,0.5555555555555556,0.8888888888888888,0.043209876543209874,observed ordered prefix at the saved policy; no counterfactual training
000403 | 10,8,10,True,True,5,0.5,0.85,0.052500000000000005,observed ordered prefix at the saved policy; no counterfactual training
000404 | 10,9,2,True,True,2,1.0,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000405 | 10,9,3,True,True,3,1.0,0.3333333333333333,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000406 | 10,9,4,True,True,3,0.75,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000407 | 10,9,5,True,True,4,0.8,0.6,0.24000000000000005,observed ordered prefix at the saved policy; no counterfactual training
000408 | 10,9,6,True,True,5,0.8333333333333334,0.6666666666666666,0.2222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000409 | 10,9,7,True,True,5,0.7142857142857143,0.7142857142857143,0.20408163265306126,observed ordered prefix at the saved policy; no counterfactual training
000410 | 10,9,8,True,True,5,0.625,0.75,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000411 | 10,9,9,True,True,5,0.5555555555555556,0.6666666666666666,0.2222222222222222,observed ordered prefix at the saved policy; no counterfactual training
000412 | 10,9,10,True,True,5,0.5,0.6,0.24,observed ordered prefix at the saved policy; no counterfactual training
000413 | 10,10,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000414 | 10,10,3,False,False,3,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000415 | 10,10,4,False,False,3,0.75,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000416 | 10,10,5,False,False,3,0.6,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000417 | 10,10,6,False,False,4,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000418 | 10,10,7,False,False,4,0.5714285714285714,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000419 | 10,10,8,False,False,4,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000420 | 10,10,9,False,False,4,0.4444444444444444,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000421 | 10,10,10,False,False,4,0.4,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000422 | 10,11,2,False,False,2,1.0,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000423 | 10,11,3,True,True,3,1.0,0.3333333333333333,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000424 | 10,11,4,True,True,4,1.0,0.25,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000425 | 10,11,5,True,True,4,0.8,0.2,0.16000000000000006,observed ordered prefix at the saved policy; no counterfactual training
000426 | 10,11,6,True,True,4,0.6666666666666666,0.16666666666666666,0.13888888888888892,observed ordered prefix at the saved policy; no counterfactual training
000427 | 10,11,7,True,True,5,0.7142857142857143,0.2857142857142857,0.2040816326530612,observed ordered prefix at the saved policy; no counterfactual training
000428 | 10,11,8,True,True,5,0.625,0.25,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000429 | 10,11,9,True,True,5,0.5555555555555556,0.3333333333333333,0.2222222222222222,observed ordered prefix at the saved policy; no counterfactual training
000430 | 10,11,10,True,True,6,0.6,0.4,0.24,observed ordered prefix at the saved policy; no counterfactual training
000431 | 10,12,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000432 | 10,12,3,False,False,3,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000433 | 10,12,4,False,False,3,0.75,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000434 | 10,12,5,False,False,3,0.6,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000435 | 10,12,6,False,False,4,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000436 | 10,12,7,False,False,5,0.7142857142857143,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000437 | 10,12,8,False,False,5,0.625,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000438 | 10,12,9,False,False,5,0.5555555555555556,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000439 | 10,12,10,False,False,6,0.6,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000440 | 10,13,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
```

observed_candidate_prefixes.csv

1020 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 345a35649b7976cc20ff7cf1217974745d1ebba5eddb6e37edb0ca7c68c0cb3e

```
000441 | 10,13,3,False,False,2,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000442 | 10,13,4,False,False,3,0.75,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000443 | 10,13,5,False,False,4,0.8,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000444 | 10,13,6,False,False,5,0.8333333333333334,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000445 | 10,13,7,False,False,5,0.7142857142857143,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000446 | 10,13,8,False,False,6,0.75,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000447 | 10,13,9,False,False,6,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000448 | 10,13,10,False,False,7,0.7,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000449 | 10,14,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000450 | 10,14,3,False,False,3,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000451 | 10,14,4,True,True,3,0.75,0.75,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000452 | 10,14,5,True,True,3,0.6,0.8,0.16,observed ordered prefix at the saved policy; no counterfactual training
000453 | 10,14,6,True,True,3,0.5,0.6666666666666666,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000454 | 10,14,7,True,True,4,0.5714285714285714,0.7142857142857143,0.20408163265306123,observed ordered prefix at the saved policy; no counterfactual training
000455 | 10,14,8,True,True,4,0.5,0.75,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000456 | 10,14,9,True,True,4,0.4444444444444444,0.7777777777777778,0.1728395061728395,observed ordered prefix at the saved policy; no counterfactual training
000457 | 10,14,10,True,True,5,0.5,0.8,0.16000000000000003,observed ordered prefix at the saved policy; no counterfactual training
000458 | 10,15,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000459 | 10,15,3,False,False,3,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000460 | 10,15,4,False,False,4,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000461 | 10,15,5,False,False,4,0.8,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000462 | 10,15,6,False,False,4,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000463 | 10,15,7,False,False,4,0.5714285714285714,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000464 | 10,15,8,False,False,5,0.625,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000465 | 10,15,9,False,False,5,0.5555555555555556,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000466 | 10,15,10,False,False,5,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000467 | 10,16,2,True,True,2,1.0,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000468 | 10,16,3,True,True,2,0.6666666666666666,0.3333333333333333,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000469 | 10,16,4,True,True,3,0.75,0.25,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000470 | 10,16,5,True,True,4,0.8,0.4,0.24000000000000005,observed ordered prefix at the saved policy; no counterfactual training
000471 | 10,16,6,True,True,4,0.6666666666666666,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000472 | 10,16,7,True,True,4,0.5714285714285714,0.5714285714285714,0.24489795918367346,observed ordered prefix at the saved policy; no counterfactual training
000473 | 10,16,8,True,True,5,0.625,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000474 | 10,16,9,True,True,6,0.6666666666666666,0.4444444444444444,0.2469135802469136,observed ordered prefix at the saved policy; no counterfactual training
000475 | 10,16,10,True,True,6,0.6,0.4,0.24000000000000005,observed ordered prefix at the saved policy; no counterfactual training
000476 | 10,17,2,False,False,1,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000477 | 10,17,3,False,False,1,0.3333333333333333,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000478 | 10,17,4,False,False,2,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000479 | 10,17,5,False,False,2,0.4,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000480 | 10,17,6,True,True,3,0.5,0.8333333333333334,0.1388888888888889,observed ordered prefix at the saved policy; no counterfactual training
000481 | 10,17,7,True,True,3,0.42857142857142855,0.8571428571428571,0.12244897959183675,observed ordered prefix at the saved policy; no counterfactual training
000482 | 10,17,8,True,True,3,0.375,0.875,0.109375,observed ordered prefix at the saved policy; no counterfactual training
000483 | 10,17,9,True,True,3,0.3333333333333333,0.8888888888888888,0.09876543209876544,observed ordered prefix at the saved policy; no counterfactual training
000484 | 10,17,10,True,True,4,0.4,0.9,0.09000000000000001,observed ordered prefix at the saved policy; no counterfactual training
```

observed_candidate_prefixes.csv

1020 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 345a35649b7976cc20ff7cf1217974745d1ebba5eddb6e37edb0ca7c68c0cb3e

```
000485 | 10,18,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000486 | 10,18,3,False,False,3,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000487 | 10,18,4,True,True,4,1.0,0.75,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000488 | 10,18,5,True,True,5,1.0,0.7,0.16,observed ordered prefix at the saved policy; no counterfactual training
000489 | 10,18,6,True,True,6,1.0,0.75,0.14583333333333334,observed ordered prefix at the saved policy; no counterfactual training
000490 | 10,18,7,True,True,6,0.8571428571428571,0.6428571428571429,0.19387755102040818,observed ordered prefix at the saved policy; no counterfactual training
000491 | 10,18,8,True,True,6,0.75,0.5625,0.21484375,observed ordered prefix at the saved policy; no counterfactual training
000492 | 10,18,9,True,True,6,0.6666666666666666,0.6111111111111112,0.20987654320987653,observed ordered prefix at the saved policy; no counterfactual training
000493 | 10,18,10,True,True,6,0.6,0.65,0.20250000000000004,observed ordered prefix at the saved policy; no counterfactual training
000494 | 10,19,2,False,False,1,0.5,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000495 | 10,19,3,True,False,2,0.6666666666666666,0.3333333333333333,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000496 | 10,19,4,True,False,2,0.5,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000497 | 10,19,5,True,False,3,0.6,0.4,0.24000000000000005,observed ordered prefix at the saved policy; no counterfactual training
000498 | 10,19,6,True,False,4,0.6666666666666666,0.3333333333333333,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000499 | 10,19,7,True,False,4,0.5714285714285714,0.2857142857142857,0.20408163265306126,observed ordered prefix at the saved policy; no counterfactual training
000500 | 10,19,8,True,False,4,0.5,0.25,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000501 | 10,19,9,True,False,4,0.4444444444444444,0.2222222222222222,0.1728395061728395,observed ordered prefix at the saved policy; no counterfactual training
000502 | 10,19,10,True,False,4,0.4,0.3,0.21000000000000002,observed ordered prefix at the saved policy; no counterfactual training
000503 | 10,20,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000504 | 10,20,3,False,False,3,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000505 | 10,20,4,True,False,4,1.0,0.75,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000506 | 10,20,5,True,False,5,1.0,0.8,0.16,observed ordered prefix at the saved policy; no counterfactual training
000507 | 10,20,6,True,False,5,0.8333333333333334,0.8333333333333334,0.1388888888888889,observed ordered prefix at the saved policy; no counterfactual training
000508 | 10,20,7,True,False,6,0.8571428571428571,0.8571428571428571,0.12244897959183675,observed ordered prefix at the saved policy; no counterfactual training
000509 | 10,20,8,True,False,6,0.75,0.875,0.109375,observed ordered prefix at the saved policy; no counterfactual training
000510 | 10,20,9,True,False,6,0.6666666666666666,0.7777777777777778,0.1728395061728395,observed ordered prefix at the saved policy; no counterfactual training
000511 | 10,20,10,True,False,6,0.6,0.8,0.16,observed ordered prefix at the saved policy; no counterfactual training
000512 | 10,21,2,True,True,2,1.0,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000513 | 10,21,3,True,True,2,0.6666666666666666,0.3333333333333333,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000514 | 10,21,4,True,True,3,0.75,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000515 | 10,21,5,True,True,3,0.6,0.4,0.24000000000000005,observed ordered prefix at the saved policy; no counterfactual training
000516 | 10,21,6,True,True,3,0.5,0.3333333333333333,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000517 | 10,21,7,True,True,4,0.5714285714285714,0.2857142857142857,0.20408163265306126,observed ordered prefix at the saved policy; no counterfactual training
000518 | 10,21,8,True,True,4,0.5,0.25,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000519 | 10,21,9,True,True,5,0.5555555555555556,0.3333333333333333,0.2222222222222222,observed ordered prefix at the saved policy; no counterfactual training
000520 | 10,21,10,True,True,5,0.5,0.4,0.24,observed ordered prefix at the saved policy; no counterfactual training
000521 | 10,22,2,False,False,2,1.0,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000522 | 10,22,3,False,False,2,0.6666666666666666,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000523 | 10,22,4,False,False,3,0.75,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000524 | 10,22,5,False,False,3,0.6,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000525 | 10,22,6,False,False,4,0.6666666666666666,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000526 | 10,22,7,False,False,4,0.5714285714285714,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000527 | 10,22,8,False,False,4,0.5,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000528 | 10,22,9,False,False,4,0.4444444444444444,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
```

observed_candidate_prefixes.csv

1020 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 345a35649b7976cc20ff7cf1217974745d1ebba5eddb6e37edb0ca7c68c0cb3e

```
000529 | 10,22,10,False,False,4,0.4,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000530 | 10,23,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000531 | 10,23,3,False,False,2,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000532 | 10,23,4,False,False,2,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000533 | 10,23,5,False,False,2,0.4,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000534 | 10,23,6,False,False,2,0.3333333333333333,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000535 | 10,23,7,False,False,3,0.42857142857142855,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000536 | 10,23,8,True,True,4,0.5,0.875,0.109375,observed ordered prefix at the saved policy; no counterfactual training
000537 | 10,23,9,True,True,5,0.5555555555555556,0.8888888888888888,0.09876543209876544,observed ordered prefix at the saved policy; no counterfactual training
000538 | 10,23,10,True,True,5,0.5,0.9,0.09000000000000001,observed ordered prefix at the saved policy; no counterfactual training
000539 | 10,24,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000540 | 10,24,3,False,False,3,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000541 | 10,24,4,False,False,3,0.75,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000542 | 10,24,5,False,False,3,0.6,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000543 | 10,24,6,False,False,3,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000544 | 10,24,7,False,False,3,0.42857142857142855,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000545 | 10,24,8,False,False,3,0.375,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000546 | 10,24,9,False,False,3,0.3333333333333333,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000547 | 10,24,10,False,False,3,0.3,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000548 | 10,25,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000549 | 10,25,3,False,False,2,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000550 | 10,25,4,False,False,2,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000551 | 10,25,5,False,False,2,0.4,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000552 | 10,25,6,False,False,2,0.3333333333333333,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000553 | 10,25,7,False,False,2,0.2857142857142857,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000554 | 10,25,8,False,False,2,0.25,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000555 | 10,25,9,False,False,3,0.3333333333333333,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000556 | 10,25,10,False,False,3,0.3,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000557 | 10,26,2,False,False,1,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000558 | 10,26,3,False,False,1,0.3333333333333333,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000559 | 10,26,4,False,False,2,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000560 | 10,26,5,False,False,2,0.4,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000561 | 10,26,6,False,False,2,0.3333333333333333,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000562 | 10,26,7,False,False,3,0.42857142857142855,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000563 | 10,26,8,False,False,4,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000564 | 10,26,9,False,False,4,0.4444444444444444,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000565 | 10,26,10,False,False,4,0.4,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000566 | 10,27,2,False,False,2,1.0,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000567 | 10,27,3,True,True,3,1.0,0.3333333333333333,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000568 | 10,27,4,True,True,3,0.75,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000569 | 10,27,5,True,True,3,0.6,0.4,0.24000000000000005,observed ordered prefix at the saved policy; no counterfactual training
000570 | 10,27,6,True,True,4,0.6666666666666666,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000571 | 10,27,7,True,True,4,0.5714285714285714,0.42857142857142855,0.24489795918367344,observed ordered prefix at the saved policy; no counterfactual training
000572 | 10,27,8,True,True,4,0.5,0.375,0.234375,observed ordered prefix at the saved policy; no counterfactual training
```

observed_candidate_prefixes.csv

1020 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 345a35649b7976cc20ff7cf1217974745d1ebba5eddb6e37edb0ca7c68c0cb3e

```
000573 | 10,27,9,True,True,4,0.4444444444444444,0.3333333333333333,0.2222222222222222,observed ordered prefix at the saved policy; no counterfactual training
000574 | 10,27,10,True,True,4,0.4,0.3,0.20999999999999996,observed ordered prefix at the saved policy; no counterfactual training
000575 | 10,28,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000576 | 10,28,3,False,False,2,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000577 | 10,28,4,False,False,3,0.75,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000578 | 10,28,5,False,False,3,0.6,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000579 | 10,28,6,False,False,4,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000580 | 10,28,7,False,False,4,0.5714285714285714,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000581 | 10,28,8,False,False,4,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000582 | 10,28,9,False,False,4,0.4444444444444444,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000583 | 10,28,10,False,False,4,0.4,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000584 | 10,29,2,False,False,2,1.0,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000585 | 10,29,3,False,False,3,1.0,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000586 | 10,29,4,False,False,4,1.0,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000587 | 10,29,5,False,False,4,0.8,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000588 | 10,29,6,False,False,4,0.6666666666666666,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000589 | 10,29,7,False,False,4,0.5714285714285714,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000590 | 10,29,8,False,False,5,0.625,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000591 | 10,29,9,False,False,5,0.5555555555555556,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000592 | 10,29,10,False,False,5,0.5,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000593 | 10,30,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000594 | 10,30,3,False,False,3,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000595 | 10,30,4,False,False,4,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000596 | 10,30,5,False,False,5,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000597 | 10,30,6,False,False,5,0.8333333333333334,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000598 | 10,30,7,False,False,5,0.7142857142857143,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000599 | 10,30,8,False,False,5,0.625,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000600 | 10,30,9,False,False,5,0.5555555555555556,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000601 | 10,30,10,False,False,5,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000602 | 15,1,2,True,False,2,1.0,0.25,0.0625,observed ordered prefix at the saved policy; no counterfactual training
000603 | 15,1,3,True,True,3,1.0,0.5,0.16666666666666666,observed ordered prefix at the saved policy; no counterfactual training
000604 | 15,1,4,True,True,4,1.0,0.375,0.171875,observed ordered prefix at the saved policy; no counterfactual training
000605 | 15,1,5,True,True,5,1.0,0.3,0.15999999999999998,observed ordered prefix at the saved policy; no counterfactual training
000606 | 15,1,6,True,True,5,0.8333333333333334,0.3333333333333333,0.13888888888888892,observed ordered prefix at the saved policy; no counterfactual training
000607 | 15,1,7,True,True,6,0.8571428571428571,0.2857142857142857,0.13265306122448978,observed ordered prefix at the saved policy; no counterfactual training
000608 | 15,1,8,True,True,7,0.875,0.375,0.171875,observed ordered prefix at the saved policy; no counterfactual training
000609 | 15,1,9,True,True,8,0.8888888888888888,0.3333333333333333,0.16666666666666666,observed ordered prefix at the saved policy; no counterfactual training
000610 | 15,1,10,True,True,9,0.9,0.3,0.16,observed ordered prefix at the saved policy; no counterfactual training
000611 | 15,1,11,True,True,10,0.9090909090909091,0.2727272727272727,0.15289256198347106,observed ordered prefix at the saved policy; no counterfactual training
000612 | 15,1,12,True,True,10,0.8333333333333334,0.25,0.14583333333333334,observed ordered prefix at the saved policy; no counterfactual training
000613 | 15,1,13,True,True,11,0.8461538461538461,0.23076923076923078,0.13905325443786984,observed ordered prefix at the saved policy; no counterfactual training
000614 | 15,1,14,True,True,11,0.7857142857142857,0.2857142857142857,0.16836734693877556,observed ordered prefix at the saved policy; no counterfactual training
000615 | 15,1,15,True,True,11,0.7333333333333333,0.26666666666666666,0.16222222222222227,observed ordered prefix at the saved policy; no counterfactual training
000616 | 15,2,2,True,True,2,1.0,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
```

observed_candidate_prefixes.csv

1020 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 345a35649b7976cc20ff7cf1217974745d1ebba5eddb6e37edb0ca7c68c0cb3e

```
000617 | 15,2,3,True,True,2,0.6666666666666666,0.3333333333333333,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000618 | 15,2,4,True,True,3,0.75,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000619 | 15,2,5,True,True,3,0.6,0.6,0.24000000000000005,observed ordered prefix at the saved policy; no counterfactual training
000620 | 15,2,6,True,True,4,0.6666666666666666,0.6666666666666666,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000621 | 15,2,7,True,True,5,0.7142857142857143,0.7142857142857143,0.20408163265306126,observed ordered prefix at the saved policy; no counterfactual training
000622 | 15,2,8,True,True,5,0.625,0.75,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000623 | 15,2,9,True,True,5,0.5555555555555556,0.7777777777777778,0.1728395061728395,observed ordered prefix at the saved policy; no counterfactual training
000624 | 15,2,10,True,True,6,0.6,0.8,0.16000000000000003,observed ordered prefix at the saved policy; no counterfactual training
000625 | 15,2,11,True,True,7,0.6363636363636364,0.8181818181818182,0.14876033057851237,observed ordered prefix at the saved policy; no counterfactual training
000626 | 15,2,12,True,True,8,0.6666666666666666,0.8333333333333334,0.13888888888888887,observed ordered prefix at the saved policy; no counterfactual training
000627 | 15,2,13,True,True,9,0.6923076923076923,0.8461538461538461,0.13017751479289938,observed ordered prefix at the saved policy; no counterfactual training
000628 | 15,2,14,True,True,9,0.6428571428571429,0.8571428571428571,0.12244897959183675,observed ordered prefix at the saved policy; no counterfactual training
000629 | 15,2,15,True,True,9,0.6,0.8,0.16000000000000003,observed ordered prefix at the saved policy; no counterfactual training
000630 | 15,3,2,False,False,2,1.0,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000631 | 15,3,3,True,True,3,1.0,0.3333333333333333,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000632 | 15,3,4,True,True,4,1.0,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000633 | 15,3,5,True,True,5,1.0,0.6,0.24000000000000005,observed ordered prefix at the saved policy; no counterfactual training
000634 | 15,3,6,True,True,6,1.0,0.6666666666666666,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000635 | 15,3,7,True,True,7,1.0,0.5714285714285714,0.24489795918367346,observed ordered prefix at the saved policy; no counterfactual training
000636 | 15,3,8,True,True,8,1.0,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000637 | 15,3,9,True,True,9,1.0,0.4444444444444444,0.2469135802469136,observed ordered prefix at the saved policy; no counterfactual training
000638 | 15,3,10,True,True,9,0.9,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000639 | 15,3,11,True,True,9,0.8181818181818182,0.4545454545454453,0.2479338842975206,observed ordered prefix at the saved policy; no counterfactual training
000640 | 15,3,12,True,True,10,0.8333333333333334,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000641 | 15,3,13,True,True,10,0.7692307692307693,0.46153846153846156,0.24852071005917165,observed ordered prefix at the saved policy; no counterfactual training
000642 | 15,3,14,True,True,11,0.7857142857142857,0.42857142857142855,0.24489795918367344,observed ordered prefix at the saved policy; no counterfactual training
000643 | 15,3,15,True,True,12,0.8,0.4666666666666667,0.24888888888888885,observed ordered prefix at the saved policy; no counterfactual training
000644 | 15,4,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000645 | 15,4,3,True,True,3,1.0,0.6666666666666666,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000646 | 15,4,4,True,True,4,1.0,0.75,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000647 | 15,4,5,True,True,4,0.8,0.6,0.24000000000000005,observed ordered prefix at the saved policy; no counterfactual training
000648 | 15,4,6,True,True,5,0.8333333333333334,0.6666666666666666,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000649 | 15,4,7,True,True,6,0.8571428571428571,0.7142857142857143,0.20408163265306126,observed ordered prefix at the saved policy; no counterfactual training
000650 | 15,4,8,True,True,7,0.875,0.75,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000651 | 15,4,9,True,True,7,0.7777777777777778,0.7777777777777778,0.1728395061728395,observed ordered prefix at the saved policy; no counterfactual training
000652 | 15,4,10,True,True,8,0.8,0.8,0.16000000000000003,observed ordered prefix at the saved policy; no counterfactual training
000653 | 15,4,11,True,True,8,0.7272727272727273,0.8181818181818182,0.14876033057851237,observed ordered prefix at the saved policy; no counterfactual training
000654 | 15,4,12,True,True,8,0.6666666666666666,0.8333333333333334,0.13888888888888887,observed ordered prefix at the saved policy; no counterfactual training
000655 | 15,4,13,True,True,8,0.6153846153846154,0.7692307692307693,0.1775147928994083,observed ordered prefix at the saved policy; no counterfactual training
000656 | 15,4,14,True,True,9,0.6428571428571429,0.7857142857142857,0.1683673469387755,observed ordered prefix at the saved policy; no counterfactual training
000657 | 15,4,15,True,True,9,0.6,0.7333333333333333,0.19555555555555557,observed ordered prefix at the saved policy; no counterfactual training
000658 | 15,5,2,False,False,1,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000659 | 15,5,3,True,True,2,0.6666666666666666,0.6666666666666666,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000660 | 15,5,4,True,True,3,0.75,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
```

observed_candidate_prefixes.csv

1020 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 345a35649b7976cc20ff7cf1217974745d1ebba5eddb6e37edb0ca7c68c0cb3e

```
000661 | 15,5,5,True,True,3,0.6,0.6,0.24000000000000005,observed ordered prefix at the saved policy; no counterfactual training
000662 | 15,5,6,True,True,4,0.6666666666666666,0.6666666666666666,0.2222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000663 | 15,5,7,True,True,5,0.7142857142857143,0.7142857142857143,0.20408163265306126,observed ordered prefix at the saved policy; no counterfactual training
000664 | 15,5,8,True,True,6,0.75,0.75,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000665 | 15,5,9,True,True,7,0.7777777777777778,0.7777777777777778,0.1728395061728395,observed ordered prefix at the saved policy; no counterfactual training
000666 | 15,5,10,True,True,8,0.8,0.7,0.21000000000000002,observed ordered prefix at the saved policy; no counterfactual training
000667 | 15,5,11,True,True,8,0.7272727272727273,0.7272727272727273,0.1983471074380165,observed ordered prefix at the saved policy; no counterfactual training
000668 | 15,5,12,True,True,9,0.75,0.6666666666666666,0.2222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000669 | 15,5,13,True,True,9,0.6923076923076923,0.6923076923076923,0.21301775147928995,observed ordered prefix at the saved policy; no counterfactual training
000670 | 15,5,14,True,True,9,0.6428571428571429,0.7142857142857143,0.20408163265306123,observed ordered prefix at the saved policy; no counterfactual training
000671 | 15,5,15,True,True,10,0.6666666666666666,0.6666666666666666,0.22222222222222227,observed ordered prefix at the saved policy; no counterfactual training
000672 | 15,6,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000673 | 15,6,3,True,True,3,1.0,0.6666666666666666,0.2222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000674 | 15,6,4,True,True,4,1.0,0.75,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000675 | 15,6,5,True,True,4,0.8,0.6,0.24000000000000005,observed ordered prefix at the saved policy; no counterfactual training
000676 | 15,6,6,True,True,4,0.6666666666666666,0.6666666666666666,0.2222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000677 | 15,6,7,True,True,5,0.7142857142857143,0.7142857142857143,0.20408163265306126,observed ordered prefix at the saved policy; no counterfactual training
000678 | 15,6,8,True,True,5,0.625,0.75,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000679 | 15,6,9,True,True,6,0.6666666666666666,0.7777777777777778,0.1728395061728395,observed ordered prefix at the saved policy; no counterfactual training
000680 | 15,6,10,True,True,7,0.7,0.8,0.16000000000000003,observed ordered prefix at the saved policy; no counterfactual training
000681 | 15,6,11,True,True,8,0.7272727272727273,0.8181818181818182,0.14876033057851237,observed ordered prefix at the saved policy; no counterfactual training
000682 | 15,6,12,True,True,9,0.75,0.8333333333333334,0.13888888888888887,observed ordered prefix at the saved policy; no counterfactual training
000683 | 15,6,13,True,True,9,0.6923076923076923,0.8461538461538461,0.13017751479289938,observed ordered prefix at the saved policy; no counterfactual training
000684 | 15,6,14,True,True,9,0.6428571428571429,0.8571428571428571,0.12244897959183675,observed ordered prefix at the saved policy; no counterfactual training
000685 | 15,6,15,True,True,9,0.6,0.8666666666666667,0.1155555555555551,observed ordered prefix at the saved policy; no counterfactual training
000686 | 15,7,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000687 | 15,7,3,False,False,3,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000688 | 15,7,4,False,False,3,0.75,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000689 | 15,7,5,False,False,4,0.8,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000690 | 15,7,6,False,False,5,0.8333333333333334,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000691 | 15,7,7,False,False,5,0.7142857142857143,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000692 | 15,7,8,False,False,5,0.625,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000693 | 15,7,9,False,False,5,0.5555555555555556,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000694 | 15,7,10,False,False,5,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000695 | 15,7,11,False,False,5,0.45454545454545453,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000696 | 15,7,12,False,False,5,0.4166666666666667,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000697 | 15,7,13,False,False,6,0.46153846153846156,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000698 | 15,7,14,False,False,7,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000699 | 15,7,15,False,False,7,0.4666666666666667,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000700 | 15,8,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000701 | 15,8,3,True,True,3,1.0,0.8333333333333334,0.05555555555555555,observed ordered prefix at the saved policy; no counterfactual training
000702 | 15,8,4,True,True,3,0.75,0.875,0.046875,observed ordered prefix at the saved policy; no counterfactual training
000703 | 15,8,5,True,True,4,0.8,0.7,0.16,observed ordered prefix at the saved policy; no counterfactual training
000704 | 15,8,6,True,True,4,0.6666666666666666,0.75,0.14583333333333334,observed ordered prefix at the saved policy; no counterfactual training
```

observed_candidate_prefixes.csv

1020 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 345a35649b7976cc20ff7cf1217974745d1ebba5eddb6e37edb0ca7c68c0cb3e

```
000705 | 15,8,7,True,True,4,0.5714285714285714,0.7857142857142857,0.1326530612244898,observed ordered prefix at the saved policy; no counterfactual training
000706 | 15,8,8,True,True,5,0.625,0.8125,0.12109375,observed ordered prefix at the saved policy; no counterfactual training
000707 | 15,8,9,True,True,5,0.5555555555555556,0.8333333333333334,0.1111111111111111,observed ordered prefix at the saved policy; no counterfactual training
000708 | 15,8,10,True,True,5,0.5,0.85,0.1025,observed ordered prefix at the saved policy; no counterfactual training
000709 | 15,8,11,True,True,5,0.45454545454545453,0.7727272727272727,0.15289256198347106,observed ordered prefix at the saved policy; no counterfactual training
000710 | 15,8,12,True,True,5,0.4166666666666667,0.7916666666666666,0.1440972222222222,observed ordered prefix at the saved policy; no counterfactual training
000711 | 15,8,13,True,True,5,0.38461538461538464,0.8076923076923077,0.13609467455621302,observed ordered prefix at the saved policy; no counterfactual training
000712 | 15,8,14,True,True,5,0.35714285714285715,0.8214285714285714,0.1288265306122449,observed ordered prefix at the saved policy; no counterfactual training
000713 | 15,8,15,True,True,5,0.3333333333333333,0.7666666666666667,0.16222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000714 | 15,9,2,True,True,2,1.0,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000715 | 15,9,3,True,True,2,0.6666666666666666,0.6666666666666666,0.2222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000716 | 15,9,4,True,True,3,0.75,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000717 | 15,9,5,True,True,4,0.8,0.4,0.24000000000000005,observed ordered prefix at the saved policy; no counterfactual training
000718 | 15,9,6,True,True,5,0.8333333333333334,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000719 | 15,9,7,True,True,5,0.7142857142857143,0.42857142857142855,0.24489795918367344,observed ordered prefix at the saved policy; no counterfactual training
000720 | 15,9,8,True,True,6,0.75,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000721 | 15,9,9,True,True,6,0.6666666666666666,0.4444444444444444,0.2469135802469136,observed ordered prefix at the saved policy; no counterfactual training
000722 | 15,9,10,True,True,6,0.6,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000723 | 15,9,11,True,True,6,0.5454545454545454,0.5454545454545454,0.24793388429752064,observed ordered prefix at the saved policy; no counterfactual training
000724 | 15,9,12,True,True,6,0.5,0.5833333333333334,0.24305555555555558,observed ordered prefix at the saved policy; no counterfactual training
000725 | 15,9,13,True,True,7,0.5384615384615384,0.6153846153846154,0.23668639053254442,observed ordered prefix at the saved policy; no counterfactual training
000726 | 15,9,14,True,True,7,0.5,0.6428571428571429,0.22959183673469385,observed ordered prefix at the saved policy; no counterfactual training
000727 | 15,9,15,True,True,7,0.4666666666666667,0.6666666666666666,0.22222222222222227,observed ordered prefix at the saved policy; no counterfactual training
000728 | 15,10,2,False,False,1,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000729 | 15,10,3,False,False,2,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000730 | 15,10,4,False,False,2,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000731 | 15,10,5,False,False,2,0.4,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000732 | 15,10,6,False,False,3,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000733 | 15,10,7,False,False,3,0.42857142857142855,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000734 | 15,10,8,False,False,4,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000735 | 15,10,9,False,False,4,0.4444444444444444,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000736 | 15,10,10,False,False,4,0.4,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000737 | 15,10,11,False,False,5,0.45454545454545453,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000738 | 15,10,12,False,False,5,0.4166666666666667,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000739 | 15,10,13,False,False,6,0.46153846153846156,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000740 | 15,10,14,False,False,6,0.42857142857142855,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000741 | 15,10,15,False,False,6,0.4,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000742 | 15,11,2,False,False,1,0.5,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000743 | 15,11,3,False,False,1,0.3333333333333333,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000744 | 15,11,4,False,False,1,0.25,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000745 | 15,11,5,True,True,2,0.4,0.2,0.16000000000000003,observed ordered prefix at the saved policy; no counterfactual training
000746 | 15,11,6,True,True,2,0.3333333333333333,0.16666666666666666,0.1388888888888889,observed ordered prefix at the saved policy; no counterfactual training
000747 | 15,11,7,True,True,2,0.2857142857142857,0.2857142857142857,0.20408163265306123,observed ordered prefix at the saved policy; no counterfactual training
000748 | 15,11,8,True,True,3,0.375,0.25,0.1875,observed ordered prefix at the saved policy; no counterfactual training
```

observed_candidate_prefixes.csv

1020 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 345a35649b7976cc20ff7cf1217974745d1ebba5eddb6e37edb0ca7c68c0cb3e

```
000749 | 15,11,9,True,True,3,0.3333333333333333,0.2222222222222222,0.1728395061728395,observed ordered prefix at the saved policy; no counterfactual training
000750 | 15,11,10,True,True,3,0.3,0.2,0.16000000000000006,observed ordered prefix at the saved policy; no counterfactual training
000751 | 15,11,11,True,True,3,0.2727272727272727,0.2727272727272727,0.1983471074380165,observed ordered prefix at the saved policy; no counterfactual training
000752 | 15,11,12,True,True,3,0.25,0.25,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000753 | 15,11,13,True,True,4,0.3076923076923077,0.3076923076923077,0.21301775147928995,observed ordered prefix at the saved policy; no counterfactual training
000754 | 15,11,14,True,True,4,0.2857142857142857,0.2857142857142857,0.20408163265306123,observed ordered prefix at the saved policy; no counterfactual training
000755 | 15,11,15,True,True,4,0.26666666666666666,0.26666666666666666,0.1955555555555556,observed ordered prefix at the saved policy; no counterfactual training
000756 | 15,12,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000757 | 15,12,3,True,True,2,0.6666666666666666,0.6666666666666666,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000758 | 15,12,4,True,True,3,0.75,0.75,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000759 | 15,12,5,True,True,4,0.8,0.8,0.16,observed ordered prefix at the saved policy; no counterfactual training
000760 | 15,12,6,True,True,4,0.6666666666666666,0.8333333333333334,0.13888888888888892,observed ordered prefix at the saved policy; no counterfactual training
000761 | 15,12,7,True,True,5,0.7142857142857143,0.8571428571428571,0.12244897959183675,observed ordered prefix at the saved policy; no counterfactual training
000762 | 15,12,8,True,True,5,0.625,0.75,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000763 | 15,12,9,True,True,6,0.6666666666666666,0.7777777777777778,0.1728395061728395,observed ordered prefix at the saved policy; no counterfactual training
000764 | 15,12,10,True,True,6,0.6,0.8,0.16000000000000003,observed ordered prefix at the saved policy; no counterfactual training
000765 | 15,12,11,True,True,6,0.5454545454545454,0.7272727272727273,0.1983471074380165,observed ordered prefix at the saved policy; no counterfactual training
000766 | 15,12,12,True,True,6,0.5,0.75,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000767 | 15,12,13,True,True,6,0.46153846153846156,0.7692307692307693,0.1775147928994083,observed ordered prefix at the saved policy; no counterfactual training
000768 | 15,12,14,True,True,6,0.42857142857142855,0.7142857142857143,0.20408163265306123,observed ordered prefix at the saved policy; no counterfactual training
000769 | 15,12,15,True,True,6,0.4,0.7333333333333333,0.19555555555555554,observed ordered prefix at the saved policy; no counterfactual training
000770 | 15,13,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000771 | 15,13,3,False,False,3,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000772 | 15,13,4,False,False,4,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000773 | 15,13,5,False,False,4,0.8,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000774 | 15,13,6,False,False,5,0.8333333333333334,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000775 | 15,13,7,False,False,5,0.7142857142857143,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000776 | 15,13,8,False,False,5,0.625,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000777 | 15,13,9,False,False,5,0.5555555555555556,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000778 | 15,13,10,False,False,5,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000779 | 15,13,11,False,False,6,0.5454545454545454,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000780 | 15,13,12,False,False,7,0.5833333333333334,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000781 | 15,13,13,False,False,7,0.5384615384615384,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000782 | 15,13,14,False,False,8,0.5714285714285714,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000783 | 15,13,15,False,False,8,0.5333333333333333,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000784 | 15,14,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000785 | 15,14,3,False,False,3,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000786 | 15,14,4,True,True,3,0.75,0.75,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000787 | 15,14,5,True,True,4,0.8,0.8,0.16,observed ordered prefix at the saved policy; no counterfactual training
000788 | 15,14,6,True,True,5,0.8333333333333334,0.8333333333333334,0.1388888888888889,observed ordered prefix at the saved policy; no counterfactual training
000789 | 15,14,7,True,True,5,0.7142857142857143,0.8571428571428571,0.12244897959183675,observed ordered prefix at the saved policy; no counterfactual training
000790 | 15,14,8,True,True,5,0.625,0.875,0.109375,observed ordered prefix at the saved policy; no counterfactual training
000791 | 15,14,9,True,True,5,0.5555555555555556,0.8888888888888888,0.09876543209876544,observed ordered prefix at the saved policy; no counterfactual training
000792 | 15,14,10,True,True,5,0.5,0.9,0.09000000000000001,observed ordered prefix at the saved policy; no counterfactual training
```

observed_candidate_prefixes.csv

1020 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 345a35649b7976cc20ff7cf1217974745d1ebba5eddb6e37edb0ca7c68c0cb3e

```
000793 | 15,14,11,True,True,5,0.45454545454545453,0.8181818181818182,0.1487603305785124,observed ordered prefix at the saved policy; no counterfactual training
000794 | 15,14,12,True,True,5,0.4166666666666667,0.8333333333333334,0.1388888888888889,observed ordered prefix at the saved policy; no counterfactual training
000795 | 15,14,13,True,True,5,0.38461538461538464,0.7692307692307693,0.17751479289940827,observed ordered prefix at the saved policy; no counterfactual training
000796 | 15,14,14,True,True,5,0.35714285714285715,0.7857142857142857,0.1683673469387755,observed ordered prefix at the saved policy; no counterfactual training
000797 | 15,14,15,True,True,5,0.3333333333333333,0.8,0.16000000000000003,observed ordered prefix at the saved policy; no counterfactual training
000798 | 15,15,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000799 | 15,15,3,False,False,2,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000800 | 15,15,4,False,False,2,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000801 | 15,15,5,False,False,3,0.6,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000802 | 15,15,6,False,False,4,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000803 | 15,15,7,False,False,4,0.5714285714285714,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000804 | 15,15,8,False,False,4,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000805 | 15,15,9,False,False,4,0.4444444444444444,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000806 | 15,15,10,False,False,4,0.4,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000807 | 15,15,11,False,False,4,0.36363636363636365,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000808 | 15,15,12,False,False,4,0.3333333333333333,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000809 | 15,15,13,False,False,5,0.38461538461538464,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000810 | 15,15,14,False,False,5,0.35714285714285715,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000811 | 15,15,15,False,False,5,0.3333333333333333,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000812 | 15,16,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000813 | 15,16,3,False,False,3,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000814 | 15,16,4,False,False,4,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000815 | 15,16,5,False,False,4,0.8,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000816 | 15,16,6,False,False,5,0.8333333333333334,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000817 | 15,16,7,False,False,5,0.7142857142857143,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000818 | 15,16,8,False,False,6,0.75,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000819 | 15,16,9,True,True,7,0.7777777777777778,0.8888888888888888,0.09876543209876544,observed ordered prefix at the saved policy; no counterfactual training
000820 | 15,16,10,True,True,7,0.7,0.9,0.09,observed ordered prefix at the saved policy; no counterfactual training
000821 | 15,16,11,True,True,7,0.6363636363636364,0.9090909090909091,0.08264462809917354,observed ordered prefix at the saved policy; no counterfactual training
000822 | 15,16,12,True,True,7,0.5833333333333334,0.9166666666666666,0.07638888888888888,observed ordered prefix at the saved policy; no counterfactual training
000823 | 15,16,13,True,True,7,0.5384615384615384,0.9230769230769231,0.07100591715976333,observed ordered prefix at the saved policy; no counterfactual training
000824 | 15,16,14,True,True,7,0.5,0.9285714285714286,0.06632653061224487,observed ordered prefix at the saved policy; no counterfactual training
000825 | 15,16,15,True,True,7,0.4666666666666667,0.9333333333333333,0.06222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000826 | 15,17,2,False,False,1,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000827 | 15,17,3,False,False,2,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000828 | 15,17,4,True,True,3,0.75,0.75,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000829 | 15,17,5,True,True,4,0.8,0.8,0.16,observed ordered prefix at the saved policy; no counterfactual training
000830 | 15,17,6,True,True,4,0.6666666666666666,0.8333333333333334,0.1388888888888889,observed ordered prefix at the saved policy; no counterfactual training
000831 | 15,17,7,True,True,5,0.7142857142857143,0.8571428571428571,0.12244897959183675,observed ordered prefix at the saved policy; no counterfactual training
000832 | 15,17,8,True,True,5,0.625,0.875,0.109375,observed ordered prefix at the saved policy; no counterfactual training
000833 | 15,17,9,True,True,5,0.5555555555555556,0.8888888888888888,0.09876543209876544,observed ordered prefix at the saved policy; no counterfactual training
000834 | 15,17,10,True,True,5,0.5,0.9,0.09000000000000001,observed ordered prefix at the saved policy; no counterfactual training
000835 | 15,17,11,True,True,5,0.45454545454545453,0.9090909090909091,0.08264462809917354,observed ordered prefix at the saved policy; no counterfactual training
000836 | 15,17,12,True,True,5,0.4166666666666667,0.9166666666666666,0.07638888888888888,observed ordered prefix at the saved policy; no counterfactual training
```

observed_candidate_prefixes.csv

1020 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 345a35649b7976cc20ff7cf1217974745d1ebba5eddb6e37edb0ca7c68c0cb3e

```
000837 | 15,17,13,True,True,5,0.38461538461538464,0.9230769230769231,0.07100591715976333,observed ordered prefix at the saved policy; no counterfactual training
000838 | 15,17,14,True,True,5,0.35714285714285715,0.9285714285714286,0.06632653061224487,observed ordered prefix at the saved policy; no counterfactual training
000839 | 15,17,15,True,True,5,0.3333333333333333,0.9333333333333333,0.06222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000840 | 15,18,2,True,True,2,1.0,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000841 | 15,18,3,True,True,3,1.0,0.6666666666666666,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000842 | 15,18,4,True,True,3,0.75,0.75,0.1875,observed ordered prefix at the saved policy; no counterfactual training
000843 | 15,18,5,True,True,3,0.6,0.8,0.16000000000000006,observed ordered prefix at the saved policy; no counterfactual training
000844 | 15,18,6,True,True,3,0.5,0.6666666666666666,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000845 | 15,18,7,True,True,3,0.42857142857142855,0.7142857142857143,0.20408163265306123,observed ordered prefix at the saved policy; no counterfactual training
000846 | 15,18,8,True,True,4,0.5,0.625,0.234375,observed ordered prefix at the saved policy; no counterfactual training
000847 | 15,18,9,True,True,4,0.4444444444444444,0.5555555555555556,0.2469135802469136,observed ordered prefix at the saved policy; no counterfactual training
000848 | 15,18,10,True,True,4,0.4,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000849 | 15,18,11,True,True,4,0.36363636363636365,0.45454545454545453,0.2479338842975206,observed ordered prefix at the saved policy; no counterfactual training
000850 | 15,18,12,True,True,4,0.3333333333333333,0.4166666666666667,0.24305555555555555,observed ordered prefix at the saved policy; no counterfactual training
000851 | 15,18,13,True,True,4,0.3076923076923077,0.38461538461538464,0.23668639053254442,observed ordered prefix at the saved policy; no counterfactual training
000852 | 15,18,14,True,True,4,0.2857142857142857,0.42857142857142855,0.24489795918367344,observed ordered prefix at the saved policy; no counterfactual training
000853 | 15,18,15,True,True,4,0.26666666666666666,0.4,0.24000000000000007,observed ordered prefix at the saved policy; no counterfactual training
000854 | 15,19,2,False,False,1,0.5,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000855 | 15,19,3,True,True,2,0.6666666666666666,0.3333333333333333,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000856 | 15,19,4,True,True,2,0.5,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000857 | 15,19,5,True,True,3,0.6,0.4,0.24000000000000005,observed ordered prefix at the saved policy; no counterfactual training
000858 | 15,19,6,True,True,3,0.5,0.3333333333333333,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000859 | 15,19,7,True,True,3,0.42857142857142855,0.2857142857142857,0.20408163265306126,observed ordered prefix at the saved policy; no counterfactual training
000860 | 15,19,8,True,True,3,0.375,0.375,0.234375,observed ordered prefix at the saved policy; no counterfactual training
000861 | 15,19,9,True,True,3,0.3333333333333333,0.4444444444444444,0.2469135802469136,observed ordered prefix at the saved policy; no counterfactual training
000862 | 15,19,10,True,True,3,0.3,0.4,0.24000000000000005,observed ordered prefix at the saved policy; no counterfactual training
000863 | 15,19,11,True,True,4,0.36363636363636365,0.36363636363636365,0.23140495867768596,observed ordered prefix at the saved policy; no counterfactual training
000864 | 15,19,12,True,True,5,0.4166666666666667,0.3333333333333333,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000865 | 15,19,13,True,True,5,0.38461538461538464,0.38461538461538464,0.23668639053254442,observed ordered prefix at the saved policy; no counterfactual training
000866 | 15,19,14,True,True,5,0.35714285714285715,0.35714285714285715,0.2295918367346938,observed ordered prefix at the saved policy; no counterfactual training
000867 | 15,19,15,True,True,5,0.3333333333333333,0.3333333333333333,0.22222222222222227,observed ordered prefix at the saved policy; no counterfactual training
000868 | 15,20,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000869 | 15,20,3,False,False,2,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000870 | 15,20,4,False,False,2,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000871 | 15,20,5,False,False,2,0.4,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000872 | 15,20,6,False,False,3,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000873 | 15,20,7,False,False,3,0.42857142857142855,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000874 | 15,20,8,False,False,3,0.375,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000875 | 15,20,9,False,False,3,0.3333333333333333,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000876 | 15,20,10,False,False,3,0.3,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000877 | 15,20,11,False,False,3,0.2727272727272727,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000878 | 15,20,12,False,False,3,0.25,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000879 | 15,20,13,False,False,3,0.23076923076923078,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000880 | 15,20,14,False,False,3,0.21428571428571427,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
```

observed_candidate_prefixes.csv

1020 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 345a35649b7976cc20ff7cf1217974745d1ebba5eddb6e37edb0ca7c68c0cb3e

```
000881 | 15,20,15,False,False,3,0.2,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000882 | 15,21,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000883 | 15,21,3,False,False,3,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000884 | 15,21,4,False,False,3,0.75,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000885 | 15,21,5,False,False,3,0.6,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000886 | 15,21,6,False,False,3,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000887 | 15,21,7,True,True,4,0.5714285714285714,0.9285714285714286,0.030612244897959186,observed ordered prefix at the saved policy; no counterfactual training
000888 | 15,21,8,True,True,5,0.625,0.9375,0.02734375,observed ordered prefix at the saved policy; no counterfactual training
000889 | 15,21,9,True,True,5,0.5555555555555556,0.9444444444444444,0.02469135802469136,observed ordered prefix at the saved policy; no counterfactual training
000890 | 15,21,10,True,True,5,0.5,0.95,0.0225,observed ordered prefix at the saved policy; no counterfactual training
000891 | 15,21,11,True,True,5,0.45454545454545453,0.9545454545454546,0.020661157024793386,observed ordered prefix at the saved policy; no counterfactual training
000892 | 15,21,12,True,True,5,0.4166666666666667,0.9583333333333334,0.01909722222222222,observed ordered prefix at the saved policy; no counterfactual training
000893 | 15,21,13,True,True,5,0.38461538461538464,0.9615384615384616,0.017751479289940832,observed ordered prefix at the saved policy; no counterfactual training
000894 | 15,21,14,True,True,5,0.35714285714285715,0.9642857142857143,0.01658163265306122,observed ordered prefix at the saved policy; no counterfactual training
000895 | 15,21,15,True,True,5,0.3333333333333333,0.9666666666666667,0.01555555555555556,observed ordered prefix at the saved policy; no counterfactual training
000896 | 15,22,2,False,False,2,1.0,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000897 | 15,22,3,False,False,3,1.0,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000898 | 15,22,4,False,False,3,0.75,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000899 | 15,22,5,False,False,4,0.8,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000900 | 15,22,6,False,False,4,0.6666666666666666,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000901 | 15,22,7,False,False,4,0.5714285714285714,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000902 | 15,22,8,False,False,4,0.5,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000903 | 15,22,9,False,False,4,0.4444444444444444,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000904 | 15,22,10,False,False,4,0.4,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000905 | 15,22,11,False,False,4,0.36363636363636365,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000906 | 15,22,12,False,False,4,0.3333333333333333,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000907 | 15,22,13,False,False,4,0.3076923076923077,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000908 | 15,22,14,False,False,4,0.2857142857142857,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000909 | 15,22,15,False,False,4,0.26666666666666666,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000910 | 15,23,2,False,False,1,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000911 | 15,23,3,False,False,1,0.3333333333333333,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000912 | 15,23,4,False,False,2,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000913 | 15,23,5,False,False,2,0.4,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000914 | 15,23,6,False,False,3,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000915 | 15,23,7,False,False,3,0.42857142857142855,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000916 | 15,23,8,False,False,3,0.375,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000917 | 15,23,9,False,False,3,0.3333333333333333,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000918 | 15,23,10,False,False,3,0.3,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000919 | 15,23,11,False,False,3,0.2727272727272727,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000920 | 15,23,12,False,False,3,0.25,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000921 | 15,23,13,False,False,3,0.23076923076923078,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000922 | 15,23,14,False,False,3,0.21428571428571427,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000923 | 15,23,15,False,False,3,0.2,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000924 | 15,24,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
```

observed_candidate_prefixes.csv

1020 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 345a35649b7976cc20ff7cf1217974745d1ebba5eddb6e37edb0ca7c68c0cb3e

```
000925 | 15,24,3,False,False,2,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000926 | 15,24,4,False,False,2,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000927 | 15,24,5,False,False,3,0.6,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000928 | 15,24,6,False,False,3,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000929 | 15,24,7,False,False,4,0.5714285714285714,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000930 | 15,24,8,False,False,4,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000931 | 15,24,9,False,False,4,0.4444444444444444,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000932 | 15,24,10,False,False,4,0.4,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000933 | 15,24,11,False,False,4,0.36363636363636365,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000934 | 15,24,12,False,False,4,0.3333333333333333,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000935 | 15,24,13,False,False,4,0.3076923076923077,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000936 | 15,24,14,False,False,4,0.2857142857142857,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000937 | 15,24,15,False,False,4,0.26666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000938 | 15,25,2,False,False,1,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000939 | 15,25,3,False,False,1,0.3333333333333333,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000940 | 15,25,4,False,False,2,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000941 | 15,25,5,False,False,2,0.4,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000942 | 15,25,6,False,False,2,0.3333333333333333,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000943 | 15,25,7,False,False,2,0.2857142857142857,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000944 | 15,25,8,False,False,2,0.25,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000945 | 15,25,9,False,False,2,0.2222222222222222,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000946 | 15,25,10,False,False,2,0.2,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000947 | 15,25,11,False,False,2,0.18181818181818182,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000948 | 15,25,12,False,False,2,0.16666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000949 | 15,25,13,False,False,2,0.15384615384615385,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000950 | 15,25,14,False,False,2,0.14285714285714285,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000951 | 15,25,15,False,False,2,0.13333333333333333,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000952 | 15,26,2,False,False,1,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000953 | 15,26,3,False,False,2,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000954 | 15,26,4,False,False,2,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000955 | 15,26,5,False,False,2,0.4,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000956 | 15,26,6,False,False,2,0.3333333333333333,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000957 | 15,26,7,False,False,2,0.2857142857142857,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000958 | 15,26,8,False,False,2,0.25,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000959 | 15,26,9,False,False,2,0.2222222222222222,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000960 | 15,26,10,False,False,2,0.2,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000961 | 15,26,11,False,False,2,0.18181818181818182,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000962 | 15,26,12,False,False,3,0.25,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000963 | 15,26,13,False,False,3,0.23076923076923078,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000964 | 15,26,14,False,False,3,0.21428571428571427,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000965 | 15,26,15,False,False,3,0.2,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000966 | 15,27,2,True,True,2,1.0,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000967 | 15,27,3,True,True,2,0.6666666666666666,0.3333333333333333,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000968 | 15,27,4,True,True,2,0.5,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
```

observed_candidate_prefixes.csv

1020 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 345a35649b7976cc20ff7cf1217974745d1ebba5eddb6e37edb0ca7c68c0cb3e

```
000969 | 15,27,5,True,True,2,0.4,0.6,0.24000000000000005,observed ordered prefix at the saved policy; no counterfactual training
000970 | 15,27,6,True,True,2,0.3333333333333333,0.6666666666666666,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000971 | 15,27,7,True,True,2,0.2857142857142857,0.5714285714285714,0.24489795918367346,observed ordered prefix at the saved policy; no counterfactual training
000972 | 15,27,8,True,True,2,0.25,0.5,0.25,observed ordered prefix at the saved policy; no counterfactual training
000973 | 15,27,9,True,True,2,0.2222222222222222,0.4444444444444444,0.2469135802469136,observed ordered prefix at the saved policy; no counterfactual training
000974 | 15,27,10,True,True,2,0.2,0.4,0.24000000000000005,observed ordered prefix at the saved policy; no counterfactual training
000975 | 15,27,11,True,True,2,0.18181818181818182,0.36363636363636365,0.23140495867768596,observed ordered prefix at the saved policy; no counterfactual training
000976 | 15,27,12,True,True,2,0.16666666666666666,0.3333333333333333,0.22222222222222224,observed ordered prefix at the saved policy; no counterfactual training
000977 | 15,27,13,True,True,2,0.15384615384615385,0.3076923076923077,0.21301775147928995,observed ordered prefix at the saved policy; no counterfactual training
000978 | 15,27,14,True,True,2,0.14285714285714285,0.35714285714285715,0.2295918367346938,observed ordered prefix at the saved policy; no counterfactual training
000979 | 15,27,15,True,True,2,0.13333333333333333,0.4,0.24000000000000005,observed ordered prefix at the saved policy; no counterfactual training
000980 | 15,28,2,False,False,2,1.0,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000981 | 15,28,3,False,False,2,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000982 | 15,28,4,False,False,3,0.75,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000983 | 15,28,5,False,False,3,0.6,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000984 | 15,28,6,False,False,3,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000985 | 15,28,7,False,False,4,0.5714285714285714,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000986 | 15,28,8,False,False,4,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000987 | 15,28,9,False,False,4,0.4444444444444444,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000988 | 15,28,10,False,False,4,0.4,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000989 | 15,28,11,False,False,4,0.36363636363636365,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000990 | 15,28,12,False,False,4,0.3333333333333333,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000991 | 15,28,13,False,False,4,0.3076923076923077,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000992 | 15,28,14,False,False,4,0.2857142857142857,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000993 | 15,28,15,False,False,4,0.26666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000994 | 15,29,2,False,False,2,1.0,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000995 | 15,29,3,False,False,2,0.6666666666666666,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000996 | 15,29,4,False,False,2,0.5,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000997 | 15,29,5,False,False,2,0.4,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000998 | 15,29,6,False,False,2,0.3333333333333333,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
000999 | 15,29,7,False,False,2,0.2857142857142857,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
001000 | 15,29,8,False,False,2,0.25,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
001001 | 15,29,9,False,False,2,0.2222222222222222,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
001002 | 15,29,10,False,False,2,0.2,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
001003 | 15,29,11,False,False,2,0.18181818181818182,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
001004 | 15,29,12,False,False,2,0.16666666666666666,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
001005 | 15,29,13,False,False,2,0.15384615384615385,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
001006 | 15,29,14,False,False,2,0.14285714285714285,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
001007 | 15,29,15,False,False,2,0.13333333333333333,0.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
001008 | 15,30,2,False,False,1,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
001009 | 15,30,3,False,False,2,0.6666666666666666,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
001010 | 15,30,4,False,False,2,0.5,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
001011 | 15,30,5,False,False,2,0.4,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
001012 | 15,30,6,False,False,2,0.3333333333333333,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
```

observed_candidate_prefixes.csv

1020 CSV records; 10 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 345a35649b7976cc20ff7cf1217974745d1ebba5eddb6e37edb0ca7c68c0cb3e

```
001013 | 15,30,7,False,False,3,0.42857142857142855,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
001014 | 15,30,8,False,False,3,0.375,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
001015 | 15,30,9,False,False,3,0.3333333333333333,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
001016 | 15,30,10,False,False,3,0.3,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
001017 | 15,30,11,False,False,3,0.2727272727272727,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
001018 | 15,30,12,False,False,3,0.25,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
001019 | 15,30,13,False,False,3,0.23076923076923078,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
001020 | 15,30,14,False,False,3,0.21428571428571427,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
001021 | 15,30,15,False,False,3,0.2,1.0,0.0,observed ordered prefix at the saved policy; no counterfactual training
```

repeated_pipeline_rewards.csv

722 CSV records; 11 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 30269e71dcddb52430c036252380f02025934bd81f5ced8c1cd92b8d31418718

```
000001 | scope,k,episode,question_id,pipeline,repetitions,distinct_rewards,min_reward,max_reward,distinct_outputs,output_sha256
000002 | same_episode,5,2.0,gsm8k:train:3812,Predict | question -> answer,2,1,1.0,1.0,1,unavailable
000003 | same_episode,5,3.0,gsm8k:train:7079,CoT | query -> response,2,1,0.0,0.0,1,unavailable
000004 | same_episode,5,4.0,gsm8k:train:2663,CoT | math_problem -> answer,2,1,1.0,1.0,1,unavailable
000005 | same_episode,5,5.0,gsm8k:train:4423,Predict | math_problem -> answer,2,1,1.0,1.0,2,unavailable
000006 | same_episode,5,6.0,gsm8k:train:56,CoT | math_problem -> answer,3,1,1.0,1.0,1,unavailable
000007 | same_episode,5,7.0,gsm8k:train:6330,Predict | problem -> solution,2,1,1.0,1.0,1,unavailable
000008 | same_episode,5,9.0,gsm8k:train:2271,Predict | math_problem -> answer,2,1,0.0,0.0,1,unavailable
000009 | same_episode,5,9.0,gsm8k:train:2271,CoT | query -> generated_text,2,1,0.0,0.0,1,unavailable
000010 | same_episode,5,10.0,gsm8k:train:5302,Predict | math_problem -> answer,2,1,1.0,1.0,1,unavailable
000011 | same_episode,5,12.0,gsm8k:train:3418,CoT | math_problem -> answer,2,1,1.0,1.0,1,unavailable
000012 | same_episode,5,12.0,gsm8k:train:3418,Predict | math_problem -> answer,2,1,1.0,1.0,1,unavailable
000013 | same_episode,5,13.0,gsm8k:train:3082,CoT | math_problem -> answer,3,1,1.0,1.0,1,unavailable
000014 | same_episode,5,14.0,gsm8k:train:5302,Predict | problem -> solution,3,1,1.0,1.0,2,unavailable
000015 | same_episode,5,15.0,gsm8k:train:819,CoT | math_problem -> answer,5,1,1.0,1.0,1,unavailable
000016 | same_episode,5,16.0,gsm8k:train:1601,CoT | math_problem -> answer,3,1,0.0,0.0,1,unavailable
000017 | same_episode,5,17.0,gsm8k:train:56,CoT | math_problem -> answer,3,1,1.0,1.0,1,unavailable
000018 | same_episode,5,18.0,gsm8k:train:4423,CoT | math_problem -> answer,4,1,0.0,0.0,1,unavailable
000019 | same_episode,5,19.0,gsm8k:train:4389,CoT | math_problem -> answer,3,1,0.0,0.0,2,unavailable
000020 | same_episode,5,20.0,gsm8k:train:4306,CoT | problem -> solution,2,1,1.0,1.0,1,unavailable
000021 | same_episode,5,20.0,gsm8k:train:4306,Predict | problem_description -> explanation,3,1,1.0,1.0,1,unavailable
000022 | same_episode,5,22.0,gsm8k:train:7114,CoT | math_problem -> answer,2,1,0.0,0.0,1,unavailable
000023 | same_episode,5,24.0,gsm8k:train:56,CoT | word_problem -> solution,2,1,1.0,1.0,1,unavailable
000024 | same_episode,5,26.0,gsm8k:train:2068,Predict | problem -> solution,2,1,1.0,1.0,2,unavailable
000025 | same_episode,5,27.0,gsm8k:train:2428,CoT | problem_description -> explanation,2,1,0.0,0.0,2,unavailable
000026 | same_episode,5,29.0,gsm8k:train:3703,CoT | problem_description -> explanation,3,1,1.0,1.0,2,unavailable
000027 | same_episode,5,29.0,gsm8k:train:3703,CoT | problem -> solution,2,1,0.0,0.0,2,unavailable
000028 | same_episode,5,30.0,gsm8k:train:6195,CoT | word_problem -> solution,2,2,0.0,1.0,2,unavailable
000029 | same_episode,8,1.0,gsm8k:train:4423,CoT | query -> generated_text,2,1,0.5,0.5,1,unavailable
000030 | same_episode,8,2.0,gsm8k:train:3812,Predict | question -> reasoning,2,1,1.0,1.0,1,unavailable
000031 | same_episode,8,2.0,gsm8k:train:3812,Predict | word_problem -> solution,2,1,1.0,1.0,1,unavailable
000032 | same_episode,8,3.0,gsm8k:train:7079,CoT | math_problem -> answer,2,1,1.0,1.0,1,unavailable
000033 | same_episode,8,3.0,gsm8k:train:7079,Predict | math_problem -> answer,2,1,0.0,0.0,1,unavailable
000034 | same_episode,8,4.0,gsm8k:train:2663,CoT | math_problem -> answer,2,1,1.0,1.0,1,unavailable
000035 | same_episode,8,5.0,gsm8k:train:4423,Predict | problem -> solution,2,1,1.0,1.0,1,unavailable
000036 | same_episode,8,7.0,gsm8k:train:6330,Predict | question -> reasoning,2,1,1.0,1.0,2,unavailable
000037 | same_episode,8,7.0,gsm8k:train:6330,Predict | word_problem -> solution,2,1,1.0,1.0,2,unavailable
000038 | same_episode,8,7.0,gsm8k:train:6330,Predict | question -> hypothesis,2,1,1.0,1.0,1,unavailable
000039 | same_episode,8,8.0,gsm8k:train:2477,Predict | word_problem -> solution,2,1,1.0,1.0,2,unavailable
000040 | same_episode,8,8.0,gsm8k:train:2477,Predict | question -> answer,2,1,1.0,1.0,2,unavailable
000041 | same_episode,8,9.0,gsm8k:train:2271,Predict | problem -> solution,2,1,1.0,1.0,1,unavailable
000042 | same_episode,8,9.0,gsm8k:train:2271,Predict | question -> reasoning,2,1,1.0,1.0,1,unavailable
000043 | same_episode,8,10.0,gsm8k:train:5302,CoT | math_problem -> answer,2,1,1.0,1.0,1,unavailable
000044 | same_episode,8,10.0,gsm8k:train:5302,Predict | question -> hypothesis,3,1,1.0,1.0,2,unavailable
```

repeated_pipeline_rewards.csv

722 CSV records; 11 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 30269e71dcddb52430c036252380f02025934bd81f5ced8c1cd92b8d31418718

```
000045 | same_episode,8,11.0,gsm8k:train:2428,Predict | text -> response,2,1,0.0,0.0,1,unavailable
000046 | same_episode,8,11.0,gsm8k:train:2428,Predict | problem_description -> explanation,3,1,1.0,1.0,1,unavailable
000047 | same_episode,8,12.0,gsm8k:train:3418,Predict | problem -> solution,2,1,1.0,1.0,2,unavailable
000048 | same_episode,8,13.0,gsm8k:train:3082,Predict | question -> answer,3,1,1.0,1.0,2,unavailable
000049 | same_episode,8,14.0,gsm8k:train:5302,Predict | problem -> solution,2,1,1.0,1.0,1,unavailable
000050 | same_episode,8,14.0,gsm8k:train:5302,Predict | question -> answer,2,1,1.0,1.0,1,unavailable
000051 | same_episode,8,14.0,gsm8k:train:5302,Predict | problem_description -> explanation,2,2,0.0,1.0,2,unavailable
000052 | same_episode,8,15.0,gsm8k:train:819,CoT | math_problem -> answer,2,1,1.0,1.0,1,unavailable
000053 | same_episode,8,15.0,gsm8k:train:819,Predict | problem -> solution,4,1,1.0,1.0,1,unavailable
000054 | same_episode,8,16.0,gsm8k:train:1601,Predict | problem_description -> explanation,2,1,1.0,1.0,1,unavailable
000055 | same_episode,8,16.0,gsm8k:train:1601,Predict | problem -> solution,3,1,1.0,1.0,1,unavailable
000056 | same_episode,8,17.0,gsm8k:train:56,Predict | problem_description -> explanation,4,1,1.0,1.0,2,unavailable
000057 | same_episode,8,17.0,gsm8k:train:56,Predict | problem -> solution,3,1,1.0,1.0,1,unavailable
000058 | same_episode,8,18.0,gsm8k:train:4423,Predict | problem_description -> explanation,2,1,0.0,0.0,1,unavailable
000059 | same_episode,8,18.0,gsm8k:train:4423,Predict | problem -> solution,3,1,1.0,1.0,1,unavailable
000060 | same_episode,8,19.0,gsm8k:train:4389,Predict | problem_description -> explanation,3,1,1.0,1.0,2,unavailable
000061 | same_episode,8,19.0,gsm8k:train:4389,Predict | question -> hypothesis,2,1,0.0,0.0,2,unavailable
000062 | same_episode,8,19.0,gsm8k:train:4389,Predict | problem -> solution,3,1,0.0,0.0,2,unavailable
000063 | same_episode,8,20.0,gsm8k:train:4306,Predict | problem -> solution,4,1,1.0,1.0,1,unavailable
000064 | same_episode,8,20.0,gsm8k:train:4306,Predict | problem_description -> explanation,2,1,1.0,1.0,1,unavailable
000065 | same_episode,8,21.0,gsm8k:train:3115,Predict | problem_description -> explanation,4,1,1.0,1.0,2,unavailable
000066 | same_episode,8,22.0,gsm8k:train:7114,Predict | problem_description -> explanation,2,1,0.0,0.0,1,unavailable
000067 | same_episode,8,22.0,gsm8k:train:7114,Predict | problem -> solution,4,1,0.0,0.0,1,unavailable
000068 | same_episode,8,23.0,gsm8k:train:6009,Predict | problem_description -> explanation,3,1,1.0,1.0,1,unavailable
000069 | same_episode,8,23.0,gsm8k:train:6009,Predict | problem -> solution,5,1,1.0,1.0,2,unavailable
000070 | same_episode,8,24.0,gsm8k:train:56,Predict | problem_description -> explanation,3,1,1.0,1.0,2,unavailable
000071 | same_episode,8,24.0,gsm8k:train:56,CoT | math_problem -> answer,3,1,1.0,1.0,1,unavailable
000072 | same_episode,8,24.0,gsm8k:train:56,Predict | problem -> solution,2,1,1.0,1.0,1,unavailable
000073 | same_episode,8,25.0,gsm8k:train:56,Predict | problem_description -> explanation,5,1,1.0,1.0,1,unavailable
000074 | same_episode,8,26.0,gsm8k:train:2068,Predict | problem_description -> explanation,5,1,1.0,1.0,1,unavailable
000075 | same_episode,8,26.0,gsm8k:train:2068,Predict | problem -> solution,3,1,1.0,1.0,1,unavailable
000076 | same_episode,8,27.0,gsm8k:train:2428,Predict | problem -> solution,4,1,0.0,0.0,1,unavailable
000077 | same_episode,8,27.0,gsm8k:train:2428,Predict | problem_description -> explanation,3,1,1.0,1.0,1,unavailable
000078 | same_episode,8,28.0,gsm8k:train:2068,Predict | problem -> solution,3,1,1.0,1.0,1,unavailable
000079 | same_episode,8,28.0,gsm8k:train:2068,Predict | problem_description -> explanation,3,1,1.0,1.0,1,unavailable
000080 | same_episode,8,29.0,gsm8k:train:3703,Predict | problem_description -> explanation,6,1,0.0,0.0,1,unavailable
000081 | same_episode,8,29.0,gsm8k:train:3703,Predict | problem -> solution,2,1,0.0,0.0,1,unavailable
000082 | same_episode,8,30.0,gsm8k:train:6195,Predict | problem_description -> explanation,5,1,1.0,1.0,2,unavailable
000083 | same_episode,8,30.0,gsm8k:train:6195,Predict | problem -> solution,2,1,1.0,1.0,1,unavailable
000084 | same_episode,10,1.0,gsm8k:train:4423,CoT | query -> generated_text,2,1,0.5,0.5,1,unavailable
000085 | same_episode,10,2.0,gsm8k:train:3812,Predict | question -> reasoning,2,1,1.0,1.0,1,unavailable
000086 | same_episode,10,2.0,gsm8k:train:3812,Predict | word_problem -> solution,2,1,1.0,1.0,1,unavailable
000087 | same_episode,10,2.0,gsm8k:train:3812,CoT | math_problem -> answer,2,1,0.0,0.0,1,unavailable
000088 | same_episode,10,2.0,gsm8k:train:3812,Predict | question -> answer,2,1,1.0,1.0,1,unavailable
```

repeated_pipeline_rewards.csv

722 CSV records; 11 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 30269e71dcddb52430c036252380f02025934bd81f5ced8c1cd92b8d31418718

```
000089 | same_episode,10,3.0,gsm8k:train:7079,Predict | math_problem -> answer,2,1,0.0,0.0,1,unavailable
000090 | same_episode,10,3.0,gsm8k:train:7079,CoT | query -> response,2,1,0.0,0.0,1,unavailable
000091 | same_episode,10,5.0,gsm8k:train:4423,Predict | question -> answer,3,1,1.0,1.0,1,unavailable
000092 | same_episode,10,5.0,gsm8k:train:4423,Predict | question -> reasoning,2,2,0.0,0.5,2,unavailable
000093 | same_episode,10,6.0,gsm8k:train:56,Predict | question -> hypothesis,2,1,0.0,0.0,2,unavailable
000094 | same_episode,10,6.0,gsm8k:train:56,Predict | question -> reasoning,2,1,1.0,1.0,2,unavailable
000095 | same_episode,10,6.0,gsm8k:train:56,Predict | word_problem -> solution,3,1,1.0,1.0,1,unavailable
000096 | same_episode,10,7.0,gsm8k:train:6330,Predict | question -> answer,3,1,1.0,1.0,1,unavailable
000097 | same_episode,10,7.0,gsm8k:train:6330,Predict | question -> hypothesis,2,1,1.0,1.0,2,unavailable
000098 | same_episode,10,8.0,gsm8k:train:2477,Predict | question -> reasoning,3,1,1.0,1.0,1,unavailable
000099 | same_episode,10,8.0,gsm8k:train:2477,Predict | question -> answer,2,1,1.0,1.0,2,unavailable
000100 | same_episode,10,8.0,gsm8k:train:2477,Predict | question -> hypothesis,3,1,0.5,0.5,2,unavailable
000101 | same_episode,10,9.0,gsm8k:train:2271,Predict | question -> reasoning,3,1,1.0,1.0,1,unavailable
000102 | same_episode,10,9.0,gsm8k:train:2271,Predict | question -> answer,3,1,0.0,0.0,1,unavailable
000103 | same_episode,10,9.0,gsm8k:train:2271,Predict | problem_description -> explanation,2,1,1.0,1.0,1,unavailable
000104 | same_episode,10,10.0,gsm8k:train:5302,Predict | question -> answer,3,1,1.0,1.0,1,unavailable
000105 | same_episode,10,10.0,gsm8k:train:5302,Predict | question -> hypothesis,3,1,1.0,1.0,1,unavailable
000106 | same_episode,10,10.0,gsm8k:train:5302,Predict | question -> reasoning,3,1,1.0,1.0,2,unavailable
000107 | same_episode,10,11.0,gsm8k:train:2428,Predict | question -> answer,3,1,0.0,0.0,2,unavailable
000108 | same_episode,10,11.0,gsm8k:train:2428,Predict | question -> hypothesis,2,1,0.0,0.0,2,unavailable
000109 | same_episode,10,11.0,gsm8k:train:2428,Predict | question -> reasoning,2,1,1.0,1.0,1,unavailable
000110 | same_episode,10,12.0,gsm8k:train:3418,Predict | question -> answer,2,1,1.0,1.0,1,unavailable
000111 | same_episode,10,12.0,gsm8k:train:3418,Predict | problem -> solution,3,1,1.0,1.0,2,unavailable
000112 | same_episode,10,12.0,gsm8k:train:3418,Predict | question -> reasoning,2,1,1.0,1.0,1,unavailable
000113 | same_episode,10,13.0,gsm8k:train:3082,Predict | question -> hypothesis,2,1,1.0,1.0,1,unavailable
000114 | same_episode,10,13.0,gsm8k:train:3082,Predict | question -> answer,3,1,1.0,1.0,2,unavailable
000115 | same_episode,10,14.0,gsm8k:train:5302,Predict | question -> hypothesis,3,1,1.0,1.0,1,unavailable
000116 | same_episode,10,14.0,gsm8k:train:5302,Predict | problem_description -> explanation,3,2,0.0,1.0,2,unavailable
000117 | same_episode,10,14.0,gsm8k:train:5302,Predict | problem -> solution,2,1,1.0,1.0,1,unavailable
000118 | same_episode,10,15.0,gsm8k:train:819,Predict | problem_description -> explanation,2,1,1.0,1.0,1,unavailable
000119 | same_episode,10,15.0,gsm8k:train:819,Predict | question -> answer,2,1,1.0,1.0,1,unavailable
000120 | same_episode,10,15.0,gsm8k:train:819,Predict | question -> hypothesis,3,1,1.0,1.0,1,unavailable
000121 | same_episode,10,15.0,gsm8k:train:819,Predict | word_problem -> solution,2,1,1.0,1.0,1,unavailable
000122 | same_episode,10,16.0,gsm8k:train:1601,Predict | math_problem -> answer,3,1,0.0,0.0,1,unavailable
000123 | same_episode,10,16.0,gsm8k:train:1601,Predict | word_problem -> solution,2,1,1.0,1.0,1,unavailable
000124 | same_episode,10,16.0,gsm8k:train:1601,Predict | question -> reasoning,2,1,1.0,1.0,1,unavailable
000125 | same_episode,10,17.0,gsm8k:train:56,Predict | word_problem -> solution,7,1,1.0,1.0,1,unavailable
000126 | same_episode,10,18.0,gsm8k:train:4423,Predict | word_problem -> solution,2,1,1.0,1.0,2,unavailable
000127 | same_episode,10,18.0,gsm8k:train:4423,Predict | problem_description -> explanation,3,1,0.0,0.0,1,unavailable
000128 | same_episode,10,18.0,gsm8k:train:4423,Predict | math_problem -> answer,2,1,1.0,1.0,2,unavailable
000129 | same_episode,10,19.0,gsm8k:train:4389,Predict | problem -> solution,3,1,0.0,0.0,2,unavailable
000130 | same_episode,10,19.0,gsm8k:train:4389,Predict | word_problem -> solution,3,1,1.0,1.0,1,unavailable
000131 | same_episode,10,19.0,gsm8k:train:4389,Predict | question -> hypothesis,2,1,0.0,0.0,2,unavailable
000132 | same_episode,10,19.0,gsm8k:train:4389,CoT | query -> response,2,1,0.0,0.0,2,unavailable
```

repeated_pipeline_rewards.csv

722 CSV records; 11 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 30269e71dcddb52430c036252380f02025934bd81f5ced8c1cd92b8d31418718

```
000133 | same_episode,10,20.0,gsm8k:train:4306,Predict | problem_description -> explanation,3,1,1.0,1.0,1,unavailable
000134 | same_episode,10,20.0,gsm8k:train:4306,Predict | word_problem -> solution,2,1,0.0,0.0,1,unavailable
000135 | same_episode,10,20.0,gsm8k:train:4306,Predict | question -> answer,2,1,1.0,1.0,1,unavailable
000136 | same_episode,10,21.0,gsm8k:train:3115,Predict | word_problem -> solution,5,1,0.0,0.0,2,unavailable
000137 | same_episode,10,21.0,gsm8k:train:3115,Predict | question -> answer,2,1,1.0,1.0,1,unavailable
000138 | same_episode,10,22.0,gsm8k:train:7114,Predict | word_problem -> solution,3,1,0.0,0.0,1,unavailable
000139 | same_episode,10,22.0,gsm8k:train:7114,Predict | question -> hypothesis,2,1,0.0,0.0,1,unavailable
000140 | same_episode,10,22.0,gsm8k:train:7114,Predict | question -> answer,2,1,0.0,0.0,1,unavailable
000141 | same_episode,10,22.0,gsm8k:train:7114,Predict | problem -> solution,3,1,0.0,0.0,1,unavailable
000142 | same_episode,10,23.0,gsm8k:train:6009,Predict | word_problem -> solution,5,1,1.0,1.0,1,unavailable
000143 | same_episode,10,23.0,gsm8k:train:6009,Predict | problem_description -> explanation,2,1,1.0,1.0,1,unavailable
000144 | same_episode,10,24.0,gsm8k:train:56,Predict | word_problem -> solution,8,1,1.0,1.0,1,unavailable
000145 | same_episode,10,25.0,gsm8k:train:56,Predict | word_problem -> solution,8,1,1.0,1.0,1,unavailable
000146 | same_episode,10,26.0,gsm8k:train:2068,Predict | word_problem -> solution,5,1,1.0,1.0,2,unavailable
000147 | same_episode,10,26.0,gsm8k:train:2068,Predict | problem_description -> explanation,2,1,1.0,1.0,1,unavailable
000148 | same_episode,10,26.0,gsm8k:train:2068,Predict | question -> answer,2,1,1.0,1.0,1,unavailable
000149 | same_episode,10,27.0,gsm8k:train:2428,Predict | word_problem -> solution,6,1,0.0,0.0,1,unavailable
000150 | same_episode,10,27.0,gsm8k:train:2428,Predict | question -> reasoning,2,1,1.0,1.0,1,unavailable
000151 | same_episode,10,28.0,gsm8k:train:2068,Predict | question -> hypothesis,3,1,1.0,1.0,2,unavailable
000152 | same_episode,10,28.0,gsm8k:train:2068,Predict | word_problem -> solution,5,1,1.0,1.0,1,unavailable
000153 | same_episode,10,29.0,gsm8k:train:3703,Predict | question -> answer,4,1,0.0,0.0,1,unavailable
000154 | same_episode,10,29.0,gsm8k:train:3703,Predict | problem_description -> explanation,3,1,0.0,0.0,1,unavailable
000155 | same_episode,10,30.0,gsm8k:train:6195,Predict | question -> answer,3,1,1.0,1.0,1,unavailable
000156 | same_episode,10,30.0,gsm8k:train:6195,Predict | question -> reasoning,4,1,1.0,1.0,2,unavailable
000157 | same_episode,15,1.0,gsm8k:train:4423,CoT | query -> generated_text,2,1,0.5,0.5,1,unavailable
000158 | same_episode,15,1.0,gsm8k:train:4423,CoT | text -> summary,2,1,0.0,0.0,1,unavailable
000159 | same_episode,15,1.0,gsm8k:train:4423,Predict | math_problem -> answer,2,1,1.0,1.0,2,unavailable
000160 | same_episode,15,1.0,gsm8k:train:4423,CoT | prompt -> response,2,1,0.0,0.0,1,unavailable
000161 | same_episode,15,2.0,gsm8k:train:3812,CoT | math_problem -> answer,3,1,0.0,0.0,1,unavailable
000162 | same_episode,15,2.0,gsm8k:train:3812,Predict | question -> answer,2,1,1.0,1.0,1,unavailable
000163 | same_episode,15,2.0,gsm8k:train:3812,Predict | math_problem -> answer,3,1,1.0,1.0,1,unavailable
000164 | same_episode,15,2.0,gsm8k:train:3812,Predict | question -> reasoning,2,1,1.0,1.0,1,unavailable
000165 | same_episode,15,3.0,gsm8k:train:7079,Predict | text -> response,2,1,0.0,0.0,1,unavailable
000166 | same_episode,15,3.0,gsm8k:train:7079,Predict | problem -> solution,2,1,1.0,1.0,1,unavailable
000167 | same_episode,15,3.0,gsm8k:train:7079,Predict | question -> hypothesis,2,1,0.0,0.0,1,unavailable
000168 | same_episode,15,4.0,gsm8k:train:2663,CoT | word_problem -> solution,2,1,1.0,1.0,1,unavailable
000169 | same_episode,15,4.0,gsm8k:train:2663,Predict | math_problem -> answer,4,1,0.0,0.0,1,unavailable
000170 | same_episode,15,4.0,gsm8k:train:2663,Predict | question -> hypothesis,2,1,1.0,1.0,1,unavailable
000171 | same_episode,15,4.0,gsm8k:train:2663,Predict | prompt -> response,2,1,1.0,1.0,2,unavailable
000172 | same_episode,15,5.0,gsm8k:train:4423,Predict | question -> answer,4,1,1.0,1.0,1,unavailable
000173 | same_episode,15,5.0,gsm8k:train:4423,Predict | math_problem -> answer,2,1,1.0,1.0,2,unavailable
000174 | same_episode,15,5.0,gsm8k:train:4423,Predict | problem -> solution,2,1,1.0,1.0,1,unavailable
000175 | same_episode,15,6.0,gsm8k:train:56,Predict | question -> reasoning,3,1,1.0,1.0,2,unavailable
000176 | same_episode,15,6.0,gsm8k:train:56,Predict | question -> hypothesis,2,1,0.0,0.0,1,unavailable
```

repeated_pipeline_rewards.csv

722 CSV records; 11 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 30269e71dcddb52430c036252380f02025934bd81f5ced8c1cd92b8d31418718

```
000177 | same_episode,15,6.0,gsm8k:train:56,CoT | query -> response,2,1,1.0,1.0,1,unavailable
000178 | same_episode,15,6.0,gsm8k:train:56,Predict | question -> answer,3,1,1.0,1.0,2,unavailable
000179 | same_episode,15,7.0,gsm8k:train:6330,Predict | question -> answer,5,1,1.0,1.0,1,unavailable
000180 | same_episode,15,7.0,gsm8k:train:6330,Predict | question -> hypothesis,4,1,1.0,1.0,1,unavailable
000181 | same_episode,15,7.0,gsm8k:train:6330,Predict | question -> reasoning,2,1,1.0,1.0,2,unavailable
000182 | same_episode,15,8.0,gsm8k:train:2477,Predict | question -> answer,5,1,1.0,1.0,2,unavailable
000183 | same_episode,15,8.0,gsm8k:train:2477,Predict | question -> reasoning,4,1,1.0,1.0,1,unavailable
000184 | same_episode,15,8.0,gsm8k:train:2477,Predict | question -> hypothesis,3,2,0.0,0.5,1,unavailable
000185 | same_episode,15,8.0,gsm8k:train:2477,Predict | problem -> solution,2,1,1.0,1.0,2,unavailable
000186 | same_episode,15,9.0,gsm8k:train:2271,Predict | question -> hypothesis,4,1,1.0,1.0,1,unavailable
000187 | same_episode,15,9.0,gsm8k:train:2271,Predict | question -> answer,3,1,0.0,0.0,1,unavailable
000188 | same_episode,15,9.0,gsm8k:train:2271,Predict | problem_description -> explanation,4,1,1.0,1.0,1,unavailable
000189 | same_episode,15,10.0,gsm8k:train:5302,Predict | question -> reasoning,5,1,1.0,1.0,2,unavailable
000190 | same_episode,15,10.0,gsm8k:train:5302,Predict | question -> answer,3,1,1.0,1.0,1,unavailable
000191 | same_episode,15,10.0,gsm8k:train:5302,Predict | question -> hypothesis,4,1,1.0,1.0,1,unavailable
000192 | same_episode,15,11.0,gsm8k:train:2428,Predict | question -> hypothesis,8,1,0.0,0.0,1,unavailable
000193 | same_episode,15,11.0,gsm8k:train:2428,Predict | question -> reasoning,3,1,1.0,1.0,1,unavailable
000194 | same_episode,15,11.0,gsm8k:train:2428,Predict | question -> answer,3,1,0.0,0.0,2,unavailable
000195 | same_episode,15,12.0,gsm8k:train:3418,Predict | question -> hypothesis,5,2,0.0,1.0,2,unavailable
000196 | same_episode,15,12.0,gsm8k:train:3418,Predict | question -> reasoning,2,1,1.0,1.0,1,unavailable
000197 | same_episode,15,12.0,gsm8k:train:3418,Predict | problem -> solution,2,1,1.0,1.0,2,unavailable
000198 | same_episode,15,12.0,gsm8k:train:3418,Predict | question -> answer,2,1,1.0,1.0,1,unavailable
000199 | same_episode,15,12.0,gsm8k:train:3418,Predict | problem_description -> explanation,3,1,1.0,1.0,2,unavailable
000200 | same_episode,15,13.0,gsm8k:train:3082,Predict | problem -> solution,2,1,1.0,1.0,2,unavailable
000201 | same_episode,15,13.0,gsm8k:train:3082,Predict | question -> reasoning,2,1,1.0,1.0,1,unavailable
000202 | same_episode,15,13.0,gsm8k:train:3082,Predict | question -> answer,3,1,1.0,1.0,2,unavailable
000203 | same_episode,15,13.0,gsm8k:train:3082,Predict | question -> hypothesis,3,1,1.0,1.0,1,unavailable
000204 | same_episode,15,13.0,gsm8k:train:3082,CoT | query -> response,2,1,1.0,1.0,1,unavailable
000205 | same_episode,15,14.0,gsm8k:train:5302,Predict | question -> answer,3,1,1.0,1.0,1,unavailable
000206 | same_episode,15,14.0,gsm8k:train:5302,Predict | problem -> solution,4,1,1.0,1.0,1,unavailable
000207 | same_episode,15,14.0,gsm8k:train:5302,Predict | problem_description -> explanation,4,2,0.0,1.0,2,unavailable
000208 | same_episode,15,14.0,gsm8k:train:5302,Predict | question -> hypothesis,2,1,1.0,1.0,1,unavailable
000209 | same_episode,15,14.0,gsm8k:train:5302,Predict | question -> reasoning,2,1,1.0,1.0,2,unavailable
000210 | same_episode,15,15.0,gsm8k:train:819,Predict | question -> answer,3,1,1.0,1.0,1,unavailable
000211 | same_episode,15,15.0,gsm8k:train:819,Predict | question -> hypothesis,4,1,1.0,1.0,1,unavailable
000212 | same_episode,15,15.0,gsm8k:train:819,Predict | problem_description -> explanation,3,1,1.0,1.0,1,unavailable
000213 | same_episode,15,15.0,gsm8k:train:819,Predict | problem -> solution,3,1,1.0,1.0,1,unavailable
000214 | same_episode,15,15.0,gsm8k:train:819,Predict | question -> reasoning,2,1,1.0,1.0,1,unavailable
000215 | same_episode,15,16.0,gsm8k:train:1601,Predict | problem -> solution,2,1,1.0,1.0,1,unavailable
000216 | same_episode,15,16.0,gsm8k:train:1601,Predict | question -> reasoning,2,1,1.0,1.0,1,unavailable
000217 | same_episode,15,16.0,gsm8k:train:1601,Predict | problem_description -> explanation,6,1,1.0,1.0,1,unavailable
000218 | same_episode,15,16.0,gsm8k:train:1601,Predict | word_problem -> solution,2,1,1.0,1.0,1,unavailable
000219 | same_episode,15,17.0,gsm8k:train:56,Predict | problem_description -> explanation,7,1,1.0,1.0,2,unavailable
000220 | same_episode,15,17.0,gsm8k:train:56,Predict | problem -> solution,3,1,1.0,1.0,1,unavailable
```

repeated_pipeline_rewards.csv

722 CSV records; 11 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 30269e71dcddb52430c036252380f02025934bd81f5ced8c1cd92b8d31418718

```
000221 | same_episode,15,17.0,gsm8k:train:56,Predict | question -> answer,2,1,1.0,1.0,2,unavailable
000222 | same_episode,15,17.0,gsm8k:train:56,Predict | question -> reasoning,2,1,1.0,1.0,2,unavailable
000223 | same_episode,15,18.0,gsm8k:train:4423,Predict | problem_description -> explanation,6,1,0.0,0.0,1,unavailable
000224 | same_episode,15,18.0,gsm8k:train:4423,Predict | problem -> solution,4,1,1.0,1.0,1,unavailable
000225 | same_episode,15,18.0,gsm8k:train:4423,Predict | question -> answer,2,1,1.0,1.0,1,unavailable
000226 | same_episode,15,18.0,gsm8k:train:4423,Predict | question -> reasoning,3,1,0.0,0.0,2,unavailable
000227 | same_episode,15,19.0,gsm8k:train:4389,Predict | problem -> solution,7,1,0.0,0.0,2,unavailable
000228 | same_episode,15,19.0,gsm8k:train:4389,Predict | problem_description -> explanation,5,1,1.0,1.0,2,unavailable
000229 | same_episode,15,20.0,gsm8k:train:4306,Predict | problem_description -> explanation,5,1,1.0,1.0,1,unavailable
000230 | same_episode,15,20.0,gsm8k:train:4306,Predict | problem -> solution,8,1,1.0,1.0,1,unavailable
000231 | same_episode,15,20.0,gsm8k:train:4306,Predict | question -> answer,2,1,1.0,1.0,1,unavailable
000232 | same_episode,15,21.0,gsm8k:train:3115,Predict | question -> reasoning,2,1,1.0,1.0,2,unavailable
000233 | same_episode,15,21.0,gsm8k:train:3115,Predict | problem_description -> explanation,8,1,1.0,1.0,2,unavailable
000234 | same_episode,15,21.0,gsm8k:train:3115,Predict | problem -> solution,3,1,1.0,1.0,1,unavailable
000235 | same_episode,15,22.0,gsm8k:train:7114,Predict | question -> reasoning,2,1,0.0,0.0,2,unavailable
000236 | same_episode,15,22.0,gsm8k:train:7114,Predict | problem_description -> explanation,7,1,0.0,0.0,1,unavailable
000237 | same_episode,15,22.0,gsm8k:train:7114,Predict | problem -> solution,5,1,0.0,0.0,1,unavailable
000238 | same_episode,15,23.0,gsm8k:train:6009,Predict | problem_description -> explanation,7,1,1.0,1.0,1,unavailable
000239 | same_episode,15,23.0,gsm8k:train:6009,Predict | problem -> solution,7,1,1.0,1.0,2,unavailable
000240 | same_episode,15,24.0,gsm8k:train:56,Predict | problem_description -> explanation,6,1,1.0,1.0,2,unavailable
000241 | same_episode,15,24.0,gsm8k:train:56,Predict | problem -> solution,7,1,1.0,1.0,1,unavailable
000242 | same_episode,15,25.0,gsm8k:train:56,Predict | problem_description -> explanation,10,1,1.0,1.0,1,unavailable
000243 | same_episode,15,25.0,gsm8k:train:56,Predict | problem -> solution,5,1,1.0,1.0,1,unavailable
000244 | same_episode,15,26.0,gsm8k:train:2068,Predict | problem_description -> explanation,11,1,1.0,1.0,1,unavailable
000245 | same_episode,15,26.0,gsm8k:train:2068,Predict | problem -> solution,3,1,1.0,1.0,1,unavailable
000246 | same_episode,15,27.0,gsm8k:train:2428,Predict | problem_description -> explanation,6,1,1.0,1.0,1,unavailable
000247 | same_episode,15,27.0,gsm8k:train:2428,Predict | problem -> solution,9,1,0.0,0.0,1,unavailable
000248 | same_episode,15,28.0,gsm8k:train:2068,Predict | problem -> solution,7,1,1.0,1.0,1,unavailable
000249 | same_episode,15,28.0,gsm8k:train:2068,Predict | question -> answer,2,1,1.0,1.0,1,unavailable
000250 | same_episode,15,28.0,gsm8k:train:2068,Predict | problem_description -> explanation,5,1,1.0,1.0,1,unavailable
000251 | same_episode,15,29.0,gsm8k:train:3703,Predict | problem -> solution,7,1,0.0,0.0,1,unavailable
000252 | same_episode,15,29.0,gsm8k:train:3703,Predict | problem_description -> explanation,8,1,0.0,0.0,1,unavailable
000253 | same_episode,15,30.0,gsm8k:train:6195,Predict | problem -> solution,10,1,1.0,1.0,1,unavailable
000254 | same_episode,15,30.0,gsm8k:train:6195,Predict | problem_description -> explanation,4,1,1.0,1.0,2,unavailable
000255 | across_training,5,unavailable,gsm8k:train:4423,Predict | math_problem -> answer,3,1,1.0,1.0,2,unavailable
000256 | across_training,5,unavailable,gsm8k:train:3812,Predict | question -> answer,2,1,1.0,1.0,1,unavailable
000257 | across_training,5,unavailable,gsm8k:train:7079,CoT | query -> response,2,1,0.0,0.0,1,unavailable
000258 | across_training,5,unavailable,gsm8k:train:2663,CoT | math_problem -> answer,2,1,1.0,1.0,1,unavailable
000259 | across_training,5,unavailable,gsm8k:train:56,CoT | query -> response,2,1,1.0,1.0,1,unavailable
000260 | across_training,5,unavailable,gsm8k:train:56,CoT | math_problem -> answer,8,1,1.0,1.0,1,unavailable
000261 | across_training,5,unavailable,gsm8k:train:6330,Predict | problem -> solution,2,1,1.0,1.0,1,unavailable
000262 | across_training,5,unavailable,gsm8k:train:2271,Predict | math_problem -> answer,2,1,0.0,0.0,1,unavailable
000263 | across_training,5,unavailable,gsm8k:train:2271,CoT | query -> generated_text,2,1,0.0,0.0,1,unavailable
000264 | across_training,5,unavailable,gsm8k:train:5302,CoT | math_problem -> answer,2,1,1.0,1.0,1,unavailable
```

repeated_pipeline_rewards.csv

722 CSV records; 11 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 30269e71dcddb52430c036252380f02025934bd81f5ced8c1cd92b8d31418718

```
000265 | across_training,5,unavailable,gsm8k:train:5302,Predict | math_problem -> answer,2,1,1.0,1.0,1,unavailable
000266 | across_training,5,unavailable,gsm8k:train:3418,CoT | math_problem -> answer,2,1,1.0,1.0,1,unavailable
000267 | across_training,5,unavailable,gsm8k:train:3418,Predict | math_problem -> answer,2,1,1.0,1.0,1,unavailable
000268 | across_training,5,unavailable,gsm8k:train:3082,CoT | math_problem -> answer,3,1,1.0,1.0,1,unavailable
000269 | across_training,5,unavailable,gsm8k:train:5302,Predict | problem -> solution,3,1,1.0,1.0,2,unavailable
000270 | across_training,5,unavailable,gsm8k:train:819,CoT | math_problem -> answer,5,1,1.0,1.0,1,unavailable
000271 | across_training,5,unavailable,gsm8k:train:1601,CoT | math_problem -> answer,3,1,0.0,0.0,1,unavailable
000272 | across_training,5,unavailable,gsm8k:train:56,CoT | query -> generated_text,2,1,1.0,1.0,1,unavailable
000273 | across_training,5,unavailable,gsm8k:train:4423,CoT | math_problem -> answer,4,1,0.0,0.0,1,unavailable
000274 | across_training,5,unavailable,gsm8k:train:4389,CoT | math_problem -> answer,3,1,0.0,0.0,2,unavailable
000275 | across_training,5,unavailable,gsm8k:train:4306,CoT | problem -> solution,2,1,1.0,1.0,1,unavailable
000276 | across_training,5,unavailable,gsm8k:train:4306,Predict | problem_description -> explanation,3,1,1.0,1.0,1,unavailable
000277 | across_training,5,unavailable,gsm8k:train:7114,CoT | math_problem -> answer,2,1,0.0,0.0,1,unavailable
000278 | across_training,5,unavailable,gsm8k:train:56,CoT | word_problem -> solution,2,1,1.0,1.0,1,unavailable
000279 | across_training,5,unavailable,gsm8k:train:2068,Predict | problem_description -> explanation,2,1,1.0,1.0,1,unavailable
000280 | across_training,5,unavailable,gsm8k:train:2068,Predict | problem -> solution,2,1,1.0,1.0,2,unavailable
000281 | across_training,5,unavailable,gsm8k:train:2068,CoT | math_problem -> answer,2,1,1.0,1.0,1,unavailable
000282 | across_training,5,unavailable,gsm8k:train:2068,CoT | query -> response,2,1,1.0,1.0,1,unavailable
000283 | across_training,5,unavailable,gsm8k:train:2428,CoT | problem_description -> explanation,2,1,0.0,0.0,2,unavailable
000284 | across_training,5,unavailable,gsm8k:train:3703,CoT | problem_description -> explanation,3,1,1.0,1.0,2,unavailable
000285 | across_training,5,unavailable,gsm8k:train:3703,CoT | problem -> solution,2,1,0.0,0.0,2,unavailable
000286 | across_training,5,unavailable,gsm8k:train:6195,CoT | word_problem -> solution,2,2,0.0,1.0,2,unavailable
000287 | across_training,8,unavailable,gsm8k:train:4423,CoT | query -> generated_text,3,1,0.5,0.5,1,unavailable
000288 | across_training,8,unavailable,gsm8k:train:4423,Predict | question -> reasoning,2,2,0.0,0.5,1,unavailable
000289 | across_training,8,unavailable,gsm8k:train:4423,Predict | question -> answer,3,1,1.0,1.0,2,unavailable
000290 | across_training,8,unavailable,gsm8k:train:3812,Predict | question -> reasoning,2,1,1.0,1.0,1,unavailable
000291 | across_training,8,unavailable,gsm8k:train:3812,Predict | word_problem -> solution,2,1,1.0,1.0,1,unavailable
000292 | across_training,8,unavailable,gsm8k:train:7079,CoT | math_problem -> answer,2,1,1.0,1.0,1,unavailable
000293 | across_training,8,unavailable,gsm8k:train:7079,Predict | math_problem -> answer,2,1,0.0,0.0,1,unavailable
000294 | across_training,8,unavailable,gsm8k:train:2663,CoT | math_problem -> answer,2,1,1.0,1.0,1,unavailable
000295 | across_training,8,unavailable,gsm8k:train:4423,Predict | problem_description -> explanation,3,1,0.0,0.0,1,unavailable
000296 | across_training,8,unavailable,gsm8k:train:4423,Predict | problem -> solution,5,1,1.0,1.0,1,unavailable
000297 | across_training,8,unavailable,gsm8k:train:4423,Predict | question -> hypothesis,2,1,1.0,1.0,1,unavailable
000298 | across_training,8,unavailable,gsm8k:train:56,Predict | problem_description -> explanation,13,1,1.0,1.0,2,unavailable
000299 | across_training,8,unavailable,gsm8k:train:56,Predict | problem -> solution,7,1,1.0,1.0,1,unavailable
000300 | across_training,8,unavailable,gsm8k:train:56,CoT | math_problem -> answer,6,1,1.0,1.0,1,unavailable
000301 | across_training,8,unavailable,gsm8k:train:6330,Predict | question -> reasoning,2,1,1.0,1.0,2,unavailable
000302 | across_training,8,unavailable,gsm8k:train:6330,Predict | word_problem -> solution,2,1,1.0,1.0,2,unavailable
000303 | across_training,8,unavailable,gsm8k:train:6330,Predict | question -> hypothesis,2,1,1.0,1.0,1,unavailable
000304 | across_training,8,unavailable,gsm8k:train:2477,Predict | word_problem -> solution,2,1,1.0,1.0,2,unavailable
000305 | across_training,8,unavailable,gsm8k:train:2477,Predict | question -> answer,2,1,1.0,1.0,2,unavailable
000306 | across_training,8,unavailable,gsm8k:train:2271,Predict | problem -> solution,2,1,1.0,1.0,1,unavailable
000307 | across_training,8,unavailable,gsm8k:train:2271,Predict | question -> reasoning,2,1,1.0,1.0,1,unavailable
000308 | across_training,8,unavailable,gsm8k:train:5302,Predict | question -> answer,3,1,1.0,1.0,1,unavailable
```

repeated_pipeline_rewards.csv

722 CSV records; 11 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 30269e71dcddb52430c036252380f02025934bd81f5ced8c1cd92b8d31418718

```
000309 | across_training,8,unavailable,gsm8k:train:5302,Predict | problem -> solution,3,1,1.0,1.0,1,unavailable
000310 | across_training,8,unavailable,gsm8k:train:5302,CoT | math_problem -> answer,2,1,1.0,1.0,1,unavailable
000311 | across_training,8,unavailable,gsm8k:train:5302,Predict | question -> hypothesis,4,1,1.0,1.0,2,unavailable
000312 | across_training,8,unavailable,gsm8k:train:2428,Predict | text -> response,2,1,0.0,0.0,1,unavailable
000313 | across_training,8,unavailable,gsm8k:train:2428,Predict | problem_description -> explanation,6,1,1.0,1.0,1,unavailable
000314 | across_training,8,unavailable,gsm8k:train:3418,Predict | problem -> solution,2,1,1.0,1.0,2,unavailable
000315 | across_training,8,unavailable,gsm8k:train:3082,Predict | question -> answer,3,1,1.0,1.0,2,unavailable
000316 | across_training,8,unavailable,gsm8k:train:5302,Predict | problem_description -> explanation,2,2,0.0,1.0,2,unavailable
000317 | across_training,8,unavailable,gsm8k:train:819,CoT | math_problem -> answer,2,1,1.0,1.0,1,unavailable
000318 | across_training,8,unavailable,gsm8k:train:819,Predict | problem -> solution,4,1,1.0,1.0,1,unavailable
000319 | across_training,8,unavailable,gsm8k:train:1601,Predict | problem_description -> explanation,2,1,1.0,1.0,1,unavailable
000320 | across_training,8,unavailable,gsm8k:train:1601,Predict | problem -> solution,3,1,1.0,1.0,1,unavailable
000321 | across_training,8,unavailable,gsm8k:train:4389,Predict | problem_description -> explanation,3,1,1.0,1.0,2,unavailable
000322 | across_training,8,unavailable,gsm8k:train:4389,Predict | question -> hypothesis,2,1,0.0,0.0,2,unavailable
000323 | across_training,8,unavailable,gsm8k:train:4389,Predict | problem -> solution,3,1,0.0,0.0,2,unavailable
000324 | across_training,8,unavailable,gsm8k:train:4306,Predict | problem -> solution,4,1,1.0,1.0,1,unavailable
000325 | across_training,8,unavailable,gsm8k:train:4306,Predict | problem_description -> explanation,2,1,1.0,1.0,1,unavailable
000326 | across_training,8,unavailable,gsm8k:train:3115,Predict | problem_description -> explanation,4,1,1.0,1.0,2,unavailable
000327 | across_training,8,unavailable,gsm8k:train:7114,Predict | problem_description -> explanation,2,1,0.0,0.0,1,unavailable
000328 | across_training,8,unavailable,gsm8k:train:7114,Predict | problem -> solution,4,1,0.0,0.0,1,unavailable
000329 | across_training,8,unavailable,gsm8k:train:6009,Predict | problem_description -> explanation,3,1,1.0,1.0,1,unavailable
000330 | across_training,8,unavailable,gsm8k:train:6009,Predict | problem -> solution,5,1,1.0,1.0,2,unavailable
000331 | across_training,8,unavailable,gsm8k:train:2068,Predict | problem_description -> explanation,8,1,1.0,1.0,1,unavailable
000332 | across_training,8,unavailable,gsm8k:train:2068,Predict | problem -> solution,6,1,1.0,1.0,1,unavailable
000333 | across_training,8,unavailable,gsm8k:train:2428,Predict | problem -> solution,4,1,0.0,0.0,1,unavailable
000334 | across_training,8,unavailable,gsm8k:train:3703,Predict | problem_description -> explanation,6,1,0.0,0.0,1,unavailable
000335 | across_training,8,unavailable,gsm8k:train:3703,Predict | problem -> solution,2,1,0.0,0.0,1,unavailable
000336 | across_training,8,unavailable,gsm8k:train:6195,Predict | problem_description -> explanation,5,1,1.0,1.0,2,unavailable
000337 | across_training,8,unavailable,gsm8k:train:6195,Predict | problem -> solution,2,1,1.0,1.0,1,unavailable
000338 | across_training,10,unavailable,gsm8k:train:4423,CoT | query -> generated_text,2,1,0.5,0.5,1,unavailable
000339 | across_training,10,unavailable,gsm8k:train:4423,Predict | math_problem -> answer,4,1,1.0,1.0,2,unavailable
000340 | across_training,10,unavailable,gsm8k:train:4423,Predict | question -> reasoning,4,2,0.0,0.5,2,unavailable
000341 | across_training,10,unavailable,gsm8k:train:4423,Predict | question -> answer,5,1,1.0,1.0,2,unavailable
000342 | across_training,10,unavailable,gsm8k:train:3812,Predict | question -> reasoning,2,1,1.0,1.0,1,unavailable
000343 | across_training,10,unavailable,gsm8k:train:3812,Predict | word_problem -> solution,2,1,1.0,1.0,1,unavailable
000344 | across_training,10,unavailable,gsm8k:train:3812,CoT | math_problem -> answer,2,1,0.0,0.0,1,unavailable
000345 | across_training,10,unavailable,gsm8k:train:3812,Predict | question -> answer,2,1,1.0,1.0,1,unavailable
000346 | across_training,10,unavailable,gsm8k:train:7079,Predict | math_problem -> answer,2,1,0.0,0.0,1,unavailable
000347 | across_training,10,unavailable,gsm8k:train:7079,CoT | query -> response,2,1,0.0,0.0,1,unavailable
000348 | across_training,10,unavailable,gsm8k:train:4423,Predict | problem_description -> explanation,4,1,0.0,0.0,1,unavailable
000349 | across_training,10,unavailable,gsm8k:train:4423,Predict | problem -> solution,2,1,1.0,1.0,1,unavailable
000350 | across_training,10,unavailable,gsm8k:train:4423,Predict | word_problem -> solution,3,1,1.0,1.0,2,unavailable
000351 | across_training,10,unavailable,gsm8k:train:56,CoT | query -> response,2,1,1.0,1.0,1,unavailable
000352 | across_training,10,unavailable,gsm8k:train:56,Predict | question -> hypothesis,3,1,0.0,0.0,2,unavailable
```

repeated_pipeline_rewards.csv

722 CSV records; 11 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 30269e71dcddb52430c036252380f02025934bd81f5ced8c1cd92b8d31418718

```
000353 | across_training,10,unavailable,gsm8k:train:56,Predict | question -> answer,2,1,1.0,1.0,1,unavailable
000354 | across_training,10,unavailable,gsm8k:train:56,Predict | question -> reasoning,3,1,1.0,1.0,2,unavailable
000355 | across_training,10,unavailable,gsm8k:train:56,Predict | word_problem -> solution,26,1,1.0,1.0,1,unavailable
000356 | across_training,10,unavailable,gsm8k:train:6330,Predict | question -> answer,3,1,1.0,1.0,1,unavailable
000357 | across_training,10,unavailable,gsm8k:train:6330,Predict | question -> hypothesis,2,1,1.0,1.0,2,unavailable
000358 | across_training,10,unavailable,gsm8k:train:2477,Predict | question -> reasoning,3,1,1.0,1.0,1,unavailable
000359 | across_training,10,unavailable,gsm8k:train:2477,Predict | question -> answer,2,1,1.0,1.0,2,unavailable
000360 | across_training,10,unavailable,gsm8k:train:2477,Predict | question -> hypothesis,3,1,0.5,0.5,2,unavailable
000361 | across_training,10,unavailable,gsm8k:train:2271,Predict | question -> reasoning,3,1,1.0,1.0,1,unavailable
000362 | across_training,10,unavailable,gsm8k:train:2271,Predict | question -> answer,3,1,0.0,0.0,1,unavailable
000363 | across_training,10,unavailable,gsm8k:train:2271,Predict | problem_description -> explanation,2,1,1.0,1.0,1,unavailable
000364 | across_training,10,unavailable,gsm8k:train:5302,Predict | question -> answer,3,1,1.0,1.0,1,unavailable
000365 | across_training,10,unavailable,gsm8k:train:5302,Predict | question -> hypothesis,6,1,1.0,1.0,1,unavailable
000366 | across_training,10,unavailable,gsm8k:train:5302,Predict | question -> reasoning,4,1,1.0,1.0,2,unavailable
000367 | across_training,10,unavailable,gsm8k:train:5302,Predict | problem -> solution,3,1,1.0,1.0,1,unavailable
000368 | across_training,10,unavailable,gsm8k:train:2428,Predict | question -> answer,3,1,0.0,0.0,2,unavailable
000369 | across_training,10,unavailable,gsm8k:train:2428,Predict | question -> hypothesis,2,1,0.0,0.0,2,unavailable
000370 | across_training,10,unavailable,gsm8k:train:2428,Predict | problem_description -> explanation,2,1,1.0,1.0,1,unavailable
000371 | across_training,10,unavailable,gsm8k:train:2428,Predict | word_problem -> solution,7,1,0.0,0.0,1,unavailable
000372 | across_training,10,unavailable,gsm8k:train:2428,Predict | question -> reasoning,4,1,1.0,1.0,1,unavailable
000373 | across_training,10,unavailable,gsm8k:train:3418,Predict | question -> answer,2,1,1.0,1.0,1,unavailable
000374 | across_training,10,unavailable,gsm8k:train:3418,Predict | problem -> solution,3,1,1.0,1.0,2,unavailable
000375 | across_training,10,unavailable,gsm8k:train:3418,Predict | question -> reasoning,2,1,1.0,1.0,1,unavailable
000376 | across_training,10,unavailable,gsm8k:train:3082,Predict | question -> hypothesis,2,1,1.0,1.0,1,unavailable
000377 | across_training,10,unavailable,gsm8k:train:3082,Predict | question -> answer,3,1,1.0,1.0,2,unavailable
000378 | across_training,10,unavailable,gsm8k:train:5302,Predict | problem_description -> explanation,3,2,0.0,1.0,2,unavailable
000379 | across_training,10,unavailable,gsm8k:train:819,Predict | problem_description -> explanation,2,1,1.0,1.0,1,unavailable
000380 | across_training,10,unavailable,gsm8k:train:819,Predict | question -> answer,2,1,1.0,1.0,1,unavailable
000381 | across_training,10,unavailable,gsm8k:train:819,Predict | question -> hypothesis,3,1,1.0,1.0,1,unavailable
000382 | across_training,10,unavailable,gsm8k:train:819,Predict | word_problem -> solution,2,1,1.0,1.0,1,unavailable
000383 | across_training,10,unavailable,gsm8k:train:1601,Predict | math_problem -> answer,3,1,0.0,0.0,1,unavailable
000384 | across_training,10,unavailable,gsm8k:train:1601,Predict | word_problem -> solution,2,1,1.0,1.0,1,unavailable
000385 | across_training,10,unavailable,gsm8k:train:1601,Predict | question -> reasoning,2,1,1.0,1.0,1,unavailable
000386 | across_training,10,unavailable,gsm8k:train:4389,Predict | problem -> solution,3,1,0.0,0.0,2,unavailable
000387 | across_training,10,unavailable,gsm8k:train:4389,Predict | word_problem -> solution,3,1,1.0,1.0,1,unavailable
000388 | across_training,10,unavailable,gsm8k:train:4389,Predict | question -> hypothesis,2,1,0.0,0.0,2,unavailable
000389 | across_training,10,unavailable,gsm8k:train:4389,CoT | query -> response,2,1,0.0,0.0,2,unavailable
000390 | across_training,10,unavailable,gsm8k:train:4306,Predict | problem_description -> explanation,3,1,1.0,1.0,1,unavailable
000391 | across_training,10,unavailable,gsm8k:train:4306,Predict | word_problem -> solution,2,1,0.0,0.0,1,unavailable
000392 | across_training,10,unavailable,gsm8k:train:4306,Predict | question -> answer,2,1,1.0,1.0,1,unavailable
000393 | across_training,10,unavailable,gsm8k:train:3115,Predict | word_problem -> solution,5,1,0.0,0.0,2,unavailable
000394 | across_training,10,unavailable,gsm8k:train:3115,Predict | question -> answer,2,1,1.0,1.0,1,unavailable
000395 | across_training,10,unavailable,gsm8k:train:7114,Predict | word_problem -> solution,3,1,0.0,0.0,1,unavailable
000396 | across_training,10,unavailable,gsm8k:train:7114,Predict | question -> hypothesis,2,1,0.0,0.0,1,unavailable
```

repeated_pipeline_rewards.csv

722 CSV records; 11 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 30269e71dcddb52430c036252380f02025934bd81f5ced8c1cd92b8d31418718

```
000397 | across_training,10,unavailable,gsm8k:train:7114,Predict | question -> answer,2,1,0.0,0.0,1,unavailable
000398 | across_training,10,unavailable,gsm8k:train:7114,Predict | problem -> solution,3,1,0.0,0.0,1,unavailable
000399 | across_training,10,unavailable,gsm8k:train:6009,Predict | word_problem -> solution,5,1,1.0,1.0,1,unavailable
000400 | across_training,10,unavailable,gsm8k:train:6009,Predict | problem_description -> explanation,2,1,1.0,1.0,1,unavailable
000401 | across_training,10,unavailable,gsm8k:train:2068,Predict | word_problem -> solution,10,1,1.0,1.0,2,unavailable
000402 | across_training,10,unavailable,gsm8k:train:2068,Predict | problem_description -> explanation,2,1,1.0,1.0,1,unavailable
000403 | across_training,10,unavailable,gsm8k:train:2068,Predict | problem -> solution,2,1,1.0,1.0,1,unavailable
000404 | across_training,10,unavailable,gsm8k:train:2068,Predict | question -> answer,3,1,1.0,1.0,1,unavailable
000405 | across_training,10,unavailable,gsm8k:train:2068,Predict | question -> hypothesis,3,1,1.0,1.0,2,unavailable
000406 | across_training,10,unavailable,gsm8k:train:3703,Predict | question -> answer,4,1,0.0,0.0,1,unavailable
000407 | across_training,10,unavailable,gsm8k:train:3703,Predict | problem_description -> explanation,3,1,0.0,0.0,1,unavailable
000408 | across_training,10,unavailable,gsm8k:train:6195,Predict | question -> answer,3,1,1.0,1.0,1,unavailable
000409 | across_training,10,unavailable,gsm8k:train:6195,Predict | question -> reasoning,4,1,1.0,1.0,2,unavailable
000410 | across_training,15,unavailable,gsm8k:train:4423,CoT | query -> generated_text,2,1,0.5,0.5,1,unavailable
000411 | across_training,15,unavailable,gsm8k:train:4423,CoT | text -> summary,2,1,0.0,0.0,1,unavailable
000412 | across_training,15,unavailable,gsm8k:train:4423,Predict | math_problem -> answer,4,1,1.0,1.0,2,unavailable
000413 | across_training,15,unavailable,gsm8k:train:4423,CoT | prompt -> response,2,1,0.0,0.0,1,unavailable
000414 | across_training,15,unavailable,gsm8k:train:4423,Predict | question -> reasoning,5,1,0.0,0.0,2,unavailable
000415 | across_training,15,unavailable,gsm8k:train:4423,Predict | question -> answer,7,1,1.0,1.0,2,unavailable
000416 | across_training,15,unavailable,gsm8k:train:4423,CoT | query -> response,2,1,0.0,0.0,1,unavailable
000417 | across_training,15,unavailable,gsm8k:train:3812,CoT | math_problem -> answer,3,1,0.0,0.0,1,unavailable
000418 | across_training,15,unavailable,gsm8k:train:3812,Predict | question -> answer,2,1,1.0,1.0,1,unavailable
000419 | across_training,15,unavailable,gsm8k:train:3812,Predict | math_problem -> answer,3,1,1.0,1.0,1,unavailable
000420 | across_training,15,unavailable,gsm8k:train:3812,Predict | question -> reasoning,2,1,1.0,1.0,1,unavailable
000421 | across_training,15,unavailable,gsm8k:train:7079,Predict | text -> response,2,1,0.0,0.0,1,unavailable
000422 | across_training,15,unavailable,gsm8k:train:7079,Predict | problem -> solution,2,1,1.0,1.0,1,unavailable
000423 | across_training,15,unavailable,gsm8k:train:7079,Predict | question -> hypothesis,2,1,0.0,0.0,1,unavailable
000424 | across_training,15,unavailable,gsm8k:train:2663,CoT | word_problem -> solution,2,1,1.0,1.0,1,unavailable
000425 | across_training,15,unavailable,gsm8k:train:2663,Predict | math_problem -> answer,4,1,0.0,0.0,1,unavailable
000426 | across_training,15,unavailable,gsm8k:train:2663,Predict | question -> hypothesis,2,1,1.0,1.0,1,unavailable
000427 | across_training,15,unavailable,gsm8k:train:2663,Predict | prompt -> response,2,1,1.0,1.0,2,unavailable
000428 | across_training,15,unavailable,gsm8k:train:4423,Predict | problem_description -> explanation,7,1,0.0,0.0,1,unavailable
000429 | across_training,15,unavailable,gsm8k:train:4423,Predict | problem -> solution,6,1,1.0,1.0,1,unavailable
000430 | across_training,15,unavailable,gsm8k:train:56,Predict | question -> reasoning,5,1,1.0,1.0,2,unavailable
000431 | across_training,15,unavailable,gsm8k:train:56,Predict | question -> hypothesis,3,1,0.0,0.0,1,unavailable
000432 | across_training,15,unavailable,gsm8k:train:56,CoT | query -> response,3,1,1.0,1.0,1,unavailable
000433 | across_training,15,unavailable,gsm8k:train:56,CoT | query -> generated_text,2,1,1.0,1.0,1,unavailable
000434 | across_training,15,unavailable,gsm8k:train:56,Predict | problem_description -> explanation,24,1,1.0,1.0,2,unavailable
000435 | across_training,15,unavailable,gsm8k:train:56,Predict | question -> answer,5,1,1.0,1.0,2,unavailable
000436 | across_training,15,unavailable,gsm8k:train:6330,Predict | question -> answer,5,1,1.0,1.0,1,unavailable
000437 | across_training,15,unavailable,gsm8k:train:6330,Predict | question -> hypothesis,4,1,1.0,1.0,1,unavailable
000438 | across_training,15,unavailable,gsm8k:train:6330,Predict | question -> reasoning,2,1,1.0,1.0,2,unavailable
000439 | across_training,15,unavailable,gsm8k:train:2477,Predict | question -> answer,5,1,1.0,1.0,2,unavailable
000440 | across_training,15,unavailable,gsm8k:train:2477,Predict | question -> reasoning,4,1,1.0,1.0,1,unavailable
```

repeated_pipeline_rewards.csv

722 CSV records; 11 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 30269e71dcddb52430c036252380f02025934bd81f5ced8c1cd92b8d31418718

```
000441 | across_training,15,unavailable,gsm8k:train:2477,Predict | question -> hypothesis,3,2,0.0,0.5,1,unavailable
000442 | across_training,15,unavailable,gsm8k:train:2477,Predict | problem -> solution,2,1,1.0,1.0,2,unavailable
000443 | across_training,15,unavailable,gsm8k:train:2271,Predict | question -> hypothesis,4,1,1.0,1.0,1,unavailable
000444 | across_training,15,unavailable,gsm8k:train:2271,Predict | question -> answer,3,1,0.0,0.0,1,unavailable
000445 | across_training,15,unavailable,gsm8k:train:2271,Predict | problem_description -> explanation,4,1,1.0,1.0,1,unavailable
000446 | across_training,15,unavailable,gsm8k:train:5302,Predict | question -> reasoning,7,1,1.0,1.0,2,unavailable
000447 | across_training,15,unavailable,gsm8k:train:5302,Predict | question -> answer,6,1,1.0,1.0,1,unavailable
000448 | across_training,15,unavailable,gsm8k:train:5302,Predict | question -> hypothesis,6,1,1.0,1.0,1,unavailable
000449 | across_training,15,unavailable,gsm8k:train:5302,Predict | problem_description -> explanation,5,2,0.0,1.0,2,unavailable
000450 | across_training,15,unavailable,gsm8k:train:2428,Predict | question -> hypothesis,8,1,0.0,0.0,1,unavailable
000451 | across_training,15,unavailable,gsm8k:train:2428,Predict | question -> reasoning,3,1,1.0,1.0,1,unavailable
000452 | across_training,15,unavailable,gsm8k:train:2428,Predict | question -> answer,3,1,0.0,0.0,2,unavailable
000453 | across_training,15,unavailable,gsm8k:train:2428,Predict | problem_description -> explanation,7,1,1.0,1.0,1,unavailable
000454 | across_training,15,unavailable,gsm8k:train:3418,Predict | question -> hypothesis,5,2,0.0,1.0,2,unavailable
000455 | across_training,15,unavailable,gsm8k:train:3418,Predict | question -> reasoning,2,1,1.0,1.0,1,unavailable
000456 | across_training,15,unavailable,gsm8k:train:3418,Predict | problem -> solution,2,1,1.0,1.0,2,unavailable
000457 | across_training,15,unavailable,gsm8k:train:3418,Predict | question -> answer,2,1,1.0,1.0,1,unavailable
000458 | across_training,15,unavailable,gsm8k:train:3418,Predict | problem_description -> explanation,3,1,1.0,1.0,2,unavailable
000459 | across_training,15,unavailable,gsm8k:train:3082,Predict | problem -> solution,2,1,1.0,1.0,2,unavailable
000460 | across_training,15,unavailable,gsm8k:train:3082,Predict | question -> reasoning,2,1,1.0,1.0,1,unavailable
000461 | across_training,15,unavailable,gsm8k:train:3082,Predict | question -> answer,3,1,1.0,1.0,2,unavailable
000462 | across_training,15,unavailable,gsm8k:train:3082,Predict | question -> hypothesis,3,1,1.0,1.0,1,unavailable
000463 | across_training,15,unavailable,gsm8k:train:3082,CoT | query -> response,2,1,1.0,1.0,1,unavailable
000464 | across_training,15,unavailable,gsm8k:train:5302,Predict | problem -> solution,4,1,1.0,1.0,1,unavailable
000465 | across_training,15,unavailable,gsm8k:train:819,Predict | question -> answer,3,1,1.0,1.0,1,unavailable
000466 | across_training,15,unavailable,gsm8k:train:819,Predict | question -> hypothesis,4,1,1.0,1.0,1,unavailable
000467 | across_training,15,unavailable,gsm8k:train:819,Predict | problem_description -> explanation,3,1,1.0,1.0,1,unavailable
000468 | across_training,15,unavailable,gsm8k:train:819,Predict | problem -> solution,3,1,1.0,1.0,1,unavailable
000469 | across_training,15,unavailable,gsm8k:train:819,Predict | question -> reasoning,2,1,1.0,1.0,1,unavailable
000470 | across_training,15,unavailable,gsm8k:train:1601,Predict | problem -> solution,2,1,1.0,1.0,1,unavailable
000471 | across_training,15,unavailable,gsm8k:train:1601,Predict | question -> reasoning,2,1,1.0,1.0,1,unavailable
000472 | across_training,15,unavailable,gsm8k:train:1601,Predict | problem_description -> explanation,6,1,1.0,1.0,1,unavailable
000473 | across_training,15,unavailable,gsm8k:train:1601,Predict | word_problem -> solution,2,1,1.0,1.0,1,unavailable
000474 | across_training,15,unavailable,gsm8k:train:56,Predict | problem -> solution,15,1,1.0,1.0,1,unavailable
000475 | across_training,15,unavailable,gsm8k:train:4389,Predict | problem -> solution,7,1,0.0,0.0,2,unavailable
000476 | across_training,15,unavailable,gsm8k:train:4389,Predict | problem_description -> explanation,5,1,1.0,1.0,2,unavailable
000477 | across_training,15,unavailable,gsm8k:train:4306,Predict | problem_description -> explanation,5,1,1.0,1.0,1,unavailable
000478 | across_training,15,unavailable,gsm8k:train:4306,Predict | problem -> solution,8,1,1.0,1.0,1,unavailable
000479 | across_training,15,unavailable,gsm8k:train:4306,Predict | question -> answer,2,1,1.0,1.0,1,unavailable
000480 | across_training,15,unavailable,gsm8k:train:3115,Predict | question -> reasoning,2,1,1.0,1.0,2,unavailable
000481 | across_training,15,unavailable,gsm8k:train:3115,Predict | problem_description -> explanation,8,1,1.0,1.0,2,unavailable
000482 | across_training,15,unavailable,gsm8k:train:3115,Predict | problem -> solution,3,1,1.0,1.0,1,unavailable
000483 | across_training,15,unavailable,gsm8k:train:7114,Predict | question -> reasoning,2,1,0.0,0.0,2,unavailable
000484 | across_training,15,unavailable,gsm8k:train:7114,Predict | problem_description -> explanation,7,1,0.0,0.0,1,unavailable
```

repeated_pipeline_rewards.csv

722 CSV records; 11 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 30269e71dcddb52430c036252380f02025934bd81f5ced8c1cd92b8d31418718

```
000485 | across_training,15,unavailable,gsm8k:train:7114,Predict | problem -> solution,5,1,0.0,0.0,1,unavailable
000486 | across_training,15,unavailable,gsm8k:train:6009,Predict | problem_description -> explanation,7,1,1.0,1.0,1,unavailable
000487 | across_training,15,unavailable,gsm8k:train:6009,Predict | problem -> solution,7,1,1.0,1.0,2,unavailable
000488 | across_training,15,unavailable,gsm8k:train:2068,Predict | problem_description -> explanation,16,1,1.0,1.0,1,unavailable
000489 | across_training,15,unavailable,gsm8k:train:2068,Predict | problem -> solution,10,1,1.0,1.0,1,unavailable
000490 | across_training,15,unavailable,gsm8k:train:2428,Predict | problem -> solution,9,1,0.0,0.0,1,unavailable
000491 | across_training,15,unavailable,gsm8k:train:2068,Predict | question -> answer,2,1,1.0,1.0,1,unavailable
000492 | across_training,15,unavailable,gsm8k:train:3703,Predict | problem -> solution,7,1,0.0,0.0,1,unavailable
000493 | across_training,15,unavailable,gsm8k:train:3703,Predict | problem_description -> explanation,8,1,0.0,0.0,1,unavailable
000494 | across_training,15,unavailable,gsm8k:train:6195,Predict | problem -> solution,10,1,1.0,1.0,1,unavailable
000495 | across_training,15,unavailable,gsm8k:train:6195,Predict | problem_description -> explanation,4,1,1.0,1.0,2,unavailable
000496 | identical_output,5,unavailable,gsm8k:train:4423,Predict | math_problem -> answer,2,1,1.0,1.0,1,d82117721416d96a257cbf39950f11f251341c65051df9f7f190fa7bad4bc40e
000497 | identical_output,5,unavailable,gsm8k:train:3812,Predict | question -> answer,2,1,1.0,1.0,1,abb35340ae90101051ee0fdd0b5e16f23ec5190bcf14fbbc921daee2fdbdf100
000498 | identical_output,5,unavailable,gsm8k:train:7079,CoT | query -> response,2,1,0.0,0.0,1,5436cc4750cf070868dc8194674f290f21aa7d184577bb0b5b694093da216ecd
000499 | identical_output,5,unavailable,gsm8k:train:2663,CoT | math_problem -> answer,2,1,1.0,1.0,1,8f83529fbd99d59832cd8a13239b51e9762f582ac0a45e9ccf5410637bbb346b
000500 | identical_output,5,unavailable,gsm8k:train:56,CoT | query -> response,2,1,1.0,1.0,1,c6525896684c7616677ab273f27391d151d7136c0ce73393c5cf1f975530afc4
000501 | identical_output,5,unavailable,gsm8k:train:56,CoT | math_problem -> answer,8,1,1.0,1.0,1,c6525896684c7616677ab273f27391d151d7136c0ce73393c5cf1f975530afc4
000502 | identical_output,5,unavailable,gsm8k:train:6330,Predict | problem -> solution,2,1,1.0,1.0,1,b095360ee853cf7f971e8471871832713705955 72e87ecda76252e88d1f609d0
000503 | identical_output,5,unavailable,gsm8k:train:2271,Predict | math_problem -> answer,2,1,0.0,0.0,1,39ba5b2f099488e29d13231364d4cca212917ad6c56fc30facdbb155a57beb00
000504 | identical_output,5,unavailable,gsm8k:train:2271,CoT | query -> generated_text,2,1,0.0,0.0,1,f4d8acc915fd629d1dc3d1262dced402b6d6b106764e7cb2b244e5b352f8b997
000505 | identical_output,5,unavailable,gsm8k:train:5302,CoT | math_problem -> answer,2,1,1.0,1.0,1,06d033ece6645de592db973644cf7357255f24536ff7b03c3b2ace10736f7636
000506 | identical_output,5,unavailable,gsm8k:train:5302,Predict | math_problem -> answer,2,1,1.0,1.0,1,06d033ece6645de592db973644cf7357255f24536ff7b03c3b2ace10736f7636
000507 | identical_output,5,unavailable,gsm8k:train:3418,CoT | math_problem -> answer,2,1,1.0,1.0,1,d1e05a1bd506567c81f9ff9dc997c2e88e2a15441d4c206854da275dbc4503e1
000508 | identical_output,5,unavailable,gsm8k:train:3418,Predict | math_problem -> answer,2,1,1.0,1.0,1,72e1f5c68b0a8d2d1f5c722307478faca92ce4de4ef1baf2dce52f03627caeaa
000509 | identical_output,5,unavailable,gsm8k:train:3082,CoT | math_problem -> answer,3,1,1.0,1.0,1,f0d0e023f9b1a4da91c19ac15cf2ea71427f0e4a8cf70397527d67c360d80af7
000510 | identical_output,5,unavailable,gsm8k:train:5302,Predict | problem -> solution,2,1,1.0,1.0,1,ac4f7f409a02ab1942a5d23e7161e6ecdede3278be9a7132d0f01ac7e7aa2933
000511 | identical_output,5,unavailable,gsm8k:train:819,CoT | math_problem -> answer,5,1,1.0,1.0,1,2e826489cf9b9ae4387d7d0ff1c53e20764bab885bb8bcc36bad62c2f7dd97b1
000512 | identical_output,5,unavailable,gsm8k:train:1601,CoT | math_problem -> answer,3,1,0.0,0.0,1,05669e290f548098adb09959bbe0e1153a7a8793f2696400162cce1c2a7db73d
000513 | identical_output,5,unavailable,gsm8k:train:56,CoT | query -> generated_text,2,1,1.0,1.0,1,9c6e3af4dcb0746cee676baabaee9044e7db632ad1b391381b56c2737fc50ea0
000514 | identical_output,5,unavailable,gsm8k:train:4423,CoT | math_problem -> answer,4,1,0.0,0.0,1,f9d72c32a7d57e5c7194590efb0b8e172b1a3a4539eda0c3fba5776ce8f4f2de
000515 | identical_output,5,unavailable,gsm8k:train:4389,CoT | math_problem -> answer,2,1,0.0,0.0,1,7d936336b43f0d569e9fe7e80310c832dbb53a675a5f6b1c52ddd96c7dbec725
000516 | identical_output,5,unavailable,gsm8k:train:4306,CoT | problem -> solution,2,1,1.0,1.0,1,2dbe74fef49e2e8390183a9bc0e94501bb4a3486e9dfec32a7b685e86acefbab
000517 | identical_output,5,unavailable,gsm8k:train:4306,Predict | problem_description -> explanation,3,1,1.0,1.0,1,37082243142a94cf2e0a94ac8363674f3408cd4ca65cfed07f0d108304a
     + | 33010
000518 | identical_output,5,unavailable,gsm8k:train:7114,CoT | math_problem -> answer,2,1,0.0,0.0,1,0231f1290bc58f708154a4c89ada3b9d5749c3fba488991b0fcdca7cc0f82c68
000519 | identical_output,5,unavailable,gsm8k:train:56,CoT | word_problem -> solution,2,1,1.0,1.0,1,c6525896684c7616677ab273f27391d151d7136c0ce73393c5cf1f975530afc4
000520 | identical_output,5,unavailable,gsm8k:train:2068,Predict | problem_description -> explanation,2,1,1.0,1.0,1,a8c5b9c5f49c73555b79a729a1686e5634a4cce1defa8a472ed4373ddf3
     + | 0851b
000521 | identical_output,5,unavailable,gsm8k:train:2068,CoT | math_problem -> answer,2,1,1.0,1.0,1,49e165525ebdb26f765e7bbab7689c4772a55771dd3ce3b1786d75188895cf03
000522 | identical_output,5,unavailable,gsm8k:train:2068,CoT | query -> response,2,1,1.0,1.0,1,49e165525ebdb26f765e7bbab7689c4772a55771dd3ce3b1786d75188895cf03
000523 | identical_output,5,unavailable,gsm8k:train:3703,CoT | problem_description -> explanation,2,1,1.0,1.0,1,ed8b31ffbd5b37ac7cf3a98086b04ee26cc37f9d020648e2148f65f6a73a9cf
     + | c
000524 | identical_output,8,unavailable,gsm8k:train:4423,CoT | query -> generated_text,3,1,0.5,0.5,1,040065381d60b8914af5c4e09ecfa52cb86aaf0bfce92dcfaac4fc3305808e83
000525 | identical_output,8,unavailable,gsm8k:train:4423,Predict | question -> reasoning,2,2,0.0,0.5,1,48fc0ba79c37ee815ebd6f5cc00e9d4a063b9ab3400043a313644773b3cd236e
```

repeated_pipeline_rewards.csv

722 CSV records; 11 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 30269e71dcddb52430c036252380f02025934bd81f5ced8c1cd92b8d31418718

```
000526 | identical_output,8,unavailable,gsm8k:train:3812,Predict | question -> reasoning,2,1,1.0,1.0,1,29885dde8a51654586769b047549a0355b705fc13ef610c1da6903168f10b1d4
000527 | identical_output,8,unavailable,gsm8k:train:3812,Predict | word_problem -> solution,2,1,1.0,1.0,1,7af56691e8c1c29543e5cd856ad07560fd7fb2fc860b8facd006cd0ac250d3e2
000528 | identical_output,8,unavailable,gsm8k:train:7079,CoT | math_problem -> answer,2,1,1.0,1.0,1,c08a6c60834029da34865da49e8fedcd012092c85e00a2ee74908da04f6b390d
000529 | identical_output,8,unavailable,gsm8k:train:7079,Predict | math_problem -> answer,2,1,0.0,0.0,1,16f539a8e4e7dae5323e1b1514dbe559271466727cb2cc4603fd4282422d1bb4
000530 | identical_output,8,unavailable,gsm8k:train:2663,CoT | math_problem -> answer,2,1,1.0,1.0,1,8f83529fbd99d59832cd8a13239b51e9762f582ac0a45e9ccf5410637bbb346b
000531 | identical_output,8,unavailable,gsm8k:train:4423,Predict | problem_description -> explanation,3,1,0.0,0.0,1,7e72c38c3b400e3edc142eb1121e8a5c917f7233e66307baee62ddc6af3
     + | c4bd5
000532 | identical_output,8,unavailable,gsm8k:train:4423,Predict | problem -> solution,5,1,1.0,1.0,1,29628cbb89083298bc7d0fab795838833b42438b6dd157925da0f56b164ff2f5
000533 | identical_output,8,unavailable,gsm8k:train:4423,Predict | question -> answer,2,1,1.0,1.0,1,1bd1941ea13577bd9111d6b84d078a1389b4f5e913336a5c2a4689805d211508
000534 | identical_output,8,unavailable,gsm8k:train:4423,Predict | question -> hypothesis,2,1,1.0,1.0,1,11dcebc024aa2ecef052307036eb548231bd17f34af1aa15f2d2a06fa6bbf83c
000535 | identical_output,8,unavailable,gsm8k:train:56,Predict | problem_description -> explanation,3,1,1.0,1.0,1,b680c3e1c026785b01861ce3135759ea697cd8309a36bea4b17d89a4e723c
     + | e2d
000536 | identical_output,8,unavailable,gsm8k:train:56,Predict | problem -> solution,7,1,1.0,1.0,1,33e6cea06f16c5fa6b0bdb39e1cd63e135d1aab7e9b9262fd7bf49e3475910ab
000537 | identical_output,8,unavailable,gsm8k:train:56,CoT | math_problem -> answer,6,1,1.0,1.0,1,c6525896684c7616677ab273f27391d151d7136c0ce73393c5cf1f975530afc4
000538 | identical_output,8,unavailable,gsm8k:train:6330,Predict | question -> hypothesis,2,1,1.0,1.0,1,9ce5922609a528796ae68c7b1aa315177bf5637dc0841191e04e74e29cfed112
000539 | identical_output,8,unavailable,gsm8k:train:2271,Predict | problem -> solution,2,1,1.0,1.0,1,6b4e812a87f752fc006f51c96a2609d6a4d421c12bb4be39be4e84b29f819fc8
000540 | identical_output,8,unavailable,gsm8k:train:2271,Predict | question -> reasoning,2,1,1.0,1.0,1,79ec26c52e0fb25ba4245b2eb9d3a216c8121f8b5e1ccba1c1d941f44de46b17
000541 | identical_output,8,unavailable,gsm8k:train:5302,Predict | question -> answer,3,1,1.0,1.0,1,1f5fce3ae994439dc8805e383b902d0a6674d0fe2005f1a252b6432b37aa982c
000542 | identical_output,8,unavailable,gsm8k:train:5302,Predict | problem -> solution,3,1,1.0,1.0,1,ac4f7f409a02ab1942a5d23e7161e6ecdede3278be9a7132d0f01ac7e7aa2933
000543 | identical_output,8,unavailable,gsm8k:train:5302,CoT | math_problem -> answer,2,1,1.0,1.0,1,06d033ece6645de592db973644cf7357255f24536ff7b03c3b2ace10736f7636
000544 | identical_output,8,unavailable,gsm8k:train:5302,Predict | question -> hypothesis,2,1,1.0,1.0,1,63337b05e5d786fa835565357df37f80f2b949938137916da9217e84768fdcc7
000545 | identical_output,8,unavailable,gsm8k:train:5302,Predict | question -> hypothesis,2,1,1.0,1.0,1,4dfe921f363136a37565c7e10b492cfe922c3a11eef8b8af132dd44f110dbbf8
000546 | identical_output,8,unavailable,gsm8k:train:2428,Predict | text -> response,2,1,0.0,0.0,1,c0a63f4b624cd9731fcf9b2aa803836b5c24c3e7fb45684832f0936eab2a3c87
000547 | identical_output,8,unavailable,gsm8k:train:2428,Predict | problem_description -> explanation,6,1,1.0,1.0,1,67e62d1b68cccfde114d5984b8e4d0e1d56dafe486a48770be63fffd19f
     + | 0610c
000548 | identical_output,8,unavailable,gsm8k:train:3082,Predict | question -> answer,2,1,1.0,1.0,1,56c5c8c94d9d0392b193b50523985dbb656a27c0f35edf36ff78d5d3d23ceb53
000549 | identical_output,8,unavailable,gsm8k:train:819,CoT | math_problem -> answer,2,1,1.0,1.0,1,2e826489cf9b9ae4387d7d0ff1c53e20764bab885bb8bcc36bad62c2f7dd97b1
000550 | identical_output,8,unavailable,gsm8k:train:819,Predict | problem -> solution,4,1,1.0,1.0,1,aa90313c5070f1deee28847baba95364ab438ad9cc6e7a54e60d21919d84bc22
000551 | identical_output,8,unavailable,gsm8k:train:1601,Predict | problem_description -> explanation,2,1,1.0,1.0,1,1435cd24cd197cccb04f75ff192ecdd8a163ec962b2e995c987047e855a
     + | 10b3d
000552 | identical_output,8,unavailable,gsm8k:train:1601,Predict | problem -> solution,3,1,1.0,1.0,1,7d8612eca7ec31c5aa8b43c5ed4b2dcab0d5431608cc18e9cec9d94cf12dfa99
000553 | identical_output,8,unavailable,gsm8k:train:56,Predict | problem_description -> explanation,10,1,1.0,1.0,1,7e7dd480468821453d1462f84e31f8c2103af4b26e81b2de5f69d0797a4c
     + | bf7c
000554 | identical_output,8,unavailable,gsm8k:train:4389,Predict | problem_description -> explanation,2,1,1.0,1.0,1,b3060c6eb5d3f90cbce16fd5cb4b939c4bb8926f26c6da6a3ad08210a4b
     + | 55fb9
000555 | identical_output,8,unavailable,gsm8k:train:4389,Predict | problem -> solution,2,1,0.0,0.0,1,118a6bb88b21f986ceaaebb2a52750e1b17519fad6fb0dd0d0d28647aae1bccf
000556 | identical_output,8,unavailable,gsm8k:train:4306,Predict | problem -> solution,4,1,1.0,1.0,1,33e5de9bc9a8490aac2127e3b07802e36491757d510b9eec0392153de4d31e36
000557 | identical_output,8,unavailable,gsm8k:train:4306,Predict | problem_description -> explanation,2,1,1.0,1.0,1,37082243142a94cf2e0a94ac8363674f3408cd4ca65cfed07f0d108304a
     + | 33010
000558 | identical_output,8,unavailable,gsm8k:train:3115,Predict | problem_description -> explanation,3,1,1.0,1.0,1,d424d635a8280d31f81cac1ae5c2fb04002b855a261237e9fa2e517603e
     + | 790e5
000559 | identical_output,8,unavailable,gsm8k:train:7114,Predict | problem_description -> explanation,2,1,0.0,0.0,1,154bd028adcd56d20ee51dba7d9775d5be46a66113a36693565fec112fb
     + | 041cf
000560 | identical_output,8,unavailable,gsm8k:train:7114,Predict | problem -> solution,4,1,0.0,0.0,1,b9195dc652fb0dc082aa52c8353206d4173e0ce8efad46fa23027209d8887ed0
```

repeated_pipeline_rewards.csv

722 CSV records; 11 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 30269e71dcddb52430c036252380f02025934bd81f5ced8c1cd92b8d31418718

```
000561 | identical_output,8,unavailable,gsm8k:train:6009,Predict | problem_description -> explanation,3,1,1.0,1.0,1,84df13d78e22295dc22b1748820cadcd01c0ab040900365b318e89886b1
     + | 5eb0f
000562 | identical_output,8,unavailable,gsm8k:train:6009,Predict | problem -> solution,4,1,1.0,1.0,1,ae557bb7dffe814bbd9ac73ba35419d2744cde64e92e9c0e36b98c100d5722d6
000563 | identical_output,8,unavailable,gsm8k:train:2068,Predict | problem_description -> explanation,8,1,1.0,1.0,1,a8c5b9c5f49c73555b79a729a1686e5634a4cce1defa8a472ed4373ddf3
     + | 0851b
000564 | identical_output,8,unavailable,gsm8k:train:2068,Predict | problem -> solution,6,1,1.0,1.0,1,597919ddd73b41886f2ec543f8908d28a15c63d2676e5d874c4710db3cb29fde
000565 | identical_output,8,unavailable,gsm8k:train:2428,Predict | problem -> solution,4,1,0.0,0.0,1,c0a63f4b624cd9731fcf9b2aa803836b5c24c3e7fb45684832f0936eab2a3c87
000566 | identical_output,8,unavailable,gsm8k:train:3703,Predict | problem_description -> explanation,6,1,0.0,0.0,1,52c0fbfe57d92fe0f332b34571d2b8e36dfcf1decc1ac37d7a098e9c4fe
     + | 6ddf0
000567 | identical_output,8,unavailable,gsm8k:train:3703,Predict | problem -> solution,2,1,0.0,0.0,1,d06c3b208228e7fc7a0824e6702cc791ac41e9442fa77f8d6034c2bc38261a0f
000568 | identical_output,8,unavailable,gsm8k:train:6195,Predict | problem_description -> explanation,4,1,1.0,1.0,1,7e8c3e6835d95c3ca19877ec87dac058c410c518611eeb611a061db3244
     + | 23f97
000569 | identical_output,8,unavailable,gsm8k:train:6195,Predict | problem -> solution,2,1,1.0,1.0,1,7a07a6142202769dfb6f9d7e1f748504afda51583db3806e515dabdac24a9fda
000570 | identical_output,10,unavailable,gsm8k:train:4423,CoT | query -> generated_text,2,1,0.5,0.5,1,040065381d60b8914af5c4e09ecfa52cb86aaf0bfce92dcfaac4fc3305808e83
000571 | identical_output,10,unavailable,gsm8k:train:4423,Predict | math_problem -> answer,3,1,1.0,1.0,1,d82117721416d96a257cbf39950f11f251341c65051df9f7f190fa7bad4bc40e
000572 | identical_output,10,unavailable,gsm8k:train:4423,Predict | question -> reasoning,3,2,0.0,0.5,1,48fc0ba79c37ee815ebd6f5cc00e9d4a063b9ab3400043a313644773b3cd236e
000573 | identical_output,10,unavailable,gsm8k:train:3812,Predict | question -> reasoning,2,1,1.0,1.0,1,29885dde8a51654586769b047549a0355b705fc13ef610c1da6903168f10b1d4
000574 | identical_output,10,unavailable,gsm8k:train:3812,Predict | word_problem -> solution,2,1,1.0,1.0,1,7af56691e8c1c29543e5cd856ad07560fd7fb2fc860b8facd006cd0ac250d3e2
000575 | identical_output,10,unavailable,gsm8k:train:3812,CoT | math_problem -> answer,2,1,0.0,0.0,1,d15b88858777c3ec8e0d1e5edff603a5d3f24f1c49421aaefd5e678f439eeac7
000576 | identical_output,10,unavailable,gsm8k:train:3812,Predict | question -> answer,2,1,1.0,1.0,1,abb35340ae90101051ee0fdd0b5e16f23ec5190bcf14fbbc921daee2fdbdf100
000577 | identical_output,10,unavailable,gsm8k:train:7079,Predict | math_problem -> answer,2,1,0.0,0.0,1,16f539a8e4e7dae5323e1b1514dbe559271466727cb2cc4603fd4282422d1bb4
000578 | identical_output,10,unavailable,gsm8k:train:7079,CoT | query -> response,2,1,0.0,0.0,1,5436cc4750cf070868dc8194674f290f21aa7d184577bb0b5b694093da216ecd
000579 | identical_output,10,unavailable,gsm8k:train:4423,Predict | question -> answer,4,1,1.0,1.0,1,1bd1941ea13577bd9111d6b84d078a1389b4f5e913336a5c2a4689805d211508
000580 | identical_output,10,unavailable,gsm8k:train:4423,Predict | problem_description -> explanation,4,1,0.0,0.0,1,7e72c38c3b400e3edc142eb1121e8a5c917f7233e66307baee62ddc6af
     + | 3c4bd5
000581 | identical_output,10,unavailable,gsm8k:train:4423,Predict | problem -> solution,2,1,1.0,1.0,1,29628cbb89083298bc7d0fab795838833b42438b6dd157925da0f56b164ff2f5
000582 | identical_output,10,unavailable,gsm8k:train:4423,Predict | word_problem -> solution,2,1,1.0,1.0,1,239243241683abaacdf113f5943d77c7ea7be574a89e0bb15acab388e41b916c
000583 | identical_output,10,unavailable,gsm8k:train:56,CoT | query -> response,2,1,1.0,1.0,1,c6525896684c7616677ab273f27391d151d7136c0ce73393c5cf1f975530afc4
000584 | identical_output,10,unavailable,gsm8k:train:56,Predict | question -> hypothesis,2,1,0.0,0.0,1,fa5634c0d1ec43227bb0a9abbfce599b1cb57d7aaddc5656cc772a1f56962216
000585 | identical_output,10,unavailable,gsm8k:train:56,Predict | question -> answer,2,1,1.0,1.0,1,fe6881e54a99645996e6bf73450afcaf62a27ed823ec4b347d0dd9d07e19ed14
000586 | identical_output,10,unavailable,gsm8k:train:56,Predict | question -> reasoning,2,1,1.0,1.0,1,0b5bccbc07c2c0d4d474247d0e11b082c20e191faed6c24644b7177579def0fd
000587 | identical_output,10,unavailable,gsm8k:train:56,Predict | word_problem -> solution,26,1,1.0,1.0,1,b052c69a3b861064495f03c29bca4e159d9e89306fe4d3a8420a8a708e5ea905
000588 | identical_output,10,unavailable,gsm8k:train:6330,Predict | question -> answer,3,1,1.0,1.0,1,e22024c9155b46fb50a3d71d68412d7de7979223a96c519b738e48ef122a7e28
000589 | identical_output,10,unavailable,gsm8k:train:2477,Predict | question -> reasoning,3,1,1.0,1.0,1,f95d2af3b8b0e8763cb8370d92b0be60a61f8f36853471925af913fbad85e253
000590 | identical_output,10,unavailable,gsm8k:train:2477,Predict | question -> hypothesis,2,1,0.5,0.5,1,f8ad5d674a259e62164616b4f11f975df9c2699f8c95a8b8e94132c5e25f277e
000591 | identical_output,10,unavailable,gsm8k:train:2271,Predict | question -> reasoning,3,1,1.0,1.0,1,79ec26c52e0fb25ba4245b2eb9d3a216c8121f8b5e1ccba1c1d941f44de46b17
000592 | identical_output,10,unavailable,gsm8k:train:2271,Predict | question -> answer,3,1,0.0,0.0,1,05669e290f548098adb09959bbe0e1153a7a8793f2696400162cce1c2a7db73d
000593 | identical_output,10,unavailable,gsm8k:train:2271,Predict | problem_description -> explanation,2,1,1.0,1.0,1,4b4b7645c940fc3d1d3ae0f77916e641e8555734c20f54080b28ae31d0
     + | bdde12
000594 | identical_output,10,unavailable,gsm8k:train:5302,Predict | question -> answer,3,1,1.0,1.0,1,1f5fce3ae994439dc8805e383b902d0a6674d0fe2005f1a252b6432b37aa982c
000595 | identical_output,10,unavailable,gsm8k:train:5302,Predict | question -> hypothesis,6,1,1.0,1.0,1,bba1f065347bea70e13b7c364b80ef1123e9ac4d9e24bc53570a9c95462c9f0d
000596 | identical_output,10,unavailable,gsm8k:train:5302,Predict | question -> reasoning,2,1,1.0,1.0,1,0f45869991cee6f295f9aa085088b0ac134548b67c3748b038eedf0115ff188e
000597 | identical_output,10,unavailable,gsm8k:train:5302,Predict | question -> reasoning,2,1,1.0,1.0,1,031d07b91c8956ff36311511590b31b9931297a492a4ae18c541198ea153e97b
000598 | identical_output,10,unavailable,gsm8k:train:5302,Predict | problem -> solution,3,1,1.0,1.0,1,ac4f7f409a02ab1942a5d23e7161e6ecdede3278be9a7132d0f01ac7e7aa2933
```

repeated_pipeline_rewards.csv

722 CSV records; 11 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 30269e71dcddb52430c036252380f02025934bd81f5ced8c1cd92b8d31418718

```
000599 | identical_output,10,unavailable,gsm8k:train:2428,Predict | problem_description -> explanation,2,1,1.0,1.0,1,67e62d1b68cccfde114d5984b8e4d0e1d56dafe486a48770be63fffd19
     + | f0610c
000600 | identical_output,10,unavailable,gsm8k:train:2428,Predict | word_problem -> solution,7,1,0.0,0.0,1,c0a63f4b624cd9731fcf9b2aa803836b5c24c3e7fb45684832f0936eab2a3c87
000601 | identical_output,10,unavailable,gsm8k:train:2428,Predict | question -> answer,2,1,0.0,0.0,1,6066f868477d439d8d455c725fd73f24c43a27599a33e6354213b67533e9ecb2
000602 | identical_output,10,unavailable,gsm8k:train:2428,Predict | question -> reasoning,4,1,1.0,1.0,1,dca309cb487828aaa890be045cbc5ba26c50e037e094c392631fffdbebb36a49
000603 | identical_output,10,unavailable,gsm8k:train:3418,Predict | question -> answer,2,1,1.0,1.0,1,48b41db3d6b41ff1ff5ba41b521a60a0880482c3e692ce36a7a2b13a378662b7
000604 | identical_output,10,unavailable,gsm8k:train:3418,Predict | problem -> solution,2,1,1.0,1.0,1,9ba2e8edeef30047cda1ef7d3b2bad852610a2d3036cc52f985dc8bab8d82c35
000605 | identical_output,10,unavailable,gsm8k:train:3418,Predict | question -> reasoning,2,1,1.0,1.0,1,86d269892f9f5b6e6cef94e83be39ba6f25f42916cd6806c24321495d9ad4182
000606 | identical_output,10,unavailable,gsm8k:train:3082,Predict | question -> hypothesis,2,1,1.0,1.0,1,fbabfc79daf7a1020232a250e177054da26723210a105f81b7c1cd2ae96d94a7
000607 | identical_output,10,unavailable,gsm8k:train:3082,Predict | question -> answer,2,1,1.0,1.0,1,56c5c8c94d9d0392b193b50523985dbb656a27c0f35edf36ff78d5d3d23ceb53
000608 | identical_output,10,unavailable,gsm8k:train:5302,Predict | problem_description -> explanation,2,1,0.0,0.0,1,35ab0257de77872f459d680ade576400d55721987f3ce2e8b5981d1120
     + | d621a8
000609 | identical_output,10,unavailable,gsm8k:train:819,Predict | problem_description -> explanation,2,1,1.0,1.0,1,7d1758dde8e16460a40d57fb34657842676c096aeaeb26b0c43532a9e95
     + | e778e
000610 | identical_output,10,unavailable,gsm8k:train:819,Predict | question -> answer,2,1,1.0,1.0,1,f450e867708661e0db3d651f97b07b06dd1d781d60101081ea8368d895d5daf1
000611 | identical_output,10,unavailable,gsm8k:train:819,Predict | question -> hypothesis,3,1,1.0,1.0,1,137a42ea45bcab7342c92155e35ff73578f1ece42737a53f90381444cbaf0aa2
000612 | identical_output,10,unavailable,gsm8k:train:819,Predict | word_problem -> solution,2,1,1.0,1.0,1,6fd6a87acfaf91a7796fb14900cb6cf63a6cb42cc0f9116713d5108f09106334
000613 | identical_output,10,unavailable,gsm8k:train:1601,Predict | math_problem -> answer,3,1,0.0,0.0,1,fee52111bdc5eab13c8f5c56308a597906445dbf3e9ca411733f8ec4470d6fd8
000614 | identical_output,10,unavailable,gsm8k:train:1601,Predict | word_problem -> solution,2,1,1.0,1.0,1,bf6e97b76669cc7a7f68812e05e2d1519de0585a58d1114d636fb549eef27ee6
000615 | identical_output,10,unavailable,gsm8k:train:1601,Predict | question -> reasoning,2,1,1.0,1.0,1,31e5156ad6464896ff5bf90d60552ecc64b17d56497fb4e58228f1b38d8848d0
000616 | identical_output,10,unavailable,gsm8k:train:4389,Predict | problem -> solution,2,1,0.0,0.0,1,118a6bb88b21f986ceaaebb2a52750e1b17519fad6fb0dd0d0d28647aae1bccf
000617 | identical_output,10,unavailable,gsm8k:train:4389,Predict | word_problem -> solution,3,1,1.0,1.0,1,4f6553a15498161d2e3e5cf5f25de2ffa097d27c8495681a18de406d995e7bb5
000618 | identical_output,10,unavailable,gsm8k:train:4306,Predict | problem_description -> explanation,3,1,1.0,1.0,1,37082243142a94cf2e0a94ac8363674f3408cd4ca65cfed07f0d108304
     + | a33010
000619 | identical_output,10,unavailable,gsm8k:train:4306,Predict | word_problem -> solution,2,1,0.0,0.0,1,3789d86d382fff64701d39245d30e3562792d57cac984c43200fd068a5b90139
000620 | identical_output,10,unavailable,gsm8k:train:4306,Predict | question -> answer,2,1,1.0,1.0,1,4c39397fd15be9cfcc5c5260c5601a959ca4a4b2fcee2f889b2a4430d520a985
000621 | identical_output,10,unavailable,gsm8k:train:3115,Predict | word_problem -> solution,4,1,0.0,0.0,1,f7013311d1bb431c16a12d61ce6253e0ca0854e21e83c03d9e928b5e4d2136fe
000622 | identical_output,10,unavailable,gsm8k:train:3115,Predict | question -> answer,2,1,1.0,1.0,1,5380ad2ec8d44a8b2d40e68c96488dd0e63da1b7a592061fec1aa31e9bc5c724
000623 | identical_output,10,unavailable,gsm8k:train:7114,Predict | word_problem -> solution,3,1,0.0,0.0,1,b9195dc652fb0dc082aa52c8353206d4173e0ce8efad46fa23027209d8887ed0
000624 | identical_output,10,unavailable,gsm8k:train:7114,Predict | question -> hypothesis,2,1,0.0,0.0,1,f133cdf783d8c3cd9f0bb60246a07cb82484d1a77a479aabc696f49df8390e16
000625 | identical_output,10,unavailable,gsm8k:train:7114,Predict | question -> answer,2,1,0.0,0.0,1,c9d2866b536be8f4d4217bf834c3051b6ae9e5b9f451d3f15a576cb33cf61487
000626 | identical_output,10,unavailable,gsm8k:train:7114,Predict | problem -> solution,3,1,0.0,0.0,1,b9195dc652fb0dc082aa52c8353206d4173e0ce8efad46fa23027209d8887ed0
000627 | identical_output,10,unavailable,gsm8k:train:6009,Predict | word_problem -> solution,5,1,1.0,1.0,1,ae557bb7dffe814bbd9ac73ba35419d2744cde64e92e9c0e36b98c100d5722d6
000628 | identical_output,10,unavailable,gsm8k:train:6009,Predict | problem_description -> explanation,2,1,1.0,1.0,1,84df13d78e22295dc22b1748820cadcd01c0ab040900365b318e89886b
     + | 15eb0f
000629 | identical_output,10,unavailable,gsm8k:train:2068,Predict | word_problem -> solution,9,1,1.0,1.0,1,095d0b68b712468be3058674d144be921a8580a11f874d535a605a1d4171d2d1
000630 | identical_output,10,unavailable,gsm8k:train:2068,Predict | problem_description -> explanation,2,1,1.0,1.0,1,a8c5b9c5f49c73555b79a729a1686e5634a4cce1defa8a472ed4373ddf
     + | 30851b
000631 | identical_output,10,unavailable,gsm8k:train:2068,Predict | problem -> solution,2,1,1.0,1.0,1,597919ddd73b41886f2ec543f8908d28a15c63d2676e5d874c4710db3cb29fde
000632 | identical_output,10,unavailable,gsm8k:train:2068,Predict | question -> answer,3,1,1.0,1.0,1,597919ddd73b41886f2ec543f8908d28a15c63d2676e5d874c4710db3cb29fde
000633 | identical_output,10,unavailable,gsm8k:train:2068,Predict | question -> hypothesis,2,1,1.0,1.0,1,7350a17c8028baf57cb26e20029354f7f84c5fed113e7c55eddd0938612cc3ca
000634 | identical_output,10,unavailable,gsm8k:train:3703,Predict | question -> answer,4,1,0.0,0.0,1,1ce5fffa754615b92d9a1097da0e5231dd76762bd5a69875f98486a078a0e2b5
000635 | identical_output,10,unavailable,gsm8k:train:3703,Predict | problem_description -> explanation,3,1,0.0,0.0,1,52c0fbfe57d92fe0f332b34571d2b8e36dfcf1decc1ac37d7a098e9c4f
     + | e6ddf0
```

repeated_pipeline_rewards.csv

722 CSV records; 11 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 30269e71dcddb52430c036252380f02025934bd81f5ced8c1cd92b8d31418718

```
000636 | identical_output,10,unavailable,gsm8k:train:6195,Predict | question -> answer,3,1,1.0,1.0,1,8261d973f5dd1a53ddd8435c7203c454f8f26fb1434d13f52bc76ed407933681
000637 | identical_output,10,unavailable,gsm8k:train:6195,Predict | question -> reasoning,3,1,1.0,1.0,1,aa96fdbec74bfb6b41a1f7fe422ecdf41400c5de9494e9ab35118d76b8c128f6
000638 | identical_output,15,unavailable,gsm8k:train:4423,CoT | query -> generated_text,2,1,0.5,0.5,1,040065381d60b8914af5c4e09ecfa52cb86aaf0bfce92dcfaac4fc3305808e83
000639 | identical_output,15,unavailable,gsm8k:train:4423,CoT | text -> summary,2,1,0.0,0.0,1,158b46a1d2f45ddb013c96e6b62653f078e79f21710d7d0eb6192f27fcf41176
000640 | identical_output,15,unavailable,gsm8k:train:4423,Predict | math_problem -> answer,2,1,1.0,1.0,1,d82117721416d96a257cbf39950f11f251341c65051df9f7f190fa7bad4bc40e
000641 | identical_output,15,unavailable,gsm8k:train:4423,CoT | prompt -> response,2,1,0.0,0.0,1,f9d72c32a7d57e5c7194590efb0b8e172b1a3a4539eda0c3fba5776ce8f4f2de
000642 | identical_output,15,unavailable,gsm8k:train:4423,Predict | question -> reasoning,3,1,0.0,0.0,1,48fc0ba79c37ee815ebd6f5cc00e9d4a063b9ab3400043a313644773b3cd236e
000643 | identical_output,15,unavailable,gsm8k:train:4423,CoT | query -> response,2,1,0.0,0.0,1,f9d72c32a7d57e5c7194590efb0b8e172b1a3a4539eda0c3fba5776ce8f4f2de
000644 | identical_output,15,unavailable,gsm8k:train:4423,Predict | math_problem -> answer,2,1,1.0,1.0,1,0bf4f11677723cf9e5a6c967c68421e2a063d0bd0b40ea228dd385d4a9d07967
000645 | identical_output,15,unavailable,gsm8k:train:3812,CoT | math_problem -> answer,3,1,0.0,0.0,1,d15b88858777c3ec8e0d1e5edff603a5d3f24f1c49421aaefd5e678f439eeac7
000646 | identical_output,15,unavailable,gsm8k:train:3812,Predict | question -> answer,2,1,1.0,1.0,1,abb35340ae90101051ee0fdd0b5e16f23ec5190bcf14fbbc921daee2fdbdf100
000647 | identical_output,15,unavailable,gsm8k:train:3812,Predict | math_problem -> answer,3,1,1.0,1.0,1,7af56691e8c1c29543e5cd856ad07560fd7fb2fc860b8facd006cd0ac250d3e2
000648 | identical_output,15,unavailable,gsm8k:train:3812,Predict | question -> reasoning,2,1,1.0,1.0,1,29885dde8a51654586769b047549a0355b705fc13ef610c1da6903168f10b1d4
000649 | identical_output,15,unavailable,gsm8k:train:7079,Predict | text -> response,2,1,0.0,0.0,1,5436cc4750cf070868dc8194674f290f21aa7d184577bb0b5b694093da216ecd
000650 | identical_output,15,unavailable,gsm8k:train:7079,Predict | problem -> solution,2,1,1.0,1.0,1,6c60a63ed8a592c70c917ca82c0543cfe861e3dd6c5e4ce606367374b14df015
000651 | identical_output,15,unavailable,gsm8k:train:7079,Predict | question -> hypothesis,2,1,0.0,0.0,1,15b1f7ee9bd0df60467715da4e12a97ae6f9add9c327ba1116b427caa0aad84b
000652 | identical_output,15,unavailable,gsm8k:train:2663,CoT | word_problem -> solution,2,1,1.0,1.0,1,8f83529fbd99d59832cd8a13239b51e9762f582ac0a45e9ccf5410637bbb346b
000653 | identical_output,15,unavailable,gsm8k:train:2663,Predict | math_problem -> answer,4,1,0.0,0.0,1,16390873ae6b6a173fc894a873bab02283debbd320b5f0758849d01afa6ee8b6
000654 | identical_output,15,unavailable,gsm8k:train:2663,Predict | question -> hypothesis,2,1,1.0,1.0,1,95bdb90b61bf75d2760bb91559f8c0478f6dc1166d2637ef2b20e7319a871e2b
000655 | identical_output,15,unavailable,gsm8k:train:4423,Predict | question -> answer,6,1,1.0,1.0,1,1bd1941ea13577bd9111d6b84d078a1389b4f5e913336a5c2a4689805d211508
000656 | identical_output,15,unavailable,gsm8k:train:4423,Predict | problem_description -> explanation,7,1,0.0,0.0,1,7e72c38c3b400e3edc142eb1121e8a5c917f7233e66307baee62ddc6af
     + | 3c4bd5
000657 | identical_output,15,unavailable,gsm8k:train:4423,Predict | problem -> solution,6,1,1.0,1.0,1,29628cbb89083298bc7d0fab795838833b42438b6dd157925da0f56b164ff2f5
000658 | identical_output,15,unavailable,gsm8k:train:56,Predict | question -> reasoning,2,1,1.0,1.0,1,0b5bccbc07c2c0d4d474247d0e11b082c20e191faed6c24644b7177579def0fd
000659 | identical_output,15,unavailable,gsm8k:train:56,Predict | question -> hypothesis,3,1,0.0,0.0,1,a00281ffd1912c36c66a8ba7035cf7fb9b9e880e004ce14a2b2d8579de131f5d
000660 | identical_output,15,unavailable,gsm8k:train:56,CoT | query -> response,3,1,1.0,1.0,1,c6525896684c7616677ab273f27391d151d7136c0ce73393c5cf1f975530afc4
000661 | identical_output,15,unavailable,gsm8k:train:56,Predict | question -> reasoning,3,1,1.0,1.0,1,ce0198c000b5f54bf925af82248de012bdab19e16431d72252fc6217fa762e69
000662 | identical_output,15,unavailable,gsm8k:train:56,CoT | query -> generated_text,2,1,1.0,1.0,1,9c6e3af4dcb0746cee676baabaee9044e7db632ad1b391381b56c2737fc50ea0
000663 | identical_output,15,unavailable,gsm8k:train:56,Predict | problem_description -> explanation,3,1,1.0,1.0,1,b680c3e1c026785b01861ce3135759ea697cd8309a36bea4b17d89a4e723
     + | ce2d
000664 | identical_output,15,unavailable,gsm8k:train:56,Predict | question -> answer,2,1,1.0,1.0,1,fe6881e54a99645996e6bf73450afcaf62a27ed823ec4b347d0dd9d07e19ed14
000665 | identical_output,15,unavailable,gsm8k:train:56,Predict | question -> answer,3,1,1.0,1.0,1,dcf26922d76f3be55768393a5a18c53dcc0292d65406afc1d45a10f37b4b3f99
000666 | identical_output,15,unavailable,gsm8k:train:6330,Predict | question -> answer,5,1,1.0,1.0,1,e22024c9155b46fb50a3d71d68412d7de7979223a96c519b738e48ef122a7e28
000667 | identical_output,15,unavailable,gsm8k:train:6330,Predict | question -> hypothesis,4,1,1.0,1.0,1,9ce5922609a528796ae68c7b1aa315177bf5637dc0841191e04e74e29cfed112
000668 | identical_output,15,unavailable,gsm8k:train:2477,Predict | question -> reasoning,4,1,1.0,1.0,1,f95d2af3b8b0e8763cb8370d92b0be60a61f8f36853471925af913fbad85e253
000669 | identical_output,15,unavailable,gsm8k:train:2477,Predict | question -> hypothesis,3,2,0.0,0.5,1,f8ad5d674a259e62164616b4f11f975df9c2699f8c95a8b8e94132c5e25f277e
000670 | identical_output,15,unavailable,gsm8k:train:2477,Predict | question -> answer,4,1,1.0,1.0,1,c6ddd05e9932c30f29ea1e201145e7605c9bf0f90a6945d37b929e55b41f9dbc
000671 | identical_output,15,unavailable,gsm8k:train:2271,Predict | question -> hypothesis,4,1,1.0,1.0,1,acd3aef74ddf333a0d8845055715e32abe443f57c04b21e791a0f96577d622a9
000672 | identical_output,15,unavailable,gsm8k:train:2271,Predict | question -> answer,3,1,0.0,0.0,1,05669e290f548098adb09959bbe0e1153a7a8793f2696400162cce1c2a7db73d
000673 | identical_output,15,unavailable,gsm8k:train:2271,Predict | problem_description -> explanation,4,1,1.0,1.0,1,4b4b7645c940fc3d1d3ae0f77916e641e8555734c20f54080b28ae31d0
     + | bdde12
000674 | identical_output,15,unavailable,gsm8k:train:5302,Predict | question -> reasoning,2,1,1.0,1.0,1,0f45869991cee6f295f9aa085088b0ac134548b67c3748b038eedf0115ff188e
000675 | identical_output,15,unavailable,gsm8k:train:5302,Predict | question -> reasoning,5,1,1.0,1.0,1,031d07b91c8956ff36311511590b31b9931297a492a4ae18c541198ea153e97b
000676 | identical_output,15,unavailable,gsm8k:train:5302,Predict | question -> answer,6,1,1.0,1.0,1,1f5fce3ae994439dc8805e383b902d0a6674d0fe2005f1a252b6432b37aa982c
```

repeated_pipeline_rewards.csv

722 CSV records; 11 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 30269e71dcddb52430c036252380f02025934bd81f5ced8c1cd92b8d31418718

```
000677 | identical_output,15,unavailable,gsm8k:train:5302,Predict | question -> hypothesis,6,1,1.0,1.0,1,031d07b91c8956ff36311511590b31b9931297a492a4ae18c541198ea153e97b
000678 | identical_output,15,unavailable,gsm8k:train:5302,Predict | problem_description -> explanation,2,1,1.0,1.0,1,17111fd4d46e90225a3419a397a4c0cd686907abff4e38e99ebcc871a9
     + | ad6cd3
000679 | identical_output,15,unavailable,gsm8k:train:2428,Predict | question -> hypothesis,8,1,0.0,0.0,1,2374fb2491576ff2bd7ccc691dd75d1b9cca15baeb275e3dd9c3714639612548
000680 | identical_output,15,unavailable,gsm8k:train:2428,Predict | question -> reasoning,3,1,1.0,1.0,1,dca309cb487828aaa890be045cbc5ba26c50e037e094c392631fffdbebb36a49
000681 | identical_output,15,unavailable,gsm8k:train:2428,Predict | question -> answer,2,1,0.0,0.0,1,6066f868477d439d8d455c725fd73f24c43a27599a33e6354213b67533e9ecb2
000682 | identical_output,15,unavailable,gsm8k:train:2428,Predict | problem_description -> explanation,7,1,1.0,1.0,1,67e62d1b68cccfde114d5984b8e4d0e1d56dafe486a48770be63fffd19
     + | f0610c
000683 | identical_output,15,unavailable,gsm8k:train:3418,Predict | question -> reasoning,2,1,1.0,1.0,1,86d269892f9f5b6e6cef94e83be39ba6f25f42916cd6806c24321495d9ad4182
000684 | identical_output,15,unavailable,gsm8k:train:3418,Predict | question -> hypothesis,4,1,0.0,0.0,1,d49763419d38a31eacba1b648086defee099bb94f293c0e9900c75152f880616
000685 | identical_output,15,unavailable,gsm8k:train:3418,Predict | question -> answer,2,1,1.0,1.0,1,48b41db3d6b41ff1ff5ba41b521a60a0880482c3e692ce36a7a2b13a378662b7
000686 | identical_output,15,unavailable,gsm8k:train:3418,Predict | problem_description -> explanation,2,1,1.0,1.0,1,a47259bb42e6e87bb677793ccc188d5532396d8a3d23b2b3b38e4a7d1e
     + | 3d9ee2
000687 | identical_output,15,unavailable,gsm8k:train:3082,Predict | question -> reasoning,2,1,1.0,1.0,1,a3bdd65de99392342bf7b8f3a920d50b17bf4ba528d991a0ecb0cdea58ae9a2a
000688 | identical_output,15,unavailable,gsm8k:train:3082,Predict | question -> hypothesis,3,1,1.0,1.0,1,fbabfc79daf7a1020232a250e177054da26723210a105f81b7c1cd2ae96d94a7
000689 | identical_output,15,unavailable,gsm8k:train:3082,CoT | query -> response,2,1,1.0,1.0,1,f0d0e023f9b1a4da91c19ac15cf2ea71427f0e4a8cf70397527d67c360d80af7
000690 | identical_output,15,unavailable,gsm8k:train:3082,Predict | question -> answer,2,1,1.0,1.0,1,56c5c8c94d9d0392b193b50523985dbb656a27c0f35edf36ff78d5d3d23ceb53
000691 | identical_output,15,unavailable,gsm8k:train:5302,Predict | problem -> solution,4,1,1.0,1.0,1,ac4f7f409a02ab1942a5d23e7161e6ecdede3278be9a7132d0f01ac7e7aa2933
000692 | identical_output,15,unavailable,gsm8k:train:5302,Predict | problem_description -> explanation,3,1,0.0,0.0,1,35ab0257de77872f459d680ade576400d55721987f3ce2e8b5981d1120
     + | d621a8
000693 | identical_output,15,unavailable,gsm8k:train:819,Predict | question -> answer,3,1,1.0,1.0,1,f450e867708661e0db3d651f97b07b06dd1d781d60101081ea8368d895d5daf1
000694 | identical_output,15,unavailable,gsm8k:train:819,Predict | question -> hypothesis,4,1,1.0,1.0,1,137a42ea45bcab7342c92155e35ff73578f1ece42737a53f90381444cbaf0aa2
000695 | identical_output,15,unavailable,gsm8k:train:819,Predict | problem_description -> explanation,3,1,1.0,1.0,1,7d1758dde8e16460a40d57fb34657842676c096aeaeb26b0c43532a9e95
     + | e778e
000696 | identical_output,15,unavailable,gsm8k:train:819,Predict | problem -> solution,3,1,1.0,1.0,1,aa90313c5070f1deee28847baba95364ab438ad9cc6e7a54e60d21919d84bc22
000697 | identical_output,15,unavailable,gsm8k:train:819,Predict | question -> reasoning,2,1,1.0,1.0,1,7d1758dde8e16460a40d57fb34657842676c096aeaeb26b0c43532a9e95e778e
000698 | identical_output,15,unavailable,gsm8k:train:1601,Predict | problem -> solution,2,1,1.0,1.0,1,7d8612eca7ec31c5aa8b43c5ed4b2dcab0d5431608cc18e9cec9d94cf12dfa99
000699 | identical_output,15,unavailable,gsm8k:train:1601,Predict | question -> reasoning,2,1,1.0,1.0,1,31e5156ad6464896ff5bf90d60552ecc64b17d56497fb4e58228f1b38d8848d0
000700 | identical_output,15,unavailable,gsm8k:train:1601,Predict | problem_description -> explanation,6,1,1.0,1.0,1,1435cd24cd197cccb04f75ff192ecdd8a163ec962b2e995c987047e855
     + | a10b3d
000701 | identical_output,15,unavailable,gsm8k:train:1601,Predict | word_problem -> solution,2,1,1.0,1.0,1,bf6e97b76669cc7a7f68812e05e2d1519de0585a58d1114d636fb549eef27ee6
000702 | identical_output,15,unavailable,gsm8k:train:56,Predict | problem_description -> explanation,21,1,1.0,1.0,1,7e7dd480468821453d1462f84e31f8c2103af4b26e81b2de5f69d0797a4
     + | cbf7c
000703 | identical_output,15,unavailable,gsm8k:train:56,Predict | problem -> solution,15,1,1.0,1.0,1,33e6cea06f16c5fa6b0bdb39e1cd63e135d1aab7e9b9262fd7bf49e3475910ab
000704 | identical_output,15,unavailable,gsm8k:train:4423,Predict | question -> reasoning,2,1,0.0,0.0,1,5f52861a7f873d53d371ac5f24eecaaec0bf8f4280a40a460913b4f1c44b4d89
000705 | identical_output,15,unavailable,gsm8k:train:4389,Predict | problem -> solution,6,1,0.0,0.0,1,118a6bb88b21f986ceaaebb2a52750e1b17519fad6fb0dd0d0d28647aae1bccf
000706 | identical_output,15,unavailable,gsm8k:train:4389,Predict | problem_description -> explanation,4,1,1.0,1.0,1,b3060c6eb5d3f90cbce16fd5cb4b939c4bb8926f26c6da6a3ad08210a4
     + | b55fb9
000707 | identical_output,15,unavailable,gsm8k:train:4306,Predict | problem_description -> explanation,5,1,1.0,1.0,1,37082243142a94cf2e0a94ac8363674f3408cd4ca65cfed07f0d108304
     + | a33010
000708 | identical_output,15,unavailable,gsm8k:train:4306,Predict | problem -> solution,8,1,1.0,1.0,1,33e5de9bc9a8490aac2127e3b07802e36491757d510b9eec0392153de4d31e36
000709 | identical_output,15,unavailable,gsm8k:train:4306,Predict | question -> answer,2,1,1.0,1.0,1,4c39397fd15be9cfcc5c5260c5601a959ca4a4b2fcee2f889b2a4430d520a985
000710 | identical_output,15,unavailable,gsm8k:train:3115,Predict | problem -> solution,3,1,1.0,1.0,1,dc5df5e7cbc25a2136bba8f04c8939454604e85577a017fb49d7370a8e8882cb
000711 | identical_output,15,unavailable,gsm8k:train:3115,Predict | problem_description -> explanation,7,1,1.0,1.0,1,d424d635a8280d31f81cac1ae5c2fb04002b855a261237e9fa2e517603
```

repeated_pipeline_rewards.csv

722 CSV records; 11 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 30269e71dcddb52430c036252380f02025934bd81f5ced8c1cd92b8d31418718

```
     + | e790e5
000712 | identical_output,15,unavailable,gsm8k:train:7114,Predict | problem_description -> explanation,7,1,0.0,0.0,1,154bd028adcd56d20ee51dba7d9775d5be46a66113a36693565fec112f
     + | b041cf
000713 | identical_output,15,unavailable,gsm8k:train:7114,Predict | problem -> solution,5,1,0.0,0.0,1,b9195dc652fb0dc082aa52c8353206d4173e0ce8efad46fa23027209d8887ed0
000714 | identical_output,15,unavailable,gsm8k:train:6009,Predict | problem_description -> explanation,7,1,1.0,1.0,1,84df13d78e22295dc22b1748820cadcd01c0ab040900365b318e89886b
     + | 15eb0f
000715 | identical_output,15,unavailable,gsm8k:train:6009,Predict | problem -> solution,6,1,1.0,1.0,1,ae557bb7dffe814bbd9ac73ba35419d2744cde64e92e9c0e36b98c100d5722d6
000716 | identical_output,15,unavailable,gsm8k:train:2068,Predict | problem_description -> explanation,16,1,1.0,1.0,1,a8c5b9c5f49c73555b79a729a1686e5634a4cce1defa8a472ed4373dd
     + | f30851b
000717 | identical_output,15,unavailable,gsm8k:train:2068,Predict | problem -> solution,10,1,1.0,1.0,1,597919ddd73b41886f2ec543f8908d28a15c63d2676e5d874c4710db3cb29fde
000718 | identical_output,15,unavailable,gsm8k:train:2428,Predict | problem -> solution,9,1,0.0,0.0,1,c0a63f4b624cd9731fcf9b2aa803836b5c24c3e7fb45684832f0936eab2a3c87
000719 | identical_output,15,unavailable,gsm8k:train:2068,Predict | question -> answer,2,1,1.0,1.0,1,597919ddd73b41886f2ec543f8908d28a15c63d2676e5d874c4710db3cb29fde
000720 | identical_output,15,unavailable,gsm8k:train:3703,Predict | problem -> solution,7,1,0.0,0.0,1,d06c3b208228e7fc7a0824e6702cc791ac41e9442fa77f8d6034c2bc38261a0f
000721 | identical_output,15,unavailable,gsm8k:train:3703,Predict | problem_description -> explanation,8,1,0.0,0.0,1,52c0fbfe57d92fe0f332b34571d2b8e36dfcf1decc1ac37d7a098e9c4f
     + | e6ddf0
000722 | identical_output,15,unavailable,gsm8k:train:6195,Predict | problem -> solution,10,1,1.0,1.0,1,7a07a6142202769dfb6f9d7e1f748504afda51583db3806e515dabdac24a9fda
000723 | identical_output,15,unavailable,gsm8k:train:6195,Predict | problem_description -> explanation,3,1,1.0,1.0,1,7e8c3e6835d95c3ca19877ec87dac058c410c518611eeb611a061db324
     + | 423f97
```

reward_disagreements.csv

65 CSV records; 20 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 7e8ab0b900360eb6e080e34ec0f27978d51409e46ff0ce709bcd1685fd04931c

```
000001 | scope,k,episode,candidate,question_id,module,signature,pipeline,reward,numeric_exact_match,semantic_used,judge_score,judge_error,execution_success,execution_error,exe
     + | cution_seconds,output_sha256,output_excerpt,prediction,target
000002 | training,5,1,0.0,gsm8k:train:4423,CoT,query -> generated_text,CoT | query -> generated_text,0.5,False,True,0.5,unavailable,True,unavailable,2.170457100030035,04006538
     + | 1d60b8914af5c4e09ecfa52cb86aaf0bfce92dcfaac4fc3305808e83,"They can buy 9 bottles of soda, which have a total of 108 servings. Since there are 8 guests, each guest wil
     + | l get 108 / 8 = 13.5 servings of soda.",unavailable,unavailable
000003 | training,5,8,3.0,gsm8k:train:2477,Predict,question -> hypothesis,Predict | question -> hypothesis,0.5,False,True,0.5,unavailable,True,unavailable,1.0629277999978513,f
     + | 8ad5d674a259e62164616b4f11f975df9c2699f8c95a8b8e94132c5e25f277e,"Let's denote the amount Mike received from his first job as x dollars. We know that Mike worked 12 ho
     + | urs at his second job, which pays $9 per hour, so he earned 12 * 9 = 108 dollars from his second job. Since Mike earned a total of 160 dollars, we can set up the equa
     + | tion x + 108 = 160 to solve for x",unavailable,unavailable
000004 | training,5,20,1.0,gsm8k:train:4306,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,False,True,1.0,unavailable,True,unavail
     + | able,2.5598368000937626,37082243142a94cf2e0a94ac8363674f3408cd4ca65cfed07f0d108304a33010,"To find the number of albino 8-antlered deer, we first need to calculate the
     + |  number of deer with 8 antlers. Since 10% of the deer have 8 antlers, we can find this number by multiplying the total number of deer (920) by 0.1 (which is equivalen
     + | t to 10%).
000005 |
000006 | Number of deer with 8 antlers = 920 * 0.1 = 9",unavailable,unavailable
000007 | training,5,20,2.0,gsm8k:train:4306,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,False,True,1.0,unavailable,True,unavail
     + | able,2.427280699950643,37082243142a94cf2e0a94ac8363674f3408cd4ca65cfed07f0d108304a33010,"To find the number of albino 8-antlered deer, we first need to calculate the
     + | number of deer with 8 antlers. Since 10% of the deer have 8 antlers, we can find this number by multiplying the total number of deer (920) by 0.1 (which is equivalent
     + |  to 10%).
000008 |
000009 | Number of deer with 8 antlers = 920 * 0.1 = 9",unavailable,unavailable
000010 | training,5,20,3.0,gsm8k:train:4306,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,False,True,1.0,unavailable,True,unavail
     + | able,2.6197158999275416,37082243142a94cf2e0a94ac8363674f3408cd4ca65cfed07f0d108304a33010,"To find the number of albino 8-antlered deer, we first need to calculate the
     + |  number of deer with 8 antlers. Since 10% of the deer have 8 antlers, we can find this number by multiplying the total number of deer (920) by 0.1 (which is equivalen
     + | t to 10%).
000011 |
000012 | Number of deer with 8 antlers = 920 * 0.1 = 9",unavailable,unavailable
000013 | validation,5,0,unavailable,gsm8k:train:6118,unavailable,unavailable,unavailable,1.0,unavailable,unavailable,unavailable,unavailable,unavailable,unavailable,unavailabl
     + | e,unavailable,The train with 16 cars can carry 228 more passengers than 2 airplanes.,2,228
000014 | training,8,1,0.0,gsm8k:train:4423,CoT,query -> generated_text,CoT | query -> generated_text,0.5,False,True,0.5,unavailable,True,unavailable,2.2921818000031635,0400653
     + | 81d60b8914af5c4e09ecfa52cb86aaf0bfce92dcfaac4fc3305808e83,"They can buy 9 bottles of soda, which have a total of 108 servings. Since there are 8 guests, each guest wi
     + | ll get 108 / 8 = 13.5 servings of soda.",unavailable,unavailable
000015 | training,8,1,5.0,gsm8k:train:4423,CoT,query -> generated_text,CoT | query -> generated_text,0.5,False,True,0.5,unavailable,True,unavailable,2.3165365000022575,0400653
     + | 81d60b8914af5c4e09ecfa52cb86aaf0bfce92dcfaac4fc3305808e83,"They can buy 9 bottles of soda, which have a total of 108 servings. Since there are 8 guests, each guest wi
     + | ll get 108 / 8 = 13.5 servings of soda.",unavailable,unavailable
000016 | training,8,5,3.0,gsm8k:train:4423,CoT,query -> generated_text,CoT | query -> generated_text,0.5,False,True,0.5,unavailable,True,unavailable,3.1210195999592543,0400653
     + | 81d60b8914af5c4e09ecfa52cb86aaf0bfce92dcfaac4fc3305808e83,"They can buy 9 bottles of soda, which have a total of 108 servings. Since there are 8 guests, each guest wi
     + | ll get 108 / 8 = 13.5 servings of soda.",unavailable,unavailable
000017 | training,8,8,7.0,gsm8k:train:2477,Predict,question -> hypothesis,Predict | question -> hypothesis,0.5,False,True,0.5,unavailable,True,unavailable,1.5267752000363544,f
     + | 8ad5d674a259e62164616b4f11f975df9c2699f8c95a8b8e94132c5e25f277e,"Let's denote the amount Mike received from his first job as x dollars. We know that Mike worked 12 ho
     + | urs at his second job, which pays $9 per hour, so he earned 12 * 9 = 108 dollars from his second job. Since Mike earned a total of 160 dollars, we can set up the equa
     + | tion x + 108 = 160 to solve for x",unavailable,unavailable
000018 | training,8,18,3.0,gsm8k:train:4423,Predict,question -> reasoning,Predict | question -> reasoning,0.5,False,True,0.5,unavailable,True,unavailable,3.236963300034404,48f
     + | c0ba79c37ee815ebd6f5cc00e9d4a063b9ab3400043a313644773b3cd236e,"To find out how many servings of soda each guest gets, we first need to calculate the total amount of m
```

reward_disagreements.csv

65 CSV records; 20 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 7e8ab0b900360eb6e080e34ec0f27978d51409e46ff0ce709bcd1685fd04931c

```
     + | oney Monica and Michelle have together. Monica brings $15 and Michelle brings $12, so together they have $15 + $12 = $27.
000019 |
000020 | Next, we need to find out how many bottles of soda they can afford. Each b",unavailable,unavailable
000021 | training,8,20,0.0,gsm8k:train:4306,Predict,problem -> solution,Predict | problem -> solution,1.0,False,True,1.0,unavailable,True,unavailable,6.291127000004053,33e5de9
     + | bc9a8490aac2127e3b07802e36491757d510b9eec0392153de4d31e36,"To find the number of albino 8-antlered deer, we first need to calculate the number of deer with 8 antlers.
     + |  10% of 920 deer have 8 antlers, which is 0.1 * 920 = 92 deer. Then, we need to find a quarter of that number, which is 92 / 4 = 23 deer. So, there are 23 albino 8-an
     + | tlered deer.",unavailable,unavailable
000022 | training,8,20,1.0,gsm8k:train:4306,Predict,problem -> solution,Predict | problem -> solution,1.0,False,True,1.0,unavailable,True,unavailable,1.9736404999857768,33e5de
     + | 9bc9a8490aac2127e3b07802e36491757d510b9eec0392153de4d31e36,"To find the number of albino 8-antlered deer, we first need to calculate the number of deer with 8 antlers
     + | . 10% of 920 deer have 8 antlers, which is 0.1 * 920 = 92 deer. Then, we need to find a quarter of that number, which is 92 / 4 = 23 deer. So, there are 23 albino 8-a
     + | ntlered deer.",unavailable,unavailable
000023 | training,8,20,2.0,gsm8k:train:4306,Predict,question -> reasoning,Predict | question -> reasoning,1.0,False,True,1.0,unavailable,True,unavailable,3.5110083000035957,37
     + | 082243142a94cf2e0a94ac8363674f3408cd4ca65cfed07f0d108304a33010,"To find the number of albino 8-antlered deer, we first need to calculate the number of deer with 8 ant
     + | lers. Since 10% of the deer have 8 antlers, we can find this number by multiplying the total number of deer (920) by 0.1 (which is equivalent to 10%).
000024 |
000025 | Number of deer with 8 antlers = 920 * 0.1 = 9",unavailable,unavailable
000026 | training,8,20,3.0,gsm8k:train:4306,Predict,problem -> solution,Predict | problem -> solution,1.0,False,True,1.0,unavailable,True,unavailable,1.8223915999988094,33e5de
     + | 9bc9a8490aac2127e3b07802e36491757d510b9eec0392153de4d31e36,"To find the number of albino 8-antlered deer, we first need to calculate the number of deer with 8 antlers
     + | . 10% of 920 deer have 8 antlers, which is 0.1 * 920 = 92 deer. Then, we need to find a quarter of that number, which is 92 / 4 = 23 deer. So, there are 23 albino 8-a
     + | ntlered deer.",unavailable,unavailable
000027 | training,8,20,4.0,gsm8k:train:4306,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,False,True,1.0,unavailable,True,unavail
     + | able,3.54619060002733,37082243142a94cf2e0a94ac8363674f3408cd4ca65cfed07f0d108304a33010,"To find the number of albino 8-antlered deer, we first need to calculate the n
     + | umber of deer with 8 antlers. Since 10% of the deer have 8 antlers, we can find this number by multiplying the total number of deer (920) by 0.1 (which is equivalent
     + | to 10%).
000028 |
000029 | Number of deer with 8 antlers = 920 * 0.1 = 9",unavailable,unavailable
000030 | training,8,20,5.0,gsm8k:train:4306,Predict,question -> answer,Predict | question -> answer,1.0,False,True,1.0,unavailable,True,unavailable,1.8883178000105545,4c39397f
     + | d15be9cfcc5c5260c5601a959ca4a4b2fcee2f889b2a4430d520a985,"To find the number of albino 8-antlered deer, we first need to calculate the number of deer with 8 antlers.
     + | 10% of 920 deer have 8 antlers, which is 0.1 * 920 = 92 deer. Then, we need to find a quarter of that number. A quarter of 92 is 92 / 4 = 23. So, there are 23 albino
     + | 8-antlered deer.",unavailable,unavailable
000031 | training,8,20,6.0,gsm8k:train:4306,Predict,problem -> solution,Predict | problem -> solution,1.0,False,True,1.0,unavailable,True,unavailable,1.9574550000252202,33e5de
     + | 9bc9a8490aac2127e3b07802e36491757d510b9eec0392153de4d31e36,"To find the number of albino 8-antlered deer, we first need to calculate the number of deer with 8 antlers
     + | . 10% of 920 deer have 8 antlers, which is 0.1 * 920 = 92 deer. Then, we need to find a quarter of that number, which is 92 / 4 = 23 deer. So, there are 23 albino 8-a
     + | ntlered deer.",unavailable,unavailable
000032 | training,8,20,7.0,gsm8k:train:4306,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,False,True,1.0,unavailable,True,unavail
     + | able,3.555443099932745,37082243142a94cf2e0a94ac8363674f3408cd4ca65cfed07f0d108304a33010,"To find the number of albino 8-antlered deer, we first need to calculate the
     + | number of deer with 8 antlers. Since 10% of the deer have 8 antlers, we can find this number by multiplying the total number of deer (920) by 0.1 (which is equivalent
     + |  to 10%).
000033 |
000034 | Number of deer with 8 antlers = 920 * 0.1 = 9",unavailable,unavailable
000035 | training,8,21,7.0,gsm8k:train:3115,Predict,question -> hypothesis,Predict | question -> hypothesis,0.5,False,True,0.5,unavailable,True,unavailable,2.1875795000232756,
     + | 0ecd3140714a53c1d6095b276bd1f54fbce9fbba2837911a95d1f6fe41a8d80c,"To find the number of green beans, we first need to find the total number of beans that are not red.
     + |  One-fourth of the beans are red, so three-fourths of the beans are not red. Three-fourths of 572 is (3/4) * 572 = 429. Then, one-third of the remaining beans are whi
     + | te, so two-thirds of the remaining",unavailable,unavailable
```

reward_disagreements.csv

65 CSV records; 20 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 7e8ab0b900360eb6e080e34ec0f27978d51409e46ff0ce709bcd1685fd04931c

```
000036 | validation,8,0,unavailable,gsm8k:train:6118,unavailable,unavailable,unavailable,1.0,unavailable,unavailable,unavailable,unavailable,unavailable,unavailable,unavailabl
     + | e,unavailable,The train with 16 cars can carry 228 more passengers than 2 airplanes.,2,228
000037 | validation,8,30,unavailable,gsm8k:train:6118,unavailable,unavailable,unavailable,1.0,unavailable,unavailable,unavailable,unavailable,unavailable,unavailable,unavailab
     + | le,unavailable,"To solve this problem, we need to calculate the number of passengers that can be carried by a train with 16 cars and by 2 airplanes, and then find the
     + |  difference between the two.
000038 |
000039 | First, let's calculate the number of passengers that can be carried by the train. Since a single train car can carry 60 ",2,228
000040 | test,8,0,unavailable,gsm8k:test:136,unavailable,unavailable,unavailable,1.0,unavailable,unavailable,unavailable,unavailable,unavailable,unavailable,unavailable,unavai
     + | lable,{27 * 2 / 3},3,6
000041 | training,10,1,0.0,gsm8k:train:4423,CoT,query -> generated_text,CoT | query -> generated_text,0.5,False,True,0.5,unavailable,True,unavailable,2.211979999905452,0400653
     + | 81d60b8914af5c4e09ecfa52cb86aaf0bfce92dcfaac4fc3305808e83,"They can buy 9 bottles of soda, which have a total of 108 servings. Since there are 8 guests, each guest wi
     + | ll get 108 / 8 = 13.5 servings of soda.",unavailable,unavailable
000042 | training,10,1,5.0,gsm8k:train:4423,CoT,query -> generated_text,CoT | query -> generated_text,0.5,False,True,0.5,unavailable,True,unavailable,2.110168299986981,0400653
     + | 81d60b8914af5c4e09ecfa52cb86aaf0bfce92dcfaac4fc3305808e83,"They can buy 9 bottles of soda, which have a total of 108 servings. Since there are 8 guests, each guest wi
     + | ll get 108 / 8 = 13.5 servings of soda.",unavailable,unavailable
000043 | training,10,5,4.0,gsm8k:train:4423,Predict,question -> reasoning,Predict | question -> reasoning,0.5,False,True,0.5,unavailable,True,unavailable,2.3091141999466345,48
     + | fc0ba79c37ee815ebd6f5cc00e9d4a063b9ab3400043a313644773b3cd236e,"To find out how many servings of soda each guest gets, we first need to calculate the total amount of
     + | money Monica and Michelle have together. Monica brings $15 and Michelle brings $12, so together they have $15 + $12 = $27.
000044 |
000045 | Next, we need to find out how many bottles of soda they can afford. Each b",unavailable,unavailable
000046 | training,10,8,6.0,gsm8k:train:2477,Predict,question -> hypothesis,Predict | question -> hypothesis,0.5,False,True,0.5,unavailable,True,unavailable,1.2667188999475911,
     + | 2a1e696ac75365cd04b9361ad7d426a9361fa0af454e152cb6a1f49c697fe90d,"Let's denote the amount Mike received from his first job as x dollars. Since Mike worked 12 hours a
     + | week at his second job, which pays $9 per hour, he earned 12 * 9 = 108 dollars from his second job. We know that Mike's total wages for the week are $160, so we can s
     + | et up the equation x + 108 = 160 t",unavailable,unavailable
000047 | training,10,8,7.0,gsm8k:train:2477,Predict,question -> hypothesis,Predict | question -> hypothesis,0.5,False,True,0.5,unavailable,True,unavailable,1.1231041999999434,
     + | f8ad5d674a259e62164616b4f11f975df9c2699f8c95a8b8e94132c5e25f277e,"Let's denote the amount Mike received from his first job as x dollars. We know that Mike worked 12 h
     + | ours at his second job, which pays $9 per hour, so he earned 12 * 9 = 108 dollars from his second job. Since Mike earned a total of 160 dollars, we can set up the equ
     + | ation x + 108 = 160 to solve for x",unavailable,unavailable
000048 | training,10,8,9.0,gsm8k:train:2477,Predict,question -> hypothesis,Predict | question -> hypothesis,0.5,False,True,0.5,unavailable,True,unavailable,1.1376413999823853,
     + | f8ad5d674a259e62164616b4f11f975df9c2699f8c95a8b8e94132c5e25f277e,"Let's denote the amount Mike received from his first job as x dollars. We know that Mike worked 12 h
     + | ours at his second job, which pays $9 per hour, so he earned 12 * 9 = 108 dollars from his second job. Since Mike earned a total of 160 dollars, we can set up the equ
     + | ation x + 108 = 160 to solve for x",unavailable,unavailable
000049 | training,10,18,4.0,gsm8k:train:4423,Predict,question -> reasoning,Predict | question -> reasoning,0.5,False,True,0.5,unavailable,True,unavailable,2.791463900008239,48
     + | fc0ba79c37ee815ebd6f5cc00e9d4a063b9ab3400043a313644773b3cd236e,"To find out how many servings of soda each guest gets, we first need to calculate the total amount of
     + | money Monica and Michelle have together. Monica brings $15 and Michelle brings $12, so together they have $15 + $12 = $27.
000050 |
000051 | Next, we need to find out how many bottles of soda they can afford. Each b",unavailable,unavailable
000052 | training,10,19,2.0,gsm8k:train:4389,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,False,True,1.0,unavailable,True,unavailable,1.651046400074
     + | 847,4f6553a15498161d2e3e5cf5f25de2ffa097d27c8495681a18de406d995e7bb5,"To calculate the difference in monthly payments, we first need to calculate the total amount pai
     + | d for each option.
000053 |
000054 | The house costs $480,000 and is paid over 20 years (240 months). The monthly payment for the house is $480,000 / 240 months = $2,000.
000055 |
000056 | The trailer costs $120,000 and is also paid over",unavailable,unavailable
```

reward_disagreements.csv

65 CSV records; 20 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 7e8ab0b900360eb6e080e34ec0f27978d51409e46ff0ce709bcd1685fd04931c

```
000057 | training,10,19,3.0,gsm8k:train:4389,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,False,True,1.0,unavailable,True,unavailable,1.754858599975
     + | 7051,4f6553a15498161d2e3e5cf5f25de2ffa097d27c8495681a18de406d995e7bb5,"To calculate the difference in monthly payments, we first need to calculate the total amount pa
     + | id for each option.
000058 |
000059 | The house costs $480,000 and is paid over 20 years (240 months). The monthly payment for the house is $480,000 / 240 months = $2,000.
000060 |
000061 | The trailer costs $120,000 and is also paid over",unavailable,unavailable
000062 | training,10,19,9.0,gsm8k:train:4389,Predict,word_problem -> solution,Predict | word_problem -> solution,1.0,False,True,1.0,unavailable,True,unavailable,1.917974199983
     + | 2913,4f6553a15498161d2e3e5cf5f25de2ffa097d27c8495681a18de406d995e7bb5,"To calculate the difference in monthly payments, we first need to calculate the total amount pa
     + | id for each option.
000063 |
000064 | The house costs $480,000 and is paid over 20 years (240 months). The monthly payment for the house is $480,000 / 240 months = $2,000.
000065 |
000066 | The trailer costs $120,000 and is also paid over",unavailable,unavailable
000067 | training,10,20,0.0,gsm8k:train:4306,CoT,query -> generated_text,CoT | query -> generated_text,1.0,False,True,1.0,unavailable,True,unavailable,5.879934299970046,d968a0
     + | fdde2a6321ec7716ceb195db623da63b94951a7106986005b0bc1caa3c,There are 23 albino 8-antlered deer in the park.,unavailable,unavailable
000068 | training,10,20,1.0,gsm8k:train:4306,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,False,True,1.0,unavailable,True,unavai
     + | lable,2.642398600000888,37082243142a94cf2e0a94ac8363674f3408cd4ca65cfed07f0d108304a33010,"To find the number of albino 8-antlered deer, we first need to calculate the
     + |  number of deer with 8 antlers. Since 10% of the deer have 8 antlers, we can find this number by multiplying the total number of deer (920) by 0.1 (which is equivalen
     + | t to 10%).
000069 |
000070 | Number of deer with 8 antlers = 920 * 0.1 = 9",unavailable,unavailable
000071 | training,10,20,2.0,gsm8k:train:4306,Predict,question -> reasoning,Predict | question -> reasoning,1.0,False,True,1.0,unavailable,True,unavailable,2.7081710000056773,3
     + | 7082243142a94cf2e0a94ac8363674f3408cd4ca65cfed07f0d108304a33010,"To find the number of albino 8-antlered deer, we first need to calculate the number of deer with 8 an
     + | tlers. Since 10% of the deer have 8 antlers, we can find this number by multiplying the total number of deer (920) by 0.1 (which is equivalent to 10%).
000072 |
000073 | Number of deer with 8 antlers = 920 * 0.1 = 9",unavailable,unavailable
000074 | training,10,20,4.0,gsm8k:train:4306,Predict,question -> answer,Predict | question -> answer,1.0,False,True,1.0,unavailable,True,unavailable,1.496386699960567,4c39397f
     + | d15be9cfcc5c5260c5601a959ca4a4b2fcee2f889b2a4430d520a985,"To find the number of albino 8-antlered deer, we first need to calculate the number of deer with 8 antlers.
     + | 10% of 920 deer have 8 antlers, which is 0.1 * 920 = 92 deer. Then, we need to find a quarter of that number. A quarter of 92 is 92 / 4 = 23. So, there are 23 albino
     + | 8-antlered deer.",unavailable,unavailable
000075 | training,10,20,5.0,gsm8k:train:4306,Predict,question -> answer,Predict | question -> answer,1.0,False,True,1.0,unavailable,True,unavailable,1.5402189999585971,4c39397
     + | fd15be9cfcc5c5260c5601a959ca4a4b2fcee2f889b2a4430d520a985,"To find the number of albino 8-antlered deer, we first need to calculate the number of deer with 8 antlers.
     + |  10% of 920 deer have 8 antlers, which is 0.1 * 920 = 92 deer. Then, we need to find a quarter of that number. A quarter of 92 is 92 / 4 = 23. So, there are 23 albino
     + |  8-antlered deer.",unavailable,unavailable
000076 | training,10,20,6.0,gsm8k:train:4306,Predict,problem -> solution,Predict | problem -> solution,1.0,False,True,1.0,unavailable,True,unavailable,1.5301542999222875,33e5d
     + | e9bc9a8490aac2127e3b07802e36491757d510b9eec0392153de4d31e36,"To find the number of albino 8-antlered deer, we first need to calculate the number of deer with 8 antler
     + | s. 10% of 920 deer have 8 antlers, which is 0.1 * 920 = 92 deer. Then, we need to find a quarter of that number, which is 92 / 4 = 23 deer. So, there are 23 albino 8-
     + | antlered deer.",unavailable,unavailable
000077 | training,10,20,7.0,gsm8k:train:4306,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,False,True,1.0,unavailable,True,unavai
     + | lable,3.059926899964921,37082243142a94cf2e0a94ac8363674f3408cd4ca65cfed07f0d108304a33010,"To find the number of albino 8-antlered deer, we first need to calculate the
     + |  number of deer with 8 antlers. Since 10% of the deer have 8 antlers, we can find this number by multiplying the total number of deer (920) by 0.1 (which is equivalen
     + | t to 10%).
000078 |
```

reward_disagreements.csv

65 CSV records; 20 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 7e8ab0b900360eb6e080e34ec0f27978d51409e46ff0ce709bcd1685fd04931c

```
000079 | Number of deer with 8 antlers = 920 * 0.1 = 9",unavailable,unavailable
000080 | training,10,20,9.0,gsm8k:train:4306,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,False,True,1.0,unavailable,True,unavai
     + | lable,3.0366247000638396,37082243142a94cf2e0a94ac8363674f3408cd4ca65cfed07f0d108304a33010,"To find the number of albino 8-antlered deer, we first need to calculate th
     + | e number of deer with 8 antlers. Since 10% of the deer have 8 antlers, we can find this number by multiplying the total number of deer (920) by 0.1 (which is equivale
     + | nt to 10%).
000081 |
000082 | Number of deer with 8 antlers = 920 * 0.1 = 9",unavailable,unavailable
000083 | validation,10,0,unavailable,gsm8k:train:6118,unavailable,unavailable,unavailable,1.0,unavailable,unavailable,unavailable,unavailable,unavailable,unavailable,unavailab
     + | le,unavailable,The train with 16 cars can carry 228 more passengers than 2 airplanes.,2,228
000084 | validation,10,30,unavailable,gsm8k:train:2126,unavailable,unavailable,unavailable,1.0,unavailable,unavailable,unavailable,unavailable,unavailable,unavailable,unavaila
     + | ble,unavailable,"To find the total number of students Adam will teach in 10 years, we need to add the students he teaches in the first year to the students he will te
     + | ach in the remaining 9 years. Since he teaches 50 students a year, in 9 years he will teach 9 x 50 = 450 students. Adding the 40 students from the firs",10,490
000085 | training,15,1,0.0,gsm8k:train:4423,CoT,query -> generated_text,CoT | query -> generated_text,0.5,False,True,0.5,unavailable,True,unavailable,2.1576273000100628,040065
     + | 381d60b8914af5c4e09ecfa52cb86aaf0bfce92dcfaac4fc3305808e83,"They can buy 9 bottles of soda, which have a total of 108 servings. Since there are 8 guests, each guest w
     + | ill get 108 / 8 = 13.5 servings of soda.",unavailable,unavailable
000086 | training,15,1,5.0,gsm8k:train:4423,CoT,query -> generated_text,CoT | query -> generated_text,0.5,False,True,0.5,unavailable,True,unavailable,2.077131099998951,0400653
     + | 81d60b8914af5c4e09ecfa52cb86aaf0bfce92dcfaac4fc3305808e83,"They can buy 9 bottles of soda, which have a total of 108 servings. Since there are 8 guests, each guest wi
     + | ll get 108 / 8 = 13.5 servings of soda.",unavailable,unavailable
000087 | training,15,3,5.0,gsm8k:train:7079,CoT,word_problem -> solution,CoT | word_problem -> solution,1.0,False,True,1.0,unavailable,True,unavailable,0.8514858999988064,1d23
     + | 6c3081d4e705eadf0e5591bbf4b92deb43757805e43e36213bc86663c8e0,[180 / 5 = 36],unavailable,unavailable
000088 | training,15,8,2.0,gsm8k:train:2477,Predict,question -> hypothesis,Predict | question -> hypothesis,0.5,False,True,0.5,unavailable,True,unavailable,1.9109058999456465,
     + | f8ad5d674a259e62164616b4f11f975df9c2699f8c95a8b8e94132c5e25f277e,"Let's denote the amount Mike received from his first job as x dollars. We know that Mike worked 12 h
     + | ours at his second job, which pays $9 per hour, so he earned 12 * 9 = 108 dollars from his second job. Since Mike earned a total of 160 dollars, we can set up the equ
     + | ation x + 108 = 160 to solve for x",unavailable,unavailable
000089 | training,15,20,0.0,gsm8k:train:4306,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,False,True,1.0,unavailable,True,unavai
     + | lable,8.065582599956542,37082243142a94cf2e0a94ac8363674f3408cd4ca65cfed07f0d108304a33010,"To find the number of albino 8-antlered deer, we first need to calculate the
     + |  number of deer with 8 antlers. Since 10% of the deer have 8 antlers, we can find this number by multiplying the total number of deer (920) by 0.1 (which is equivalen
     + | t to 10%).
000090 |
000091 | Number of deer with 8 antlers = 920 * 0.1 = 9",unavailable,unavailable
000092 | training,15,20,1.0,gsm8k:train:4306,Predict,problem -> solution,Predict | problem -> solution,1.0,False,True,1.0,unavailable,True,unavailable,1.843526600045152,33e5de
     + | 9bc9a8490aac2127e3b07802e36491757d510b9eec0392153de4d31e36,"To find the number of albino 8-antlered deer, we first need to calculate the number of deer with 8 antlers
     + | . 10% of 920 deer have 8 antlers, which is 0.1 * 920 = 92 deer. Then, we need to find a quarter of that number, which is 92 / 4 = 23 deer. So, there are 23 albino 8-a
     + | ntlered deer.",unavailable,unavailable
000093 | training,15,20,2.0,gsm8k:train:4306,Predict,problem -> solution,Predict | problem -> solution,1.0,False,True,1.0,unavailable,True,unavailable,1.8253605000209063,33e5d
     + | e9bc9a8490aac2127e3b07802e36491757d510b9eec0392153de4d31e36,"To find the number of albino 8-antlered deer, we first need to calculate the number of deer with 8 antler
     + | s. 10% of 920 deer have 8 antlers, which is 0.1 * 920 = 92 deer. Then, we need to find a quarter of that number, which is 92 / 4 = 23 deer. So, there are 23 albino 8-
     + | antlered deer.",unavailable,unavailable
000094 | training,15,20,3.0,gsm8k:train:4306,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,False,True,1.0,unavailable,True,unavai
     + | lable,3.521270400029607,37082243142a94cf2e0a94ac8363674f3408cd4ca65cfed07f0d108304a33010,"To find the number of albino 8-antlered deer, we first need to calculate the
     + |  number of deer with 8 antlers. Since 10% of the deer have 8 antlers, we can find this number by multiplying the total number of deer (920) by 0.1 (which is equivalen
     + | t to 10%).
000095 |
000096 | Number of deer with 8 antlers = 920 * 0.1 = 9",unavailable,unavailable
```

reward_disagreements.csv

65 CSV records; 20 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 7e8ab0b900360eb6e080e34ec0f27978d51409e46ff0ce709bcd1685fd04931c

```
000097 | training,15,20,4.0,gsm8k:train:4306,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,False,True,1.0,unavailable,True,unavai
     + | lable,3.4612448000116274,37082243142a94cf2e0a94ac8363674f3408cd4ca65cfed07f0d108304a33010,"To find the number of albino 8-antlered deer, we first need to calculate th
     + | e number of deer with 8 antlers. Since 10% of the deer have 8 antlers, we can find this number by multiplying the total number of deer (920) by 0.1 (which is equivale
     + | nt to 10%).
000098 |
000099 | Number of deer with 8 antlers = 920 * 0.1 = 9",unavailable,unavailable
000100 | training,15,20,5.0,gsm8k:train:4306,Predict,question -> answer,Predict | question -> answer,1.0,False,True,1.0,unavailable,True,unavailable,2.001146399998106,4c39397f
     + | d15be9cfcc5c5260c5601a959ca4a4b2fcee2f889b2a4430d520a985,"To find the number of albino 8-antlered deer, we first need to calculate the number of deer with 8 antlers.
     + | 10% of 920 deer have 8 antlers, which is 0.1 * 920 = 92 deer. Then, we need to find a quarter of that number. A quarter of 92 is 92 / 4 = 23. So, there are 23 albino
     + | 8-antlered deer.",unavailable,unavailable
000101 | training,15,20,6.0,gsm8k:train:4306,Predict,problem -> solution,Predict | problem -> solution,1.0,False,True,1.0,unavailable,True,unavailable,1.8833725000731647,33e5d
     + | e9bc9a8490aac2127e3b07802e36491757d510b9eec0392153de4d31e36,"To find the number of albino 8-antlered deer, we first need to calculate the number of deer with 8 antler
     + | s. 10% of 920 deer have 8 antlers, which is 0.1 * 920 = 92 deer. Then, we need to find a quarter of that number, which is 92 / 4 = 23 deer. So, there are 23 albino 8-
     + | antlered deer.",unavailable,unavailable
000102 | training,15,20,7.0,gsm8k:train:4306,Predict,problem -> solution,Predict | problem -> solution,1.0,False,True,1.0,unavailable,True,unavailable,2.064764400012791,33e5de
     + | 9bc9a8490aac2127e3b07802e36491757d510b9eec0392153de4d31e36,"To find the number of albino 8-antlered deer, we first need to calculate the number of deer with 8 antlers
     + | . 10% of 920 deer have 8 antlers, which is 0.1 * 920 = 92 deer. Then, we need to find a quarter of that number, which is 92 / 4 = 23 deer. So, there are 23 albino 8-a
     + | ntlered deer.",unavailable,unavailable
000103 | training,15,20,8.0,gsm8k:train:4306,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,False,True,1.0,unavailable,True,unavai
     + | lable,3.7376067000441253,37082243142a94cf2e0a94ac8363674f3408cd4ca65cfed07f0d108304a33010,"To find the number of albino 8-antlered deer, we first need to calculate th
     + | e number of deer with 8 antlers. Since 10% of the deer have 8 antlers, we can find this number by multiplying the total number of deer (920) by 0.1 (which is equivale
     + | nt to 10%).
000104 |
000105 | Number of deer with 8 antlers = 920 * 0.1 = 9",unavailable,unavailable
000106 | training,15,20,9.0,gsm8k:train:4306,Predict,problem -> solution,Predict | problem -> solution,1.0,False,True,1.0,unavailable,True,unavailable,1.8947041999781504,33e5d
     + | e9bc9a8490aac2127e3b07802e36491757d510b9eec0392153de4d31e36,"To find the number of albino 8-antlered deer, we first need to calculate the number of deer with 8 antler
     + | s. 10% of 920 deer have 8 antlers, which is 0.1 * 920 = 92 deer. Then, we need to find a quarter of that number, which is 92 / 4 = 23 deer. So, there are 23 albino 8-
     + | antlered deer.",unavailable,unavailable
000107 | training,15,20,10.0,gsm8k:train:4306,Predict,question -> answer,Predict | question -> answer,1.0,False,True,1.0,unavailable,True,unavailable,1.9662295999005437,4c3939
     + | 7fd15be9cfcc5c5260c5601a959ca4a4b2fcee2f889b2a4430d520a985,"To find the number of albino 8-antlered deer, we first need to calculate the number of deer with 8 antlers
     + | . 10% of 920 deer have 8 antlers, which is 0.1 * 920 = 92 deer. Then, we need to find a quarter of that number. A quarter of 92 is 92 / 4 = 23. So, there are 23 albin
     + | o 8-antlered deer.",unavailable,unavailable
000108 | training,15,20,11.0,gsm8k:train:4306,Predict,problem -> solution,Predict | problem -> solution,1.0,False,True,1.0,unavailable,True,unavailable,1.90000359993428,33e5de
     + | 9bc9a8490aac2127e3b07802e36491757d510b9eec0392153de4d31e36,"To find the number of albino 8-antlered deer, we first need to calculate the number of deer with 8 antlers
     + | . 10% of 920 deer have 8 antlers, which is 0.1 * 920 = 92 deer. Then, we need to find a quarter of that number, which is 92 / 4 = 23 deer. So, there are 23 albino 8-a
     + | ntlered deer.",unavailable,unavailable
000109 | training,15,20,12.0,gsm8k:train:4306,Predict,problem -> solution,Predict | problem -> solution,1.0,False,True,1.0,unavailable,True,unavailable,1.931825099978596,33e5d
     + | e9bc9a8490aac2127e3b07802e36491757d510b9eec0392153de4d31e36,"To find the number of albino 8-antlered deer, we first need to calculate the number of deer with 8 antler
     + | s. 10% of 920 deer have 8 antlers, which is 0.1 * 920 = 92 deer. Then, we need to find a quarter of that number, which is 92 / 4 = 23 deer. So, there are 23 albino 8-
     + | antlered deer.",unavailable,unavailable
000110 | training,15,20,13.0,gsm8k:train:4306,Predict,problem_description -> explanation,Predict | problem_description -> explanation,1.0,False,True,1.0,unavailable,True,unava
     + | ilable,3.719840900041163,37082243142a94cf2e0a94ac8363674f3408cd4ca65cfed07f0d108304a33010,"To find the number of albino 8-antlered deer, we first need to calculate th
     + | e number of deer with 8 antlers. Since 10% of the deer have 8 antlers, we can find this number by multiplying the total number of deer (920) by 0.1 (which is equivale
     + | nt to 10%).
```

reward_disagreements.csv

65 CSV records; 20 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: 7e8ab0b900360eb6e080e34ec0f27978d51409e46ff0ce709bcd1685fd04931c

```
000111 |
000112 | Number of deer with 8 antlers = 920 * 0.1 = 9",unavailable,unavailable
000113 | training,15,20,14.0,gsm8k:train:4306,Predict,problem -> solution,Predict | problem -> solution,1.0,False,True,1.0,unavailable,True,unavailable,1.87793249997776,33e5de
     + | 9bc9a8490aac2127e3b07802e36491757d510b9eec0392153de4d31e36,"To find the number of albino 8-antlered deer, we first need to calculate the number of deer with 8 antlers
     + | . 10% of 920 deer have 8 antlers, which is 0.1 * 920 = 92 deer. Then, we need to find a quarter of that number, which is 92 / 4 = 23 deer. So, there are 23 albino 8-a
     + | ntlered deer.",unavailable,unavailable
000114 | training,15,21,6.0,gsm8k:train:3115,Predict,question -> hypothesis,Predict | question -> hypothesis,0.5,False,True,0.5,unavailable,True,unavailable,2.090405600029044,
     + | 0ecd3140714a53c1d6095b276bd1f54fbce9fbba2837911a95d1f6fe41a8d80c,"To find the number of green beans, we first need to find the total number of beans that are not red.
     + |  One-fourth of the beans are red, so three-fourths of the beans are not red. Three-fourths of 572 is (3/4) * 572 = 429. Then, one-third of the remaining beans are whi
     + | te, so two-thirds of the remaining",unavailable,unavailable
000115 | validation,15,0,unavailable,gsm8k:train:6118,unavailable,unavailable,unavailable,1.0,unavailable,unavailable,unavailable,unavailable,unavailable,unavailable,unavailab
     + | le,unavailable,The train with 16 cars can carry 228 more passengers than 2 airplanes.,2,228
000116 | validation,15,30,unavailable,gsm8k:train:6118,unavailable,unavailable,unavailable,1.0,unavailable,unavailable,unavailable,unavailable,unavailable,unavailable,unavaila
     + | ble,unavailable,"To solve this problem, we need to calculate the number of passengers that can be carried by a train with 16 cars and by 2 airplanes, and then find th
     + | e difference between the two.
000117 |
000118 | First, let's calculate the number of passengers that can be carried by the train. Since a single train car can carry 60 ",2,228
```

source_manifest.csv

45 CSV records; 5 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: ed9d022687f61be9933f651ea8f54c3f86e1e8f3df771336f1df950b7e47aec9

```
000001 | path,bytes,mtime_ns,sha256,verification
000002 | results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\attempts.jsonl,365407,1791917838144776400,0342c2aa8ca848340eecec8ac9675d72caa186606d6d82e283258a32135d445b,
     + | SHA256 + size/mtime
000003 | results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\best.json,161,1791917759295895100,18dd58681c1ed73a872d97846a289e88d763c3a967c41e7aa137fff3b28a4130,SHA256 +
     + |  size/mtime
000004 | results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\checkpoints\episode_0000_b751824d.pt,497842374,1791916711426398700,unavailable,size/mtime (checkpoint)
000005 | results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\checkpoints\episode_0025_9a4e214d.pt,1493675342,1791917563048540100,unavailable,size/mtime (checkpoint)
000006 | results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\checkpoints\episode_0030_ebdecd4f.pt,1493720014,1791917759258222400,unavailable,size/mtime (checkpoint)
000007 | results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\config.json,4532,1791916679167373300,bfe9db16bb88d5c1535058712b0f8f8da6f753c6d0062ab5c5c86bf7dd433d46,SHA25
     + | 6 + size/mtime
000008 | results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\latest.json,144,1791917759293410400,19701e314e994b2f82764360b8179c4a38099ee127c94befb57ab34d029e589c,SHA256
     + |  + size/mtime
000009 | results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\summary.json,4167,1791917838240738600,e65752f86bbe2b308d1e36a343c2cc716efed6f9651132813a4f7dd41e12cf62,SHA2
     + | 56 + size/mtime
000010 | results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\test_52cdf561.json,35579,1791917838152540300,0846e036faab8fcdc14682411d7baf4bf2fa73c290e3226360a4e0545c48cf
     + | 55,SHA256 + size/mtime
000011 | results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\training.jsonl,323269,1791917759302896300,8348644e10f3e6f3cf2fff9c3bf1323e2d8f7408da6e3e309f9bfdd2a8977652,
     + | SHA256 + size/mtime
000012 | results\gsm8k\k10\seed42\baseline\20261013T183759-77b8ce57\validation.jsonl,16402,1791917759304219800,4ef2226c963e6cfd460e2f80c3a91a98b41da6d47343f0dcaf3311299e14ff6a
     + | ,SHA256 + size/mtime
000013 | results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\attempts.jsonl,521171,1791919914751033300,752e1c529417706586f32a375e38b2480fceb5696da84d282518a40ee57d56c2,
     + | SHA256 + size/mtime
000014 | results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\best.json,160,1791918061514991600,b8933697fc4c8c947495b731ffb54f9f9a0635ca22926ec810e52566e2e29dff,SHA256 +
     + |  size/mtime
000015 | results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\checkpoints\episode_0000_29cb2d83.pt,497842374,1791918061424774200,unavailable,size/mtime (checkpoint)
000016 | results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\checkpoints\episode_0025_52e3f31f.pt,1493759310,1791919504892087500,unavailable,size/mtime (checkpoint)
000017 | results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\checkpoints\episode_0030_cec4cc1d.pt,1493823054,1791919823057375100,unavailable,size/mtime (checkpoint)
000018 | results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\config.json,4532,1791918031892079500,14da5332fc6892c4eb5d42b62f8dbe83344b627a3c01b18b0cf64b98987b09f9,SHA25
     + | 6 + size/mtime
000019 | results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\latest.json,144,1791919823102087700,0180363568173650f0a0f0b737bbc639926b2d539bafb419c33c969bcbf7eebe,SHA256
     + |  + size/mtime
000020 | results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\summary.json,4167,1791919914915375600,15f2a43fe66e6090dbd8c25a572bfa4464f7b0b22f4fe8b99402fd4907f86ccb,SHA2
     + | 56 + size/mtime
000021 | results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\test_d91652f1.json,28984,1791919914765119800,2e4a34d2f45c57b9a17232d9e3e70491fe453165c2d331c9626d4df1741f8d
     + | 80,SHA256 + size/mtime
000022 | results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\training.jsonl,469151,1791919823112049200,ed07897f6ef701fadd4a03eeaafceaabef5d4466202efd2b2595e5e61a60531f,
     + | SHA256 + size/mtime
000023 | results\gsm8k\k15\seed42\baseline\20261013T190031-8d8e40ec\validation.jsonl,17230,1791919823114054000,9712792aa50634124cfb12d40d6167374158330b2497529dc40773f49daa7d77
     + | ,SHA256 + size/mtime
000024 | results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\attempts.jsonl,158058,1791914669979864600,ad9348460a5c1007bd5b2492da1987b605dfa633cc552e41fc3d13a99888eb65,S
     + | HA256 + size/mtime
000025 | results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\best.json,160,1791914569154548300,dcabe47feda5ebbad8c861426e74aad1d000457a0b739c2ec2b9343fa1a3abed,SHA256 +
     + | size/mtime
000026 | results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\checkpoints\episode_0000_7629e18a.pt,497842374,1791913798453293600,unavailable,size/mtime (checkpoint)
```

source_manifest.csv

45 CSV records; 5 columns | physical lines are numbered; '+' means a wrapped continuation

SHA256: ed9d022687f61be9933f651ea8f54c3f86e1e8f3df771336f1df950b7e47aec9

```
000027 | results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\checkpoints\episode_0025_f85afbe9.pt,1493558670,1791914377562289200,unavailable,size/mtime (checkpoint)
000028 | results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\checkpoints\episode_0030_689ac93f.pt,1493578254,1791914569099748200,unavailable,size/mtime (checkpoint)
000029 | results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\config.json,4531,1791913761867312800,769a6ed1ce5f8fe08b3845a5266e71723799350bbc98f4b2e83f752a320d1dff,SHA256
     + |  + size/mtime
000030 | results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\latest.json,143,1791914569152538600,ee4e2559b87c8ef8987d2c5598d768e768f1b888ea3bdb784e0a3423c24b7953,SHA256
     + | + size/mtime
000031 | results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\summary.json,4159,1791914670026836900,ef97f9454907f6a4965de7af1685ac4370a6f76636070e541ceaa7268d164cea,SHA25
     + | 6 + size/mtime
000032 | results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\test_3e769531.json,29380,1791914669987572900,ac302a05b601f8ce5d794d59ecb9896f436e4254de964e7039b9975b8bde746
     + | 9,SHA256 + size/mtime
000033 | results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\training.jsonl,144364,1791914569160214900,8701bcb68ebd32551d3bb84405347f3518ce6c88c7d0a8a8f51cb509a0624bf4,S
     + | HA256 + size/mtime
000034 | results\gsm8k\k5\seed42\baseline\20261013T174921-b1ad8988\validation.jsonl,12677,1791914569161880500,37c431aea8f46f304c8e0a7cf5d6e6cd36902ef21c45f743b0ad4a46c004097f,
     + | SHA256 + size/mtime
000035 | results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\attempts.jsonl,290861,1791916235975993000,324b27a9f93e02d5d56e0f4f161fc679dccafbb8763c588965ebf47f604cf336,S
     + | HA256 + size/mtime
000036 | results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\best.json,159,1791915094636183500,4cdcb7466d9bdb6f921a8a7293b8ce2507612d64126202eddc4872dfd079fb23,SHA256 +
     + | size/mtime
000037 | results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\checkpoints\episode_0000_694f9169.pt,497842374,1791915094549762600,unavailable,size/mtime (checkpoint)
000038 | results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\checkpoints\episode_0025_c1c342e3.pt,1493633294,1791915938536831400,unavailable,size/mtime (checkpoint)
000039 | results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\checkpoints\episode_0030_a2d9cc0b.pt,1493675278,1791916150504885100,unavailable,size/mtime (checkpoint)
000040 | results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\config.json,4531,1791915064089448800,8b26afd39fb22cc979e4112e8ce9842c6e7c129140a9052fa65e392a956e3ab5,SHA256
     + |  + size/mtime
000041 | results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\latest.json,143,1791916150537187700,94699ed12ff381b738a4a8c21ec82bfd15d8c76252e77e63bc7aa0076acc128e,SHA256
     + | + size/mtime
000042 | results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\summary.json,4162,1791916236065570900,4260914e22324901e0ffe01831d06099bcc90de931339966da1441554c3d8e51,SHA25
     + | 6 + size/mtime
000043 | results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\test_174249a3.json,29099,1791916235983213100,45e01f6a473f1c5e45f7968811f1adbe6cc66dcb9ec3cc485e9c66d2dcbc1e7
     + | 3,SHA256 + size/mtime
000044 | results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\training.jsonl,262619,1791916150546782400,14e88fec0c42d7579ec2fc39447fe4facd1acead94d5d0db14bce9234857ad9d,S
     + | HA256 + size/mtime
000045 | results\gsm8k\k8\seed42\baseline\20261013T181104-322720b3\validation.jsonl,17226,1791916150548865300,4169de810409d6e3967de0a88e75243c09c4e40d962c5b5be4014bd469021a42,
     + | SHA256 + size/mtime
000046 | results\gsm8k\selections\8dc2eb472df4dd7f45b685d9cb01ac1c3eea5371035a340aa90fcf715237ee55.json,11063,1791913750097963000,1de58c9115b7d859c12301f149630267252443484e2a5
     + | 4a73ae19bd7da7897fb,SHA256 + size/mtime
```