

BLIT ELECTRIC | WHITE RANGE CATALOGUE

Complete Specification Catalogue for Moulded White Wiring Accessories

TAOS WHITE RANGE COLLECTION

TAOS White Range is a comprehensive line-up of high-quality moulded white wiring accessories with proven quality and value for over 24 years. Suitable for new build housing, commercial spaces, and retrofit applications.

10AMP PLATE SWITCHES

Model Code	Item Description & Specification	Dimensions	Standard Compliance
W301	1 gang 1 way switch	86 x 86 mm	BS EN 60669-1
W302	1 gang 2 way switch	86 x 86 mm	BS EN 60669-1
W313	1 gang 2 way intermediate switch	86 x 86 mm	BS EN 60669-1
W303	2 gang 1 way switch	86 x 86 mm	BS EN 60669-1
W304	2 gang 2 way switch	86 x 86 mm	BS EN 60669-1
W305	3 gang 1 way switch	86 x 86 mm	BS EN 60669-1
W306	3 gang 2 way switch	86 x 86 mm	BS EN 60669-1
W307	4 gang 1 way switch	146 x 86 mm	BS EN 60669-1
W308	4 gang 2 way switch	146 x 86 mm	BS EN 60669-1
W309	6 gang 1 way switch	146 x 86 mm	BS EN 60669-1
W310	6 gang 2 way switch	146 x 86 mm	BS EN 60669-1

BELL & KEY SWITCHES

Model Code	Item Description & Specification	Dimensions	Standard Compliance
W317	1 gang bell switch	86 x 86 mm	BS EN 60669-1
W319	1 gang bell switch + neon	86 x 86 mm	BS EN 60669-1
W360	1 gang bell switch (press symbol)	86 x 86 mm	BS EN 60669-1
W361	1 gang bell switch + neon (press symbol)	86 x 86 mm	BS EN 60669-1
W316	1 gang bell switch (large rocker)	86 x 86 mm	BS EN 60669-1
W318	1 gang bell switch + neon (large rocker)	86 x 86 mm	BS EN 60669-1

20 & 45AMP SWITCHES

Model Code	Item Description & Specification	Dimensions	Standard Compliance
W324	20A 1 gang switch, DP + neon	86 x 86 mm	BS EN 60669-2-1
W327	45A 1 gang switch, DP + neon	86 x 86 mm	BS EN 60669-2-1
W328	45A 1 gang switch, DP	86 x 86 mm	BS EN 60669-2-1
W329	45A 1 gang switch, DP + neon (large plate)	86 x 86 mm	BS EN 60669-2-1
W330	45A 1 gang switch, DP (large plate)	86 x 86 mm	BS EN 60669-2-1
W331	45A 1 gang switch + neon + 13A switched socket + neon	146 x 86 mm	BS 4177
W332	45A 1 gang switch + 13A switched socket	146 x 86 mm	BS 4177

DIMMER & SPEED SWITCHES

Model Code	Item Description & Specification	Dimensions	Standard Compliance
W350	1 gang 250W dimmer switch	86 x 86 mm	BS EN 60669-2-1
W352	1 gang 400W dimmer switch	86 x 86 mm	BS EN 60669-2-1
W355	1 gang 500W dimmer switch	86 x 86 mm	BS EN 60669-2-1
W359	1 gang 600W dimmer switch	86 x 86 mm	BS EN 60669-2-1
W555	1 gang 1000W dimmer switch	86 x 86 mm	BS EN 60669-2-1
W3552	1 gang 500W dimmer switch, 2 way	86 x 86 mm	BS EN 60669-2-1
W5552	1 gang 1000W dimmer switch, 2 way	86 x 86 mm	BS EN 60669-2-1
W353	2 gang 250W dimmer switch	86 x 86 mm	BS EN 60669-2-1
W354	2 gang 400W dimmer switch	86 x 86 mm	BS EN 60669-2-1

BLIT ELECTRIC | WHITE RANGE CATALOGUE

Complete Specification Catalogue for Moulded White Wiring Accessories

W356	2 gang 500W dimmer switch	86 x 86 mm	BS EN 60669-2-1
W3542	2 gang 400W dimmer switch, 2 way	86 x 86 mm	BS EN 60669-2-1
W3562	2 gang 500W dimmer switch, 2 way	86 x 86 mm	BS EN 60669-2-1
W556	2 gang 1000W dimmer switch	146 x 86 mm	BS EN 60669-2-1
W5562	2 gang 1000W dimmer switch, 2 way	146 x 86 mm	BS EN 60669-2-1
W351	1 gang 250W speed switch (fan control)	86 x 86 mm	IEC 60669
W371	1 gang 400W speed switch (fan control)	86 x 86 mm	IEC 60669
W368	1 gang 500W speed switch	86 x 86 mm	IEC 60669
W557	1 gang 1000W speed switch	86 x 86 mm	IEC 60669
W5572	1 gang 1000W speed switch, 2 way	86 x 86 mm	IEC 60669

13AMP & ROUND PIN SOCKET OUTLETS

Model Code	Item Description & Specification	Dimensions	Standard Compliance
W405	1 gang switched socket 13A	86 x 86 mm	BS 1363-2
W4052	1 gang switched socket, SP, double earthing	86 x 86 mm	BS 1363-2
W409	1 gang switched socket, DP	86 x 86 mm	BS 1363-2
W406	2 gang switched socket 13A	146 x 86 mm	BS 1363-2
W410	2 gang switched socket, DP	146 x 86 mm	BS 1363-2
W407	1 gang switched socket + neon	86 x 86 mm	BS 1363-2
W411	1 gang switched socket, DP + neon	86 x 86 mm	BS 1363-2
W408	2 gang switched socket + neon	146 x 86 mm	BS 1363-2
W412	2 gang switched socket, DP + neon	146 x 86 mm	BS 1363-2
W429	15A 1 gang switched round-pin socket	86 x 86 mm	BS 546
W431	15A 1 gang switched round-pin socket + neon	86 x 86 mm	BS 546

MULTI-FUNCTION SOCKET OUTLETS & OTHERS

Model Code	Item Description & Specification	Dimensions	Standard Compliance
W460	10A 1 gang multi socket	86 x 86 mm	IEC 60884
W460N	10A 1 gang multi socket + shutter	86 x 86 mm	IEC 60884
W445	10A 1 gang multi socket + 20A 1 gang switch	86 x 86 mm	IEC 60884
W445N	10A 1 gang multi socket + 20A 1 gang switch + shutter	86 x 86 mm	IEC 60884
W446	10A 1 gang multi socket + 20A 1 gang switch, DP	86 x 86 mm	IEC 60884
W444	10A 2 gang multi socket	146 x 86 mm	IEC 60884
W447	10A 1 gang multi socket + 10A 2 gang switch	86 x 86 mm	IEC 60884
W447N	10A 1 gang multi socket + 10A 2 gang switch + shutter	86 x 86 mm	IEC 60884
W407M	13A 1 gang switched multi socket + neon	86 x 86 mm	BS 1363
W482	13A switched multi socket + neon	86 x 86 mm	BS 1363
W458	Shaver socket dual voltage 115V/230V	146 x 86 mm	BS EN 61558-2-5

FUSED CONNECTION UNITS (FCUS)

Model Code	Item Description & Specification	Dimensions	Standard Compliance
W418	3A FCU	86 x 86 mm	BS 1363-4
W417	5A FCU	86 x 86 mm	BS 1363-4
W416	13A FCU	86 x 86 mm	BS 1363-4
W415	3A FCU + neon	86 x 86 mm	BS 1363-4
W414	5A FCU + neon	86 x 86 mm	BS 1363-4
W413	13A FCU + neon	86 x 86 mm	BS 1363-4
W424	3A switched FCU	86 x 86 mm	BS 1363-4
W423	5A switched FCU	86 x 86 mm	BS 1363-4
W422	13A switched FCU	86 x 86 mm	BS 1363-4
W421	3A switched FCU + neon	86 x 86 mm	BS 1363-4

BLIT ELECTRIC | WHITE RANGE CATALOGUE

Complete Specification Catalogue for Moulded White Wiring Accessories

W420	5A switched FCU + neon	86 x 86 mm	BS 1363-4
W419	13A switched FCU + neon	86 x 86 mm	BS 1363-4

CO-AXIAL & SATELLITE OUTLETS

Model Code	Item Description & Specification	Dimensions	Standard Compliance
W166	1 gang satellite socket	86 x 86 mm	BS 3041
W168	2 gang satellite socket	86 x 86 mm	BS 3041
W167	Satellite socket & isolated co-axial socket	86 x 86 mm	BS 3041
W169	Co-axial & RJ45 data socket (8 terminal)	86 x 86 mm	BS 3041 & TIA-568
W432	1 gang co-axial socket	86 x 86 mm	BS 3041
W434	1 gang isolated co-axial socket	86 x 86 mm	BS 3041
W435	1 gang isolated co-axial socket with one branch	86 x 86 mm	BS 3041
W433	2 gang co-axial socket	86 x 86 mm	BS 3041
W436	2 gang isolated co-axial socket	86 x 86 mm	BS 3041
W437	2 gang isolated co-axial socket with one branch	86 x 86 mm	BS 3041

TEL & DATA OUTLETS

Model Code	Item Description & Specification	Dimensions	Standard Compliance
W438	1 gang telephone socket, secondary	86 x 86 mm	BS 6312
W439	1 gang telephone socket, master	86 x 86 mm	BS 6312
W440	2 gang telephone socket, secondary	86 x 86 mm	BS 6312
W441	2 gang telephone socket, master	86 x 86 mm	BS 6312
W464	1 gang RJ11 data socket (4 terminal)	86 x 86 mm	FCC Part 68
W462	1 gang RJ11 data socket (6 terminal)	86 x 86 mm	FCC Part 68
W442	1 gang RJ45 data socket (8 terminal)	86 x 86 mm	TIA/EIA-568
W465	2 gang RJ11 data socket (4 terminal)	86 x 86 mm	FCC Part 68
W463	2 gang RJ11 data socket (6 terminal)	86 x 86 mm	FCC Part 68
W443	2 gang RJ45 data socket (8 terminal)	86 x 86 mm	TIA/EIA-568

CONNECTION PLATE & BLANK PLATES

Model Code	Item Description & Specification	Dimensions	Standard Compliance
W401	1 gang blank plate	86 x 86 mm	BS 5733
W402	2 gang blank plate	146 x 86 mm	BS 5733
W501	1 gang blank plate (with a 25mm hole)	86 x 86 mm	BS 5733
W820	20A connection plate	86 x 86 mm	BS 5733
W821	45A connection plate	86 x 86 mm	BS 5733