
EN RANGE ARCHITECTURAL SWITCHES & SOCKETS

Complete Specifications for Satin Brushed Steel (Brushed Chrome) & Brushed Brass (Gold) Collections

1. Plate Switches Collection (10AX 250V~ BS EN 60669-1)

IMAGE	MODEL CODE	DESCRIPTION	DIMENSION	STANDARD
	BTEN302STB	1 Gang 2 Way Switch (Gold)	86 x 86 mm	BS EN 60669-1
	BTEN302BRC	1 Gang 2 Way Switch (Brushed Chrome)	86 x 86 mm	BS EN 60669-1
	BTEN304STB	2 Gang 2 Way Switch (Gold)	86 x 86 mm	BS EN 60669-1
	BTEN304BRC	2 Gang 2 Way Switch (Brushed Chrome)	86 x 86 mm	BS EN 60669-1
	BTEN306STB	3 Gang 2 Way Switch (Gold)	86 x 86 mm	BS EN 60669-1
	BTEN306BRC	3 Gang 2 Way Switch (Brushed Chrome)	86 x 86 mm	BS EN 60669-1
	BTEN308STB	4 Gang 2 Way Wide Switch (Gold)	146 x 86 mm	BS EN 60669-1
	BTEN308BRC	4 Gang 2 Way Wide Switch (Brushed Chrome)	146 x 86 mm	BS EN 60669-1
	BTEN310BRC	6 Gang 2 Way Wide Switch (Brushed Chrome)	146 x 86 mm	BS EN 60669-1

2. Bell & Special Switches

IMAGE	MODEL CODE	DESCRIPTION	DIMENSION	STANDARD
	BTEN317STB	1 Gang Retractive Bell Push (Gold)	86 x 86 mm	BS EN 60669-1
	BTEN317BRC	1 Gang Retractive Bell Push (Brushed Chrome)	86 x 86 mm	BS EN 60669-1

3. 20A & 45A High Power Isolator Switches

IMAGE	MODEL CODE	DESCRIPTION	DIMENSION	STANDARD
	BTEN324STB	20A DP Switch + Neon (Gold)	86 x 86 mm	BS EN 60669-2-1
	BTEN324BRC	20A DP Switch + Neon (Brushed Chrome)	86 x 86 mm	BS EN 60669-2-1
	BTEN327STB	45A DP Switch + Neon (Gold)	86 x 86 mm	BS EN 60669-2-1
	BTEN327BRC	45A DP Switch + Neon (Brushed Chrome)	86 x 86 mm	BS EN 60669-2-1
	BTEN329STB	45A DP Large Plate Switch + Neon (Gold)	86 x 146 mm	BS EN 60669-2-1
	BTEN329BRC	45A DP Large Plate Switch + Neon (Brushed Chrome)	86 x 146 mm	BS EN 60669-2-1
	BTEN331BRC	45A Cooker Unit + 13A Socket (Brushed Chrome)	146 x 86 mm	BS 4177
	BTHY4620BRC	20A DP Switch with Flex Outlet (Brushed Chrome)	86 x 86 mm	BS EN 60669-2-1

4. Rotary Dimmers & Fan Speed Controllers

IMAGE	MODEL CODE	DESCRIPTION	DIMENSION	STANDARD
	BTEN350-2STB	1 Gang Rotary Dimmer (400W) (Gold)	86 x 86 mm	BS EN 60669-2-1
	BTEN350-2BRC	1 Gang Rotary Dimmer (400W) (Brushed Chrome)	86 x 86 mm	BS EN 60669-2-1
	BTEN351STB	1 Gang Fan Speed Controller (Gold)	86 x 86 mm	IEC 60669
	BTEN351BRC	1 Gang Fan Speed Controller (Brushed Chrome)	86 x 86 mm	IEC 60669
	BTEN353-2STB	2 Gang Rotary Dimmer (Gold)	86 x 86 mm	BS EN 60669-2-1

IMAGE	MODEL CODE	DESCRIPTION	DIMENSION	STANDARD
	BTEN353-2BRC	2 Gang Rotary Dimmer (Brushed Chrome)	86 x 86 mm	BS EN 60669-2-1
	BTEN355-2STB	1 Gang 1000W Heavy Duty Dimmer (Gold)	86 x 86 mm	BS EN 60669-2-1
	BTEN355-2BRC	1 Gang 1000W Heavy Duty Dimmer (Brushed Chrome)	86 x 86 mm	BS EN 60669-2-1

5. 13A & 15A Socket Outlets & Dual USB Fast Chargers

IMAGE	MODEL CODE	DESCRIPTION	DIMENSION	STANDARD
	BTEN405STB	1 Gang 13A Switched Socket (Gold)	86 x 86 mm	BS 1363-2
	BTEN405BRC	1 Gang 13A Switched Socket (Brushed Chrome)	86 x 86 mm	BS 1363-2
	BTEN406STB	2 Gang 13A Twin Socket (Gold)	146 x 86 mm	BS 1363-2
	BTEN406BRC	2 Gang 13A Twin Socket (Brushed Chrome)	146 x 86 mm	BS 1363-2
	BTHY4113H-B-3.1ASTB	13A Single Socket + Dual USB 3.1A (Gold)	86 x 86 mm	BS 1363-2 / IEC 62368
	BTHY4113H-B-3.1ABRC	13A Single Socket + Dual USB 3.1A (Brushed Chrome)	86 x 86 mm	BS 1363-2 / IEC 62368
	BTHY4121-B-3.1ASTB	Twin 13A Socket + Dual USB 3.1A (Gold)	146 x 86 mm	BS 1363-2 / IEC 62368
	BTHY4121-B-3.1ABRC	Twin 13A Socket + Dual USB 3.1A (Brushed Chrome)	146 x 86 mm	BS 1363-2 / IEC 62368
	BTEN429STB	15A Round Pin Switched Socket (Gold)	86 x 86 mm	BS 546
	BTEN429BRC	15A Round Pin Switched Socket (Brushed Chrome)	86 x 86 mm	BS 546

IMAGE	MODEL CODE	DESCRIPTION	DIMENSION	STANDARD
	BTEN458BRC	Dual Voltage Shaver Socket 115V/230V (Brushed Chrome)	146 x 86 mm	BS EN 61558-2-5

6. Blank Connection Plates

IMAGE	MODEL CODE	DESCRIPTION	DIMENSION	STANDARD
	BTEN401STB	1-Gang Blank Cover Plate (Gold)	86 x 86 mm	BS 5733
	BTEN401BRC	1-Gang Blank Cover Plate (Brushed Chrome)	86 x 86 mm	BS 5733
	BTEN402STB	2-Gang Wide Blank Cover Plate (Gold)	146 x 86 mm	BS 5733
	BTEN402BRC	2-Gang Wide Blank Cover Plate (Brushed Chrome)	146 x 86 mm	BS 5733
	BTEN413BRC	13A Unswitched FCU + Neon (Brushed Chrome)	86 x 86 mm	BS 1363-4
	BTEN419BRC	13A Switched FCU + Neon (Brushed Chrome)	86 x 86 mm	BS 1363-4
	BTB821BRC	45A Cable Connection Plate (Brushed Chrome)	86 x 86 mm	BS 5733

7. Data & Telecom Outlets

IMAGE	MODEL CODE	DESCRIPTION	DIMENSION	STANDARD
	BTEN442STB	1 Gang RJ45 Cat6 Data Outlet (Gold)	86 x 86 mm	TIA/EIA-568
	BTEN442BRC	1 Gang RJ45 Cat6 Data Outlet (Brushed Chrome)	86 x 86 mm	TIA/EIA-568
	BTEN443STB	2 Gang RJ45 Cat6 Data Outlet (Gold)	86 x 86 mm	TIA/EIA-568
	BTEN443BRC	2 Gang RJ45 Cat6 Data Outlet (Brushed Chrome)	86 x 86 mm	TIA/EIA-568

IMAGE	MODEL CODE	DESCRIPTION	DIMENSION	STANDARD
	BTEN432BRC	1 Gang Co-axial TV Socket (Brushed Chrome)	86 x 86 mm	BS 3041
	BTEN469BRC	1 Gang Telephone Socket RJ11 (Brushed Chrome)	86 x 86 mm	BS 6312