

EN RANGE ARCHITECTURAL SWITCHES & SOCKETS

Complete Specifications for Satin Brushed Steel (Silver) & Brushed Brass (Gold) Collections

1. Plate Switches Collection (10AX 250V~ BS EN 60669-1)

| IMAGE                                                                               | MODEL CODE | DESCRIPTION                       | DIMENSION   | STANDARD      |
|-------------------------------------------------------------------------------------|------------|-----------------------------------|-------------|---------------|
|    | BTEN302STB | 1 Gang 2 Way Switch (Gold)        | 86 x 86 mm  | BS EN 60669-1 |
|    | BTEN302BRC | 1 Gang 2 Way Switch (Silver)      | 86 x 86 mm  | BS EN 60669-1 |
|    | BTEN304STB | 2 Gang 2 Way Switch (Gold)        | 86 x 86 mm  | BS EN 60669-1 |
|    | BTEN304BRC | 2 Gang 2 Way Switch (Silver)      | 86 x 86 mm  | BS EN 60669-1 |
|   | BTEN306STB | 3 Gang 2 Way Switch (Gold)        | 86 x 86 mm  | BS EN 60669-1 |
|  | BTEN306BRC | 3 Gang 2 Way Switch (Silver)      | 86 x 86 mm  | BS EN 60669-1 |
|  | BTEN308STB | 4 Gang 2 Way Wide Switch (Gold)   | 146 x 86 mm | BS EN 60669-1 |
|  | BTEN308BRC | 4 Gang 2 Way Wide Switch (Silver) | 146 x 86 mm | BS EN 60669-1 |

2. Bell & Special Switches

| IMAGE                                                                               | MODEL CODE | DESCRIPTION                          | DIMENSION  | STANDARD      |
|-------------------------------------------------------------------------------------|------------|--------------------------------------|------------|---------------|
|  | BTEN317STB | 1 Gang Retractive Bell Push (Gold)   | 86 x 86 mm | BS EN 60669-1 |
|  | BTEN317BRC | 1 Gang Retractive Bell Push (Silver) | 86 x 86 mm | BS EN 60669-1 |

## 3. 20A &amp; 45A High Power Isolator Switches

| IMAGE                                                                              | MODEL CODE        | DESCRIPTION                               | DIMENSION   | STANDARD        |
|------------------------------------------------------------------------------------|-------------------|-------------------------------------------|-------------|-----------------|
|   | <b>BTEN324STB</b> | 20A DP Switch + Neon (Gold)               | 86 x 86 mm  | BS EN 60669-2-1 |
|   | <b>BTEN324BRC</b> | 20A DP Switch + Neon (Silver)             | 86 x 86 mm  | BS EN 60669-2-1 |
|   | <b>BTEN327STB</b> | 45A DP Switch + Neon (Gold)               | 86 x 86 mm  | BS EN 60669-2-1 |
|   | <b>BTEN327BRC</b> | 45A DP Switch + Neon (Silver)             | 86 x 86 mm  | BS EN 60669-2-1 |
|   | <b>BTEN329STB</b> | 45A DP Large Plate Switch + Neon (Gold)   | 86 x 146 mm | BS EN 60669-2-1 |
|  | <b>BTEN329BRC</b> | 45A DP Large Plate Switch + Neon (Silver) | 86 x 146 mm | BS EN 60669-2-1 |

## 4. Rotary Dimmers &amp; Fan Speed Controllers

| IMAGE                                                                               | MODEL CODE          | DESCRIPTION                           | DIMENSION  | STANDARD        |
|-------------------------------------------------------------------------------------|---------------------|---------------------------------------|------------|-----------------|
|  | <b>BTEN350-2STB</b> | 1 Gang Rotary Dimmer (400W) (Gold)    | 86 x 86 mm | BS EN 60669-2-1 |
|  | <b>BTEN350-2BRC</b> | 1 Gang Rotary Dimmer (400W) (Silver)  | 86 x 86 mm | BS EN 60669-2-1 |
|  | <b>BTEN351STB</b>   | 1 Gang Fan Speed Controller (Gold)    | 86 x 86 mm | IEC 60669       |
|  | <b>BTEN351BRC</b>   | 1 Gang Fan Speed Controller (Silver)  | 86 x 86 mm | IEC 60669       |
|  | <b>BTEN353-2STB</b> | 2 Gang Rotary Dimmer (Gold)           | 86 x 86 mm | BS EN 60669-2-1 |
|  | <b>BTEN353-2BRC</b> | 2 Gang Rotary Dimmer (Silver)         | 86 x 86 mm | BS EN 60669-2-1 |
|  | <b>BTEN355-2STB</b> | 1 Gang 1000W Heavy Duty Dimmer (Gold) | 86 x 86 mm | BS EN 60669-2-1 |

| IMAGE                                                                             | MODEL CODE          | DESCRIPTION                             | DIMENSION  | STANDARD        |
|-----------------------------------------------------------------------------------|---------------------|-----------------------------------------|------------|-----------------|
|  | <b>BTEN355-2BRC</b> | 1 Gang 1000W Heavy Duty Dimmer (Silver) | 86 x 86 mm | BS EN 60669-2-1 |

## 5. 13A & 15A Socket Outlets & Dual USB Fast Chargers

| IMAGE                                                                               | MODEL CODE                 | DESCRIPTION                                | DIMENSION   | STANDARD              |
|-------------------------------------------------------------------------------------|----------------------------|--------------------------------------------|-------------|-----------------------|
|    | <b>BTEN405STB</b>          | 1 Gang 13A Switched Socket (Gold)          | 86 x 86 mm  | BS 1363-2             |
|    | <b>BTEN405BRC</b>          | 1 Gang 13A Switched Socket (Silver)        | 86 x 86 mm  | BS 1363-2             |
|    | <b>BTEN406STB</b>          | 2 Gang 13A Twin Socket (Gold)              | 146 x 86 mm | BS 1363-2             |
|    | <b>BTEN406BRC</b>          | 2 Gang 13A Twin Socket (Silver)            | 146 x 86 mm | BS 1363-2             |
|  | <b>BTHY4113H-B-3.1ASTB</b> | 13A Single Socket + Dual USB 3.1A (Gold)   | 86 x 86 mm  | BS 1363-2 / IEC 62368 |
|  | <b>BTHY4113H-B-3.1ABRC</b> | 13A Single Socket + Dual USB 3.1A (Silver) | 86 x 86 mm  | BS 1363-2 / IEC 62368 |
|  | <b>BTHY4121-B-3.1ASTB</b>  | Twin 13A Socket + Dual USB 3.1A (Gold)     | 146 x 86 mm | BS 1363-2 / IEC 62368 |
|  | <b>BTHY4121-B-3.1ABRC</b>  | Twin 13A Socket + Dual USB 3.1A (Silver)   | 146 x 86 mm | BS 1363-2 / IEC 62368 |
|  | <b>BTEN429STB</b>          | 15A Round Pin Switched Socket (Gold)       | 86 x 86 mm  | BS 546                |
|  | <b>BTEN429BRC</b>          | 15A Round Pin Switched Socket (Silver)     | 86 x 86 mm  | BS 546                |

## 6. Blank Connection Plates

| IMAGE                                                                               | MODEL CODE        | DESCRIPTION                     | DIMENSION  | STANDARD |
|-------------------------------------------------------------------------------------|-------------------|---------------------------------|------------|----------|
|  | <b>BTEN401STB</b> | 1-Gang Blank Cover Plate (Gold) | 86 x 86 mm | BS 5733  |

| IMAGE                                                                             | MODEL CODE        | DESCRIPTION                            | DIMENSION   | STANDARD       |
|-----------------------------------------------------------------------------------|-------------------|----------------------------------------|-------------|----------------|
|  | <b>BTEN401BRC</b> | 1-Gang Blank Cover Plate (Silver)      | 86 x 86 mm  | <b>BS 5733</b> |
|  | <b>BTEN402STB</b> | 2-Gang Wide Blank Cover Plate (Gold)   | 146 x 86 mm | <b>BS 5733</b> |
|  | <b>BTEN402BRC</b> | 2-Gang Wide Blank Cover Plate (Silver) | 146 x 86 mm | <b>BS 5733</b> |

## 7. Data & Telecom Outlets

| IMAGE                                                                               | MODEL CODE        | DESCRIPTION                           | DIMENSION  | STANDARD           |
|-------------------------------------------------------------------------------------|-------------------|---------------------------------------|------------|--------------------|
|    | <b>BTEN442STB</b> | 1 Gang RJ45 Cat6 Data Outlet (Gold)   | 86 x 86 mm | <b>TIA/EIA-568</b> |
|    | <b>BTEN442BRC</b> | 1 Gang RJ45 Cat6 Data Outlet (Silver) | 86 x 86 mm | <b>TIA/EIA-568</b> |
|  | <b>BTEN443STB</b> | 2 Gang RJ45 Cat6 Data Outlet (Gold)   | 86 x 86 mm | <b>TIA/EIA-568</b> |
|  | <b>BTEN443BRC</b> | 2 Gang RJ45 Cat6 Data Outlet (Silver) | 86 x 86 mm | <b>TIA/EIA-568</b> |