

**Name : Amar Deshmukh**

**Class : AIML-A**

**Roll No : A-10**

**Subject : WAS**

### **Experiment no : 3**

#### **Inline CSS Example:**

```
<!DOCTYPE html>
<html lang="en">
<head>
  <title>Inline Style Example</title>
</head>
<body>
  <h1 style="color: blue; font-size: 24px;">Hello, Inline Style!</h1>
  <p style="font-family: Arial, sans-serif;">This paragraph has inline styling.</p>
</body>
</html>
```

#### **Internal CSS Example:**

```
<!DOCTYPE html>
<html lang="en">
<head>
  <title>Internal Style Example</title>
  <style>
    h1 {
      color: green;
      font-size: 28px;
    }
  </style>
</head>
<body>
  <h1>Hello, Internal Style!</h1>
  <p>This paragraph has internal styling.</p>
</body>
</html>
```

```
p {  
    font-family: 'Times New Roman', serif;  
}  
</style>  
</head>  
<body>  
    <h1>Hello, Internal Style!</h1>  
    <p>This paragraph has internal styling.</p>  
</body>  
</html>
```

#### **External CSS Example:**

```
<!DOCTYPE html>  
<html lang="en">  
<head>  
    <title>External Style Example</title>  
    <link rel="stylesheet" href="styles.css">  
</head>  
<body>  
    <h1>Hello, External Style!</h1>  
    <p>This paragraph has external styling.</p>  
</body>  
</html>
```

#### **/\* styles.css \*/**

```
h1 {  
    color: purple;  
    font-size: 32px;  
}  
p {font-family: Verdana, sans-serif;}
```



