Name: Amar Deshmukh

Class: AIML-A

Roll No : A-10

Subject: WAS

Experiment no: 5

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>Country & Capital Selector</title>
 <style>
  body {
   font-family: Arial, sans-serif;
   text-align: center;
   background-color: #f4f4f4;
   padding: 50px;
  }
  .container {
   background: white;
   padding: 20px;
   border-radius: 10px;
   box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
   display: inline-block;
  }
  select {
```

```
padding: 10px;
  font-size: 16px;
  border-radius: 5px;
}
 p {
  font-size: 20px;
  font-weight: bold;
  color: #007bff;
  margin-top: 10px;
}
</style>
<script>
function displayCapital() {
  let country = document.getElementById("countrySelect").value;
  let capital = "";
  switch (country) {
   case "India":
    capital = "New Delhi";
    break;
   case "USA":
    capital = "Washington, D.C.";
    break;
   case "France":
    capital = "Paris";
    break;
   case "Japan":
    capital = "Tokyo";
```

```
break;
   case "Germany":
    capital = "Berlin";
    break;
   default:
    capital = "";
  }
  document.getElementById("capitalDisplay").innerHTML = "Capital: " + capital;
 }
</script>
</head>
<body>
<div class="container">
  <h2>Select a Country</h2>
  <select id="countrySelect" onchange="displayCapital()">
  <option value="">-- Choose a country --</option>
  <option value="India">India
  <option value="USA">USA</option>
  <option value="France">France</option>
  <option value="Japan">Japan
  <option value="Germany">Germany</option>
  </select>
 </div>
```

</body>

</html>



