Amara Afzal

57126

BSCY-6

Digital Forensics

Lab Task



Creating Case: 2

Case directory (/var/lib/autopsy/2/) created
Configuration file (/var/lib/autopsy/2/case.aut) created

We must now create a host for this case.

Please select your name from the list: Amara

ADD HOST

localhost:9999/autopsy?mod=0&view=8&case=2&inv=Amara

Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Goog

Adding host: host1 to case 2

Host Directory (/var/lib/autopsy/2/host1/) created

Configuration file (/var/lib/autopsy/2/host1/host.aut) created

We must now import an image file for this host

ADD IMAGE

localhost:9999/autopsy?mod=0&view=15&img_path=%2Fhome%2F

Kali Linux Kali Tools Kali Docs Kali Forums Kali NetHunter Exploit-DB Google Hacking DB

Calculating MD5 (this could take a while)
Current MD5: 80348C58EEC4C328EF1F7709ADC56A54
Testing partitions
Linking image(s) into evidence locker
Image file added with ID img1

Disk image (type dos) added with ID vol1

OK ADD IMAGE

Image Details

Name: RHINOUSB.dd-disk
Volume Id: vol1
Parent Volume Id: img1
Image File Format: raw
Mounting Point:
File System Type: raw

External Files
ASCII Strings:
Unicode Strings:

Extract Strings of Entire Volume

Extracting the ASCII and Unicode strings from a file system will make keyword searching faster.

Kali Linux | Kali Tools | Kali Docs | Kali Forums | Kali NetHunter | Exploit-DB | Google Hacking DB | OffSec

File Analysis | Keyword Search | File Type | Image Details | Meta Data | Data Unit | Help | Close

Disk Image Details

PARTITION INFORMATION

Kali Linux | Kali Tools | Kali Docs | Kali Forums | Kali NetHunter | Exploit-DB | Google Hacking DB | OffSec

File Analysis | Keyword Search | File Type | Image Details | Meta Data | Data Unit | Help | Close

Unit Number: 01

Number of Units: 1

Unit Size: 512

Lazarus Addr: ☐

View

Previous | Next

Export Contents | Add Note

ASCII (display - report) * Hex (display - report) * ASCII Strings (display - report)
File Type: ISO-8859 text, with no line terminators

Unit: 1

```
ASCII Contents of Unit 1 in RHINOUSB.dd-disk

.....
.....
.....
.....
.....
```

Kali Linux | Kali Tools | Kali Docs | Kali Forums | Kali NetHunter | Exploit-DB | Google Hacking DB | OffSec

File Analysis | Keyword Search | File Type | Image Details | Meta Data | Data Unit | Help | Close

Searching for ASCII: Done
Saving: Done
23 hits- link to results

New Search

23 occurrences of `((jan)|(feb)|(mar)|(apr)|(may)|(june?)|(july?)|(aug)|(sept?)|(oct)|(nov)|(dec))([[:space:]]+[[:digit:]])?`
were found
Search Options:
ASCII
Case Insensitive
Regular Expression

Unit 530 (Hex - Ascii)
1: 367

Unit 532 (Hex - Ascii)
2: 152

Unit 534 (Hex - Ascii)




rhino.log
File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
Apply a display filter ... <Ctrl-/>
No. Time Source source Protocol Length Info
1 0.000000 137.30.122.253 64.233.167.104 TCP 62 1583 → 80 [SYN] Seq=0 Win=64
2 0.082001 64.233.167.104 137.30.122.253 TCP 60 80 → 1583 [SYN, ACK] Seq=0 A
3 0.082151 137.30.122.253 64.233.167.104 TCP 54 1583 → 80 [ACK] Seq=1 Ack=1
4 0.084413 137.30.122.253 64.233.167.104 HTTP 351 GET / HTTP/1.1
5 0.172955 64.233.167.104 137.30.122.253 TCP 1484 80 → 1583 [ACK] Seq=1 Ack=29
6 0.318901 137.30.122.253 64.233.167.104 TCP 54 1583 → 80 [ACK] Seq=298 Ack=
7 0.396683 64.233.167.104 137.30.122.253 TCP 272 [TCP Previous segment not ca
8 0.396823 137.30.122.253 64.233.167.104 TCP 54 [TCP Dup ACK 6#1] 1583 → 80
9 0.397383 64.233.167.104 137.30.122.253 TCP 1484 [TCP Out-Of-Order] 80 → 1583
10 0.397583 137.30.122.253 64.233.167.104 TCP 54 1583 → 80 [ACK] Seq=298 Ack=
11 4.071502 158.94.89.167 137.30.120.113 TCP 62 3288 → 2745 [SYN] Seq=0 Win=
Frame 1: 62 bytes on wire (496 bits), 62 bytes captur
Ethernet II, Src: Apple_cc:57:92 (00:03:93:cc:57:92),
Internet Protocol Version 4, Src: 137.30.122.253, Dst
Transmission Control Protocol, Src Port: 1583, Dst Po
0000 00 0d ed 41 a8 40 00 03 93 cc 57 92 08 00 45 00
0010 00 30 ca 90 40 00 80 06 43 ca 89 1e 7a fd 40 e9
0020 a7 68 06 2f 00 50 4d e5 61 45 00 00 00 00 70 02
0030 fa f0 e6 17 00 00 02 04 05 b4 01 01 04 02
rhino.log
Packets: 6557
Profile: Default


File Edit View Go Capture Analyze Statistics Telephony Wireless Tools Help
Apply a display filter ... <Ctrl-/>
No. Time Source source Protocol Length Info
1 0.000000 137.30.122.253 64.233.167.104 TCP 62 1583 → 80 [SYN] Seq=0 Win=64
2 0.082001 64.233.167.104 137.30.122.253 TCP 60 80 → 1583 [SYN, ACK] Seq=0 A
3 0.082151 137.30.122.253 64.233.167.104 TCP 54 1583 → 80 [ACK] Seq=1 Ack=1
4 0.084413 137.30.122.253 64.233.167.104 HTTP 351 GET / HTTP/1.1
5 0.172955 64.233.167.104 137.30.122.253 TCP 1484 80 → 1583 [ACK] Seq=1 Ack=29
6 0.318901 137.30.122.253 64.233.167.104 TCP 54 1583 → 80 [ACK] Seq=298 Ack=
7 0.396683 64.233.167.104 137.30.122.253 TCP 272 [TCP Previous segment not ca
8 0.396823 137.30.122.253 64.233.167.104 TCP 54 [TCP Dup ACK 6#1] 1583 → 80
9 0.397383 64.233.167.104 137.30.122.253 TCP 1484 [TCP Out-Of-Order] 80 → 1583
10 0.397583 137.30.122.253 64.233.167.104 TCP 54 1583 → 80 [ACK] Seq=298 Ack=
11 4.071502 158.94.89.167 137.30.120.113 TCP 62 3288 → 2745 [SYN] Seq=0 Win=
Frame 1: 62 bytes on wire (496 bits), 62 bytes captu
Ethernet II, Src: Apple_cc:57:92 (00:03:93:cc:57:92),
Internet Protocol Version 4, Src: 137.30.122.253, Ds
Transmission Control Protocol, Src Port: 1583, Dst P
Source Port: 1583
Destination Port: 80
[Stream index: 0]
[Stream Packet Number: 1]
[Conversation completeness: Complete, WITH_DATA (3
[TCP Segment Len: 0]
Sequence Number: 0 (relative sequence number)
Sequence Number (raw): 1306878277
[Next Sequence Number: 1 (relative sequence num
0000 00 0d ed 41 a8 40 00 03 93 cc 57 92 08 00 45 00
0010 00 30 ca 90 40 00 80 06 43 ca 89 1e 7a fd 40 e9
0020 a7 68 06 2f 00 50 4d e5 61 45 00 00 00 00 70 02
0030 fa f0 e6 17 00 00 02 04 05 b4 01 01 04 02
rhino.log
Packets: 6557
Profile: Default



Username

Password



Recover image 1






STOR rhino1.jpg
150 Opening BINARY mode data connection for rhino1.jpg.
226 Transfer complete.
QUIT
221-You have transferred 65703 bytes in 1 files.
221-Total traffic for this session was 66042 bytes in 1 transfers.
221-Thank you for using the FTP service on cook.
221 Goodbye.
6 client pkts, 9 server pkts, 12 turns.
Entire conversation (487 bytes)
Show as
ASCII
No delta times
Stream
69
Find:
Case sensitive
Find Next
Filter Out This Stream
Print
Save as...
Back
Close
Help


tcp.stream eq 69
source Protocol Length Info
137.30.120.40 TCP 62 1655 → 21 [SYN] Seq=0 Win=64240 Len=0 MSS=1460 SACK_PERM
137.30.122.253 TCP 62 21 → 1655 [SYN, ACK] Seq=0 Ack=1 Win=49640 Len=0 MSS=1460 SACK_PERM
137.30.120.40 TCP 54 1655 → 21 [ACK] Seq=1 Ack=1 Win=64240 Len=0
137.30.122.253 FTP 82 Response: 220 cook FTP server ready.
137.30.120.40 TCP 54 1655 → 21 [ACK] Seq=1 Ack=29 Win=64212 Len=0
137.30.120.40 FTP 66 Request: USER gnome
137.30.122.253 TCP 60 21 → 1655 [ACK] Seq=29 Ack=13 Win=49640 Len=0
137.30.122.253 FTP 88 Response: 331 Password required for gnome.
137.30.120.40 TCP 54 1655 → 21 [ACK] Seq=13 Ack=63 Win=64178 Len=0
137.30.120.40 FTP 69 Request: PASS gnome123
137.30.122.253 TCP 60 21 → 1655 [ACK] Seq=63 Ack=28 Win=49640 Len=0
137.30.122.253 FTP 81 Response: 230 User gnome logged in.
Flags: 0x018 (PSH, ACK)
Window: 49640
[Calculated window size: 49640]
[Window size scaling factor: -2 (no window scaling
Checksum: 0x5f90 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
[SEQ/ACK analysis]
TCP payload (57 bytes)
File Transfer Protocol (FTP)
150 Opening BINARY mode data connection for rhino1
[Current working directory:]
0000 00 03 93 cc 57 92 08 00 20 f0 13 96 08 00 45 00
0010 00 61 7f f4 40 00 3c 06 b9 40 89 1e 78 28 89 1e
0020 7a fd 00 15 06 77 0d d3 23 59 50 db 35 17 50 18
0030 c1 e8 5f 90 00 00 31 35 30 20 4f 70 65 6e 69 6e
0040 67 20 42 49 4e 41 52 59 20 6d 6f 64 65 20 64 61
0050 74 61 20 63 6f 6e 6e 65 63 74 69 6f 6e 20 66 6f
0060 72 20 72 68 69 6e 6f 31 2e 6a 70 67 2e 0d 0a



Recover image 1



Rhino1.jpg

Rhino image 3


137.30.122.253 FTP 88 Response: 331 Password required for gnome.
137.30.120.40 FTP 69 Request: PASS gnome123
137.30.122.253 FTP 81 Response: 230 User gnome logged in.
137.30.120.40 FTP 81 Request: PORT 137,30,122,253,6,124
137.30.122.253 FTP 84 Response: 200 PORT command successful.
137.30.120.40 FTP 71 Request: STOR rhino3.jpg
137.30.122.253 FTP 110 Response: 150 Opening ASCII mode data connection for rhino3.jpg.
Sequence Number (raw): 1360684350
[Next Sequence Number: 72 (relative sequence nu
Acknowledgment Number: 120 (relative ack number
Acknowledgment number (raw): 236322513
0101 .... = Header Length: 20 bytes (5)
Flags: 0x018 (PSH, ACK)
Window: 64121
[Calculated window size: 64121]
[Window size scaling factor: -2 (no window scaling
Checksum: 0x058e [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
0000 08 00 20 f0 13 96 00 03 93 cc 57 92 08 00 45 00
0010 00 39 d1 a4 40 00 80 06 23 b8 89 1e 7a fd 89 1e
0020 78 28 06 7a 00 15 51 1a 65 3e 0e 15 fe d1 50 18
0030 fa 79 05 8e 00 00 53 54 4f 52 20 72 68 69 6e 6f
0040 33 2e 6a 70 67 0d 0a

Rhino.jpg2


ftp or ftp
source Protocol Length Info
137.30.120.40 FTP 69 Request: PASS gnome123
137.30.122.253 FTP 81 Response: 230 User gnome logged in.
137.30.120.40 FTP 62 Request: TYPE I
137.30.122.253 FTP 74 Response: 200 Type set to I.
137.30.120.40 FTP 81 Request: PORT 137,30,122,253,7,210
137.30.122.253 FTP 84 Response: 200 PORT command successful.
137.30.120.40 FTP 75 Request: STOR contraband.zip
137.30.122.253 FTP 115 Response: 150 Opening BINARY mode data connection for contraband.zip.
137.30.122.253 FTP 78 Response: 226 Transfer complete.
137.30.120.40 FTP 60 Request: QUIT
137.30.122.253 FTP 105 Response: 221-You have transferred 230566 bytes in 1 files.
137.30.122.253 FTP 187 Response: 221-Total traffic for this session was 230914 bytes in 1 t…
Sequence Number (raw): 1454880992
[Next Sequence Number: 84 (relative sequence nu
Acknowledgment Number: 140 (relative ack number
Acknowledgment number (raw): 306426615
0101 .... = Header Length: 20 bytes (5)
Flags: 0x018 (PSH, ACK)
Window: 64101
[Calculated window size: 64101]
[Window size scaling factor: -2 (no window scaling
Checksum: 0x0592 [unverified]
[Checksum Status: Unverified]
Urgent Pointer: 0
[Timestamps]
0000 08 00 20 f0 13 96 00 03 93 cc 57 92 08 00 45 00
0010 00 3d e8 7a 40 00 80 06 0c de 89 1e 7a fd 89 1e
0020 78 28 07 d0 00 15 56 b7 b8 e0 12 43 b2 f7 50 18
0030 fa 65 05 92 00 00 53 54 4f 52 20 63 6f 6e 74 72
0040 61 62 61 6e 64 2e 7a 69 70 0d 0a


File Edit View
tcp.stream eq
No. Time
5640 479.
5641 481.
5642 481.
5643 481.
5645 485.
5646 485.
5647 485.
5651 485.
5729 485.
5839 485.
5840 486.
5841 487.
331 Password required for gnome.
PASS gnome123
230 User gnome logged in.
TYPE I
200 Type set to I.
PORT 137,30,122,253,7,210
200 PORT command successful.
STOR contraband.zip
150 Opening BINARY mode data connection for contraband.zip.
226 Transfer complete.
QUIT
221-You have transferred 230566 bytes in 1 files.
221-Total traffic for this session was 230914 bytes in 1 transfers.
221-Thank you for using the FTP service on cook.
221 Goodbye.
6 client pkts, 9 server pkts, 12 turns.
Entire conversation (497 bytes)
Show as ASCII
No delta times
Find:
Case sensi

Raw


Wireshark · Follow TCP Stream (tcp.stream eq 305) · rhino.log
32323020636f6f6b20465450207365727665722072656164792e0d0a
5553455220676e6f6f6d650d0a
333331205061737377726420726571756972656420666f7220676e6f6d652e0d0a
5041535320676e6f6d653132330d0a
323330205573657220676e6f6d65206c6f6767656420696e2e0d0a
5459504520490d0a
323030205479706520736574207 46f20492e0d0a
504f5254203133372c33302c3132322c3235332c372c3231300d0a
32303020504f525420636f6d6d616e6420737563365737366756c2e0d0a
53544f5220636f6e74726162616e642e7a69700d0a
313530204f70656e696e672042494e415259206d6f6465206461746120636f6e6e656374696f6e20666f722063
6f6e74726162616e642e7a69702e0d0a
323236205472616e7366657220636f6d706c6574652e0d0a
515549540d0a
3232312d596f752068617665207472616e736665727265642032333035363620627974657320696e2031206669
6c65732e0d0a
3232312d546f74616c207472616666696320666f722074686973207365737369 6f6e207761732032333039313 4
206279746573206 96e2031207472616e73666572732e0d0a3232312d5468616e6b20796f7520666f7220757369
6e672074686520465450207365727669636520 6f6e20636f6f6b2e0d0a323231204 76f6f646279652e0d0a
6 client pkts, 9 server pkts, 12 turns.
Entire conversation (497 bytes)
Show as
Raw
No delta times
Stream
Find:
Case sensitive
Find Next
Filter Out This Stream
Print
Save as...
Back
Close
Help


Wireshark · Save Stream Content As...
Name: contrapand.zip
Home
Desktop
Documents
Downloads
Music
Pictures
Videos
Other Locations
kali
Downloads
Name
Size
Type
Modified
2014-11-16-traffic-analysis-exercise.pcap 2.6 MB Packet Capture (PCAP) 15 Nov 2014
2014-11-16-traffic-analysis-exercise.pcap.zip 2.1 MB Archive Thu
2014-11-16-traffic-analysis-exercise-answers.pdf.zip 844.5 kB Archive Thu
2025-01-22-traffic-analysis-exercise.pcap 0 bytes Empty document 22 Jan 2025
2025-01-22-traffic-analysis-exercise.pcap.zip 20.5 MB Archive Sat
2025-01-22-traffic-analysis-exercise.pcap (2) 26.8 MB Packet Capture (PCAP) 22 Jan 2025
copy_disk9.img 52.4 MB Raw disk image 1 Apr
copy_disk10.img 52.4 MB Raw disk image 1 Apr
copy-gen1.E01 29.7 MB Unknown 1 Apr
copy-gen2.E01 30.5 MB Unknown 1 Apr
copy-gen3.E01 30.6 MB Unknown 1 Apr
copy-gen4.E01 30.7 MB Unknown 1 Apr
copy-gen5.E01 30.7 MB Unknown 1 Apr
copy-gen6.E01 31.1 MB Unknown 1 Apr
copy_image1.dmg 10.5 MB Apple disk image 1 Apr
All Files
Cancel
Save

```
┌──(kali㉿kali)-[~/Downloads]
└─$ fcrackzip -h

fcrackzip version 1.0, a fast/free zip password cracker
written by Marc Lehmann <pcg@goof.com> You can find more info on
http://www.goof.com/pcg/marc/

USAGE: fcrackzip
          [-b├──brute-force]          use brute force algorithm
          [-D├──dictionary]           use a dictionary
          [-B├──benchmark]            execute a small benchmark
          [-c├──charset characterset] use characters from charset
          [-h├──help]                 show this message
          [--version]                 show the version of this program
          [-V├──validate]             sanity-check the algorithm
          [-v├──verbose]              be more verbose
          [-p├──init-password string] use string as initial password/file
          [-l├──length min-max]       check password with length min to max
          [-u├──use-unzip]            use unzip to weed out wrong passwords
          [-m├──method num]           use method number "num" (see below)
          [-2├──modulo r/m]           only calculcate 1/m of the password
          file ...                  the zipfiles to crack

methods compiled in (* = default):

 0: cpmask
 1: zip1
*2: zip2, USE_MULT_TAB


┌──(kali㉿kali)-[~/Downloads]
└─$
```