



<b>Name</b> :	AMIR SIRAJ ALI	<b>Lab ID</b> :	2806351
<b>MRN</b> :	754775-0	<b>Sample No</b> :	222209090
<b>Reference No</b> :	080122S3DT74786	<b>Emirates ID</b> :	
<b>Gender</b> :	MALE	<b>Passport No.</b> :	EM15125
<b>Age / DBO</b> :	12-22-2022	<b>Reg. Date</b> :	12-55-2020
<b>Location</b> :	AL FUTTAIM DUBAI FESTIVAL CITY	<b>Collection Date</b> :	20-11-2020
<b>Ref. By Dr.</b> :		<b>Reporting Date</b> :	23-55-2020

### Molecular Biology

Test	Result	Reference Range	Methodology
COVID-19 by RT-PCR *	Not Detected (Negative)	Not Detected	Multiplex Real Time PCR
Sample Type: <i>Nasopharyngeal / Oropharyngeal Swab</i>			
Interpretation Notes :			
Result	Interpretation and Recommendations		
Detected	If the result is detected, that means the sample is positive for SARS-CoV-2/Covid-19		
Not Detected	If the result is not detected, that means the sample is negative for SARS-CoV-2/Covid-19		
Presumptive Positive	Only one of the multiple genes is detected or a low viral load is possible. Request for repeat sample in 72-96 hours.		
The false-negative result with clinical symptoms may be caused by			
. Unsuitable collection, handling, and/or storage of samples.			
. Sample outside of the viremic phase.			
We recommend repeating testing on a fresh sample			
LIMITATION OF THE TEST			
. This assay has been validated for use with an oropharyngeal swab and nasopharyngeal swab samples only.			
. This assay only detects RdRp, N gene, and E gene.			
. This test cannot rule out diseases caused by other pathogens.			
This certificate has been issued electronically by MBM Medical Laboratory. Any party that relies on the result of this certificate should first check its authenticity by scanning of the above QR code or by sending email to reception.Info@mbmlab.ae . MBM Medical laboratory is not responsible for any misuse of this certificate or its content			
End Of Report			



**Dr. Shini Raj Anandan**  
Physician Specialist Medical Microbiologist,  
Laboratory Director  
77233923-001

Page 1 Of 1



Printed By: Automatic Printing

**Final Report**

Printed Date: 28/04/2022 20:46

THIS IS A SYSTEM GENERATED REPORT AND DOES NOT REQUIRE PHYSICAL SIGNATURE



info@mbmlab.ae  
Al Khubaisi Area Al Itihad Road, Showroom No 1  
Opposite Dubai International Airport, Dubai, UAE  
MBMLAB L.L.C (Genetics Laboratory)  
www.mbmlab.ae