User Manual for MovieAPI Project

1. User Registration

2. User Login based on email and password

3. (Fetch all movies)
   Based on the accessToken we can access the movies or add the movies as follows (Fetch all movies)
   ➔ But we have to fill the other parameters also
   3.1 -

   http://localhost:8080/api/v1/movie/all

   | GET ∨ | http://localhost:8080/api/v1/movie/all |

   Params Authorization ● Headers (7) Body Scrip

   Auth Type

   | JWT Bearer ∨ |

   ⓘ Heads up! These
   collaborative envi

   The authorization header will be
   automatically generated when you
   send the request. Learn more about
   JWT Bearer authorization.

   Algorithm ⓘ

   Secret ⓘ

   Add JWT token | Reque... ∨ |

   3.2-

   Params Authorization ● Headers (7) Body Scripts Settings

   Headers 👁 6 hidden

	Key	Value
⁞ ☑	Authorization	Bearer eyJhbGciOiJIUzI1NiJ9.eyJzdWIiOi...
	Key	Value

   http://localhost:8080/api/v1/movie/all   💾 Save ∨   Share

   | GET ∨ | http://localhost:8080/api/v1/movie/all | Send ∨ |

   Params Authorization ● Headers (7) Body Scripts Settings   Cookies

   Headers 👁 6 hidden

	Key	Value	Description	∘∘∘ Bulk Edit Presets ∨
☑	Authorization	Bearer eyJhbGciOiJIUzI1NiJ9.eyJzdWIiO...		
	Key	Value	Description	

   Body Cookies Headers (11) Test Results   200 OK • 349 ms • 1.36 KB • 🌐 ⬛ ∘∘∘

   Pretty Raw Preview Visualize | JSON ∨ | ⇥

   ```
   1  [
   2      {
   3          "movieId": 1,
   4          "title": "Inception",
   5          "director": "Christopher Nolan",
   6          "studio": "Warner Brosssss.",
   7          "movieCast": [
   8              "Leonardo DiCaprio",
   9              "Joseph Gordon-Levitt",
   10             "Elliot Page"
   11         ],
   ```

4. Adding movie

(Need the access token as shown in the above Way

And In Authorization use the JWT Bearer option.

5. Verify email

➔ OTP will be sent to the respective mail ID

6. Verify the Otp received with this endpoint

7. Change the password with received email.