

Document checking completed. No errors or warnings to show.

Source

```
1. ↵
2. ↵
3. <!DOCTYPE html>↵
4. <html lang="en">↵
5. ↵
6. <head>↵
7.     <!-- Site Meta Tages -->↵
8.     <meta charset="UTF-8">↵
9.     <meta http-equiv="X-UA-Compatible" content="IE=edge">↵
10.    <meta name="viewport" content="width=device-width, initial-scale=1.0">↵
11.    <meta name="description" content="Quteba - Your economic information exchange hub">↵
12.    <meta name="keywords" content="Quteba, Economics, blog, forum, economic analysis, economic discussion, quteba forum">↵
13.    <meta name="robots" content="index, follow">↵
14. ↵
15.    <!-- Social Media Meta Tags -->↵
16.    <!-- Facebook, LinkedIn, Google -->↵
17.    <meta property="og:type" content="article" />↵
18.    <meta property="og:title" content="Quteba" />↵
19.    <meta property="og:description" content="Quteba - Your economic information exchange hub" />↵
20.    <meta name="image" property="og:image" content="assets/screenshots/homepage-mockup.png" />↵
21.    <meta property="og:image:alt" content="Quteba site shown on a variety of devices" />↵
22.    <meta property="og:url" content="https://quteba.herokuapp.com/" />↵
23.    <meta property="og:site_name" content="Quteba" />↵
24.    <meta name="author" content="Amare Teklay Hailu">↵
25. ↵
26.    <!-- Favicons -->↵
```

```

<div class="container mt-3 pt-3">
  <div class="row g-0">
    <div class="card-body mx-md-5 px-md-5 mx-sm-1 px-sm-3 bg-light py-5 shadow-lg">
      <div class="col-md-12 d-none d-md-block mb-4">
        <h1 class="post-title text-center">What is Quteba?</h1>
      </div>
      <p class="card-text mx-md-5 px-md-5 mx-sm-1 px-sm-1">Quteba is a Tigrinya word for Economy.
        The creator of Quteba is an economist. He believes that people need a platform where they discuss economic issues.
      </p>
      <h2 class="post-title text-center mb-3 pt-3">Features</h2>
      <p class="card-text mx-md-5 px-md-5 mx-sm-1 px-sm-1">Quteba has many interesting features. It was designed for international users.
      <p class="card-text mx-md-5 px-md-5 mx-sm-1 px-sm-1">Quteba has a blog section where blog articles are published. Users can write and publish articles.
      <p class="card-text mx-md-5 px-md-5 mx-sm-1 px-sm-1">Quteba is also a forum for brief but active exchanges of thoughts.

```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```

1.  ↵
2.  ↵
3.  <!DOCTYPE html>↵
4.  <html lang="en">↵
5.  ↵
6.  <head>↵
7.    <!-- Site Meta Tages -->↵
8.    <meta charset="UTF-8">↵

```



```
<div class="container mt-3 pt-3">
  <div class="row g-0">
    <div class="card-body mx-md-5 mx-sm-1 bg-light py-5 shadow-lg">
      <div class="col-md-12 d-none d-md-block mb-4">
        <h1 class="post-title text-center">Quteba Blog</h1>

        <div class="text-center my-4">
          <a href="/blog/create/" class="btn btn-success"><strong><i class="fa-solid fa-pen"></i> Create Blog</strong> </a>
        </div>
      </div>
    </div>
  </div>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. ↵
2. ↵
3. <!DOCTYPE html>↵
4. <html lang="en">↵
5. ↵
6. <head>↵
7.   <!-- Site Meta Tages -->↵
8.   <meta charset="UTF-8">↵
9.   <meta name="viewport" content="width=device-width, initial-scale=1">↵
```

```
<h2 class="text-center mt-3">Contact Us</h2>
<h3 class="text-center mt-3"><em>We would love to hear from you!</em></h3>
</div>
<div class="col-md-8 mt-3 offset-md-2 my-5">
  <form method="post" action="/contact/">
    <input type="hidden" name="csrfmiddlewaretoken" value="wQMFIzTpJFWTQKInzdfiZmoylB5VE7oYlLKcOtFiM3ZKAsuTDDkUgfToyUV6iLzH">

<div id="div_id_name" class="form-group"> <label for="id_name" class=" requiredField">
  Name<span class="asteriskField">*</span> </label> <div> <input type="text" name="name" required maxlength="200" class="textinput text
</div> <div id="div_id_email" class="form-group"> <label for="id_email" class=" requiredField">
  Email<span class="asteriskField">*</span> </label> <div> <input type="text" name="email" required maxlength="254" class="textinput te
</div> </div> <div id="div_id_subject" class="form-group"> <label for="id_subject" class=" requiredField">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. ↵
2. ↵
3. <!DOCTYPE html>↵
4. <html lang="en">↵
5. ↵
6. <head>↵
7.     <!-- Site Meta Tages -->↵
```

```
Amare</a>
<span class="op-6">| 2 days, 22 hours ago</span>
<p class="px-3 mt-2">Django is great indeed.</p>

<div class="col-3 d-inline-block like-dislike" data-value="1">
  <a class="btn liking d-inline-block likes" role="button">
    <i class="fa-solid fa-thumbs-up"></i>
  </a>
  <span class="num-likes">2</span>

  <a class="btn disliking d-inline-block dislikes" role="button">
    <i class="fa-solid fa-thumbs-down"></i>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. ↵
2. ↵
3. <!DOCTYPE html>↵
4. <html lang="en">↵
5. ↵
6. <head>↵
7.     <!-- Site Meta Tages -->↵
```



```

        <button type="button" class="btn-close" data-bs-dismiss="modal" aria-label="Close"></button>
      </div>
      <div class="modal-body">
        <form method="POST" autocomplete="off" id="create-forum-form">
          <input type="hidden" name="csrfmiddlewaretoken" value="8kKvtCksiJ2EFSCqqv9jvV2fvkCMsHScXfI2z661

<div id="div_id_category" class="form-group"> <label for="id_category" class="requiredField">
  Category<span class="asteriskField">*</span> </label> <div> <select name="category" class="select form-control"
</option> <option value="10">Finance</option> <option value="11">Technology</option> <option value="9">Uncategorized</option>

</select> </div> </div> <div id="div_id_topic" class="form-group"> <label for="id_topic" class="requiredField">
  Topic<span class="asteriskField">*</span> </label> <div> <input type="text" name="topic" placeholder="Enter a t
id="id_topic"> </div> </div> <div id="div_id_description" class="form-group"> <label for="id_description" class="requiredField">
  Description<span class="asteriskField">*</span> </label> <div> <textarea name="description" placeholder="Enter

```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

1. ↩
2. ↩

```
<p>If you have not created an account yet, then please
  <a href="/accounts/signup/">sign up</a> first.</p>

</div>
<div class="col-md-8 mt-3 offset-md-2">
  <form class="login" method="POST" action="/accounts/login/">
    <input type="hidden" name="csrfmiddlewaretoken" value="sYbZ0mu9seiBjN2rswot40l7LsXv
    <p>
<label for="id_login">Login:</label>
<input type="text" name="login" placeholder="Username or e-mail" autocomplete="email" required id="
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and

Message Filtering

Document checking completed. No errors or warnings to show.

Source

1. ↵
2. ↵
3. <!DOCTYPE html>↵

```

<div class="row">
  <div class="col-md-8 mt-3 offset-md-2 bg-light">
    <div class="content-section p-5">
      <h3>Sign Out</h3>
      <p>Are you sure you want to sign out?</p>
      <div class="col-md-8 mt-3 offset-md-2 mb-5">
        <form method="post" action="/accounts/logout/">
          <input type="hidden" name="csrfmiddlewaretoken" value="5XxdnUQzMWYhNhbzA...>

          <a class="btn btn-secondary mt-3 mx-2 mt-sm-1 mb-md-4 d-inline-block" href="#">Cancel</a>
          <button class="btn btn-signup mt-3 mx-2 mt-sm-1 mb-md-4 btn-danger right">Sign Out</button>
        </form>
      </div>
    </div>
  </div>
</div>

```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors.

Message Filtering

Document checking completed. No errors or warnings to show.

Source


```

    </div>
    <div class="col-md-10">
      <h1 class="post-title">The Economics of Online Public Goods</h1>
      <a href="/profile/" class="post-subtitle">
      Qadmin </a>
      <p class="d-inline">| July 4, 2022, 9:20 a.m.</p>

      <a href="/blog/edit/the-economics-of-online-public-goods/" class="op-6 px-3"><i class="fa-solid fa-pen-to-square"></i> Edit post</a>

    </div>
    <div class="col-md-1">
    </div>
  </div>
<div class="row g-0 bg-light">
  <div class="col-md-1">

```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

Document checking completed. No errors or warnings to show.

Source

1. ↵
2. ↵
3. <!DOCTYPE html>↵
4. <html lang="en">↵
5. ↵

```
</div>
    <h4>Your Bio:</h4>
    <p> </p>
</div>

<span class="mx-4 px-2 d-block">
    <a class="btn d-inline-block small text-muted" href="/profile/Qadmin/update/">
    <a class="btn d-inline-block small text-muted" href="/profile/22/delete/"><i>
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
<div class="container pt-5">
  <div class="row mb-5 mt-5 pt-5 bg-light py-5">
    <h3 class="text-center mb-4">Your Search Results</h3>

    <div class="col-md-3"></div>
    <div class="col-md-3">
      <h4 class="d-inline-block">
```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and

Message Filtering

Document checking completed. No errors or warnings to show.

Source

```
1. ↵
2. ↵
3. <!DOCTYPE html>↵
4. <html lang="en">↵
5. ↵
6. <head>↵
7.     <!-- Site Meta Tages -->↵
8.     <meta charset="UTF-8">↵
```



```

        Username<span class="asteriskField">*</span> </label> <div> <input type="text" name="username" maxlength="150" autofocus
id="id_username"> <small id="hint_id_username" class="form-text text-muted">Required. 150 characters or fewer. Letters, digits and @/./+/.
class="form-group"> <label for="id_email" class=" requiredField">
        Email<span class="asteriskField">*</span> </label> <div> <input type="email" name="email" class="emailinput form-control"
id="div_id_password1" class="form-group"> <label for="id_password1" class=" requiredField">
        Password<span class="asteriskField">*</span> </label> <div> <input type="password" name="password1" autocomplete="new-pas
required id="id_password1"> <small id="hint_id_password1" class="form-text text-muted"><ul><li>Your password can't be too similar to your
must contain at least 8 characters.</li><li>Your password can't be a commonly used password.</li><li>Your password can't be entirely nume
id="div_id_password2" class="form-group"> <label for="id_password2" class=" requiredField">
        Password confirmation<span class="asteriskField">*</span> </label> <div> <input type="password" name="password2" autocomp
control" required id="id_password2"> <small id="hint_id_password2" class="form-text text-muted">Enter the same password as before, for ve

        </fieldset>
        <div class="form-group">
            <button class="btn btn-signup btn-success right my-2" type="submit">Sign up</button>

```

Check

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

Message Filtering

- Error** Element `` not allowed as child of element `<small>` in this context. (Suppressing further errors from this subtree.)

From line 123, column 273; to line 123, column 276

```
xt-muted"><ul><li>Yo
```

Contexts in which element `` may be used:

Where [flow content](#) is expected.

Content model for element `<small>`:

[Phrasing content](#).