

IMPORTER UNE BDD SUR WORKBENCH

-- Télécharger la bdd Sakila :

-- <https://dev.mysql.com/doc/index-other.html>

>>>Server > Data Import

Local instance 3306

Data Import

Load Folder Contents

☒ Import from Self-Contained File ...

Select the SQL/dump file to import. Please note that the whole file will be imported.

Default Schema to be Imported To

Default Target Schema: New... The default schema to import the dump into. NOTE: this is only used if the dump file doesn't contain its schema, otherwise it is ignored.

Select Database Objects to Import (only available for Project Folders)

Impo	Schema
------	--------

Impo	Schema Objects
------	----------------

☒ Dump Structure Only ☐ Select Views ☐ Select Tables ☐ Unselect All

Press [Start Import] to start...

Local instance 3306

Data Import

Load Folder Contents

☒ Import from Self-Contained File ...

Select the SQL/dump file to import. Please note that the whole file will be imported.

Default Schema to be Imported To

Default Target Schema: New... The default schema to import the dump into. NOTE: this is only used if the dump file doesn't contain its schema, otherwise it is ignored.

Select Database Objects to Import (only available for Project Folders)

Impo	Schema
------	--------

Impo	Schema Objects
------	----------------

☒ Dump Data Only ☐ Select Views ☐ Select Tables ☐ Unselect All

Press [Start Import] to start...

Vérification de l'importation des données :
`SELECT * FROM sakila.actor ;`

LA CLAUSE SELECT

permet de retourner des données sous la forme d'un tableau de résultat.