

170-[SERV]-Lab - Create a Websi x Workbench - Vocareum x + labs.vocareum.com/main/main.php?m=editor&asnId=2253724&stepId=2253725&hideNavBar=1

EN-US Details AWS Start Lab End Lab 00:00:00

Creating a Website on S3

Lab overview

In this lab, you practice using AWS Command Line Interface (AWS CLI) commands from an Amazon Elastic Compute Cloud (Amazon EC2) instance to:

- Create an Amazon Simple Storage Service (Amazon S3) bucket.
- Create a new AWS Identity and Access Management (IAM) user that has full access to the Amazon S3 service.
- Upload files to Amazon S3 to host a simple website for the Café & Bakery.
- Create a batch file that can be used to update the static website when you change any of the website files locally.

```
graph TD; A[AWS Management Console] --- 3((3)); B[AWS Command Line Interface (AWS CLI)] --- 3; 3 --> C[AWS Cloud]; C --> 4((4))
```

29°C Mostly sunny 18:00 03-11-2023

170-[SERV]-Lab - Create a Webs... x Workbench - Vocareum x + labs.vocareum.com/main/main.php?m=editor&asnid=2253724&stepid=2253725&hideNavBar=1 Details AWS Start Lab End Lab 2:59 EN-US

Creating a Website on S3

Lab overview

In this lab, you practice using AWS Command Line Interface (AWS CLI) commands from an Amazon Elastic Compute Cloud (Amazon EC2) instance to:

- Create an Amazon Simple Storage Service (Amazon S3) bucket.
- Create a new AWS Identity and Access Management (IAM) user that has full access to the Amazon S3 service.
- Upload files to Amazon S3 to host a simple website for the Café & Bakery.
- Create a batch file that can be used to update the static website when you change any of the website files locally.

```
graph TD; A[AWS Management Console] --- 3((3)); B[AWS Command Line Interface (AWS CLI)] --- 3; 3 --> C[AWS Cloud]; 4((4)) --- A;
```

The diagram illustrates the workflow for creating a website on S3. It shows three main components: the AWS Management Console (represented by a pink icon with a gear), the AWS Command Line Interface (AWS CLI) (represented by a blue icon with a terminal window), and the AWS Cloud (represented by a white box with an AWS logo). A purple circle containing the number '3' connects the Management Console and the AWS CLI. An arrow points from this circle down to a green circle containing the number '4', which is connected to the Management Console icon. This visualizes the steps required to interact with both the console and the command line interface to achieve the lab's objectives.

29°C Mostly sunny 18:04 03-11-2023

170-[SERV]-Lab - Create a Webs... x Workbench - Vocareum x + labs.vocareum.com/main/main.php?m=editor&asnid=2253724&stepid=2253725&hideNavBar=1 Details AWS Start Lab End Lab 2:58 EN-US

Creating a Website on S3

Lab overview

In this lab, you practice using AWS Command Line Interface (AWS CLI) commands from an Amazon Elastic Compute Cloud (Amazon EC2) instance to:

- Create an Amazon Simple Storage Service (Amazon S3) bucket.
- Create a new AWS Identity and Access Management (IAM) user that has full access to the Amazon S3 service.
- Upload files to Amazon S3 to host a simple website for the Café & Bakery.
- Create a batch file that can be used to update the static website when you change any of the website files locally.

```
graph TD; A[AWS Management Console] --- 3((3)); B[AWS Command Line Interface (AWS CLI)] --- 3; 3 --> C[AWS Cloud]; C --- 4((4))
```

29°C Mostly sunny 18:05 03-11-2023

170-[SERV]-Lab - Create a Webs... x | Workbench - Vocareum x | Console Home | us-west-2 x +

us-west-2.console.aws.amazon.com/console/home?region=us-west-2#

AWS Services Search [Alt+S] Oregon v voclabs/user2877785=GOUNDRA_AMARNATH @ 3341-4018-5223 v

Console Home Info

Reset to default layout + Add widgets

Recently visited Info

- S3
- EC2
- Global Accelerator

[View all services](#)

Welcome to AWS Info

[Getting started with AWS](#) Info
Learn the fundamentals and find valuable information to get the most out of AWS.

[Training and certification](#) Info
Learn from AWS experts and advance your skills and knowledge.

[What's new with AWS?](#) Info
Discover new AWS services, features, and Regions.

AWS Health Info

Open issues 0 Past 7 days

Scheduled changes 0 Upcoming and past 7 days

Other notifications 0 Past 7 days

[Go to AWS Health](#)

Cost and usage Info

Current month costs **\$0.22**

Top costs for current month

	EC2	\$0.18
	Other	

Build a solution Info

Start building with simple wizards and automated workflows.

[Launch a virtual machine](#)

[Start migrating to AWS](#)

https://s3.console.aws.amazon.com/s3/home?region=us-west-2

28°C Mostly clear

Search 18:09 03-11-2023

© 2023, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

The screenshot shows the AWS S3 service landing page. The top navigation bar includes the AWS logo, a search bar, and global navigation links for services, search, and account information. On the left, a sidebar for 'Amazon S3' lists various options like Buckets, Access Points, and Multi-Region Access Points. Below this is a section for 'Storage Lens' and 'Feature spotlight'. At the bottom, there's a link to the AWS Marketplace. The main content area features a large 'Amazon S3' title and subtitle 'Store and retrieve any amount of data from anywhere'. It includes a brief description of the service, a 'Create a bucket' button, and sections for 'How it works' (with a video thumbnail), 'Pricing', and 'Resources'. The footer contains standard links for CloudShell, Feedback, and legal information.

170-[SERV]-Lab - Create a Webs... x | Workbench - Vocareum x | Create S3 bucket | S3 | Global x +

s3.console.aws.amazon.com/s3/bucket/create?region=us-west-2

aws Services Search [Alt+S] Global v vocabs/user2877785=GOUNDRA_AMARNATH @ 3341-4018-5223

Amazon S3 > Buckets > Create bucket

Create bucket Info

Buckets are containers for data stored in S3. [Learn more](#)

General configuration

Bucket name

mybucketnew.1001

Bucket name must be unique within the global namespace and follow the bucket naming rules. [See rules for bucket naming](#)

AWS Region

US West (Oregon) us-west-2

Copy settings from existing bucket - *optional*

Only the bucket settings in the following configuration are copied.

Choose bucket

Object Ownership Info

Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.

ACLs disabled (recommended)

ACLs enabled

CloudShell Feedback © 2023, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

28°C Mostly clear

Search

18:16 03-11-2023

170-[SERV]-Lab - Create a Webs... x | Workbench - Vocareum x | Create S3 bucket | S3 | Global x +

s3.console.aws.amazon.com/s3/bucket/create?region=us-west-2

aws Services Search [Alt+S] Global voclabs/user2877785=GOUNDRA_AMARNATH @ 3341-4018-5223

Object Ownership Info

Control ownership of objects written to this bucket from other AWS accounts and the use of access control lists (ACLs). Object ownership determines who can specify access to objects.

ACLs disabled (recommended)
All objects in this bucket are owned by this account. Access to this bucket and its objects is specified using only policies.

ACLs enabled
Objects in this bucket can be owned by other AWS accounts. Access to this bucket and its objects can be specified using ACLs.

⚠️ We recommend disabling ACLs, unless you need to control access for each object individually or to have the object writer own the data they upload. Using a bucket policy instead of ACLs to share data with users outside of your account simplifies permissions management and auditing.

Object Ownership

Bucket owner preferred
If new objects written to this bucket specify the bucket-owner-full-control canned ACL, they are owned by the bucket owner. Otherwise, they are owned by the object writer.

Object writer
The object writer remains the object owner.

Block Public Access settings for this bucket

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to this bucket and its objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to this bucket or objects within, you can customize the individual settings below to suit your specific storage use cases. [Learn more](#)

CloudShell Feedback © 2023, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

28°C Mostly clear  Search            18:18 03-11-2023

The object writer remains the object owner.

Block Public Access settings for this bucket

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to this bucket and its objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to this bucket or objects within, you can customize the individual settings below to suit your specific storage use cases. [Learn more](#)

Block all public access

Turning this setting on is the same as turning on all four settings below. Each of the following settings are independent of one another.

Block public access to buckets and objects granted through new access control lists (ACLs)

S3 will block public access permissions applied to newly added buckets or objects, and prevent the creation of new public access ACLs for existing buckets and objects. This setting doesn't change any existing permissions that allow public access to S3 resources using ACLs.

Block public access to buckets and objects granted through any access control lists (ACLs)

S3 will ignore all ACLs that grant public access to buckets and objects.

Block public access to buckets and objects granted through new public bucket or access point policies

S3 will block new bucket and access point policies that grant public access to buckets and objects. This setting doesn't change any existing policies that allow public access to S3 resources.

Block public and cross-account access to buckets and objects through any public bucket or access point policies

S3 will ignore public and cross-account access for buckets or access points with policies that grant public access to buckets and objects.



Turning off block all public access might result in this bucket and the objects within becoming public

AWS recommends that you turn on block all public access, unless public access is required for specific and verified use cases such as static website hosting.

I acknowledge that the current settings might result in this bucket and the objects within becoming public.

The object writer remains the object owner.

Block Public Access settings for this bucket

Public access is granted to buckets and objects through access control lists (ACLs), bucket policies, access point policies, or all. In order to ensure that public access to this bucket and its objects is blocked, turn on Block all public access. These settings apply only to this bucket and its access points. AWS recommends that you turn on Block all public access, but before applying any of these settings, ensure that your applications will work correctly without public access. If you require some level of public access to this bucket or objects within, you can customize the individual settings below to suit your specific storage use cases. [Learn more](#)

Block all public access

Turning this setting on is the same as turning on all four settings below. Each of the following settings are independent of one another.

Block public access to buckets and objects granted through new access control lists (ACLs)

S3 will block public access permissions applied to newly added buckets or objects, and prevent the creation of new public access ACLs for existing buckets and objects. This setting doesn't change any existing permissions that allow public access to S3 resources using ACLs.

Block public access to buckets and objects granted through any access control lists (ACLs)

S3 will ignore all ACLs that grant public access to buckets and objects.

Block public access to buckets and objects granted through new public bucket or access point policies

S3 will block new bucket and access point policies that grant public access to buckets and objects. This setting doesn't change any existing policies that allow public access to S3 resources.

Block public and cross-account access to buckets and objects through any public bucket or access point policies

S3 will ignore public and cross-account access for buckets or access points with policies that grant public access to buckets and objects.



Turning off block all public access might result in this bucket and the objects within becoming public

AWS recommends that you turn on block all public access, unless public access is required for specific and verified use cases such as static website hosting.

I acknowledge that the current settings might result in this bucket and the objects within becoming public.



Bucket Versioning

Versioning is a means of keeping multiple variants of an object in the same bucket. You can use versioning to preserve, retrieve, and restore every version of every object stored in your Amazon S3 bucket. With versioning, you can easily recover from both unintended user actions and application failures. [Learn more](#)

Bucket Versioning

- Disable
- Enable

Tags - optional (0)

You can use bucket tags to track storage costs and organize buckets. [Learn more](#)

No tags associated with this bucket.

[Add tag](#)

Default encryption [Info](#)

Server-side encryption is automatically applied to new objects stored in this bucket.

Encryption type [Info](#)

- Server-side encryption with Amazon S3 managed keys (SSE-S3)
 - Server-side encryption with AWS Key Management Service keys (SSE-KMS)
 - Dual-layer server-side encryption with AWS Key Management Service keys (DSSE-KMS)
- Secure your objects with two separate layers of encryption. For details on pricing, see [DSSE-KMS pricing](#) on the [Storage](#) tab of the [Amazon S3 pricing page](#).

Bucket Key

Using an S3 Bucket Key for SSE-KMS reduces encryption costs by lowering calls to AWS KMS. S3 Bucket Keys aren't supported for DSSE-KMS. [Learn more](#)



Services

Search

[Alt+S]



Global ▾

voclabs/user2877785=GOUNDRA_AMARNATH @ 3341-4018-5223 ▾



You can use bucket tags to track storage costs and organize buckets. [Learn more](#)

No tags associated with this bucket.

[Add tag](#)

Default encryption [Info](#)

Server-side encryption is automatically applied to new objects stored in this bucket.

Encryption type [Info](#)

- Server-side encryption with Amazon S3 managed keys (SSE-S3)
- Server-side encryption with AWS Key Management Service keys (SSE-KMS)
- Dual-layer server-side encryption with AWS Key Management Service keys (DSSE-KMS)

Secure your objects with two separate layers of encryption. For details on pricing, see [DSSE-KMS pricing](#) on the [Storage](#) tab of the [Amazon S3 pricing page](#).

Bucket Key

Using an S3 Bucket Key for SSE-KMS reduces encryption costs by lowering calls to AWS KMS. S3 Bucket Keys aren't supported for DSSE-KMS. [Learn more](#)

- Disable
- Enable

► Advanced settings

After creating the bucket, you can upload files and folders to the bucket, and configure additional bucket settings.

[Cancel](#)[Create bucket](#)



Services

Search

[Alt+S]



Global ▾

voclabs/user2877785=GOUNDRA_AMARNATH @ 3341-4018-5223 ▾

✓ Successfully created bucket "mybucketnew.1001"

To upload files and folders, or to configure additional bucket settings, choose [View details](#).

[View details](#)[Amazon S3](#) > Buckets

▼ Account snapshot

Last updated: Nov 2, 2023 by Storage Lens. Metrics are generated every 24 hours. [Learn more](#) ↗

[View Storage Lens dashboard](#)

Total storage

29.2 MB

Object count

3

Average object size

9.7 MB

You can enable advanced metrics in the

["default-account-dashboard" configuration.](#)

Buckets (1) [Info](#)

Buckets are containers for data stored in S3. [Learn more](#) ↗

[Copy ARN](#)[Empty](#)[Delete](#)[Create bucket](#)< 1 > [⚙️](#)

Name	AWS Region	Access	Creation date
mybucketnew.1001	US West (Oregon) us-west-2	Objects can be public	November 3, 2023, 18:20:08 (UTC+05:30)

AWS Services Search [Alt+S] Global v vocabs/user2877785=GOUNDRA_AMARNATH @ 3341-4018-5223

Successfully created bucket "mybucketnew.1001"
To upload files and folders, or to configure additional bucket settings, choose View details.

View details X i

Amazon S3 > Buckets

▼ Account snapshot

Last updated: Nov 2, 2023 by Storage Lens. Metrics are generated every 24 hours. [Learn more](#)

Total storage Object count Average object size You can enable advanced metrics in the "default-account-dashboard" configuration.

29.2 MB 3 9.7 MB

View Storage Lens dashboard

Buckets (1) [Info](#)

Buckets are containers for data stored in S3. [Learn more](#)

Find buckets by name < 1 > ⚙

Name	AWS Region	Access	Creation date
mybucketnew.1001	US West (Oregon) us-west-2	Objects can be public	November 3, 2023, 18:20:08 (UTC+05:30)

[C](#) [Copy ARN](#) [Empty](#) [Delete](#) [Create bucket](#)

<https://s3.console.aws.amazon.com/s3/buckets/mybucketnew.1001?region=us-west-2>

© 2023, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences



Services

Search

[Alt+S]



Global ▾

voclabs/user2877785=GOUNDRA_AMARNATH @ 3341-4018-5223 ▾



Amazon S3 > Buckets > mybucketnew.1001



mybucketnew.1001 Info

[Objects](#)[Properties](#)[Permissions](#)[Metrics](#)[Management](#)[Access Points](#)

Objects (0)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Copy S3 URI Copy URL Download Open Delete Actions ▾ Create folder Upload

 Find objects by prefix

Show versions

	Name	Type	Last modified	Size	Storage class
--	------	------	---------------	------	---------------

No objects

You don't have any objects in this bucket.

Upload



Services

Search

[Alt+S]



Global ▾

voclabs/user2877785=GOUNDRA_AMARNATH @ 3341-4018-5223 ▾



Amazon S3 > Buckets > mybucketnew.1001 > Upload



Upload Info

Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDK or Amazon S3 REST API. [Learn more](#)

Drag and drop files and folders you want to upload here, or choose **Add files** or **Add folder**.

Files and folders (0)					
Remove Add files Add folder					
All files and folders in this table will be uploaded.					
<input type="text"/> Find by name					
< 1 >					
Name	Folder	Type	Size		
No files or folders					
You have not chosen any files or folders to upload.					

Destination

Destination
<s3://mybucketnew.1001>

▶ Destination details

Bucket settings that impact new objects stored in the specified destination.



Services

Search

[Alt+S]



Global ▾

voclabs/user2877785=GOUNDRA_AMARNATH @ 3341-4018-5223 ▾



Amazon S3 > Buckets > mybucketnew.1001 > Upload



Upload Info

Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDK or Amazon S3 REST API. [Learn more](#)

Drag and drop files and folders you want to upload here, or choose **Add files** or **Add folder**.

Files and folders (13 Total, 7.3 MB)

[Remove](#) [Add files](#) [Add folder](#)

All files and folders in this table will be uploaded.

Find by name

< 1 2 >

<input type="checkbox"/>	Name	Folder	Type	Size
<input type="checkbox"/>	p5.exe	C/	application/x-msdo...	569.5 KB
<input type="checkbox"/>	1686215856275.jpg	-	image/jpeg	2.4 MB
<input type="checkbox"/>	1686215856301.jpg	-	image/jpeg	2.3 MB

Destination

Destination

[s3://mybucketnew.1001](#)

► **Destination details**

Bucket settings that impact new objects stored in the specified destination.

► **Permissions**

© 2023, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences



Services

Search

[Alt+S]



Global ▾

voclabs/user2877785=GOUNDRA_AMARNATH @ 3341-4018-5223 ▾

Add the files and folders you want to upload to S3. To upload a file larger than 160GB, use the AWS CLI, AWS SDK or Amazon S3 REST API. [Learn more](#)



Drag and drop files and folders you want to upload here, or choose **Add files** or **Add folder**.

Files and folders (13 Total, 7.3 MB)

[Remove](#) [Add files](#) [Add folder](#)

All files and folders in this table will be uploaded.

Find by name

< 1 2 >

<input type="checkbox"/>	Name	Folder	Type	Size
<input type="checkbox"/>	p5.exe	C/	application/x-msdo...	569.5 KB
<input type="checkbox"/>	1686215856275.jpg	-	image/jpeg	2.4 MB
<input type="checkbox"/>	1686215856301.jpg	-	image/jpeg	2.3 MB

Destination

Destination

s3://mybucketnew.1001

► Destination details

Bucket settings that impact new objects stored in the specified destination.

► Permissions

Grant public access and access to other AWS accounts.

► Properties

Specify storage class, encryption settings, tags, and more.

Cancel

Upload

© 2023, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

 Upload succeeded

View details below.

Upload: status

Close

 The information below will no longer be available after you navigate away from this page.

Summary

Destination

s3://mybucketnew.1001

Succeeded

13 files 7.3 MB (100.00%)

Failed

0 files 0 B (0%)

Files and folders

Configuration

Files and folders (13 Total, 7.3 MB)

Q Find by name

< 1 2 >

Name	Folder	Type	Size	Status	Error
a.exe	C/	application/x-msdownload	570.5 KB	✔ Succeeded	-
c program Amarnath.doc	C/	application/msword	43.9 KB	✔ Succeeded	-
p1.c	C/	-	643.0 B	✔ Succeeded	-
p1.exe	C/	application/x-msdownload	570.5 KB	✔ Succeeded	-
p2.c	C/	-	1.0 KB	✔ Succeeded	-

170-[SERV]-Lab - Create a Webs... x | Workbench - Vocareum x | mybucketnew.1001 - S3 bucket x +

s3.console.aws.amazon.com/s3/buckets/mybucketnew.1001?region=us-west-2&tab=objects

aws Services Search [Alt+S] Global v voclabs/user2877785=GOUNDRA_AMARNATH @ 3341-4018-5223 ▾

Amazon S3 > Buckets > mybucketnew.1001

mybucketnew.1001 Info

Objects Properties Permissions Metrics Management Access Points

Objects (3)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Show versions < 1 >

<input type="checkbox"/>	Name	Type	Last modified	Size	Storage class
<input type="checkbox"/>	1686215856275.jpg	jpg	November 3, 2023, 18:24:08 (UTC+05:30)	2.4 MB	Standard
<input type="checkbox"/>	1686215856301.jpg	jpg	November 3, 2023, 18:24:12 (UTC+05:30)	2.3 MB	Standard
<input type="checkbox"/>	C/	Folder	-	-	-

CloudShell Feedback © 2023, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

28°C Mostly clear Search 18:25 03-11-2023

170-[SERV]-Lab - Create a Webs... x | Workbench - Vocareum x | mybucketnew.1001 - S3 bucket x +

s3.console.aws.amazon.com/s3/buckets/mybucketnew.1001?region=us-west-2&tab=objects&showversions=false

AWS Services Search [Alt+S] Global v vocabs/user2877785=GOUNDRA_AMARNATH @ 3341-4018-5223

Amazon S3 > Buckets > mybucketnew.1001

mybucketnew.1001 Info

Objects Properties Permissions Metrics Management Access Points

Objects (3)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

-	Name	Type	Last modified
<input checked="" type="checkbox"/>	1686215856275.jpg	jpg	November 3, 2 (UTC+05:30)
<input type="checkbox"/>	1686215856301.jpg	jpg	November 3, 2 (UTC+05:30)
<input type="checkbox"/>	C/	Folder	-

CloudShell Feedback © 2023, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

28°C Mostly clear  18:26 03-11-2023

170-[SERV]-Lab - Create a Webs... x | Workbench - Vocareum x | Make objects public - S3 bucket... x +

s3.console.aws.amazon.com/s3/buckets/mybucketnew.1001/object/edit_public_read_access?region=us-west-2&showversions=false

aws Services Search [Alt+S] Global v vocabs/user2877785=GOUNDRA_AMARNATH @ 3341-4018-5223 ▾

Amazon S3 > Buckets > mybucketnew.1001 > Make public

Make public Info

The make public action enables public read access in the object access control list (ACL) settings. [Learn more](#).

⚠️ When public read access is enabled and not blocked by Block Public Access settings, anyone in the world can access the specified objects.

Specified objects

Name	Type	Last modified	Size
1686215856275.jpg	jpg	November 3, 2023, 18:24:08 (UTC+05:30)	2.4 MB

Find objects by name < 1 >

Cancel **Make public**

CloudShell Feedback © 2023, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

28°C Mostly clear Search            

18:27 03-11-2023

170-[SERV]-Lab - Create a Webs... x | Workbench - Vocareum x | Make objects public - S3 bucket... x +

s3.console.aws.amazon.com/s3/buckets/mybucketnew.1001/object/edit_public_read_access?region=us-west-2&showversions=false

aws Services Search [Alt+S] Global v vocabs/user2877785=GOUNDRA_AMARNATH @ 3341-4018-5223

Successfully edited public access
View details below.

Make public: status Close

The information below will no longer be available after you navigate away from this page.

Summary

Source	Successfully edited public access	Failed to edit public access
s3://mybucketnew.1001	1 object, 2.4 MB	0 objects

Failed to edit public access Configuration

Failed to edit public access (0)

Find objects by name < 1 >

Name	Folder	Type	Last modified	Size	Error
No objects failed to edit					

CloudShell Feedback © 2023, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

28°C Mostly clear  18:27 03-11-2023

170-[SERV]-Lab - Create a Webs... x | Workbench - Vocareum x | mybucketnew.1001 - S3 bucket x | 1686215856275.jpg (1552x3568) x | +

s3.console.aws.amazon.com/s3/buckets/mybucketnew.1001?region=us-west-2&tab=objects&showversions=false

aws Services Search [Alt+S] Global v voclabs/user2877785=GOUNDRA_AMARNATH @ 3341-4018-5223 ▾

Amazon S3 > Buckets > mybucketnew.1001

mybucketnew.1001 Info

Objects Properties Permissions Metrics Management Access Points

Objects (3)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

< 1 >

<input type="checkbox"/>	Name	Type	Last modified	Size	Storage class
<input type="checkbox"/>	1686215856275.jpg	jpg	November 3, 2023, 18:24:08 (UTC+05:30)	2.4 MB	Standard
<input type="checkbox"/>	1686215856301.jpg	jpg	November 3, 2023, 18:24:12 (UTC+05:30)	2.3 MB	Standard
<input type="checkbox"/>	C/	Folder	-	-	-

https://s3.console.aws.amazon.com/s3/object/mybucketnew.1001?region=us-west-2&prefix=1686215856275.jpg © 2023, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

28°C Mostly clear Search 18:28 03-11-2023

170-[SERV]-Lab - Create a Webs... x | Workbench - Vocareum x | 1686215856275.jpg - Object in S... x | 1686215856275.jpg (1552x3568) x | +

s3.console.aws.amazon.com/s3/object/mybucketnew.1001?region=us-west-2&prefix=1686215856275.jpg

aws Services Search [Alt+S] Global v vocabs/user2877785=GOUNDRA_AMARNATH @ 3341-4018-5223 ▾

Amazon S3 > Buckets > mybucketnew.1001 > 1686215856275.jpg

1686215856275.jpg [Info](#)

[Copy S3 URI](#) [Download](#) [Open](#) [Object actions](#)

[Properties](#) [Permissions](#) [Versions](#)


Object overview

Owner	S3 URI
awslabsc0w6671077t1698741031	s3://mybucketnew.1001/1686215856275.jpg
AWS Region	Amazon Resource Name (ARN)
US West (Oregon) us-west-2	arn:aws:s3:::mybucketnew.1001/1686215856275.jpg
Last modified	Entity tag (Etag)
November 3, 2023, 18:24:08 (UTC+05:30)	bcb1a899ffd2c5f4c7a7c0b2c7f7f909
Size	Object URL
2.4 MB	https://s3.us-west-2.amazonaws.com/mybucketnew.1001/1686215856275.jpg
Type	
jpg	
Key	
1686215856275.jpg	

https://s3.us-west-2.amazonaws.com/mybucketnew.1001/1686215856275.jpg © 2023, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

EUR/INR +0.77% 18:29 03-11-2023

Search



EUR/INR
+0.77%

Search



PDF



18:29
03-11-2023

170-[SERV]-Lab - Create a Webs... x | Workbench - Vocareum x | mybucketnew.1001 - S3 bucket x +

s3.console.aws.amazon.com/s3/buckets/mybucketnew.1001?region=us-west-2&tab=objects

aws Services Search [Alt+S] Global v voclabs/user2877785=GOUNDRA_AMARNATH @ 3341-4018-5223 ▾

Amazon S3 > Buckets > mybucketnew.1001

mybucketnew.1001 Info

Objects Properties Permissions Metrics Management Access Points

Objects (3)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

< 1 >

Name	Type	Last modified	Size	Storage class
<input type="checkbox"/> 1686215856275.jpg	jpg	November 3, 2023, 18:24:08 (UTC+05:30)	2.4 MB	Standard
<input checked="" type="checkbox"/> 1686215856301.jpg	jpg	November 3, 2023, 18:24:12 (UTC+05:30)	2.3 MB	Standard
<input checked="" type="checkbox"/> C/	Folder	-	-	-

CloudShell Feedback © 2023, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Top events Event brief Search 18:32 03-11-2023

170-[SERV]-Lab - Create a Webs... x | Workbench - Vocareum x | Delete objects - S3 bucket mybu... x +

s3.console.aws.amazon.com/s3/buckets/mybucketnew.1001/object/delete?region=us-west-2&showversions=false

aws Services Search [Alt+S] Global v vocabs/user2877785=GOUNDRA_AMARNATH @ 3341-4018-5223 ▾

Amazon S3 > Buckets > mybucketnew.1001 > Delete objects

Delete objects Info

⚠ If a folder is selected for deletion, all objects in the folder will be deleted, and any new objects added while the delete action is in progress might also be deleted. If an object is selected for deletion, any new objects with the same name that are uploaded before the delete action is completed will also be deleted.

[Learn more ↗](#)

i Deleting the specified objects adds delete markers to them
If you need to undo the delete action, you can delete the delete markers. [Learn more ↗](#)

Specified objects

Find objects by name

Name	Type	Last modified	Size
1686215856301.jpg	jpg	November 3, 2023, 18:24:12 (UTC+05:30)	2.3 MB
C/	Folder	-	-

Delete objects?

CloudShell Feedback © 2023, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Tomorrow's high Near record

Search          

18:33 03-11-2023

170-[SERV]-Lab - Create a Webs... x | Workbench - Vocareum x | Delete objects - S3 bucket mybu... x +

s3.console.aws.amazon.com/s3/buckets/mybucketnew.1001/object/delete?region=us-west-2&showversions=false

aws Services Search [Alt+S] Global v vocabs/user2877785=GOUNDRA_AMARNATH @ 3341-4018-5223 ▾

delete action is in progress might also be deleted. If an object is selected for deletion, any new objects with the same name that are uploaded before the delete action is completed will also be deleted.

[Learn more](#)

Deleting the specified objects adds delete markers to them
If you need to undo the delete action, you can delete the delete markers. [Learn more](#)

Specified objects

Find objects by name

Name	Type	Last modified	Size
1686215856301.jpg	jpg	November 3, 2023, 18:24:12 (UTC+05:30)	2.3 MB
C/	Folder	-	-

Delete objects?

To confirm deletion, type *delete* in the text input field.

Cancel **Delete objects**



170-[SERV]-Lab - Create a Webs... x | Workbench - Vocareum x | Delete objects - S3 bucket mybu... x +

s3.console.aws.amazon.com/s3/buckets/mybucketnew.1001/object/delete?region=us-west-2&showversions=false

Services Search [Alt+S]

Successfully deleted objects
View details below.

Delete objects: status Close

The information below will no longer be available after you navigate away from this page.

Summary

Source	Successfully deleted	Failed to delete
s3://mybucketnew.1001	12 objects, 4.9 MB	0 objects

Failed to delete Configuration

Failed to delete (0)

Find objects by name < 1 >

Name	Folder	Type	Last modified	Size	Error
No objects failed to delete.					

CloudShell Feedback © 2023, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Tomorrow's high Near record

Search

18:33 03-11-2023

170-[SERV]-Lab - Create a Webs... x | Workbench - Vocareum x | mybucketnew.1001 - S3 bucket x +

s3.console.aws.amazon.com/s3/buckets/mybucketnew.1001?region=us-west-2&tab=objects

aws Services Search [Alt+S] Global v voclabs/user2877785=GOUNDRA_AMARNATH @ 3341-4018-5223 ▾

Amazon S3 > Buckets > mybucketnew.1001

mybucketnew.1001 Info

Objects Properties Permissions Metrics Management Access Points

Objects (1)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Show versions < 1 >

<input type="checkbox"/>	Name	Type	Last modified	Size	Storage class
<input type="checkbox"/>	1686215856275.jpg	jpg	November 3, 2023, 18:24:08 (UTC+05:30)	2.4 MB	Standard

CloudShell Feedback © 2023, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

28°C Mostly clear Search 18:34 03-11-2023

170-[SERV]-Lab - Create a Webs... x | Workbench - Vocareum x | mybucketnew.1001 - S3 bucket x +

s3.console.aws.amazon.com/s3/buckets/mybucketnew.1001?region=us-west-2&tab=objects&showversions=true

aws Services Search [Alt+S] Global voclabs/user2877785=GOUNDRA_AMARNATH @ 3341-4018-5223 ▾

Objects (4)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

C Copy S3 URI Copy URL Download Open Delete Actions Create folder Upload

Find objects by prefix Show versions < 1 > ⚙

<input type="checkbox"/>	Name	Type	Version ID	Last modified	Size	Storage class
<input type="checkbox"/>	1686215856275.jpg	jpg	1O1YCgBoj 3UffI3syXb nbhUc8eFP GmNo	November 3, 2023, 18:24:08 (UTC+05:30)	2.4 MB	Standard
<input type="checkbox"/>	1686215856301.jpg	Delete marker	A5LScVSsQ_ 18GGOcQer I7aJyybboG 5Xw	November 3, 2023, 18:33:42 (UTC+05:30)	0 B	-
<input type="checkbox"/>	1686215856301.jpg	jpg	5jHXgezTD QY216WP2 qX3bUm9h mUJz6VR	November 3, 2023, 18:24:12 (UTC+05:30)	2.3 MB	Standard
<input type="checkbox"/>	C/	Folder	-	-	-	-

170-[SERV]-Lab - Create a Web... x | Workbench - Vocareum x | mybucketnew.1001 - S3 bucket | +

s3.console.aws.amazon.com/s3/buckets/mybucketnew.1001?region=us-west-2&tab=objects&showversions=true

Services Search [Alt+S] Global v voclabs/user2877785=GOUNDRA_AMARNATH @ 3341-4018-5223

Objects (4)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Show versions

<input type="checkbox"/>	Name	Type	Version ID	Last modified	Size	Storage class
<input type="checkbox"/>	1686215856275.jpg	jpg	1O1YCgBoj 3UffI3syXb nbhUc8eFP GmNo	November 3, 2023, 18:24:08 (UTC+05:30)	2.4 MB	Standard
<input type="checkbox"/>	1686215856301.jpg	Delete marker	A5LScVSsQ_ 18GGOCQer I7aJyybboG 5Xw	November 3, 2023, 18:33:42 (UTC+05:30)	0 B	-
<input type="checkbox"/>	1686215856301.jpg	jpg	5jHXgezTD QY216WP2 qX3bUm9h mUJz6VR	November 3, 2023, 18:24:12 (UTC+05:30)	2.3 MB	Standard
<input type="checkbox"/>	C/	Folder	-	-	-	-

https://s3.console.aws.amazon.com/s3/object/mybucketnew.1001?region=us-west-2&prefix=1686215856301.jpg&versionId=5jHXgezTDQY216WP2qX3bUm9hmUJz6VR

© 2023, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

28°C Mostly clear 18:34 03-11-2023

170-[SERV]-Lab - Create a Webs... x | Workbench - Vocareum x | 1686215856301.jpg - Object in s... x +

s3.console.aws.amazon.com/s3/object/mybucketnew.1001?region=us-west-2&prefix=1686215856301.jpg&versionId=5jHXgezTDQY216WP2qX3bUm9hmUJz6VR

aws Services Search [Alt+S] Global vclabs/user2877785=GOUNDRA_AMARNATH @ 3341-4018-5223

Properties Permissions Versions

Object overview

Owner: awslabsc0w6671077t1698741031

AWS Region: US West (Oregon) us-west-2

Last modified: November 3, 2023, 18:24:12 (UTC+05:30)

Size: 2.3 MB

Type: jpg

Key: 1686215856301.jpg

S3 URI: s3://mybucketnew.1001/1686215856301.jpg

Amazon Resource Name (ARN): arn:aws:s3:::mybucketnew.1001/1686215856301.jpg

Entity tag (Etag): cf09d6e60640f5ebf4a31b83c1ba292f

Object URL Copied

https://s3.us-west-2.amazonaws.com/mybucketnew.1001/1686215856301.jpg?versionId=5jHXgezTDQY216WP2qX3bUm9hmUJz6VR

Object management overview

The following bucket properties and object management configurations impact the behavior of this object.

CloudShell Feedback © 2023, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

28°C Mostly clear

Search

18:34 03-11-2023

