

Week 2

Team project update/progress

Table of Contents

- 01 Weekly Progress Summary
- 02 Website and Files
- 03 Code Testing and Log Review
- 04 Confidence Score and UI Ideas

Weekly Progress Summary

Code Testing	Run and test the code throughout the week
Log Review	Read log files for information useful to the UI
Website	Updated website pushed to new GitHub branch
UI Design	Gathered UI improvement ideas
Confidence Score	Confidence score section
GitHub	Team continues using GitHub and shared files

Website and Weekly Files

Website Update

The updated website is on the new GitHub repository

Progress Tracking

Website will track weekly progress and host important files

Document Files

Slides, meeting notes, report, collaborators file, and other docs as needed

Final Organization

Use the same base design and keep files organized on OneDrive and the website

Code Testing and Log Review Plan

01

Run the project code during the week

02

Test the tool and observe how the workflow behaves

03

Read the generated log files


04

Collect information that can help improve the UI

05

Bring findings to Friday meeting for group discussion

Information to Look For in Logs



Clone Information

Clone type, file name,
line numbers, and
detected ranges

Validation Results

Usefulness, compilation,
and testing pass/fail
status

Confidence Score

How confident the
system is in a detection
or suggestion

Errors and
Warnings

Compilation errors,
failed tests, or unclear
outputs

UI-Relevant Details

Information that should
be shown clearly to the
user

Issues encountered

API Key

Google has changed the format for API keys, so now the program can no longer accept a google API key

IntelliJ

IntelliJ was generally very strange to use, often could be running very slow or trying to correct already syntactically correct code

 **Clone Refactoring** Yesterday

[Clone] Stopped because a cloned method was modified by the user:
pa1.LinkedList#size

 **Clone Refactoring** Yesterday

[Clone] Refactor failed (attempt 2/3) for:
LinkedList.java
Reason: Curator selection failed: Could not extract curator JSON. Panelist diagnostics:
P1=LLM caller returned empty output;
P2=LLM caller returned empty output;
P3=LLM caller returned empty output
Check the workflow console/log for details.

 **Clone Refactoring** Yesterday

[Clone] LLM refactor call failed: Gemini error 403: {
"error": {
"code": 403,
"message": "Requests to this API generativelanguage.googleapis.com method google.ai.generativelanguage.v1beta.GenerateService.GenerateContent are blocked.",
"status": "PERMISSION_DENIED",
"details": [
}

Settings

Tools > AntiCopyPaster Revert changes

[Learn more about AntiCopyPaster.](#)

General Preferences

methods must contain duplicate code to trigger refactoring. ?

Wait seconds before triggering refactoring prompt. (Requires IDE restart to take effect)

Extraction judgements should be performed by

Iteration Number

Multi-agent Settings

Model Suites

Model Selection

Api-Key

File(s) to Analyze ☐ Current File ☐ All Files in Current Directory

Cannot Save Settings:
API key for Google must start with 'AlzaSy'.

Cancel Apply OK

Confidence Score Section

AI Trust Score for AntiCopyPaster

A confidence metric for AI-generated Extract Method refactorings

Definition

A weighted score that estimates how safe and reliable an AI-generated Extract Method refactoring is before the developer applies it.

Proposed Formula

AI Trust Score = 0.15•LLM + 0.20•Clone + 0.25•Usefulness + 0.20•Compilation + 0.15•Tests/Behavior + 0.05•Diff Safety

Why these percentages? V1 heuristic, not fixed: 25% Usefulness = core refactor quality; 20% Clone + 20% Compile = hard gates; 15% LLM + 15% Tests = supporting evidence; 5% Diff = reviewability check.

15% LLM Confidence

15%: useful signal, but model certainty ≠ code correctness

20% Clone Detection

20%: must first prove the pasted code is a real clone

25% Refactoring Usefulness

25%: highest weight because valid Extract Method is the main goal

20% Compilation Result

20%: broken code should block or sharply lower trust

15% Tests / Behavior

15%: verifies behavior, but test coverage may be incomplete

5% Diff Safety

5%: secondary reviewability signal; keeps changes small

Example UI display

AI Trust Score: 94%

Safety: High

Tests Passed

Expandable details: clone type, locations, suggested method, validation results, and rationale.

Failure-state behavior

If model / compiler / tests fail → show “Unavailable” or “Blocked” with diagnostic details instead of silently failing.

UI Improvement Discussion

Loading Screen

A pop-up that shows how long the refactoring is expected to take

Error Pop-ups

Pop-ups for different errors, similar to errors received then testing code

Refactoring Attempts

While loading, should show how many refactors its attempted

Confidence

Slide 8

API Key Format

With Google's new alteration of its API keys' prefix (from AlzaSy to AQ.), there should be an update that allows for the validation of keys with this new format.

Roadmap and Next Steps

UI Improvements

Implement all relevant ideas to the current prototype

Confidence Score

Finish the confidence score section and decide how it should appear

Run the Code

Keep trying to run the code and report any further issues encountered...

Website Updates

Keep the hosted progress website updated throughout the weeks