

Week 5

Team project update/progress

Table of Contents

- 01 Weekly Progress Summary
- 02 Implementation Updates
- 03 Next Steps

Weekly Progress Summary

Area	Progress Made
Implementation	All team members are currently updating their part on the code.
Branches	When a team member is done, they will create a pull request to the ui-panel branch.
Review	We will later assign a reviewer for each pull request.
Merge	After review, we will merge it to the ui-panel

Multiple Clone UI Decision

Separate Cards

When more than one clone is found, each clone should appear in its own card.

Individual Choice

The UI asks the user if they want to refactor each specific clone.

Clear Actions

Each card has Exclude and Include actions to decide if it should be refactored or not.

```
@Override no usages jstinton06
protected @Nullable javax.swing.JComponent createCenterPanel() {
    JPanel panel = new JPanel();
    panel.setLayout(new BorderLayout(panel, BorderLayout.Y_AXIS));
    panel.setBorder(JBUI.Borders.empty(top: 4, left: 8, bottom: 8, right: 8));

    // Icon + bold title
    JPanel titleRow = new JPanel(new FlowLayout(FlowLayout.LEFT, hgap: 8, vgap: 0));
    titleRow.add(new JLabel(Messages.getQuestionIcon()));
    JLabel titleLabel = new JLabel(text: "Select Clone Occurrence");
    titleLabel.setFont(titleLabel.getFont().deriveFont(Font.BOLD, size: titleLabel.getFont().getSize2D() + 1.5f));
    titleRow.add(titleLabel);
    panel.add(titleRow);

    panel.add(Box.createVerticalStrut(height: 10));

    // "Clone occurrence: X/Y"
    JLabel countLabel = new JLabel(text: "Clone occurrence: " + occurrenceIndex + "/" + occurrenceTotal);
    countLabel.setBorder(JBUI.Borders.emptyLeft(offset: 8));
    panel.add(countLabel);

    // "Occurrence N: MethodName [Lines: #-#]"
    JLabel detailLabel = new JLabel(
        text: "Occurrence " + occurrenceIndex + ": " + methodName
            + " [Lines: " + lineStart + "-" + lineEnd + "]"
    );
    detailLabel.setBorder(JBUI.Borders.emptyLeft(offset: 8));
    panel.add(detailLabel);

    panel.add(Box.createVerticalStrut(height: 12));

    // Static description lines
    JLabel highlightedLabel = new JLabel(text: "This clone occurrence has been highlighted.");
    highlightedLabel.setBorder(JBUI.Borders.emptyLeft(offset: 8));
    panel.add(highlightedLabel);

    JLabel questionLabel = new JLabel(text: "Include this occurrence in the refactoring?");
    questionLabel.setBorder(JBUI.Borders.emptyLeft(offset: 8));
    panel.add(questionLabel);

    return panel;
}
```



Select Clone Occurrence

Clone occurrence: 1/2

Occurrence 1: MethodName [Lines: #-#]

This clone occurrence has been highlighted.


Include this occurrence in the refactoring?

Cancel



Exclude

Include


Diff Preview



Diff Preview



AntiCopyPaster AI Trust Demo



Implementation Submitted for Team Review — Pull Request #30

 refactorings /  anti-copy-paster 

Q Type  to search

 |       

 Code  Issues  Pull requests **3**  Actions  Projects  Security and quality  Insights  Settings

Add AI Trust Scoring and Validation UI #30

 Open [dhirrana14-netizen](#) wants to merge 1 commit into [refactorings:ui_panel](#) from [dhirrana14-netizen:AI_trust](#) 

 Conversation **0**  Commits **1**  Checks **0**  Files changed **1** +407 

 **dhirrana14-netizen** commented [9 hours ago](#) Collaborator 

Summary

Adds a compact and collapsible AI Trust section to the Refactoring Suggestion panel.

Changes

- Displays an overall AI Trust score and trust level
- Shows five equally weighted workflow components:
 - Clone Detection
 - Refactoring Agent
 - Usefulness
 - Compilation
 - Test
- Supports verified, verifying, and validation-failure states
- Uses progress indicators for each component
- Keeps the panel compact so the code diff remains visible
- Safely handles cases where detailed backend scores are unavailable

Testing

Reviewers

No reviews

Still in progress? [Convert to draft](#)

Assignees

No one—[assign yourself](#)

Labels

None yet

Projects

None yet

Milestone

No milestone

Development

Successfully merging this pull request may close these issues.

None yet

Notifications [Customize](#)

Buttons

Direct Editing

The user is now given the option to edit their code directly *before* applying the changes suggested made by the AI.

Disabled Acceptance

The apply button should be disabled in the case that validation fails, as there will be nothing to apply.

Buttons

AntiCopyPaster

Refactoring Suggestion

✖ [AntiCopyPaster] Refactoring Suggestion

AntiCopyPaster found that the code you just pasted is a Type-2 of the existing method 'DuplicateTest#computeStats' on line 3. The pasted clone starts on line 20.

This suggestion extracts the common logic into a new method named 'calculate' and replaces the original clone locations with calls to the extracted method.

AntiCopyPaster is verifying this proposal with usefulness checks, isolated compilation, and tests. Apply is enabled only after verification passes.

Diff: Extract Method 'calculate'

↑ ↓ ↻ Side-by-side viewer Do not ignore Highlight words

3 differences

Before: Original Code

// DuplicateTest#computeStats
public static double[] computeStats(int[] data) {
 double sum = 0.0;
 double prod = 1.0;
 int count = data.length;
 for (int i = 0; i < count; i++) {
 sum = sum + data[i];
 prod = prod * data[i];
 }
 double mean = sum / count;
}

After: Proposed Refactoring

2 // DuplicateTest#computeStats
3 public static double[] computeStats(int[] data) {
4 return calculate(data);
5 }
6
7 // DuplicateTest#duplicateMethod
8 public static double[] duplicateMethod(int[] data) {
 return calculate(data);
}

> Details & Provenance (Confidence: Verifying)

Edit instructions for regeneration

Workflow failed after 3 attempts. See the lo...

? ?

Apply

Regenerate

Cancel

Edit Code

```

// Opens the new code editor from the edit code button
private void openCodeEditor() { 1 usage  Fin Naughton
    if (currentInfo == null) return;
    String initialCode = currentInfo.afterDiffText;
    String edited = showCodeEditDialog(project, initialCode);
    if (edited != null && !edited.isBlank()) {
        complete(
            RefactoringSuggestionDialog.Decision.editCode(edited),
            statusText: "Edited code accepted."
        );
    }
}
}

```

```

private void setDecisionButtonsEnabled(boolean enabled) { 5 usages  Fin Naughton +1
    if (applyButton != null) {
        boolean applyEnabled = enabled && (currentInfo == null || !currentInfo.refactoringFailed);
        applyButton.setEnabled(applyEnabled);
        if (!applyEnabled && currentInfo != null && currentInfo.refactoringFailed) {
            applyButton.setToolTipText("Apply is disabled because the refactoring failed...");
        } else {
            applyButton.setToolTipText(null);
        }
    }
    if (regenerateButton != null) regenerateButton.setEnabled(enabled);
    if (editCodeButton != null) editCodeButton.setEnabled(enabled);
    if (cancelButton != null) cancelButton.setEnabled(enabled);
    if (editInstructionsArea != null) editInstructionsArea.setEnabled(enabled);
}

```

```
[LLM_REFACTOR] [Refactoring Curator] exception: RuntimeException: Gemini error 400: {
  "error": {
    "code": 400,
    "message": "API key not valid. Please pass a valid API key.",
    "status": "INVALID_ARGUMENT",
    "details": [
      {
        "@type": "type.googleapis.com/google.rpc.ErrorInfo",
        "reason": "API_KEY_INVALID",
        "domain": "googleapis.com",
        "metadata": {
          "service": "generativelanguage.googleapis.com"
        }
      },
      {
        "@type": "type.googleapis.com/google.rpc.LocalizedMessage",
        "locale": "en-US",
        "message": "API key not valid. Please pass a valid API key."
      }
    ]
  }
}
```

Next Steps

Pull Requests

When finished, push your branch and open a pull request into the ui_panel branch.

Team Review

Review changes, fix conflicts, then merge accepted pull requests into ui_panel.

Keep updating

Keep the rest of the team updated sending screenshots of your work throughout the week.
Update the website content.