MySQLWorkbench File Edit View Query Database Server Tools Scripting Help Thu Mar 23 9:30 PM

MySQL Workbench

Lab 3 | Ekeh_Amazing_tuples.sql | Ekeh_Amazing_queries.sql

Administration | Schemas | Ekeh_Amazing_queries*

SCHEMAS

Filter objects

- Company
- Ekeh_Amazing_lab3
  - Tables
  - Views
  - Stored Procedures
  - Functions
- sys

Object Info | Session

No object selected

Limit to 1000 rows

```
Use Ekeh_Amazing_lab3;
SELECT orderno, orderdate, amount from shoe_order, customer where fname = 'Amanda' and minit = 'N' and lname = 'Joshua' an
SELECT EmpID, EmpFname, Empminit, Emplname FROM employee join shoe_order on EmpID = SEmpID group by EmpID having COUNT(ord
SELECT BrNo, b_address, B_phone from branch, customer where fname = 'Mirabel' and Minit = 'K' and Lname = 'Hosea' and BCID
SELECT OrderNo, SuborderNo, ReqShipDate, ActualShipDate, Fname, Minit, Lname, BrNo, EmpFName, EmpMinit, EmpLName from Shoe
SELECT Fname, Minit, Lname, BrNo, b_address, B_Phone FROM branch join Suborder on BrNo = SBrNo join Order_Item on orderno
```

100% 1:7

Result Grid Filter Rows: Search Export:

orderno	orderdate	amount
2134560	2023-03-16	30000.00
2134567	2023-03-16	30000.00
2134568	2023-03-17	30250.00

Result Grid | Form Editor | Field Types

Result 1 | Result 2 | Result 3 | Result 4 | Result 5 | Read Only

Context Help | Snippets

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Action Output

	Time	Action	Response	Duration / Fetch Time
1	21:29:12	Use Ekeh_Amazing_lab3	0 row(s) affected	0.00037 sec
2	21:29:12	SELECT orderno, orderdate, amount from shoe_order, customer where fname = 'A...	3 row(s) returned	0.0011 sec / 0.00001...
3	21:29:12	SELECT EmpID, EmpFname, Empminit, Emplname FROM employee join shoe_order...	1 row(s) returned	0.00092 sec / 0.0000...
4	21:29:12	SELECT BrNo, b_address, B_phone from branch, customer where fname = 'Mirabe...	1 row(s) returned	0.00093 sec / 0.000...
5	21:29:12	SELECT OrderNo, SuborderNo, ReqShipDate, ActualShipDate, Fname, Minit, Lnam...	15 row(s) returned	0.0017 sec / 0.00001...
6	21:29:12	SELECT Fname, Minit, Lname, BrNo, b_address, B_Phone FROM branch join Subor...	4 row(s) returned	0.0031 sec / 0.00001...

Query Completed

MySQLWorkbench File Edit View Query Database Server Tools Scripting Help Thu Mar 23 9:30 PM

MySQL Workbench

Lab 3 | Ekeh_Amazing_tuples.sql | Ekeh_Amazing_queries.sql

Administration | Schemas | Ekeh_Amazing_queries | Context Help | Snippets

SCHEMAS

Filter objects

- Company
- Ekeh_Amazing_lab3
  - Tables
  - Views
  - Stored Procedures
  - Functions
- sys

Limit to 1000 rows

```
1  Use Ekeh_Amazing_lab3;
2  SELECT orderno, orderdate, amount from shoe_order, customer where fname = 'Amanda' and minit = 'N' and lname = 'Joshua' an
3  SELECT EmpID, EmpFname, Empminit, Emplname FROM employee join shoe_order on EmpID = SEmpID group by EmpID having COUNT(ord
4  SELECT BrNo, b_address, B_phone from branch, customer where fname = 'Mirabel' and Minit = 'K' and Lname = 'Hosea' and BCID
5  SELECT OrderNo, SuborderNo, ReqShipDate, ActualShipDate, Fname, Minit, Lname, BrNo, EmpFName, EmpMinit, EmpLName from Shoe
6  SELECT Fname, Minit, Lname, BrNo, b_address, B_Phone FROM branch join Suborder on BrNo = SBrNo join Order_Item on orderno
7
8
```

100% 1:7

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid Filter Rows: Search Export:

EmpID	EmpFname	Empminit	Emplname
3456789	Joshua	M	Gin

Result Grid | Form Editor | Field Types

Result 1 | Result 2 | Result 3 | Result 4 | Result 5 | Read Only

Object Info | Session

No object selected

Action Output

	Time	Action	Response	Duration / Fetch Time
1	21:29:12	Use Ekeh_Amazing_lab3	0 row(s) affected	0.00037 sec
2	21:29:12	SELECT orderno, orderdate, amount from shoe_order, customer where fname = 'A...	3 row(s) returned	0.0011 sec / 0.00001...
3	21:29:12	SELECT EmpID, EmpFname, Empminit, Emplname FROM employee join shoe_order...	1 row(s) returned	0.00092 sec / 0.0000...
4	21:29:12	SELECT BrNo, b_address, B_phone from branch, customer where fname = 'Mirabe...	1 row(s) returned	0.00093 sec / 0.000...
5	21:29:12	SELECT OrderNo, SuborderNo, ReqShipDate, ActualShipDate, Fname, Minit, Lnam...	15 row(s) returned	0.0017 sec / 0.00001...
6	21:29:12	SELECT Fname, Minit, Lname, BrNo, b_address, B_Phone FROM branch join Subor...	4 row(s) returned	0.0031 sec / 0.00001...

Query Completed

MySQLWorkbench File Edit View Query Database Server Tools Scripting Help Thu Mar 23 9:30 PM

MySQL Workbench

Lab 3 | Ekeh_Amazing_tuples.sql | Ekeh_Amazing_queries.sql

Administration | Schemas | Ekeh_Amazing_queries | Context Help | Snippets

SCHEMAS

Filter objects

- Company
- Ekeh_Amazing_lab3
  - Tables
  - Views
  - Stored Procedures
  - Functions
- sys

Limit to 1000 rows

```
1  Use Ekeh_Amazing_lab3;
2  SELECT orderno, orderdate, amount from shoe_order, customer where fname = 'Amanda' and minit = 'N' and lname = 'Joshua' an
3  SELECT EmpID, EmpFname, Empminit, Emplname FROM employee join shoe_order on EmpID = SEmpID group by EmpID having COUNT(ord
4  SELECT BrNo, b_address, B_phone from branch, customer where fname = 'Mirabel' and Minit = 'K' and Lname = 'Hosea' and BCID
5  SELECT OrderNo, SuborderNo, ReqShipDate, ActualShipDate, Fname, Minit, Lname, BrNo, EmpFName, EmpMinit, EmpLName from Shoe
6  SELECT Fname, Minit, Lname, BrNo, b_address, B_Phone FROM branch join Suborder on BrNo = SBrNo join Order_Item on orderno
7
8
```

100% 1:7

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Result Grid Filter Rows: Search Export:

BrNo	b_address	B_phone
7878891	178 Charles Rivers, Boston, MA	6665559874

Result Grid | Form Editor | Field Types

Result 1 | Result 2 | Result 3 | Result 4 | Result 5 | Read Only

Object Info | Session

No object selected

Action Output

	Time	Action	Response	Duration / Fetch Time
1	21:29:12	Use Ekeh_Amazing_lab3	0 row(s) affected	0.00037 sec
2	21:29:12	SELECT orderno, orderdate, amount from shoe_order, customer where fname = 'A...	3 row(s) returned	0.0011 sec / 0.00001...
3	21:29:12	SELECT EmpID, EmpFname, Empminit, Emplname FROM employee join shoe_order...	1 row(s) returned	0.00092 sec / 0.0000...
4	21:29:12	SELECT BrNo, b_address, B_phone from branch, customer where fname = 'Mirabe...	1 row(s) returned	0.00093 sec / 0.000...
5	21:29:12	SELECT OrderNo, SuborderNo, ReqShipDate, ActualShipDate, Fname, Minit, Lnam...	15 row(s) returned	0.0017 sec / 0.00001...
6	21:29:12	SELECT Fname, Minit, Lname, BrNo, b_address, B_Phone FROM branch join Subor...	4 row(s) returned	0.0031 sec / 0.00001...

Query Completed

MySQLWorkbench File Edit View Query Database Server Tools Scripting Help Thu Mar 23 9:30 PM

MySQL Workbench

Lab 3 | Ekeh_Amazing_tuples.sql | Ekeh_Amazing_queries.sql

Administration | Schemas | Ekeh_Amazing_queries

SCHEMAS

Filter objects

- Company
- Ekeh_Amazing_lab3
  - Tables
  - Views
  - Stored Procedures
  - Functions
- sys

Object Info | Session

No object selected

Limit to 1000 rows

```
Use Ekeh_Amazing_lab3;
SELECT orderno, orderdate, amount from shoe_order, customer where fname = 'Amanda' and minit = 'N' and lname = 'Joshua' an
SELECT EmpID, EmpFname, Empminit, Emplname FROM employee join shoe_order on EmpID = SEmpID group by EmpID having COUNT(ord
SELECT BrNo, b_address, B_phone from branch, customer where fname = 'Mirabel' and Minit = 'K' and Lname = 'Hosea' and BCID
SELECT OrderNo, SuborderNo, ReqShipDate, ActualShipDate, Fname, Minit, Lname, BrNo, EmpFName, EmpMinit, EmpLName from Shoe
SELECT Fname, Minit, Lname, BrNo, b_address, B_Phone FROM branch join Suborder on BrNo = SBrNo join Order_Item on orderno
```

100% 1:7

Result Grid Filter Rows: Search Export:

OrderNo	SuborderNo	ReqShipDate	ActualShipDate	Fname	Minit	Lname	BrNo	EmpFName	EmpMinit	EmpLName
2134567	1556669	2023-03-18	2023-03-20	Amanda	N	Joshua	7778889	Joshua	M	Gin
2134567	2556669	2023-03-18	2023-03-20	Amanda	N	Joshua	7778890	Joshua	M	Gin
2134567	5256669	2023-03-18	2023-03-20	Amanda	N	Joshua	7778890	Joshua	M	Gin
2134567	6556669	2023-03-18	2023-03-20	Amanda	N	Joshua	7778889	Joshua	M	Gin
2134568	5356669	2023-03-18	2023-03-20	Michael	B	King	7774589	Joshua	M	Gin
2134568	7556669	2023-03-18	2023-03-20	Amanda	N	Joshua	7778890	Joshua	M	Gin
2134569	0556669	2023-03-18	2023-03-20	Mirabel	K	Hosea	7778804	Joshua	M	Gin
2134569	4556669	2023-03-18	2023-03-20	Michael	B	King	7778889	Joshua	M	Gin
2134569	5556668	2023-03-18	2023-03-20	Mirabel	K	Hosea	7778889	Joshua	M	Gin
2134570	5156669	2023-03-18	2023-03-20	Amanda	N	Joshua	7778804	Joshua	M	Gin
2134570	5556669	2023-03-18	2023-03-20	Mirabel	K	Hosea	7778889	Joshua	M	Gin
2134571	3556669	2023-03-18	2023-03-20	Michael	B	King	7774589	Joshua	M	Gin
2134571	5456669	2023-03-18	2023-03-20	Michael	B	King	7778804	Joshua	M	Gin
2134571	8556669	2023-03-18	2023-03-20	Michael	B	King	7774589	Joshua	M	Gin
2134571	9556669	2023-03-18	2023-03-20	Michael	B	King	7778889	Joshua	M	Gin

Result Grid | Form Editor | Field Types | Query Stats

Result 1 | Result 2 | Result 3 | Result 4 | Result 5 | Read Only

Action Output

	Time	Action	Response	Duration / Fetch Time
1	21:29:12	Use Ekeh_Amazing_lab3	0 row(s) affected	0.00037 sec
2	21:29:12	SELECT orderno, orderdate, amount from shoe_order, customer where fname = 'A...	3 row(s) returned	0.0011 sec / 0.00001...
3	21:29:12	SELECT EmpID, EmpFname, Empminit, Emplname FROM employee join shoe_order...	1 row(s) returned	0.00092 sec / 0.0000...
4	21:29:12	SELECT BrNo, b_address, B_phone from branch, customer where fname = 'Mirabe...	1 row(s) returned	0.00093 sec / 0.000...

Context Help | Snippets

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Query Completed

MySQLWorkbench File Edit View Query Database Server Tools Scripting Help Thu Mar 23 9:29 PM

MySQL Workbench

Lab 3 | Ekeh_Amazing_tuples.sql | Ekeh_Amazing_queries.sql

Administration | Schemas | Ekeh_Amazing_queries | Context Help | Snippets

SCHEMAS

Filter objects

- Company
- Ekeh_Amazing_lab3
  - Tables
  - Views
  - Stored Procedures
  - Functions
- sys

Object Info | Session

No object selected

Limit to 1000 rows

```
1  Use Ekeh_Amazing_lab3;
2  SELECT orderno, orderdate, amount from shoe_order, customer where fname = 'Amanda' and minit = 'N' and lname = 'Joshua' an
3  SELECT EmpID, EmpFname, Empminit, Emplname FROM employee join shoe_order on EmpID = SEmpID group by EmpID having COUNT(ord
4  SELECT BrNo, b_address, B_phone from branch, customer where fname = 'Mirabel' and Minit = 'K' and Lname = 'Hosea' and BCID
5  SELECT OrderNo, SuborderNo, ReqShipDate, ActualShipDate, Fname, Minit, Lname, BrNo, EmpFName, EmpMinit, EmpLName from Shoe
6  SELECT Fname, Minit, Lname, BrNo, b_address, B_Phone FROM branch join Suborder on BrNo = SBrNo join Order_Item on orderno
7
8
```

100% 1:7

Result Grid Filter Rows: Search Export:

Fname	Minit	Lname	BrNo	b_address	B_Phone
Amanda	N	Joshua	7778889	1010 Commonwealth Avenue, Boston, MA	3335559874
Amanda	N	Joshua	7778890	181 Fenway, Boston, MA	4445559874
Amanda	N	Joshua	7774589	4010 Downtown, Boston, MA	5555559874
Amanda	N	Joshua	7778804	19 St. Mary Street, Boston, MA	8885559874

Result Grid | Form Editor | Field Types

Result 1 | Result 2 | Result 3 | Result 4 | Result 5 | Read Only

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Action Output

	Time	Action	Response	Duration / Fetch Time
1	21:29:12	Use Ekeh_Amazing_lab3	0 row(s) affected	0.00037 sec
2	21:29:12	SELECT orderno, orderdate, amount from shoe_order, customer where fname = 'A...	3 row(s) returned	0.0011 sec / 0.00001...
3	21:29:12	SELECT EmpID, EmpFname, Empminit, Emplname FROM employee join shoe_order...	1 row(s) returned	0.00092 sec / 0.0000...
4	21:29:12	SELECT BrNo, b_address, B_phone from branch, customer where fname = 'Mirabe...	1 row(s) returned	0.00093 sec / 0.000...
5	21:29:12	SELECT OrderNo, SuborderNo, ReqShipDate, ActualShipDate, Fname, Minit, Lnam...	15 row(s) returned	0.0017 sec / 0.00001...
6	21:29:12	SELECT Fname, Minit, Lname, BrNo, b_address, B_Phone FROM branch join Subor...	4 row(s) returned	0.0031 sec / 0.00001...

Query Completed