
## CSCI 5521: Introduction to Machine Learning (Spring 2020)<sup>1</sup>

## Homework 4 Solution

1. (30 points) Consider the following Multilayer Perceptron (MLP) for binary classification,



we have the following error function:

$$E(w_1, w_2, v | X) = -\sum_t r^t \log y^t + (1 - r^t) \log(1 - y^t),$$

where  $y^t = \text{sigmoid}(v_2 z_2 + v_1 z_1 + v_0)$ ,  $z_1^t = \text{ReLU}(w_{1,2} x_2^t + w_{1,1} x_1^t + w_{1,0})$  and  $z_2^t = \tanh(w_{2,2} x_2^t + w_{2,1} x_1^t + w_{2,0})$ , the rectified linear unit ReLU(x) is defined as follows

<sup>&</sup>lt;sup>1</sup>Instructor: Rui Kuang (kuang@cs.umn.edu). TAs: Tianci Song (song0309@umn.edu) and Ruyuan (wanxx199@umn.edu).

$$ReLU(x) = \begin{cases} 0, & \text{for } x < 0 \\ x, & \text{otherwise} \end{cases}$$

- (a) Derive the equations for updating  $\{w_1, w_2, v\}$  of the above MLP.
- (b) Now, consider shared weights  $w = w_1 = w_2$ . Derive the equations for updating  $\{w, v\}$ , i.e. to minimize

$$E(\boldsymbol{w}, \boldsymbol{v}|\boldsymbol{X}) = -\sum_{t} r^{t} \log y^{t} + (1 - r^{t}) \log(1 - y^{t}),$$

where  $y^t = \operatorname{sigmoid}(v_2 z_2 + v_1 z_1 + v_0)$ ,  $z_1^t = \operatorname{ReLU}(w_2 x_2^t + w_1 x_1^t + w_0)$  and  $z_2^t = \tanh(w_2 x_2^t + w_1 x_1^t + w_0)$ .

**Hint:** Read Section 11.7.2 to see how Equations 11.23 and 11.24 are derived from Equation 11.22

**Hint 2:**  $\tanh'(x) = 1 - \tanh^2(x)$ .

**Hint 3:** ReLU'(x) =  $\begin{cases} 0, & \text{for } x < 0 \\ 1, & \text{otherwise} \end{cases}$ 

**Solution:** we apply the chain rule to update the parameters  $v_h$  and  $w_h$ :

$$\Delta v_h = \eta \sum_t (r^t - y^t) z_h^t$$

$$\Delta w_1 = -\eta \frac{\partial E}{\partial w_1}$$

$$= -\eta \frac{\partial E}{\partial y^t} \frac{\partial y^t}{\partial z_1^t} \frac{\partial z_1^t}{\partial w_1}$$

$$= \begin{cases} 0, & for \ w_1^T x^t < 0 \\ \eta \sum_t (r^t - y^t) v_1 x^t, & otherwise \end{cases}$$

$$\Delta w_2 = -\eta \frac{\partial E}{\partial w_2}$$

$$= -\eta \frac{\partial E}{\partial y^t} \frac{\partial y^t}{\partial z_2^t} \frac{\partial z_2^t}{\partial w_2}$$

$$= \eta \sum_t (r^t - y^t) v_2 (1 - (z_1^t)^2) x^t$$

When  $w_1 = w_2 = w$ :

$$\Delta w = -\eta \frac{\partial E}{\partial w}$$

$$= -\eta \frac{\partial E}{\partial y^t} \left( \frac{\partial y^t}{\partial z_1^t} \frac{\partial z_1^t}{\partial w} + \frac{\partial y^t}{\partial z_2^t} \frac{\partial z_2^t}{\partial w} \right)$$

$$= \begin{cases} \eta \sum_t (r^t - y^t) (1 - (z^t)^2) v_2 x^t, & for \ w^T x^t < 0 \\ \eta \sum_t (r^t - y^t) (v_1 + (1 - (z^t)^2) v_2) x^t, & otherwise \end{cases}$$

Updating:  $v_h = v_h + \Delta v_h$ ,  $w_h = w_h + \Delta w_h$