

Manufacturing Work Order

MWO Number: MWO-2601-000006

Factory: TBD

Status: Draft

Created: 2026-01-04

Version: v1

Bill of Materials

#	Code	Material	Cat.	Color	UOM	Unit	Total	Price	LT	Supplier
1	DL93- 3ACU	BPlanet Recycled Polyester Power Mesh 146gsm	fabric	-	Yard	0.03	0.09	\$3.18	-	Yu Yuang Texti...
2	57A5140	Gramax AS Tex 21 Ticket 140	trim	-	Meter	1.00	3.00	\$0.00	-	J. & P. Coats ...
3	F7A5140	Seamsoft AS, Tex 24, tkt 140	trim	-	Yard	1.00	3.00	\$0.00	-	J. & P. Coats ...
4	2994150	Epic Tex 21, Ticket 150 Thread	trim	-	Each	1.00	3.00	\$0.00	-	J. & P. Coats ...
5	2994120	Epic Tex 24, Ticket 120 Thread	trim	-	Yard	0.00	0.00	\$0.00	-	J. & P. Coats ...
6	EL21135/ 7-...	D00220 - Stretch Flat Mid-Line Drawcord With...	trim	-	Each	1.05	3.15	\$0.41	-	Shanghai JML A...
7	SRT5000 RC-...	SRT5000RC- 6mil-22mm	trim	-	Yard	0.00	0.00	\$0.88	-	Bemis Associat...
8	MWJRN0 48	E00264 Rebound Knit Elastic - 48mm (Black an...	trim	-	Yard	1.15	3.45	\$0.22	-	JJ Sourcing In...

9	Z#3YKK_CFB...	#3 Coil - Reverse Closed-End (Recycled Teeth...	trim	-	\$0.0277	0.07	0.20	\$0.00	-	YKK
10	P#3YKK_3C-...	#3 Reverse Coil Semi- Autolock TPU Cut Out Z...	trim	-	\$0.3251	0.33	0.98	\$0.00	-	YKK Taiwan
11	STC800	STC800 Fusible interfacing - 59" Full width	trim	-	\$0.0310	1.55	4.65	\$0.00	-	PCC Asia LLC
12	QE1/4"M OBI...	1/4" Clear Mobilon Elastic (factory- sourced)	trim	-	\$0.0000	0.00	0.00	\$0.00	-	Factory Sourced
13	QE1/8"M OBI...	1/8" (3MM) Mobilon Elastic	trim	-	\$0.0000	0.00	0.00	\$0.00	-	Factory Sourced
14	LUFK191 100...	T00171A - 0.5mm Raised Lulu Hero Reflective ...	trim	-	\$0.1150	0.12	0.35	\$0.00	-	E. Textint Cor...
15	LUF2014 090...	T00171 - 0.5mm Raised Lulu Silver Reflective...	trim	-	40	0.00	0.00	\$1.00	-	E. Textint Cor...
16	CC00035- AD	CC00035- LLL-black- tearaway- 140mm	trim	-	15	0.00	0.00	\$1.00	-	Avery/Paxar
17	TRACE00 001	TRACE00001 - Size and Traceability Label	trim	-	14	0.00	0.00	\$1.00	-	Avery/Paxar
18	LWWMT Barco...	WWMT Barcode Sticker	packagi...	-	40	0.00	0.00	\$1.00	-	Avery/Paxar

Operations

Step	Description	Machine Type	Mins	Special Notes
1	Cut main fabric according to pattern	cutting	-	-
2	Sew side seams and inseams	single needle	-	-
3	Attach elastic waistband	cover seam	-	-

Quality Control & Packaging

Labels & Markings

Type	Position	Method
logo	TBD - To be defined based on style requirements	Heat transfer / Sewn-in
care_label	TBD - To be defined based on style requirements	Sewn-in

Packaging Requirements

Polybag:	Standard polybag (size TBD)
Carton:	Standard carton box

Inspection Standards

Measurement Tolerance:	Per spec sheet
Visual Inspection:	Per AQL standard