EuroBSDcon: System Performance Analysis Methodologies

28 Oct 2017

For my first trip to Paris I gave the closing keynote at EuroBSDcon 2017 on performance methodologies, using FreeBSD 11.1 as an analysis target. In the past I've shared similar methodologies applied to other operating systems, and finished porting them to BSD for this talk. It was a few days of work, which is really not bad. That's a virtue of these methodologies: once you learn them, you can apply them to anything throughout your career, and it doesn't take too much time to re-apply them.

The video is on youtube:



And the slides are on slideshare:

FreeBSD has an excellent range of analysis tools, and this was an opportunity to show them off. Among the new content I developed for the talk was a **FreeBSD performance checklist**:

1. `uptime` → load averages
2. `dmesg -a | tail` → kernel errors
3. `vmstat 1` → overall stats by time
4. `vmstat -P` → CPU balance
5. `ps -auxw` → process usage
6. `iostat -xz 1` → disk I/O
7. `systat -ifstat` → network I/O
8. `systat -netstat` → TCP stats
9. `top` → process overview
10. `systat -vmstat` → system overview

I also developed a new tool to support my thread state analysis methodology on FreeBSD, tstates.d:

```
# ./tstates.d
Tracing scheduler events... Ctrl-C to end.
^C
Time (ms) per state (read script for info):
COMM              PID       CPU  RUNQ     SLP     USL   SUS   SWP   LCK   IWT   YLD
irq15: ata1       12          0     0       0       0     0     0     0 15024     0
[...]
sleep             877         0     0     505       0     0     0     0     0     0
bufdaemon         19          0    11       0   15057     0     0     0     0     0
sleep             879         0     0    2614       0     0     0     0     0     0
devd              523         0     0   15024       0     0     0     0     0     0
syncer            21          1     9       0   15055     0     0     0     0     0
fsck_ufs          878         1     0       0      10     0     0     0     0     0
fsck              836         1     0      12       0     0     0     0     0     0
dd                883         2     0       0       0     0     0     0     0     0
bufspacedaemon    20          3     5       0   15019     0     0     0     0     0
dtrace            873         3    23   15980       0     0     0     0     0     0
sh                881         4     0       3       1     0     0     0     0     0
csh               865         5     7   13882       0     0     0     0     0     0
rand_harvestq     6           8    20       0   15846     0     0     0     0     0
kernel            0          29    15       0       0     0     0     0     0     0
cam               4          45    14       0       0     0     0     0     0     0
sshd              863        52    85   13757       0     0     0     0     0     0
intr              12         79   192       0       0     0     0     0     0     0
cksum             876      1591   177       0     234     0     0     0     0     0
idle              11      14114  1902       0       0     0     0     0     0     0
```

This tool breaks down thread time into different states by tracing scheduler events (which can have noticeable overhead: measure in a lab environment before use). The states are:

- **CPU**: on-CPU
- **RUNQ**: Waiting on a CPU run queue
- **SLP**: Interruptible sleep
- **USL**: Uninterruptible sleep (eg, disk I/O)
- **SUS**: Suspended
- **SWP**: Swapped
- **LCK**: Waiting for a lock
- **IWT**: Waiting for an interrupt
- **YLD**: Yield

I added USL since the talk to split out disk I/O from the sleep state. The output above includes a `sleep 0.5` command, and a `cksum`.

EuroBSDcon was a great conference, and I had a lot of fun catching up with the BSD folk and meeting new people. If you missed my talk, you can see it online above, and I hope you find it useful.

You can comment here, but I can't guarantee your comment will remain here forever: I might switch comment systems at some point (eg, if disqus add advertisements).