Sprint-1

Team ID	PNT2022TMID54011
Project Name	Smart Fashion Recommender Application
Team Members	THAYANESHWARAN M,SAI MEENAKSHINATHAN S,SAI KUTTHALINGAM S,NATESAN I

Sprint1.py:

```
from flask import Flask, render_template, request, redirect, url_for, session
import ibm_db
import re
app = Flask(\underline{\quad} name\underline{\quad})
app.secret_key = 'a'
conn =ibm_db.connect("DATABASE=bludb;HOSTNAME=9938aec0-8105-433e-8bf9-
0fbb7e483086.c1ogj3sd0tgtu0lqde00.databases.appdomain.cloud;PORT=32459;Security=SSL;SSLSe
rverCertificate=DigiCertGlobalRootCA.crt;UID=dpk79343;PWD=29Jm7EbzOubtoerk", ", ")
@app.route('/')
def homer():
return render_template('login.html')
@app.route('/Login', methods=['GET', 'POST'])
def login():
global userid
msg = "
if request.method == 'POST':
 username = request.form['username']
 password = request.form['password']
 sql = "SELECT * FROM users WHERE username =? AND password=?"
 stmt = ibm_db.prepare(conn, sql)
 ibm_db.bind_param(stmt, 1, username)
 ibm_db.bind_param(stmt, 2, password)
 ibm_db.execute(stmt)
```

```
account = ibm_db.fetch_assoc(stmt)
 print(account)
 if account:
  session['loggedin'] = True
  session['id'] = account['USERNAME']
  userid = account['USERNAME']
  session['username'] = account['USERNAME']
  msg = 'Logged in successfully!'
  msg = 'Logged in successfully!'
  return render_template('homepage.html', msg=msg)
 else:
  msg = 'Incorrect username / password !'
  return render_template('login.html', msg=msg)
@app.route('/Register', methods=['GET', 'POST'])
def registet():
 msg = "
 if request.method == 'POST':
  username = request.form['username']
  email = request.form['email']
  password = request.form['password']
  sql = "SELECT * FROM users WHERE username =?"
  stmt = ibm_db.prepare(conn, sql)
  ibm_db.bind_param(stmt, 1, username)
  ibm_db.execute(stmt)
  account = ibm_db.fetch_assoc(stmt)
  print(account)
  if account:
   msg = 'Account already exists!'
  elif not re.match(r'[^{0}]+^{0}[^{0}]+\.[^{0}]+', email):
   msg = 'Invalid email address!'
  elif not re.match(r'[A-Za-z0-9]+', username):
   msg = 'name must contain only characters and numbers!'
```

```
else:
   insert_sql = "INSERT INTO users VALUES (?, ?, ?)"
   prep_stmt = ibm_db.prepare(conn, insert_sql)
   ibm_db.bind_param(prep_stmt, 1, username)
   ibm_db.bind_param(prep_stmt, 2, email)
   ibm_db.bind_param(prep_stmt, 3, password)
   ibm_db.execute(prep_stmt)
   msg = 'You have successfully registered!'
 elif request.method == 'POST':
  msg = 'Please fill out the form!'
 return render_template('index.html', msg=msg)
@app.route('/Homepage')
def dash():
return render_template('Homepage.html')
@app.route('/apply', methods=['GET', 'POST'])
def apply():
msg = "
if request.method == 'POST':
 username = request.form['username']
 email = request.form['email']
 qualification = request.form['qualification']
 skills = request.form['skills']
jobs = request.form['s']
 sql = "SELECT * FROM users WHERE username =?"
 stmt = ibm_db.prepare(conn, sql)
 ibm_db.bind_param(stmt, 1, username)
 ibm db.execute(stmt)
 account = ibm_db.fetch_assoc(stmt)
 print(account)
 if account:
 msg = 'there is only 1 job position! for you'
 return render_template('apply.html', msg=msg)
```

```
insert_sql = "INSERT INTO job VALUES (?, ?, ?, ?, ?)"
 prep_stmt = ibm_db.prepare(conn, insert_sql)
 ibm_db.bind_param(prep_stmt, 1, username)
 ibm_db.bind_param(prep_stmt, 2, email)
 ibm_db.bind_param(prep_stmt, 3, qualification)
 ibm_db.bind_param(prep_stmt, 4, skills)
 ibm_db.bind_param(prep_stmt, 5, jobs)
 ibm_db.execute(prep_stmt)
 msg = 'You have successfully applied for job!'
 session['loggedin'] = True
TEXT = "Hello,a new application for job position" + jobs+"is requested"
elif request.method == 'POST':
 msg = 'Please fill out the form!'
return render_template('apply.html', msg=msg)
@app.route('/display')
def display():
print(session["username"], session['id'])
cursor = mysql.connection.cursor()
cursor.execute('SELECT * FROM job WHERE userid = % s', (session['id'],))
account = cursor.fetchone()
print("accountdislay", account)
return render_template('display.html', account=account)
@app.route('/logout')
def logout():
session.pop('loggedin', None)
session.pop('id', None)
session.pop('username', None)
return render_template('home.html')
if __name__ == '__main__':
app.run(host='0.0.0.0')
login.html:
<html>
```

```
<head>
<title> Fashion Vibe </title>
</head>
<style>
*{
margin: 0;
padding: 0;
font-family: "Century Gothic", Century Gothic, Apple Gothic, sans-serif;
}
.main{
width: 100%;
background:#DFF6FF;
background-position: center;
background-size: cover;
height: 100%;
font-family: "Century Gothic", Century Gothic, Apple Gothic, sans-serif;
}
.navbar{
width: 100%;
height: 75px;
margin: auto;
}
.icon{
width: 200px;
float: left;
height: 70px;
}
.logo{
  color:#25316D;
font-size: 35px;
padding-left: 20px;
float: left;
```

```
padding-top: 10px;
.menu\{\\
width: 400px;
float: left;
height: 70px;
}
ul{
float: left;
display: flex;
justify-content: center;
align-items: center;
}
ul li{
list-style: none;
margin-left: 62px;
margin-top: 27px;
font-size: 14px;
}
ul li a{
text-decoration: none;
color:#0F3460;
font-weight: bold;
transition: 0.4s ease-in-out;
ul li a:hover{
color: white;
}
.search{
width: 330px;
float: left;
margin-left: 270px;
```

```
}
.srch{
width: 200px;
height: 40px;
background: transparent;
border: 1px solid black;
margin-top: 13px;
color: yellow;
border-right: none;
font-size: 16px;
float: left;
padding: 10px;
border-bottom-left-radius: 5px;
border-top-left-radius: 5px;
}
.btn{
width: 100px;
height: 40px;
background:#850E35;
border: 2px solid black;
margin-top: 13px;
color: #ffff;
font-size: 15px;
border-bottom-right-radius: 5px;
border-bottom-right-radius: 5px;
}
.btn:focus{
outline: none;
}
.srch:focus{
outline: none;
}
```

```
.content{
width: 1200px;
height: auto;
margin: auto;
color:#0F3460;
position: relative;
}
.content.par{
padding-left: 20px;
padding-bottom: 25px;
letter-spacing: 1.2px;
line-height: 30px;
}
.content h1{
font-size: 50px;
padding-left: 20px;
margin-top: 9%;
letter-spacing: 2px;
}
.content .cn{
width: 160px;
height: 40px;
background: greenyellow;
border: none;
margin-bottom: 10px;
margin-left: 20px;
font-size: 18px;
border-radius: 10px;
cursor: pointer;
transition: .4s ease;
}
```


```
.content .cn a{
text-decoration: none;
color: #000;
transition: .3s ease;
}
.cn:hover{
background-color: #fff;
}
.content\ span\{
  color:#0F3460;
font-size: 60px;
}
.form{
width: 250px;
height: 380px;
background: linear-gradient(to top,rgba(0,0,0,0.8)50%,rgba(0,0,0,0.8)50%);
position: absolute;
top: -20px;
left: 870px;
border-radius: 10px;
padding: 25px;
.form h2{
width: 220px;
text-align: center;
color:yellowgreen;
font-size: 22px;
border-radius: 10px;
margin: 2px;
padding: 8px;
.form input{
```

```
width: 240px;
height: 35px;
background: transparent;
}
. form \ input \{
width: 240px;
height: 35px;
background: transparent;
border-bottom: 1px solid yellowgreen;
border-top: none;
border-right: none;
border-left: none;
color: #fff;
font-size: 15px;
letter-spacing: 1px;
margin-top: 30px;
.form input:focus{
outline: none;
}
::placeholder{
color: #fff;
}
.btnn{
width: 240px;
height: 40px;
background:#850E35;
border: none;
margin-top: 30px;
font-size: 18px;
border-radius: 10px;
cursor: pointer;
```

```
color: #fff;
/* color:white; */
transition: 0.4s ease;
}
. btnn: hover \{\\
background: #fff;
color: yellowgreen;
}
.btnn a{
text-decoration: none;
color: #000;
font-weight: bold;
}
.form .link{
font-size: 17px;
padding-top: 20px;
color: white;
text-align: center;
}
.form .link a{
text-decoration: none;
color: yellowgreen;
}
.liw{
padding-top: 15px;
padding-bottom: 10px;
text-align: center;
}
</style>
<body>
<div class="main">
```

```
<div class="navbar">
<div class="icon">
<h2 class="logo">Fashion Vibe</h2>
</div>
<div class="menu">
ul>
<a href="#">HOME</a>
<a href="#">ABOUT</a>
</div>
<div class="search">
<input class="srch" type="search" name="" placeholder="">
<a href="#"><button class="btn">Search</button></a>
</div>
</div>
<div class="content">
<h1>Smart Fashion <br><span>Application</span></h1>
<div class="form">
<h2>FASHION LOGIN</h2>
<form action="D:\Codes\Python\Homepage.html" method="post">
<input type="text" name="username" placeholder="Enter Username Here">
<input type="password" name="password" placeholder="Enter Password here">
<button type="submit" class="btnn"><a
href="D:\Codes\Python\Homepage.html">Login</a></button>
Don't have an account<br>
<a href="D:\Codes\Python\index.html">Sign up </a> here</a>
</form>
</div>
</div>
</div>
</body>
</html>
```

OUTPUT:



Index.html:

```
<html>
<head>
<title>Fashion Vibe</title>
</head>
<style>
*{
margin: 0;
padding: 0;
font-family: "Century Gothic", Century Gothic, Apple Gothic, sans-serif;
.main{
width: 100%;
background:#DFF6FF;
background-position: center;
background-size: cover;
height: 100%;
font-family: "Century Gothic", Century Gothic, Apple Gothic, sans-serif;
```

```
}
.navbar{
width: 100%;
height: 75px;
margin: auto;
}
.icon{
width: 200px;
float: left;
height: 70px;
}
.logo{
color:#25316D;
font-size: 35px;
padding-left: 20px;
float: left;
padding-top: 10px;
}
.menu{
width: 400px;
float: left;
height: 70px;
}
ul{
float: left;
display: flex;
justify-content: center;
align-items: center;
}
ul li{
list-style: none;
margin-left: 62px;
```

```
margin-top: 27px;
font-size: 14px;
}
ul li a{
text-decoration: none;
color:#0F3460;
font-weight: bold;
transition: 0.4s ease-in-out;
}
ul li a:hover{
color:red;
}
.search{
width: 330px;
float: left;
margin-left: 270px;
}
.srch\{
width: 200px;
height: 40px;
background: transparent;
border: 1px solidred;
margin-top: 13px;
color:yellowgreen;
border-right: none;
font-size: 16px;
float: left;
padding: 10px;
border-bottom-left-radius: 5px;
border-top-left-radius: 5px;
}
.btn{
```

```
width: 100px;
height: 40px;
background:#850E35;
border: 2px;
margin-top: 13px;
color:white;
font-size: 15px;
border-bottom-right-radius: 5px;
border-bottom-right-radius: 5px;
}
.btn:focus{
outline: none;
}
.srch:focus{
outline: none;
}
.content{
width: 1200px;
height: auto;
margin: auto;
color:yellowgreen;
position: relative;
.content.par{
padding-left: 20px;
padding-bottom: 25px;
letter-spacing: 1.2px;
line-height: 30px;
}
.content h1{
font-size: 50px;
padding-left: 20px;
```

```
margin-top: 9%;
color:#0F3460;
letter-spacing: 2px;
}
.content \ .cn\{
width: 160px;
height: 40px;
background:red;
border: none;
margin-bottom: 10px;
margin-left: 20px;
font-size: 18px;
border-radius: 10px;
cursor: pointer;
transition: .4s ease;
}
.content .cn a{
text-decoration: none;
color: #000;
transition: .3s ease;
}
.cn:hover{
background-color:white;
.content span{
color:re;
font-size: 60px;
}
.form\{
width: 250px;
height: 380px;
background: linear-gradient(to top,rgba(0,0,0,0.8)50%,rgba(0,0,0,0.8)50%);
```

```
position: absolute;
top: -20px;
left: 870px;
border-radius: 10px;
padding: 25px;
}
.form h2{
width: 220px;
text-align: center;
color:re;
font-size: 22px;
border-radius: 10px;
margin: 2px;
padding: 8px;
}
.form input{
width: 240px;
height: 35px;
background: transparent;
}
.form input{
width: 240px;
height: 35px;
background: transparent;
border-bottom: 1px solidred;
border-top: none;
border-right: none;
border-left: none;
color:white;
font-size: 15px;
letter-spacing: 1px;
margin-top: 30px;
```


```
}
.form input:focus{
outline: none;
}
::placeholder{
color:white;
}
.btnn{}
width: 240px;
height: 40px;
background:#850E35;
border: none;
margin-top: 30px;
font-size: 18px;
border-radius: 10px;
cursor: pointer;
color:white;
transition: 0.4s ease;
}
.btnn:hover{
background:white;
color:#850E35;
.btnn a{
text-decoration: none;
color: #000;
font-weight: bold;
}
.form .link{
font-size: 17px;
padding-top: 20px;
text-align: center;
```

```
}
.form .link a{
text-decoration: none;
color:white;
}
.liw{
padding-top: 15px;
padding-bottom: 10px;
text-align: center;
}
</style>
<body>
<div class="main">
<div class="navbar">
<div class="icon">
<h2 class="logo">Fashion Vibe</h2>
</div>
<div class="menu">
\langle ul \rangle
<a href="#">HOME</a>
<a href="#">ABOUT</a>
</div>
<div class="search">
<input class="srch" type="search" name="" placeholder="">
<a href="#"><button class="btn">Search</button></a>
</div>
</div>
<div class="content">
<h1>Smart Fashion <br><span>Application</span></h1>
<div class="form">
<h2>FASHION REGISTER</h2>
```

```
<form action="/Register" method="post">
<input type="text" name="username" placeholder="Username">
<input type="email" name="email" placeholder="Email id">
<input type="password" name="password" placeholder="Password">
<input type="password" name="password" placeholder="Password">
<butoful type="submit" class="btnn">REGISTER</button>

class="link">Already have an account<br/>
<a href="D:\Codes\Python\login.html">Log in</a> here</a>

</form>
</div>
</div>
</div>
</div>
</div>
</div>
```



Register.html:

OUTPUT:

<html>

<head>

<title> Fashion Vibe </title>

</head>

<style>

```
*{
margin: 0;
padding: 0;
font-family: "Century Gothic", Century Gothic, Apple Gothic, sans-serif;
}
.main{
width: 100%;
background: #DFF6FF;
background-position: center;
background-size: cover;
height: 100%;
font-family: "Century Gothic", Century Gothic, Apple Gothic, sans-serif;
}
.navbar{
width: 100%;
height: 75px;
margin: auto;
}
.icon{
width: 200px;
float: left;
height: 70px;
.logo{
color:#25316D;
font-size: 35px;
padding-left: 20px;
float: left;
padding-top: 10px;
}
.menu{
width: 400px;
```

```
float: left;
height: 70px;
}
ul{
float: left;
display: flex;
justify-content: center;
align-items: center;
}
ul li{
list-style: none;
margin-left: 62px;
margin-top: 27px;
font-size: 14px;
}
ul li a{
text-decoration: none;
color:#0F3460;
font-weight: bold;
transition: 0.4s ease-in-out;
}
ul li a:hover{
color: rgb(98, 246, 152);
}
.search{
width: 330px;
float: left;
margin-left: 270px;
}
.srch{
width: 200px;
height: 40px;
```

```
background: transparent;
border: 1px solid black;
margin-top: 13px;
color: #ffff;
border-right: none;
font-size: 16px;
float: left;
padding: 10px;
border-bottom-left-radius: 5px;
border-top-left-radius: 5px;
}
.btn{
width: 100px;
height: 40px;
background:#850E35;
border: 2px solid black;
margin-top: 13px;
color: #ffff;
font-size: 15px;
border-bottom-right-radius: 5px;
border-bottom-right-radius: 5px;
}
.btn:focus{
outline: none;
.srch:focus{
outline: none;
}
.content{
width: 1200px;
height: auto;
margin: auto;
```

```
color: #ffff;
position: relative;
.content.par{
padding-left: 20px;
padding-bottom: 25px;
letter-spacing: 1.2px;
line-height: 30px;
}
.content h1{
font-size: 50px;
padding-left: 20px;
margin-top: 9%;
letter-spacing: 2px;
}
.content .cn{
width: 160px;
height: 40px;
background: rgb(98, 246, 152);
border: none;
margin-bottom: 10px;
margin-left: 20px;
font-size: 18px;
border-radius: 10px;
cursor: pointer;
transition: .4s ease;
}
.content .cn a{
text-decoration: none;
color: #000;
transition: .3s ease;
}
```

```
.cn:hover{
background-color: #fff;
}
.content span{
color:rgb(98, 246, 152);
font-size: 60px;
}
. form \{
width: 250px;
height: 380px;
background: linear-gradient(to top,rgba(0,0,0,0.8)50%,rgba(0,0,0,0.8)50%);
position: absolute;
top: -20px;
left: 870px;
border-radius: 10px;
padding: 25px;
.form h2{
width: 220px;
text-align: center;
color:rgb(98, 246, 152);
font-size: 22px;
border-radius: 10px;
margin: 2px;
padding: 8px;
.form input{
width: 240px;
height: 35px;
background: transparent;
.form input{
```

```
width: 240px;
height: 35px;
background: transparent;
border-bottom: 1px solid rgb(98, 246, 152);
border-top: none;
border-right: none;
border-left: none;
color: #fff;
font-size: 15px;
letter-spacing: 1px;
margin-top: 30px;
}
.form input:focus{
outline: none;
}
::placeholder{
color: #fff;
}
.btnn{}
width: 240px;
height: 40px;
background: rgb(98, 246, 152);
border: none;
margin-top: 30px;
font-size: 18px;
border-radius: 10px;
cursor: pointer;
color: #fff;
transition: 0.4s ease;
}
.btnn:hover{
background: #fff;
```

```
color: rgb(98, 246, 152);
}
.btnn a{
text-decoration: none;
color: #000;
font-weight: bold;
}
.form .link{
font-size: 17px;
padding-top: 20px;
text-align: center;
}
.form .link a{
text-decoration: none;
color: rgb(98, 246, 152);
}
.liw{
padding-top: 15px;
padding-bottom: 10px;
text-align: center;
}
</style>
<body>
<div class="main">
<div class="navbar">
<div class="icon">
<h2 class="logo">Fashion Vibe</h2>
</div>
<div class="menu">
ul>
<a href="#">HOME</a>
<a href="#">ABOUT</a>
```

```
</div>
</div>
<div class="search">
<input class="srch" type="search" name="" placeholder="">
<a href="#"><button class="btn">Search</button></a>
</div>
</div>
</div>
</div>
</body>
</html>
```

OUTPUT:

