## Class 5 => Data Science Library

- => 30 min motplotlib, + stats (HMM, central tendencies)
- =) Hypothesis testing
- = Sampling 15 no. sumory | Distribution
- =) Inje sence statistics
- => missing value + outliers.
- => Hother on ML

			<u>\$</u> ex	מלצ	in_	٠.							
				F. Ja	ni C		Capy	ge s					
· 4	·lami	c sc	ender	1.7					•		٠		
			1 200 000								Sov	ind	<del>,</del>
									thron				
7	B	sikt	on	to	P	o	M	otple	- وانكام	<del>-</del> :			
							41	in	corpe	ox at	es sika	make	Kib ndas
=	gb												e 
<del></del>									en e d				e 

## Data Science

data >> Base og an elytic:
injermotion observation


Science => Its a concept/technique


maths used to analyze & derive


in State

insights from our data

g. Prote
3. concept/technique







Tools to work on data

Is hythou

Is soul

Is have au

- ⇒ Stahishics
- > Predictive analysis
- 3) Advance Predictive Analysis

Stat	isti	C &

Stovishica	is the science of conducting
Studies	
	- H - 1
	and draw conclusion
	Hespitality Tech
	Coorical
	e- commetce
	a griculture

Descriptive Jujevental	Two a	rem of	Shahis	Vico.			
Descriptive Statistics  1. helps to understand raw dota & drive the dota based on our lustives need.  2. Uses statistical & grophical approaches to look for pothern in our dataset & summorize the dota, to present information  Numerical > mean, median, mode, s.d., vor Craphical > hist plat, box plut, graphs.  Graphical > hist plat, box plut, graphs.  Goo students  Standard Error 13612 Median 1200 Mode 12					18×0.I	. 0	
1. helps to understand raw data & drive the data based on our lusivers need.  2. Uses Statistical & graphical alphanetes to luck for pattern in our dataset & summorize the dota, to present information  Numerical of mean, median, made, &.d., vor Craphical of hist plant, box plant. Graphic  GNIPER CAPITA ANALYSIS USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS  USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS  USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS  USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS  USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS  USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS  USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS  USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS  USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS  USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS  USING WORLD BANK 2011 DATA  MEAN	nescubine				Jeorn		
1. helps to understand raw data & drive the data based on our lusives need.  2. Uses Statistical & graphical approaches to look for pattern in our dataset & summarize the data, to present information  Numerical of mean, median, made, &.d., vor Graphical of hist plant, box plant. Graphic  GNIPER CAPITA ANALYSIS USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS  USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS  USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS  USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS  USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS  USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS  USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS  USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS  USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS  USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS  USING WORLD BANK 2011 DATA  Mean  GNIPER CAPITA ANALYSIS  USING WORLD BANK 2011 DATA  MEAN  MEA							
deive the data based on our  lusiness need.  2. Uses Statistical & geolphical  cipproaches to look for pottern  In our datast & summorize  the data to present information  Numerical > mean, median, mode, s.d., von  Crapprical > hist plat bos plut, graphs  GNI PER CAPITA ANALYSIS  USING WORLD BANK 2011 DATA  Mean Median Median Median Mode Mode Mode Standard Deviation Sample Variance Kurtosis Sample Variance Kurtosis Sample Variance Summoris See 88880 Minimum Maximum	Descripitiv	e Stehisl	ics.				
deive the duta based on our  lusiness need.  2. Uses Statistical & geolphical  cipproaches to luck for pottern  In our datact & summorize  the data to present information  Numerical > mean, median, mode, s.d., voe  Crapprical > hist plat, bosplot, graphs  GNI PER CAPITA ANALYSIS  USING WORLD BANK 2011 DATA  Mean Median Median Median Mode Mode Mode Standard Deviation Sample Variance Kurtosis Sample Variance Kurtosis Sample Variance Summorian Summorian Maximum							
Lusiness need.  2. Uses Statistical & geolphical cipprescher to luck for pattern  In our dataet & summorize  the data , to present information  Numerical > mean, median, mode, s.d., von  Crapprical > hist plat, los plut, graphs  GNI PER CAPITA ANALYSIS  USING WORLD BANK 2011 DATA  Mean Median Mode Mode Mode Standard Deviation 1361.2 Median Mode Standard Deviation 1309480 Standard Deviation 1309480 Skewness 227 Range 88880 Minimum 1808 Maximum 1808 Maximum 1809990 Count 18399990 Count 1839990 Count 18399900 Count 1839990 Count 183990 Count 1839990 Count 183990 Count 1839990 Count 183990 Count 183990 Count 183990 Count 183990 Count 183	1. helpo-	to und	eistand	raw o	dota	8	
Lusiness med.  d. Uses Statistical & Graphical  approaches to look for pottern  In our datext & summorize  the dota, to prevent information  Numerical & mean, median, mode, s.d., vori  Craphical & hist plat, look plat, graphs.  GNI PER CAPITA ANALYSIS USING WORLD BANK 2011 DATA  Mean  Standard Error  1361.2  Median  4200  Mode  430  Standard Deviation  17591.1  3094480  Standard Deviation  17591.1  309480  Standard Deviation  17591.1  309480  Standard Deviation  17591.1  309480  Standard Deviation  17591.1  309480  Skewness  2.27  Range  88880  Minimum  190  Maximum  190  Maximum  1939990  Count  167							
Coosing the lock for pottern  In our dataset & summorize  the doke, to present injuramentan  Numerical & mean, median, mode, s.d., vori  Craphical & hist plat, bookert, graphs.  GNI PER CAPITA ANALYSIS USING WORLD BANK 2011 DATA  Mean  Standard Error  1361.2 Median  4200 Mode  430 Standard Deviation  Standard Deviation  17591.1 3094480 Sample Variance  35.5 Kurtosis  4.99 Skewness  2.27 Range  88880 Minimum  190 Maximum  88870 Sum  1939990 Count  167							
In our dataset of summorize  the dove, to present information  Numerical of mean, median, mode, s.d., vois  Craptical of hist plat, bright, graphs  GNI PER CAPITA ANALYSIS USING WORLD BANK 2011 DATA  Mean Standard Error 1361.2  Median 4200 Mode 430 Standard Deviation 17591.1  Sample Variance 35.5  Kurtosis 4.99 Skewness 2.27 Range 88680 Minimum 190 Maximum 88870 Sum 1939990 Count 167	a. Uses	statistic	al &	dealph	ical		
Numerical > mean, median, mode, &-d., vois  Chaptical > hist plat, box plat, graphs.  GNI PER CAPITA ANALYSIS USING WORLD BANK 2011 DATA  Mean 11616.7 Standard Error 1361.2 Median 4200 Mode 4300 Standard Deviation 17591.1 3094480 Sample Variance 35.5 Kurtosis 4.99 Skewness 2.27 Range 88680 Minimum 1900 Maximum 88870 Sum 1939990 Count 167	approac	nes to	luok	for	potter	n .	
Numerical > mean, median, mode, &-d., vois  Chaptical > hist plat, box plat, graphs.  GNI PER CAPITA ANALYSIS USING WORLD BANK 2011 DATA  Mean 11616.7 Standard Error 1361.2 Median 4200 Mode 4300 Standard Deviation 17591.1 3094480 Sample Variance 35.5 Kurtosis 4.99 Skewness 2.27 Range 88680 Minimum 1900 Maximum 88870 Sum 1939990 Count 167	i in e	ur date	set &	80mmc	nize		
Numerical of mean, median, mode, &-d., von  Citabricul of hist heat, hospit, graphs.  GNI PER CAPITA ANALYSIS USING WORLD BANK 2011 DATA  Mean 11616.7 Standard Error 1361.2 Median 4200 Mode 430 Standard Deviation 17591.1  Sample Variance 35.5 Kurtosis 4.99 Skewness 2.27 Range 88680 Minimum 190 Maximum 88870 Sum 1939990 Count 167	the	dota, to	brese	nt ivy	or mote	n	
GNI PER CAPITA ANALYSIS USING WORLD BANK 2011 DATA  Mean 11616.7 Standard Error 1361.2 Median 4200 Mode 430 Standard Deviation 17591.1 3094480 Sample Variance 35.5 Kurtosis 4.99 Skewness 2.27 Range 88680 Minimum 190 Maximum 88870 Sum 1939990 Count 167  Numerical Graphia.							
GNI PER CAPITA ANALYSIS USING WORLD BANK 2011 DATA  Mean 11616.7 Standard Error 1361.2 Median 4200 Mode 430 Standard Deviation 17591.1 3094480 Sample Variance 35.5 Kurtosis 4.99 Skewness 2.27 Range 88680 Minimum 190 Maximum 88870 Sum 1939990 Count 167  Numerical Graphia.	h lume oi c	0 A W	lean .me	Den .m	nde s	۵.,	Vr.
GNI PER CAPITA ANALYSIS USING WORLD BANK 2011 DATA  Mean							
USING WORLD BANK 2011 DATA	(Labri	CON 3 M	ist public,	bos part	, yra	hus.	
Standard Deviation							
Standard Deviation				600	s water	N FZ	
Standard Deviation				de	e lails		
Kurtosis 4.99 Skewness 2.27 Range 88680 Minimum 190 Maximum 88870 Sum 1939990 Count 167	100000000000000000000000000000000000000			., -		5	
Range 88680 Minimum 190 Maximum 88870 Sum 1939990 Count 167				~		Comple	hico0
Minimum 190 Maximum 88870 Sum 1939990 Count 167	Skewness	2.27		JAMELICO		Joap	
Sum 1939990	Minimum	190					
Count 167 Summon						K.	
					Samuel	ng	

	- Tyle	ren Lial	shahi	stics	Inj	erenc	e		
						l) injer			
						d			
· ¶	Ude	sample	e do	ta h	> m	iahe €	20 h m	ntes,	
	decisio	N OX	prec	diction	<b>0</b> %	gen	१७०१ ह	zahio'	n
	aleout								
			\- <u></u>	hopula	Thon				
		1	/	- San	yple.				
			<i></i>						
	exit	bolls							

	PO	LL OF	EXIT P	OLLS					
SEATS MAJORITY PROJECTED RESULTS									
GUJARAT	182	92	вль 131	Cong + NCP 41	аар <b>7</b>				
HIMACHAL PRADESH	68	35	влр <b>36</b>	Cong 29	AAP O				
DELHI MCD	250	126	аар <b>155</b>	вјр <b>84</b>	Cong 7				
Source: Regional a	ggregate of exit o ensure a degr	polls, these polls	are not always acc y between 2017& 2	urate. Delhi MCD	NOT\				

With Injerential stats, we are trying to reach conclusion beyord our immediate data

Sample —> populotion.

Con clusion.

Grain

viouslize

## Blood Test