
Brief!

System Architecture · Version 2.3.0, as deployed

Ambroise Lumanikio · OneTechly, LLC
briefmessage.net · github.com/Ambro19/brief
Live since October 11, 2026 · Diagram v2



REQUEST LIFECYCLE · one post

1. The browser sends POST /messages with its login token, over HTTPS to Render
2. Security chain: the token's signature and expiry are checked before anything else
3. Controller: validation (255 characters), and you may post only as yourself
4. Services: the post is saved and its mentions indexed, in one transaction
5. Repositories: Spring Data JPA and Hibernate turn that into SQL
6. PostgreSQL stores it; a foreign key refuses a post without an author
7. Other browsers ask again every 15 seconds; a mention raises the member's count

KEY ENGINEERING DECISIONS

- **One deployable unit:** the jar serves the API and the web app, so one service, one address, no CORS
- **Stateless logins:** a signed token, verified on every request
- **Schema as code:** Flyway migrations; Hibernate only validates
- **Rules in the database:** foreign keys and unique keys
- **Work at write time:** mentions are indexed when a post is saved
- **Guessing is slowed:** salted PBKDF2 and a per-visitor lock-out
- **Infrastructure as code:** render.yaml creates service and database

LEGEND

- Request / data flow
- Look-up, start-up, deploy
- Internal component
- Business rules
- Data store
- Outside, or planned
- n — Lifecycle step

© 2026 Ambroise Lumanikio | OneTechly · briefmessage.net

Stack: Spring Boot · Spring Security · Spring Data JPA · Flyway · PostgreSQL · React + TypeScript · Docker on Render