



The image shows a mobile application interface for creating a new account. The screen has a light blue header with the title 'إنشاء حساب جديد' (Create New Account) and a 'DEBUG' label in the top right corner. Below the header, there is a large blue button with the text 'انضم إلينا الآن' (Join us now). Underneath this button, there are five input fields for user information: 'الاسم الكامل' (Full Name), 'البريد الإلكتروني' (Email), 'رقم الهاتف' (Phone Number), 'كلمة المرور' (Password), and 'تأكيد كلمة المرور' (Confirm Password). Each field has a corresponding icon (person, envelope, phone, and lock respectively). A blue button labeled 'إنشاء حساب' (Create Account) is positioned below the input fields. At the bottom of the screen, there is a link that says 'تسجيل الدخول هل لديك حساب بالفعل؟' (Login Do you already have an account?). The interface is displayed on a smartphone screen with a black bezel and a white home button at the bottom.

إنشاء حساب جديد

انضم إلينا الآن

الاسم الكامل

البريد الإلكتروني

رقم الهاتف

كلمة المرور

تأكيد كلمة المرور

إنشاء حساب

تسجيل الدخول هل لديك حساب بالفعل؟

امين الصلاحي

main.dart > MyApp > build

```
class MyApp extends StatelessWidget {  
  Widget build(BuildContext context) {  
  
    // state is not lost during the reload. To reset the app  
    // restart instead.  
    //  
    // This works for code too, not just values: Most code  
    // tested with just a hot reload.  
    colorScheme: ColorScheme.fromSeed(seedColor: Colors.deepPurple),  
    visualDensity:  
      VisualDensity.adaptivePlatformDensity, // تطبيق  
  ), // ThemeData  
  home: AuthPage(isLogin: true),  
); // MaterialApp  
}
```

```
class MyHomePage extends StatefulWidget {  
  const MyHomePage({super.key, required this.title});  
}
```

MS 21 DEBUG CONSOLE ...

Filter (e.g. text, !exclude,...)

18166.78ms count=2

main.dart 2, M X forgotpassword_page.dart

> main.dart > MyApp > build



```
class MyApp extends StatelessWidget {  
  Widget build(BuildContext context) {  
  
    // state is not lost during the reload. To reset the app  
    // restart instead.  
    //  
    // This works for code too, not just values: Most code  
    // tested with just a hot reload.  
    colorScheme: ColorScheme.fromSeed(seedColor: Colors.deepPurple),  
    visualDensity:  
      VisualDensity.adaptivePlatformDensity, // تطبيق  
  ), // ThemeData  
  home: AuthPage(isLogin: false),  
); // MaterialApp  
}
```

```
class MyHomePage extends StatefulWidget {  
  const MyHomePage({super.key, required this.title});  
}
```

BLEMS 21 DEBUG CONSOLE ...

Filter (e.g. text, !exclude,...)

x=172678.88ms count=3



امين الصلاحي

```
art > 📦 MyApp > 🏠 build
MyApp extends StatelessWidget {
get build(BuildContext context) {
  // State is not lost during the rebuild, so we can
  // restart instead.
  //
  // This works for code too, not just values: Most c
  // tested with just a hot reload.
  colorScheme: ColorScheme.fromSeed(seedColor: █ Cold
  visualDensity:
    | | VisualDensity.adaptivePlatformDensity, // تطبيق
  ), // ThemeData
home: ForgotPasswordPage(),
; // MaterialApp
```

```
MyHomePage extends StatefulWidget {
st MyHomePage({super.key, required this.title});
```

This widget is the home page of your application. It i


DEBUG CONSOLE

...

Filter (e.g. text, !exclude,...)



ch work on its main thread.





The image shows a mobile application interface for registration. At the top, there is a blue header bar with a back arrow on the left, the title "تسجيل الدخول" (Login Registration) in the center, and a "DEBUG" label on the right. Below the header, the title "تسجيل الدخول" is repeated in a larger font. There are two input fields: the first is for "البريد الإلكتروني" (Email) with an envelope icon, and the second is for "كلمة المرور" (Password) with a lock icon and a toggle eye icon. A blue button labeled "تسجيل الدخول" is positioned below the input fields. The bottom of the screen shows the Android navigation bar.

تسجيل الدخول

البريد الإلكتروني

كلمة المرور

تسجيل الدخول