



Mark Scheme (Results)

November 2020

Pearson Edexcel GCSE (9 – 1)
In Mathematics (1MA1)
Higher (Non-Calculator) Paper 1H

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

November 2020

Publications Code 1MA1_1H_2011_MS

All the material in this publication is copyright

© Pearson Education Ltd 2020

General marking guidance

These notes offer general guidance, but the specific notes for examiners appertaining to individual questions take precedence.

- 1** All candidates must receive the same treatment. Examiners must mark the last candidate in exactly the same way as they mark the first.

Where some judgement is required, mark schemes will provide the principles by which marks will be awarded; exemplification/indicative content will not be exhaustive. When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the response should be sent to review.

- 2** All the marks on the mark scheme are designed to be awarded; mark schemes should be applied positively. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme. If there is a wrong answer (or no answer) indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

Questions where working is not required: In general, the correct answer should be given full marks.

Questions that specifically require working: In general, candidates who do not show working on this type of question will get no marks – full details will be given in the mark scheme for each individual question.

- 3** **Crossed out work**

This should be marked **unless** the candidate has replaced it with an alternative response.

- 4** **Choice of method**

If there is a choice of methods shown, mark the method that leads to the answer given on the answer line.
If no answer appears on the answer line, mark both methods **then award the lower number of marks.**

- 5** **Incorrect method**

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Send the response to review for your Team Leader to check.

- 6** **Follow through marks**

Follow through marks which involve a single stage calculation can be awarded without working as you can check the answer, but if ambiguous do not award.

Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

7 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question or its context. (eg. an incorrectly cancelled fraction when the unsimplified fraction would gain full marks).

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect (eg incorrect algebraic simplification).

8 Probability

Probability answers must be given as a fraction, percentage or decimal. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

9 Linear equations

Unless indicated otherwise in the mark scheme, full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously identified in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded (embedded answers).

10 Range of answers

Unless otherwise stated, when an answer is given as a range (eg 3.5 – 4.2) then this is inclusive of the end points (eg 3.5, 4.2) and all numbers within the range.

11 Number in brackets after a calculation

Where there is a number in brackets after a calculation eg $2 \times 6 (=12)$ then the mark can be awarded **either** for the correct method, implied by the calculation **or** for the correct answer to the calculation.

12 Use of inverted commas

Some numbers in the mark scheme will appear inside inverted commas eg "12" \times 50 ; the number in inverted commas cannot be any number – it must come from a correct method or process but the candidate may make an arithmetic error in their working.

13 Word in square brackets

Where a word is used in square brackets eg [area] \times 1.5 : the value used for [area] does **not** have to come from a correct method or process but is the value that the candidate believes is the area. If there are any constraints on the value that can be used, details will be given in the mark scheme.

14 Misread

If a candidate misreads a number from the question. eg uses 252 instead of 255; method or process marks may be awarded provided the question has not been simplified. Examiners should send any instance of a suspected misread to review.

Guidance on the use of abbreviations within this mark scheme

- M** method mark awarded for a correct method or partial method
- P** process mark awarded for a correct process as part of a problem solving question
- A** accuracy mark (awarded after a correct method or process; if no method or process is seen then full marks for the question are implied but see individual mark schemes for more details)
- C** communication mark awarded for a fully correct statement(s) with no contradiction or ambiguity
- B** unconditional accuracy mark (no method needed)
- oe** or equivalent
- cao** correct answer only
- ft** follow through (when appropriate as per mark scheme)
- sc** special case
- dep** dependent (on a previous mark)
- indep** independent
- awrt** answer which rounds to
- isw** ignore subsequent working

| Paper: 1MA1/1H | | | | |
|----------------|----------|------------------------|--|---|
| Question | Answer | Mark | Mark scheme | Additional guidance |
| 1 | $3n - 2$ | B2 (B1) | for $3n - 2$ oe for $3n + k$ where $k \neq -2$ or is absent unambiguously shown) | Accept a different variable, eg. $3x - 2$ $n = 3n - 2$ gets B1 only $n + 3$ gets NO marks |
| 2 | Shown | M1 M1 C1 | for conversion to improper fractions eg. $\frac{7}{3}$ or $\frac{15}{4}$ (dep) for method to multiply fractions, eg. $\frac{7 \times 15}{3 \times 4} (= \frac{105}{12})$ or $\frac{28 \times 45}{12 \times 12} (= \frac{1260}{144})$ oe for complete working showing each stage as far as $\frac{35}{4}$ or $8\frac{9}{12}$ | Need not be shown with operators |
| 3 | B C D A | B2 (B1) | cao for two or three correct) | |
| 4 | A & D | B1 | cao | |

| Paper: 1MA1/1H | | | | |
|----------------|--------------------------------|------------------------------|--|--|
| Question | Answer | Mark | Mark scheme | Additional guidance |
| 5 | 20 | P1 P1 A1 | <p>for process to find SP of 24 chocolate bars, eg. $0.50 \times 24 (= 12)$ oe</p> <p>or for process to find the overall profit eg $(24 \times 0.5) - 10 (= 2)$</p> <p>or for process to find CP of one chocolate bar, eg. $1000 \div 24 (= 41.66\dots)$ oe</p> <p>(dep) for start to a process to find percentage profit, eg. using $\frac{"12"-10}{10}$ or $\frac{"12"}{10}$ or $\frac{50 - "41.66\dots"}{"41.66\dots"}$ oe with consistent units</p> <p>cao</p> | Working can be carried out in either pounds or pence. |
| 6 | 85 with working and reasons | M1 M1 A1 C2 (C1) | <p>for correct use of corresponding angles eg $AEB = 63$ or co-interior angles eg $BCD = 180 - 148 (= 32)$ or $DEB = 180 - 63 (= 117)$</p> <p>(dep) for a complete method to find angle EAB eg. $180 - "63" - (180 - 148)$ or $148 - "63"$ or $"117" - (180 - 148)$</p> <p>for $EAB = 85$ (identified)</p> <p>(dep on M2) all working correct with all appropriate reasons stated. <u>Corresponding</u> angles are equal <u>Allied</u> angles / <u>Co-interior</u> angles add up to 180 <u>Angles</u> on a straight <u>line</u> add up to 180 <u>Angles</u> in a <u>triangle</u> add up to 180 The <u>exterior angle</u> of a triangle is <u>equal</u> to the sum of the <u>interior opposite angles</u>.</p> <p>for one reason relating to parallel lines clearly used and stated or for any two reasons clearly stated for their fully correct method)</p> | Angles must be clearly labelled on the diagram or otherwise identified. Full solution must be seen. Correct method can be implied from angles on the diagram if no ambiguity or contradiction. When reasons are given the key words underlined must be present. Reasons need to be linked to their method; any reasons not linked, do not credit. There should be no incorrect reasons given. |

| Paper: 1MA1/1H | | | | |
|----------------|--|--------------------------|---|--|
| Question | Answer | Mark | Mark scheme | Additional guidance |
| 7 | 20 or 24 or 168 Comparison | B1 C2 (C1) | <p>for identification of the range of the girls (20) or the range (24) or the median (168) of the boys</p> <p>for a correct comparison of medians and a correct comparison of ranges supported by correct figures</p> <p>eg the median height for girls (165) is less than the median height for boys (168) and the range for girls (20) is less than the range for boys (24)</p> <p>At least one comparison must be in context referring to height or quoting cm.</p> <p>for a correct comparison of medians or a correct comparison of ranges that could fit their incorrect figure(s))</p> | <p>Simply quoting values for median, range is insufficient; they must be compared.</p> <p>Context not necessary for C1</p> |
| 8 | 450 | M1 M1 A1 | <p>for $18 \div 3 (=6)$</p> <p>for substitution eg. $75 = \frac{F}{6}$ or $75 \times "6"$</p> <p>cao</p> | Ignore units |
| 9 | 0.000 672, 67.2×10^{-4} 6.72×10^5 672×10^4 | B2 (B1) | <p>cao</p> <p>for correct conversions to same format, condoning one error</p> <p>or for 3 numbers in the correct order (ignoring one)</p> <p>or for all 4 numbers listed in reverse order)</p> | Accept correct numbers in any form |

| Paper: 1MA1/1H | | | | |
|----------------|-------------|------------------------|---|--|
| Question | Answer | Mark | Mark scheme | Additional guidance |
| 10 | 6 : 15 : 20 | P1 P1 A1 | <p>chooses a multiplier to equate the two fractions in terms of b eg $\frac{2}{5} \times \frac{3}{3} (= \frac{6}{15})$ or $\frac{3}{4} \times \frac{5}{5} (= \frac{15}{20})$</p> <p>or lists equivalent fractions to $\frac{2}{5}$ up to at least $\frac{6}{15}$, eg. $\frac{2}{5}, \frac{4}{10}, \frac{6}{15}, \dots$</p> <p>or lists equivalent fractions to $\frac{3}{4}$ up to at least $\frac{15}{20}$, eg. $\frac{3}{4}, \frac{6}{8}, \frac{9}{12}, \frac{12}{16}, \frac{15}{20}, \dots$</p> <p>or $(a : b =) 2 : 5$ and $(b : c =) 3 : 4$</p> <p>or for 6 : 15 or 15 : 20 seen</p> <p>puts into related terms ready for ratio eg $\frac{2}{5} \times \frac{3}{3} = \frac{6}{15}$ and $\frac{3}{4} \times \frac{5}{5} = \frac{15}{20}$</p> <p>or for $(a : b =) 6 : 15$ and $(b : c =) 15 : 20$</p> <p>or lists equivalent ratios up to a common element for b, eg $a : b = 2 : 5, 4 : 10, 6 : 15$ and $b : c = 3 : 4, 6 : 8, 9 : 12, 12 : 16, 15 : 20$</p> <p>for 6 : 15 : 20 oe</p> | Need not be written in ratio form Accept equivalent ratios Accept $a = 6, b = 15$ and $c = 20$ |

| Paper: 1MA1/1H | | | | |
|----------------|---------------|------|--|--|
| Question | Answer | Mark | Mark scheme | Additional guidance |
| 11 (a) | 300 | M1 | for working out $\sqrt[4]{81}$ as 3 or $\sqrt[4]{10^8}$ as 10^2 or 100 | Mark may be awarded if operations are attempted on 8100000000 eg 300000000 |
| | | A1 | for 300 or 3×10^2 or 3×100 | |
| (b) | $\frac{1}{8}$ | M1 | for showing a square root of 64 as 8 or recognition of the reciprocal eg $\frac{1}{n}$ or shows expressions that show an understanding of the $\frac{1}{2}$ index and the minus index eg $\frac{1}{\sqrt{64}}$ or other equivalent forms | |
| | | A1 | oe | Accept $\pm \frac{1}{8}$ oe |
| (c) | 3^{2-n} | M1 | for $3^{2(n-1)}$ or 3^{2n-2} or $(3^2)^{n-1}$ | |
| | | A1 | for 3^{2-n} oe eg $3^{n-2(n-1)}$ | |

| Paper: 1MA1/1H | | | | |
|----------------|--------------------------------------|------|--|---|
| Question | Answer | Mark | Mark scheme | Additional guidance |
| 12 (a) | 5,15,35,55,70,80 | B1 | cao | |
| (b) | Graph drawn | M1 | for 5 or 6 of their points plotted correctly from a cf table | Ignore to the left of the first point and right of the last point If histograms drawn, points must be identified |
| | | A1 | for a fully correct graph SC B1 if 5 or 6 of their points plotted not at end but consistent within each interval and joined by a curve or line segments providing no gradient is negative | Accept a smooth curve or line segments |
| (c) | Correct decision and correct figures | M1 | for $60 \div 100 \times 80 (=48)$ oe | reading value from graph at wage = 360 $(=40)$ or for $35 + \frac{1}{5} \times 20 (=39)$ |
| | | M1 | reading value from graph at cf = 48 $(=380)$ | ft from a cum freq graph for “40” $\div 80 \times 100 (=50\%)$ or for $60 \div 100 \times 80 (=48)$ |
| | | C1 | ft for correct decision and correct figures, eg No with 48 and “380” or with “40” and “50”(%) or with “40” and 48 | |
| 13 | 196 | P1 | for vol A = $1400 \div 70 (=20)$ or for mass B = $280 \times 30 (=8400)$ | |
| | | P1 | for density C = $\frac{1400 + "8400"}{"20" + 30} (= \frac{9800}{50})$ or answer with digits 196 | |
| | | A1 | cao | An answer of 350 from 70 + 280 gets no marks |
| 14 | 0.42 | P1 | for appropriate multiplication eg $0.3 \times 0.7 (=0.21)$ or $0.3 \times 0.1 (=0.03)$ or $0.3 \times 0.6 (=0.18)$ | Probabilities could also be given in fraction or percentage form |
| | | P1 | (dep) for complete process eg $0.3 \times 0.7 + 0.7 \times 0.3$ or $0.3 \times 0.1 + 0.3 \times 0.6 + 0.6 \times 0.3 + 0.1 \times 0.3$ | |
| | | A1 | oe | Acceptable equivalents are 42% or $\frac{42}{100}$ oe |

| Paper: 1MA1/1H | | | | |
|-------------------|-------------------------|----------------------|---|---|
| Question | Answer | Mark | Mark scheme | Additional guidance |
| 15 | $y = -\frac{1}{3}x + 8$ | M1 M1 A1 | for a method for finding the gradient of L ₂ eg use of $-\frac{1}{m}$ or $-\frac{1}{3}$ (dep) for substitution of (9, 5) into $y = -\frac{1}{3}x + c$ for $y = -\frac{1}{3}x + 8$ oe | $y - 5 = -\frac{1}{3}(x - 9)$ gets M2A1 |
| 16 (a) (b) | 540 Explanation | P1 P1 A1 C1 | for $\frac{120}{20} (=6)$ or $\frac{20}{120} (=0.16..)$ or $\frac{90}{20} (=4.5)$ or $\frac{20}{90} (=0.22..)$ for $\frac{20}{120} = \frac{90}{n}$ or $\frac{20}{90} = \frac{120}{n}$ or $\frac{90 \times 120}{20}$ oe cao for explanation Acceptable examples If marks fall off Shirley will have over-estimated the number of bees There will be fewer bees Her amount will go down Not acceptable examples My answer will be wrong It will increase the answer | Decimal values truncated or rounded to 2 dp or more |

| Paper: 1MA1/1H | | | | |
|----------------|----------------------------|----------------------|--|---|
| Question | Answer | Mark | Mark scheme | Additional guidance |
| 17 | $f = \frac{4d + 3}{d + 3}$ | M1 M1 M1 A1 | for clearing the fraction eg $d(f - 4) = 3(1 - f)$ or $df - 4d = 3 - 3f$ (dep M1) for isolating f terms in a correct equation eg $df + 3f = 3 + 4d$ (dep on two terms in f) for factorising eg $f(d + 3) = 3 + 4d$ oe | Condone error in expansion of RHS for this mark |
| 18 | 20 | P1 P1 A1 | for a statement of proportionality eg $x = k\sqrt{y}$ or 1.44 oe for using $\sqrt{1.44}$ as multiplier eg $(x_2 =) k\sqrt{1.44}y$ or 1.2 oe cao | Must be written in the form of an equation with a constant term, accept $x \propto k\sqrt{y}$ |

| Paper: 1MA1/1H | | | | |
|----------------|--------------------------|----------------------|--|--|
| Question | Answer | Mark | Mark scheme | Additional guidance |
| 19 (a) | 33 | B1 | cao | |
| (b) | 27 | M1 | for $f(9) = 12 \div \sqrt{9} (=4)$ and a clear intention to find $g(“4”)$ or for $3 \times (2 \times \frac{12}{\sqrt{9}} + 1)$ or for stating gf eg $3(2 \times \frac{12}{\sqrt{x}} + 1)$ oe cao | |
| (c) | $\frac{1}{2}$ | M1 A1 | for g^{-1} as $\frac{x-3}{6}$ oe or for starting to solve $3(2x+1)=6$ for $\frac{1}{2}$ oe | Accept $\frac{y-3}{6}$ |
| 20 | $1 + \frac{\sqrt{5}}{5}$ | P1 P1 P1 A1 | for writing $\sqrt{180}$ as $6\sqrt{5}$ for process to rationalising the denominator eg $\frac{\sqrt{180}-2\sqrt{5}}{5\sqrt{5}-5} \times \frac{5\sqrt{5}+5}{5\sqrt{5}+5}$ or $\frac{4\sqrt{5}}{5\sqrt{5}-5} \times \frac{5\sqrt{5}+5}{5\sqrt{5}+5}$ oe (dep on previous P1) for expanding terms eg $\frac{5\sqrt{5}\sqrt{180}+5\sqrt{180}-50-10\sqrt{5}}{125-25}$ or $\frac{100+20\sqrt{5}}{100}$ oe for $1 + \frac{\sqrt{5}}{5}$ | This process mark can be awarded whenever this is seen, which might be later in the process. Accept written as $a = 1, b = 5$ |

| Paper: 1MA1/1H | | | | |
|----------------|--------|----------------------------|---|---|
| Question | Answer | Mark | Mark scheme | Additional guidance |
| 21 | Proof | M1 M1 B1 C1 | for $\overrightarrow{DQ} = \frac{1}{2}(\mathbf{b} - \mathbf{a})$ oe or $\overrightarrow{EQ} = \frac{1}{2}(\mathbf{a} - \mathbf{b})$ oe for $\overrightarrow{PQ} = \frac{1}{2}\mathbf{a} + \overrightarrow{DQ}$ or $\frac{1}{2}\mathbf{a} + \frac{1}{2}(\mathbf{b} - \mathbf{a})$ oe or $\overrightarrow{PQ} = -\frac{1}{2}\mathbf{a} + \mathbf{b} + \overrightarrow{EQ}$ or $-\frac{1}{2}\mathbf{a} + \mathbf{b} + \frac{1}{2}(\mathbf{a} - \mathbf{b})$ oe for $\overrightarrow{PQ} = \frac{1}{2}\mathbf{b}$ for complete proof with statement, eg $FE = 2PQ$ or FE is a multiple of PQ or $\mathbf{b} = 2(\frac{1}{2}\mathbf{b})$ | Vectors could be written on the diagram |
| 22 | 0.5 | P1 P1 P1 P1 A1 | derive an algebraic expression for the area of A eg $\frac{1}{8}\pi[(5x-1)^2 - (3x-1)^2]$ expand and simplify for either area A or area B eg $\frac{1}{8}\pi(16x^2-4x)$ or $\pi(x^2-2x+1)$ (dep P2) equate and rearrange into a quadratic eqn of the form $ax^2 + bx + c = 0$ eg $2x^2 + 3x - 2 = 0$ (dep P3) factorise eg $(2x-1)(x+2) = 0$ or use of formula eg $\frac{-3 \pm \sqrt{3^2 - 4 \times 2 \times -2}}{2 \times 2}$ oe | Accept only the single value of 0.5 oe but award 0 marks for a correct answer with no supportive working |

| Paper: 1MA1/1H | | | | |
|----------------|-----------------|----------------|--|---|
| Question | Answer | Mark | Mark scheme | Additional guidance |
| 23 | $\frac{27}{56}$ | P1 P1 A1 | <p>for $\frac{3}{8}$ and $\frac{7}{9}$</p> <p>OR uses a total of 72 cards and shows a process to find the number of cards with a black shape or the number of cards with a triangle, eg $72 \div 8 \times 3 (=27)$ or $72 \div 9 \times 7 (=56)$</p> <p>for process shown to divide fractions $\frac{3}{8} \div \frac{7}{9}$ or $\frac{3}{8} \times \frac{9}{7}$</p> <p>OR for $\frac{3}{8} \times \frac{9}{9} (= \frac{27}{72})$ and $\frac{7}{9} \times \frac{8}{8} (= \frac{56}{72})$</p> <p>OR uses a total of 72 cards and shows a process to find the number of cards with a black shape and the number of cards with a triangle, eg $72 \div 8 \times 3 (=27)$ and $72 \div 9 \times 7 (=56)$</p> <p>for $\frac{27}{56}$ or any other equivalent fraction</p> | <p>72 or any multiple of 72</p> <p>Could be seen in a ratio, eg 27 : 45 or 16 : 56</p> <p>Accept the division shown as $\frac{\frac{3}{8}}{\frac{7}{9}}$</p> <p>Could be seen in ratios, eg 27 : 45 and 16 : 56</p> <p>Answer of 27 : 56 gets P2A0</p> |

Modifications to the mark scheme for Modified Large Print (MLP) papers: 1MA1 1H

Only mark scheme amendments are shown where the enlargement or modification of the paper requires a change in the mark scheme.

The following tolerances should be accepted on marking MLP papers, unless otherwise stated below:

Angles: $\pm 5^\circ$

Measurements of length: ± 5 mm

| PAPER: 1MA1/1H | | |
|-----------------------|---|--------------------------|
| Question | Modification | Mark scheme notes |
| 3 | Wording added “Look at the diagram for Question 3 in the Diagram Book.” The wording “The diagram shows four graphs” removed and replaced by “It shows four graphs labelled graph A, graph B, graph C and graph D.” Diagrams enlarged. Graph lines made thicker. Open headed arrows. Headings moved above the graph. | Standard mark scheme |
| 4 | Wording added “Look at the diagram for Question 4 in the Diagram Book.” The wording “The diagram shows four triangles” removed and replaced by “It shows four triangles.” Diagram enlarged. Headings moved above the diagrams. Angles moved outside of the angle arcs and the angle arcs made smaller. Triangles straightened up so a 10 cm side lies horizontally. Braille only: Description added of the triangles. | Standard mark scheme |
| 6 | The wording “ADC is a triangle” removed. Diagram enlarged. Wording added “Look at the diagram for Question 6 in the Diagram Book. It shows the triangle ADC.” Angles moved outside of the angles arcs and the angle arcs made smaller. | Standard mark scheme |

| PAPER: 1MA1/1H | | |
|----------------|--|---|
| Question | Modification | Mark scheme notes |
| 7 | <p>Wording added “Look at the table and the diagram for Question 7 in the Diagram Book.”</p> <p>Wording “This stem and leaf diagram shows...” removed and replaced with “The stem and leaf diagram shows...”</p> <p>The wording “...of a group of Year 9 girls” removed and replaced by “...of a group of girls in Year 9”.</p> <p>The wording “...of a group of 15 Year 9 boys” removed and replaced by “...of a group of 15 boys in Year 9”.</p> <p>Table enlarged and kept on the same page as the stem and leaf diagram.</p> <p>Diagram enlarged and a tracking line added. Key moved above the diagram.</p> | Standard mark scheme |
| 8 | <p>Model provided for all candidates with a base added to represent the horizontal floor.</p> <p>Wording added “Look at the diagram for Question 8 in the Diagram Book. You may be provided with a model.”</p> <p>The wording “The diagram shows a prism...” removed and replaced by “The diagram and the model show a prism...”.</p> <p>Diagram enlarged. Dashed lines to be made thicker and longer.</p> <p>The pressure formula to be kept in the Question Paper and moved to the left of the diagram in the Diagram Book.</p> | Standard mark scheme |
| 9 | The wording “Write these numbers in order of size” removed and replaced by “Write these four numbers in order of size.” | Standard mark scheme |
| 10 | The letter a changed to w . The letter b changed to x . The letter c changed to y . | Standard mark scheme except for the letter changes indicated. |

| PAPER: 1MA1/1H | | | | |
|----------------|-----|--|---|--|
| Question | | Modification | Mark scheme notes | |
| 12 | (a) | The value of the 350-400 interval changed from '20' to '25'. The value of the 450-500 interval changed from '10' to '5'. Wording added "Look at the table for Question 12(a) in the Diagram Book." Table enlarged. The wording "The table gives information..." removed and replaced by "It gives information..." | | Standard mark scheme |
| | (b) | Wording added "Look at the diagram for Question 12(b) in the Diagram Book." The wording "On the grid opposite..." removed and replaced by "On the grid,..." Diagram enlarged. Right axis labelled. Small squares removed. The axes labels moved to the top of the vertical axis and to the left of the horizontal axis. | | Standard mark scheme |
| | (c) | The wording "60% of this group of people have a weekly wage of £360 or less" removed and replaced by "75% of this group of people have a weekly wage of £375 or less" to make the question accessible. | M1 for $75 \div 100 \times 80 (=60)$ oe M1 reading value from graph at wage = 375 (=48) M1 reading value from graph at cf = 60 (=400) | M1 reading value from graph at wage = 375 (=48) M1 for " $48 \div 80 \times 100 (=60\%)$ " or for $75 \div 100 \times 80 (=60)$ Standard mark scheme (NO) with 60 and "400" or with "48" and 60(%) or with "48" and 60 |
| 17 | | The letter f changed to p , d changed to m . | Standard mark scheme but note the changes to the letters. | |
| 21 | | The wording "DEF is a triangle" replaced by "Look at the diagram for Question 21 in the Diagram Book. It shows the triangle DEF." Diagram enlarged. | Standard mark scheme | |

| PAPER: 1MA1/1H | | | |
|-----------------------|--|---|--------------------------|
| Question | | Modification | Mark scheme notes |
| 22 | | <p>Wording added “Look at the diagram for Question 22 in the Diagram Book.”</p> <p>The wording “The diagram shows...” removed and replaced by “It shows...”</p> <p>Diagram enlarged. Open headed arrows. Shading changed to dotty shading.</p> <p>Angle moved outside of the angle arc the angle arc made smaller.</p> <p>The shapes labelled ‘shape A’ and ‘shape B.’</p> <p>The labels “$(3x-1)$ cm” and “$2x$ cm” added to the bottom of the diagram.</p> <p>The label “$(5x-1)$ cm” added to the top of the diagram.</p> | Standard mark scheme |
| 23 | | <p>Wording added: “Look at the information for Question 23 in the Diagram Book.</p> <p>It shows the four types of cards in a game.”</p> <p>Diagram enlarged. Black cards changed to dotty shading.</p> <p>All reference of ‘black’ changed to ‘shaded’.</p> <p>Headings added above the cards e.g. “shaded circle”.</p> | Standard mark scheme |

