

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- college
- sys
- xyz
- xyz_comapany
- xyz_comapny

Query 1

```
34 };
```

```
35
```

```
36 SHOW TABLES;
```

```
37
```

```
38 INSERT INTO Customers VALUES
```

```
39 (1, 'Ameena', 'Hyderabad'),
```

```
40 (2, 'Rahul', 'Mumbai'),
```

Result Grid

Filter Rows:

Export: Wrap Cell Contents

Tables_in_ecommerce_db

- customers
- orders
- products
- sales_report

Administration Schemas

Information

No object selected

Output

Action Output

#	Time	Action	Message	Duration / Fetch
29	20:26:39	CREATE VIEW Sales_Report AS SELECT c.customer_name, p.product_name, o.quantity FROM Orders o JOIN Customers c ON o.customer_id = c.customer_id	0 row(s) affected	0.032 sec
30	20:26:43	CREATE VIEW Sales_Report AS SELECT c.customer_name, p.product_name, o.quantity FROM Orders o JOIN Customers c ON o.customer_id = c.customer_id	Error Code: 1050. Table 'Sales_Report' already exists	0.015 sec
31	20:27:01	SELECT * FROM Sales_Report LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
32	20:27:30	CREATE INDEX idx_customer ON Orders(customer_id)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.078 sec
33	20:35:02	SHOW TABLES	4 row(s) returned	0.000 sec / 0.000 sec
34	20:35:38	SHOW TABLES	4 row(s) returned	0.000 sec / 0.000 sec

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Read Only Context Help Snippets

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- college
- sys
- xyz
- xyz_company
- xyz_company

Query 1

Limit to 1000 rows

```
42
43 * Execute the selected portion of the script or everything, if there is no selection
44 (101, 'Laptop', 'Electronics', 50000),
45 (102, 'Phone', 'Electronics', 25000),
46 (103, 'Headphones', 'Accessories', 2000);
47
48 * INSERT INTO Orders VALUES
49 (1, 1, 101, 1, '2025-01-10'),
50 (2, 2, 102, 2, '2025-01-15'),
51 (3, 1, 103, 3, '2025-02-01'),
52 (4, 3, 101, 1, '2025-02-10');
53
54 * SELECT * FROM Customers;
```

Result Grid

customer_id	customer_name	city
1	Ameena	Hyderabad
2	Rahul	Mumbai
3	Sara	Delhi

Customers 16 x

Apply Context Help Snippets

Output


Action Output

#	Time	Action	Message	Duration / Fetch
✓ 32	20:27:30	CREATE INDEX idx_customer ON Orders(customer_id)	0 row(s) affected Records: 0 Duplicates: 0 Warnings: 0	0.078 sec
✓ 33	20:35:02	SHOW TABLES	4 row(s) returned	0.000 sec / 0.000 sec
✓ 34	20:35:38	SHOW TABLES	4 row(s) returned	0.000 sec / 0.000 sec
✗ 35	20:37:16	INSERT INTO Customers VALUES (1, 'Ameena', 'Hyderabad'), (2, 'Rahul', 'Mumbai'), (3, 'Sara', 'Delhi')	Error Code: 1062. Duplicate entry '1' for key 'customers.PRIMARY'	0.000 sec
✗ 36	20:37:19	INSERT INTO Customers VALUES (1, 'Ameena', 'Hyderabad'), (2, 'Rahul', 'Mumbai'), (3, 'Sara', 'Delhi')	Error Code: 1062. Duplicate entry '1' for key 'customers.PRIMARY'	0.000 sec
✓ 37	20:37:29	SELECT * FROM Customers LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec

Object Info Session

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.



MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHMAS

Filter objects

- college
- sys
- xyz
- xyz_company
- xyz_company

Query 1

Limit to 1000 rows

```
57 WHERE category='Electronics';
58 Execute the selected portion of the script or everything, if there is no selection
59
60 * SELECT * FROM Products
61 ORDER BY price DESC;
62
63
64 * SELECT category, COUNT(*) AS total_products
65 FROM Products
66 GROUP BY category;
67
68
69 * SELECT SUM(quantity) AS total_items_sold
```

Result Grid

product_id	product_name	category	price
101	Laptop	Electronics	50000.00
102	Phone	Electronics	25000.00
103	Headphones	Accessories	2000.00

Administration Schemas

Information

No object selected

Products 18

Output

#	Time	Action	Message	Duration / Fetch
34	20:35:38	SHOW TABLES	4 row(s) returned	0.000 sec / 0.000 sec
35	20:37:16	INSERT INTO Customers VALUES (1,'Ameena','Hyderabad'), (2,'Rahul','Mumbai'), (3,'Sara','Delhi')	Error Code: 1062. Duplicate entry '1' for key 'customers.PRIMARY'	0.000 sec
36	20:37:19	INSERT INTO Customers VALUES (1,'Ameena','Hyderabad'), (2,'Rahul','Mumbai'), (3,'Sara','Delhi')	Error Code: 1062. Duplicate entry '1' for key 'customers.PRIMARY'	0.000 sec
37	20:37:29	SELECT * FROM Customers LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
38	20:37:55	SELECT * FROM Products WHERE category='Electronics' LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
39	20:38:16	SELECT * FROM Products ORDER BY price DESC LIMIT 0, 1000	3 row(s) returned	0.016 sec / 0.000 sec

Object Info Session

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80 x

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- collage
- sys
- xyz
- xyz_comapany
- xyz_comapny

Query 1

```
60 * SELECT * FROM Products
61 ORDER BY price DESC;
62
63
64 * SELECT category, COUNT(*) AS total_products
65 FROM Products
66 GROUP BY category;
67
68
69 * SELECT SUM(quantity) AS total_items_sold
70 FROM Orders;
71
72 * SELECT AVG(price) AS average_price
```

Result Grid

category	total_products
Electronics	2
Accessories	1

Administration Schemas

Information

No object selected

Object Info Session

Output

Action Output

#	Time	Action	Message	Duration / Fetch
35	20:37:16	INSERT INTO Customers VALUES (1,'Ameena','Hyderabad'), (2,'Rahul','Mumbai'), (3,'Sara','Delhi')	Error Code: 1062. Duplicate entry '1' for key 'customers.PRIMARY'	0.000 sec
36	20:37:19	INSERT INTO Customers VALUES (1,'Ameena','Hyderabad'), (2,'Rahul','Mumbai'), (3,'Sara','Delhi')	Error Code: 1062. Duplicate entry '1' for key 'customers.PRIMARY'	0.000 sec
37	20:37:29	SELECT * FROM Customers LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
38	20:37:55	SELECT * FROM Products WHERE category='Electronics' LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
39	20:38:16	SELECT * FROM Products ORDER BY price DESC LIMIT 0, 1000	3 row(s) returned	0.016 sec / 0.000 sec
40	20:38:39	SELECT category, COUNT(*) AS total_products FROM Products GROUP BY category LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Read Only Context Help Snippets

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- college
- sys
- xyz
- xyz_comapany
- xyz_comapny

Query 1

Limit to 1000 rows

```
63
64 • S/ Execute the selected portion of the script or everything, if there is no selection
65 FROM Products
66 GROUP BY category;
67
68
69 • SELECT SUM(quantity) AS total_items_sold
70 FROM Orders;
71
72 • SELECT AVG(price) AS average_price
73 FROM Products;
74
75 • SELECT c.customer_name, p.product_name, o.quantity
```

Result Grid

total_items_sold
7

Administration Schemas

Information

No object selected

Output

#	Time	Action	Message	Duration / Fetch
36	20:37:15	INSERT INTO Customers VALUES (1,'Ameena','Hyderabad'), (2,'Rehul','Mumbai'), (3,'Sara','Delhi')	Error Code: 1062. Duplicate entry '1' for key 'customers PRIMARY'	0.000 sec
37	20:37:29	SELECT * FROM Customers LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
38	20:37:55	SELECT * FROM Products WHERE category='Electronics' LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
39	20:38:16	SELECT * FROM Products ORDER BY price DESC LIMIT 0, 1000	3 row(s) returned	0.015 sec / 0.000 sec
40	20:38:39	SELECT category, COUNT(*) AS total_products FROM Products GROUP BY category LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
41	20:39:09	SELECT SUM(quantity) AS total_items_sold FROM Orders LIMIT 0, 1000	1 row(s) returned	0.015 sec / 0.000 sec

Object Info Session

SQLAdditions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- college
- sys
- xyz
- xyz_comapany
- xyz_comapny

Query 1

Execute the selected portion of the script or everything, if there is no selection

```
63
64 • SELECT category, COUNT(*) AS total_products
65 FROM Products
66 GROUP BY category;
67
68
69 • SELECT SUM(quantity) AS total_items_sold
70 FROM Orders;
71
72 • SELECT AVG(price) AS average_price
73 FROM Products;
74
75 • SELECT c.customer_name, p.product_name, o.quantity
```

Result Grid

Filter Rows

Export

Wrap Cell Contents

average_price

25666.666667

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.


Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
37	20:37:29	SELECT * FROM Customers LIMIT 0, 1000	3 row(s) returned	0.000 sec / 0.000 sec
38	20:37:55	SELECT * FROM Products WHERE category='Electronics' LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
39	20:38:16	SELECT * FROM Products ORDER BY price DESC LIMIT 0, 1000	3 row(s) returned	0.016 sec / 0.000 sec
40	20:38:39	SELECT category, COUNT(*) AS total_products FROM Products GROUP BY category LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
41	20:39:09	SELECT SUM(quantity) AS total_items_sold FROM Orders LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
42	20:39:30	SELECT AVG(price) AS average_price FROM Products LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec

Object Info Session



MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHMAS

Filter objects

college

sys

xyz

xyz_comapany

xyz_comapny

Query 1

Limit to 1000 rows

75 SELECT c.customer_name, p.product_name, o.quantity

76 | Execute the selected portion of the script or everything, if there is no selection

77 INNER JOIN Customers c ON o.customer_id = c.customer_id

78 INNER JOIN Products p ON o.product_id = p.product_id;

79

80 SELECT c.customer_name, o.order_id

81 FROM Customers c

82 LEFT JOIN Orders o ON c.customer_id = o.customer_id;

83

84

85 SELECT product_name, price

86 FROM Products

87 WHERE price > (SELECT AVG(price) FROM Products);

Result Grid

Filter Rows:

Export:

Wrap Cell Content:

Result Grid

customer_name	order_id
Ameena	1
Ameena	3
Rahul	2
Sara	4

Administration

Schemas

Information

No object selected

Output

Action Output

#	Time	Action	Message	Duration / Fetch
39	20:38:16	SELECT * FROM Products ORDER BY price DESC LIMIT 0, 1000	3 row(s) returned	0.016 sec / 0.000 sec
40	20:38:39	SELECT category, COUNT(*) AS total_products FROM Products GROUP BY category LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
41	20:39:09	SELECT SUM(quantity) AS total_items_sold FROM Orders LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
42	20:39:30	SELECT AVG(price) AS average_price FROM Products LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
43	20:39:54	SELECT c.customer_name, p.product_name, o.quantity FROM Orders o INNER JOIN Customers c ON o.custo...	4 row(s) returned	0.016 sec / 0.000 sec
44	20:40:18	SELECT c.customer_name, o.order_id FROM Customers c LEFT JOIN Orders o ON c.customer_id = o.custo...	4 row(s) returned	0.015 sec / 0.000 sec

Object Info

Session

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

Filter objects

- college
- sys
- xyz
- xyz_comapany
- xyz_comapny

Query 1

```
78 INNER JOIN Products p ON o.product_id = p.product_id;
79 -- Execute the selected portion of the script or everything, if there is no selection
80 * SELECT c.customer_name, o.order_id
81 FROM Customers c
82 LEFT JOIN Orders o ON c.customer_id = o.customer_id;
83
84
85 * SELECT product_name, price
86 FROM Products
87 WHERE price > (SELECT AVG(price) FROM Products);
88
89
90 * CREATE VIEW Sales_Report AS
```

Result Grid

product_name	price
Laptop	50000.00

Products 24 x

Output

Action Output

#	Time	Action	Message	Duration / Fetch
40	20:38:39	SELECT category, COUNT(*) AS total_products FROM Products GROUP BY category LIMIT 0, 1000	2 row(s) returned	0.000 sec / 0.000 sec
41	20:39:09	SELECT SUM(quantity) AS total_items_sold FROM Orders LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
42	20:39:30	SELECT AVG(price) AS average_price FROM Products LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
43	20:39:54	SELECT c.customer_name, p.product_name, o.quantity FROM Orders o INNER JOIN Customers c ON o.custo...	4 row(s) returned	0.016 sec / 0.000 sec
44	20:40:18	SELECT c.customer_name, o.order_id FROM Customers c LEFT JOIN Orders o ON c.customer_id = o.custo...	4 row(s) returned	0.015 sec / 0.000 sec
45	20:40:43	SELECT product_name, price FROM Products WHERE price > (SELECT AVG(price) FROM Products) LIMIT 0...	1 row(s) returned	0.015 sec / 0.000 sec

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Read Only Context Help Snippets

Object Info Session

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHEMAS

- Filter objects
- collage
- sys
- xyz
- xyz_company
- xyz_company

Query 1

```
85 • SELECT product_name, price
86 FROM Products
87 WHERE price > (SELECT AVG(price) FROM Products);
88
89
90 • CREATE VIEW Sales_Report AS
91 SELECT c.customer_name, p.product_name, o.quantity
92 FROM Orders o
93 JOIN Customers c ON o.customer_id = c.customer_id
94 JOIN Products p ON o.product_id = p.product_id;
95
96 • SELECT * FROM Sales_Report;
97
```

Result Grid

	customer_name	product_name	quantity
▶	Ameena	Laptop	1
	Ameena	Headphones	3
	Rahul	Phone	2
	Sara	Laptop	1

Administration Schemas

Information

No object selected

Object Info Session

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.

Read Only Context Help Snippets

Output

Action Output

#	Time	Action	Message	Duration / Fetch
42	20:39:30	SELECT AVG(price) AS average_price FROM Products LIMIT 0, 1000	1 row(s) returned	0.016 sec / 0.000 sec
43	20:39:54	SELECT c.customer_name, p.product_name, o.quantity FROM Orders o INNER JOIN Customers c ON o.customer_id = c.customer_id	4 row(s) returned	0.016 sec / 0.000 sec
44	20:40:18	SELECT c.customer_name, o.order_id FROM Customers c LEFT JOIN Orders o ON c.customer_id = o.customer_id	4 row(s) returned	0.015 sec / 0.000 sec
45	20:40:43	SELECT product_name, price FROM Products WHERE price > (SELECT AVG(price) FROM Products) LIMIT 0, 1000	1 row(s) returned	0.015 sec / 0.000 sec
46	20:41:02	CREATE VIEW Sales_Report AS SELECT c.customer_name, p.product_name, o.quantity FROM Orders o JOIN Customers c ON o.customer_id = c.customer_id	Error Code: 1050. Table 'Sales_Report' already exists	0.015 sec
47	20:41:08	SELECT * FROM Sales_Report LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec

MySQL Workbench

Local instance MySQL80

File Edit View Query Database Server Tools Scripting Help

Navigator

SCHMAS

Filter objects

- college
- sys
- xyz
- xyz_company
- xyz_company

Query 1

```
86 FROM Products
87 WHERE price > (SELECT AVG(price) FROM Products);
88
89
90 CREATE VIEW Sales_Report AS
91 SELECT c.customer_name, p.product_name, o.quantity
92 FROM Orders o
93 JOIN Customers c ON o.customer_id = c.customer_id
94 JOIN Products p ON o.product_id = p.product_id;
95
96 SELECT * FROM Sales_Report;
97
98 SHOW INDEX FROM Orders;
```

Result Grid

Table	Non_unique	Key_name	Seq_in_index	Column_name	Collation	Cardinality	Sub_part	Packed	Null	Index_type	Comment	Index_comment	Visible	Expression
orders	0	PRIMARY	1	order_id	A	4				BTREE			YES	
orders	1	idx_customer	1	customer_id	A	3			YES	BTREE			YES	

Administration Schemas

Result 26

Information

No object selected

Output

#	Time	Action	Message	Duration / Fetch
46	20:41:02	CREATE VIEW Sales_Report AS SELECT c.customer_name, p.product_name, o.quantity FROM Orders o JOIN	Error Code: 1050. Table 'Sales_Report' already exists	0.015 sec
47	20:41:08	SELECT * FROM Sales_Report LIMIT 0, 1000	4 row(s) returned	0.000 sec / 0.000 sec
48	20:41:33	CREATE INDEX idx_customer ON Orders(customer_id)	Error Code: 1061. Duplicate key name 'idx_customer'	0.031 sec
49	20:41:40	CREATE INDEX idx_customer ON Orders(customer_id)	Error Code: 1061. Duplicate key name 'idx_customer'	0.000 sec
50	20:42:18	CREATE INDEX idx_customer ON Orders(customer_id)	Error Code: 1061. Duplicate key name 'idx_customer'	0.000 sec
51	20:43:37	SHOW INDEX FROM Orders	2 row(s) returned	0.031 sec / 0.000 sec

Object Info Session

SQL Additions

Automatic context help is disabled. Use the toolbar to manually get help for the current caret position or to toggle automatic help.