| NAME     | Ameenath Fahmida D M        |
|----------|-----------------------------|
| REG NO   | 311520104004                |
| CLASS    | B.E CSE                     |
| TEAM ID  | NM2023TMID07518             |
| EMAIL ID | ameenathfahmida05@gmail.com |
|          | ASSIGNMENT - 4              |

Task - 1 | Create two list and join those two list.

# **Coding:**

```
list1 = ["N", "A", "A", "N"]
list2 = [9, 7, 8, 9, 1, 2, 3, 9, 0, 0]
list1.extend(list2)
print(list1)
```

#### Task - 2

With if statement find the even numbers.

# **Coding:**

```
list1 = [1, 2, 3, 4]
list2 = [9, 7, 8, 9, 1, 2, 3, 9, 6, 0]
list3=list1.extend(list2)
for n in list1:
   if (n%2==0):
      print(n, end=" ")
```

```
P IDLE Shell 3.11.3
\underline{\text{File}} \quad \underline{\text{E}} \text{dit} \quad \text{She}\underline{\text{II}} \quad \underline{\text{D}} \text{ebug} \quad \underline{\text{O}} \text{ptions} \quad \underline{\text{W}} \text{indow} \quad \underline{\text{H}} \text{elp}
     Python 3.11.3 (tags/v3.11.3:f3909b8, Apr 4 2023, 23:49:59) [MSC v.1934 64 bit (AMD64)] on win32
     Type "help", "copyright", "credits" or "license()" for more information.
      = RESTART: D:\B.Tech\Naan Mudhalvan\NM PHASE - 04\Team 13\M1 - KABILAN S\Assignment 4\A4 - T2 - KABILAN S.py
                                                                                                                                                                                   Ln: 6 Col: 0
```

```
Task – 3
```

Create a Dictionary with 3 keys and 2 values for each key.

# **Coding:**

```
k = {'K':[99, 89],'L':[31, 12],'M':[39, 9]}
print(k)
```

```
DUE Shell 3.11.3

File Edit Shell Debug Options Window Help

Python 3.11.3 (tags/v3.11.3:f3909be, Apr 4 2023, 23:49:59) [MSC v.1934 64 bit (AMD64)] on win32

Type "help", "copyright", "credits" or "license()" for more information.

= RESTART: D:\B.Tech\Naan Mudhalvan\NM PHASE - 04\Team 13\M1 - KABILAN S\Assignment 4\A4 - T3 - KABILAN S.py

{'K': [99, 89], 'L': [31, 12], 'M': [39, 9]}
```

Task – 4

Create a function with if statement which is used to find the odd numbers.

#### **Coding:**

```
def odd_elements(dictionary): 
 return {key: [x for x in value if x % 2 != 0] for key, value in dictionary.items()} 
 dictionary = {'K':[99, 89],'L':[31, 12],'M':[39, 9]} 
 filter_dict = odd_elements(dictionary) 
 print(filter_dict)
```

```
P IDLE Shell 3.11.3
                                                                                      X
File Edit Shell Debug Options Window Help
    Python 3.11.3 (tags/v3.11.3:f3909b8, Apr 4 2023, 23:49:59) [MSC v.1934 64 bit (
    AMD64)] on win32
    Type "help", "copyright", "credits" or "license()" for more information.
>>>
    = RESTART: D:\B.Tech\Naan Mudhalvan\NM PHASE - 04\Team 13\M1 - KABILAN S\Assignm
    ent 4\A4 - T4 - KABILAN S.py
    {'K': [99, 89], 'L': [31], 'M': [39, 9]}
>>>
```

Write a Python function to sum all the numbers in a list.

Task – 5 | Sample List: (8,2,3,0,7) Expected Output: 20

# **Coding:**

list = [8,2,3,0,7] print(sum(list))

```
P IDLE Shell 3.11.3
                                                                                                                                                  ×
                                                                                                                                           <u>File Edit Shell Debug Options Window Help</u>
     Python 3.11.3 (tags/v3.11.3:f3909b8, Apr 4 2023, 23:49:59) [MSC v.1934 64 bit (AMD64)] on win32 Type "help", "copyright", "credits" or "license()" for more information.
     = RESTART: D:\B.Tech\Naan Mudhalvan\NM PHASE - 04\Team 13\M1 - KABILAN S\Assignment 4\A4 - T5 - KABILAN S.py
     20
>>>
                                                                                                                                            Ln: 6 Col: 0
```