


EVENTHUB

Amel KACI
Nic XU




OVERVIEW

- **Fullstack Event and Participant Management System**
 - **Backend** → **Django**
 - **Frontend** → **React**
- **Roles**
 - **Amel** : data models, DRF implementation, business logic, React Frontend, Deployment
 - **Nic** : permissions, backend tests, Frontend tests, Node Backend, report and presentation coordination`


FRONTEND AND BACKEND INTERACTION

CRUD for all entities : permission isSelforadmin



an exemple with requests made from profiel page

DATABASE AND MODELS



But unicity constraint [ParticipantID , EventID]

NODE VS DJANGO



VS



Django :

- **Imposed architecture**
- **Imposed conventions**
- **Build-in features**

Node

- **More freedom**
- **Requires more hindsight**

FRONTEND

Components

- **Status Badge**
- **Forms**
- **ErrorBox**
- **LoadingWrap**
- **Spinner**
- **Lists**


Routes are protected :

<RequireAdmin</RequireAdmin>

<RequireAuth></RequireAuth>

Pages

- **Authentication**
- **Home**
- **Profile**
- **Admin Dashboard**
- **Events and Event Details**
- **Participants**



DEPLOYMENT

- **Backend** → **Render** (with PostgreSQL)
- **Frontend** → **Vercel**
- **Still in Debug phase**