
EV EDISON · POWER EDISON · C3 SITE FINDER

Scoring Methodology User Guide

How to read the active scoring rules, add a new criterion, edit an existing one, preview the effect on every site, publish it, and roll back. Includes custom data fields and a troubleshooting reference.



A custom methodology (v2) has just been published in the draft workspace: all 30,584 sites were rescored, and the header chip now reads **Scoring v2 · custom**. Example entries in this guide are marked **[example]**.

Version 2.0 · November 2026 · covers the redesigned Methodology pages of Nov 8, 2026

Companion to the Dashboard User Guide

Contents

1 What the scoring methodology is
2 Key terms
3 Who can change the scoring
4 The Methodology page
5 The workflow at a glance
6 Add a new criterion
7 Criterion settings
8 The draft workspace
9 Save the draft & preview
10 Publish
11 Edit an existing criterion
12 Restore an older version
13 Custom criteria & custom data fields
14 Good practice
15 Troubleshooting
16 Limits & reference

1 · What the scoring methodology is

Every candidate site's **C3 score** and segment rank come from a set of scoring rules called a **methodology**. A methodology is a list of **criteria**, such as *Distance to eligible exit* (up to 20 points) or *Highlands Preservation* (−15 points). The score is the sum of the points each criterion awards.

- **Version 1** is the original C3 workbook methodology. It reproduces the workbook's score and rank for every one of the 30,584 sites. It is read-only and always available.
- Your team can create new versions: add criteria, change points, turn criteria off, or score your own data.
- Exactly **one version is active** at a time. The dashboard, map, site details, screening queue, saved sites, comparison and CSV exports all show the active version's scores.
- The chip in the header always says which version you are looking at.



The header chip. **original** means v1 (the workbook rules); **custom** means a version your team published. Click it to open the Methodology page.



Scores change only when you publish. Adding, editing and previewing happen in a draft. Live scores stay exactly as they are until someone publishes, and every publish can be rolled back.

Research is never touched. Publishing a methodology changes scores and ranks only. Bookmarks, notes, screening decisions, contacts, feasibility verdicts and the original workbook values stay as they are.

2 · Key terms

Term	Meaning
Criterion	One scoring rule: which data it reads, how it turns that data into points, and what happens when data is missing. Shown as a card.
Version	A complete, numbered set of criteria (v1, v2, v3 …).
Draft	A version you are still editing. It never affects live scores.
Published	A version whose rules are frozen. Published versions never change; to change one, you start a new draft from it.
Active	The published version that produces the live scores. There is always exactly one.
Baseline (v1)	The original C3 workbook methodology. Read-only, verified against all 30,584 stored scores and ranks.
Draft workspace	The page where one version is edited, previewed and published (`/methodology/versions/N`).
Preview	A full recalculation of every site with a draft's rules, compared with the active version. Required before publishing.
Publish	Makes a previewed draft the active version, rescoring and re-ranking every site in one step.
Restore	Makes an older published version active again (a rollback).
Activation	A log entry recorded every time live scoring switches: initial setup, publish, restore, workbook re-import or rescore.
Custom data field	A typed field your team defines (number, yes/no or category) and fills in per site or by import, so a criterion can score data the workbook does not have.

3 · Who can change the scoring

Anyone using the app can **view** the methodology, its versions and previews. **Changes** are accepted only from the trusted internal network:


- Creating, saving, deleting, previewing, publishing and restoring versions.
- Creating custom data fields, recording their values and importing them.

The API checks that the request comes from an address in `Methodology:TrustedNetworks` (by default only the computer running the API: `127.0.0.0/8` and `::1`), and from the dashboard's own origin. Requests from other sites are refused.

> If a change fails with *"Methodology changes are only accepted from the trusted internal network"*, ask the administrator to add your network to `Methodology:TrustedNetworks` in the API settings.

4 · The Methodology page

Open it from **Methodology** in the header, or by clicking the scoring chip.



The page header: title, + **Add New Criterion**, four status cards and the section tabs.


Status cards

Card	What it shows
Active version	"v*N* · Original" or "v*N* · Custom", and the version's name.
Enabled criteria	How many criteria are on, out of the total, and the possible score range (for example −53 … 120 pts).
Candidate sites	The number of sites scored and ranked across the 6 NOFA segments.
Draft status	*No draft* ("Live scoring is unchanged"), *In progress* or *Previewed*, with a link to the draft.

Tabs

Tab	What it contains
Scoring Criteria	The active version's criteria as cards, grouped by category (§4.1). **Edit** on a card opens a draft.
Draft & Preview	The draft in progress: its version card, **Open draft workspace**, the four steps and the changes compared with the active version. If there is no draft: **Start a draft from v*N***. Other drafts (based on older versions) are listed below.
Version History	Every version, newest first, with badges and **Open draft**, **View** or **View / restore**, and the **Activation log** (§10).
Data Fields	Custom data fields as cards with + **New custom criterion** and **Import values…** (§13), and a searchable list of the built-in data fields with their coverage.
Reference	How the original workbook rules are reproduced, who we are siting for (Power Edison sites table), and the data sources and method notes.

4.1 · Scoring criteria cards



The Scoring Criteria tab: search, category filters, and criteria cards grouped by category, each group with its point range.

Element	What it does
Search criteria	Filters cards by name, description, rule or category.
Category chips	All, Access, Site, Truck demand, Charger gap, Penalty (and Bonus when used), each with a count. Click one to show only that category.
Group heading	Number of criteria and the point range the group can award when its criteria are on.
Card	Name, point range (blue for positive, amber for mixed, red for penalties), description, and the rule in plain text.
Card footer	Enabled / Disabled, Added for criteria that are not in the original workbook, No data → ... when a missing-data policy applies, and **Edit**.


5 · The workflow at a glance

Every change, large or small, follows the same four steps. The draft workspace shows them as step cards with a check mark when done.

1. **Edit criteria.** + Add New Criterion, or Edit on any card. Both open the *working draft*: the newest unpublished draft based on the active version. If none exists, one is created as a copy of the active rules.
2. **Save draft.** Give it a name and a change summary, then click **Save methodology as draft**.
3. **Preview 30,584 sites. Preview scores & rankings** recalculates every site with the saved draft rules and compares them with the active version. Live scores do not change.
4. **Confirm & publish. Publish…**, type the confirmation phrase and publish. Every page switches to the new scores at once.



The step cards after a preview: Edit criteria ✓, Save draft ✓, Preview 30,584 sites ✓ (Up to date), and Confirm & publish highlighted as the next step.




The **Draft & Preview** tab on the Methodology page tracks the same draft: Previewed, its steps and its changes.

> You can stop at any step. A saved draft stays in Version History and on the Draft & Preview tab until you publish it or click **Delete draft**.

6 · Add a new criterion

Example used in this guide: **Tractor fleets nearby**, worth up to 5 points by percentile within the segment.


Click **+ Add New Criterion**. The draft workspace opens with a **side panel** on the right. A progress bar shows three steps: **1 · Data field**, **2 · How points are calculated**, **3 · Points & conditions**. Use **Next →** and **← Back** to move between them.



Step 1: the list of data fields, grouped, with coverage bars.

Step 1 · Data field

1. Type in **Search data fields** to narrow the list (for example "tractor").
2. Each field shows its name, type and unit, a description, and a bar with the share of sites that have a value ("100% have data").
3. Click a field. A note confirms how many sites have a value and its range. If some sites have none, it says how many, and you choose what they get in step 3.
4. **Other — Custom Criterion** at the bottom creates a new field (§13).
5. Click **Next →**.




Search "tractor": Tractors based within 5 mi is selected. All 30,584 sites have a value (16 – 9,508 tractors).


Step 2 · How points are calculated

Choose one of three methods:

- **Points or penalty when a condition is met**: for example "≥ 3 acres: +20" or "in a flood zone: −10". Add several bands; the first match wins.
- **Linear scale between two values**: full points at one value, falling evenly to 0 at another. Number fields only.
- **Percentile within the segment**: compares each site with the others in its NOFA segment; the top site gets full points. Number fields only.



Step 2 with **Percentile within the segment** selected.




Step 3: In plain English, Basics, and How points are calculated.

Step 3 · Points & conditions

1. Read **In plain English** at the top. It explains the rule as you type, for example *"Sites earn up to +5 points according to how they rank on Tractors based within 5 mi against the other sites in the same NOFA segment..."*, with pills for the point range, category, status and ✓ Valid (or ✕ n to fix).
2. In **Basics**, edit the **Criterion name** and the **Description** (shown on the card), and choose the **Category**.
3. In **How points are calculated**, check the data field and set the points (§7).
4. If the field has missing data, choose what sites without data get in **Missing data**.
5. Click **Add to draft**.

The panel closes, and a green line confirms: *"Added 'Tractor fleets nearby' in the draft — save the draft, then preview."* The new card appears in its category, marked Added and Unsaved.



The new card in the draft. Added criteria can be removed; built-in ones can only be turned off.

7 · Criterion settings

The same side panel is used when you add a criterion and when you edit one.

Setting	What it does
Criterion name	Shown on the card and in every site's score breakdown (max 80 characters).
Description	Plain-language explanation shown on the card (max 600 characters). Say where the data comes from and why the rule matters.
Category	Access, Site, Truck demand, Charger gap, Penalty or Bonus. It groups the cards; it does not change the arithmetic.
Status	The switch "Enabled — counts toward the score". Turning it off keeps the criterion but awards no points. Use it to drop a built-in rule; built-in criteria cannot be removed.
Advanced → Key	The criterion's stable id, used in exports and filled in automatically. It must start with a lower-case letter and contain only letters and digits (2–40 characters), and be unique. Built-in keys cannot change.
How points are calculated	Points by condition · Linear scale · Percentile in segment (below).
Missing data	Appears when the chosen data is missing for some sites (below).

Points by condition

A list of **bands**, each with an optional label, a points value and up to 4 conditions joined by AND (**+ and condition**). Bands are checked from the top; **the first band that matches wins**. If none match, the site gets the **Otherwise** points. Use ↑ ↓ to reorder, ✕ to remove, and **+ Add band** for more (up to 12). Use a negative number for a penalty.

Field type	Operators	Example
Number	< · ≤ · > · ≥ · = · ≠ · between (lower and upper bound)	Open land ≥ 3 ac → +20
Yes / No	is yes · is no	In Highlands Preservation Area is yes → −15
Category	is one of · is not one of	FEMA flood status is one of In zone → −10
Property class (per lot)	any lot is	Any lot is 4B → +15

> Put the **most restrictive band first**. If an earlier band catches every site, the panel warns: *"Case 2 can never match: case 1 catches every site first."*

Linear scale

Maximum points at **Full points at**, falling evenly to 0 at **Zero points at**. It works in either direction: for "closer is better", put the smaller number in Full points at. The two values must differ.

Percentile in segment

Maximum points × the site's percentile rank of the field within its own NOFA segment (ties share the average rank). Use it for demand measures, because NJDEP compares each proposal only with the others in its segment.

Missing data

Some fields are not known for every site. Examples: *Year built* (18,769 sites have no value), *FEMA 100-yr flood status* (only about the top 150 per segment were checked) and every custom field until values are recorded. The **Missing data** block says how many sites have no value. Under **Sites without data get**, choose:


- **0 points**: sites without a value earn nothing from this criterion.
- **a fixed number of points (bonus or penalty)**: for example −10, so unchecked sites stay below verified ones until the data is confirmed. v1 uses this for flood status.

Values are **never estimated or filled in**. Cards show the policy as `No data → −10`, and the preview's Criteria impact lists missing data for each criterion.

> **Points limits.** Every points value (band, otherwise, maximum, missing data) must be between −100 and +100. A version can have up to 40 criteria, and at least one must be on.

8 · The draft workspace

Opens at `/methodology/versions/N`, with breadcrumbs Scoring Methodology › Versions › v*N*. Published versions open here too, read-only.



The version header of a saved draft: version badge, name, badges, change summary and the four step cards.




The action bar stays at the top of the window while you scroll. On the right is the validation summary.

Element	What it does
Version badge & name	"v2" (amber for drafts, green when active) and the editable version name.
Badges	Draft or Published, Active, Previous active, Original baseline · read-only, or Identical to the original; "based on v*N*", and when it was last updated.
Delete draft	Top right of the header. Deletes the draft; published versions cannot be deleted.
Change summary	Shown in the version history. Say what changed and why (max 4,000 characters).
Step cards	1 Edit criteria · 2 Save draft · 3 Preview 30,584 sites · 4 Confirm & publish, with notes such as "Unsaved changes" or "Up to date".
+ Add new criterion	Opens the side panel (§6).
Save methodology as draft	Saves the name, summary and rules. It reads *Draft saved* ✓ when there is nothing new to save, and is disabled while there are errors.
Preview scores & rankings	Recalculates every site (§9). Disabled until the draft is saved and valid, and hidden for the active version.
Top *n* per segment	How many top sites per segment the preview compares (1–50, default 10).
Publish... / Restore this version...	Opens the confirmation dialog. Enabled only after a current preview of the saved rules (§10, §12).
Validation summary	Possible total, "*n* of *m* on", and ✓ valid or ✕ *n* error(s). Warnings, such as missing data, appear below the bar and on the affected card.
Saved differences vs the active methodology	Expand it to see every Added, Modified, Removed or switched criterion, with old and new rule text.
Scoring criteria	The draft's criteria as cards. Each card has an **On / Off switch**, **Edit**, and **Remove** for added criteria. Changed cards are marked Unsaved; cards with errors show the message on the card.

9 · Save the draft & preview

1. Give the draft a clear **name** and a **change summary**, then click **Save methodology as draft**. A green line confirms: *"Draft saved. Run the preview to see the effect on every site."*
2. Expand **Saved differences vs the active methodology**. It should list exactly the changes you intended.
3. Click **Preview scores & rankings**. The button reads *Recalculating all sites…* while every site is rescored and re-ranked with the draft rules. It takes a few seconds.




Saved differences: one change, **Added** Tractor fleets nearby.

> A preview belongs to the exact rules it was run on, and to the version that was active at the time. If you edit and save the draft again, or someone publishes another version, the workspace says *"The saved preview was computed for earlier rules. Run the preview again."*

Reading the preview

The preview appears below the criteria, with four views:

View	What it tells you
Overview	How many scores and ranks change, the largest increase and decrease, the average change; the rule changes; and the **biggest risers** and **fallers** with old → new rank.
By segment	For each segment: number of sites, average score (active → proposed), ranks changed, how many of the current top *n* stay, and which sites **enter** or **leave** the top *n*. This is usually the most important check.
Criteria impact	For every criterion: average, minimum and maximum points awarded, how many sites earn something other than 0, and missing data (or "complete").
All site rankings	Every site: proposed score and rank, active score and rank, Δ score, Δ rank, and the original v1 values. Filter by segment, sort by proposed rank, active rank, biggest rise, biggest fall or largest score change, and search by site id, address or town.



Preview Overview for the example draft against v1: 30,273 scores and 30,295 ranks change; the added criterion; biggest risers and fallers.

Preview: "Tractor fleets bonus [example]" vs active "Original C3 workbook methodology" (v1)
Recalculated 30,584 sites and re-ranked every segment in 5,955 ms · Nov 8, 2026, 12:14:52 AM. **Live scores are unchanged until you publish.**

30,273	30,295	+5.0	0.0	2.50
scores change	ranks change	largest increase	largest decrease	average change (±)

Overview | **By segment** | Criteria impact | All site rankings

Top 10 per segment

Seg	Sites	Avg score (active → proposed)	Ranks changed	Top 10 kept	Entering	Leaving
1	4,278	55.6 → 58.1	4,247	8 / 10	#8 Ellis St (+8 adjacent lots) (was #12) #10 1222-24-26 Forest Pkwy (was #11)	82 E Browning Rd #9 → #11 195 Borrelli Blvd #10 → #12
2	3,768	51.6 → 54.1	3,750	7 / 10	#5 360 Connecticut Drive (was #11) #9 94 Connecticut Drive (was #12) #10 511 Elbow Lane (was #17)	Advantage Ct #7 → #13 278 Monmouth St #9 → #20 1092 Route 206 (+1 adjacent lot) #10 → #17
3	5,732	53.7 → 56.2	5,667	10 / 10	—	—
4	6,361	47.6 → 50.1	6,306	9 / 10	#10 44-66 Mcclellan St (+1 adjacent lot) (was #11)	2701 16Th St #10 → #17
5	6,252	53.9 → 56.4	6,170	10 / 10	—	—
6	4,193	50.4 → 52.9	4,155	10 / 10	—	—

By segment: which sites enter and leave each segment's top 10.

Preview: "Tractor fleets bonus [example]" vs active "Original C3 workbook methodology" (v1)
Recalculated 30,584 sites and re-ranked every segment in 5,955 ms · Nov 8, 2026, 12:14:52 AM. **Live scores are unchanged until you publish.**

30,273	30,295	+5.0	0.0	2.50
scores change	ranks change	largest increase	largest decrease	average change (±)

Overview | By segment | **Criteria impact** | All site rankings


Criteria impact (proposed)

Criterion	Avg pts	Min	Max	Sites earning ≠ 0	Missing data
Distance to eligible exit	14.16	0	20	30,576	complete
Open land	15.07	-15	20	30,584	complete
Property class	10.80	8	15	30,584	complete
Trucking on site	1.70	0	10	6,692	complete
Fleets based nearby	6.00	0	12	30,584	complete
Truck traffic	5.00	0	9.99	30,584	complete
Large warehouses	3.00	0.11	6	30,584	complete
Truck stop or parking	0.73	0	3	7,433	complete
Port	1.16	0	4	11,720	complete
No truck charger nearby	8.64	4	10	30,584	complete
No fast charger nearby	1.35	0	5	8,271	complete
Lot shape	1.24	-10	5	21,409	complete
Far from truck road	-6.02	-10	0	18,426	complete
Highlands Preservation	-0.41	-15	0	827	complete
Busy multi-tenant	-0.58	-5	0	3,560	complete
FEMA 100-yr flood	-9.81	-10	0	29,994	**29,684** sites — Sites without data get −10 points
Tractor fleets nearby	2.50	0	5	30,584	complete

Criteria impact. The new criterion (last row) awards 2.50 points on average, from 0 to 5.

10 · Publish

1. When the preview looks right, click **Publish…**. It stays disabled until there is a current preview of the saved rules.
2. Read the dialog. It states how many scores and ranks will change, which pages switch to the new version, and that the current version stays available for rollback.
3. Optionally add a **Note for the history** (max 1,000 characters).
4. Type the phrase shown, for example `PUBLISH v2`, and click **Publish v2**.



The confirmation dialog, with the phrase typed.


What happens when you publish

- All 30,584 sites are rescored and re-ranked in **one atomic step**. If anything fails, nothing changes.
- The draft becomes **Published** and **Active**. Its rules can never change again.
- The previous version is marked *Previous*, ready to restore.
- An entry is added to the **Activation log**.
- The header chip changes, for example to **Scoring v2 · custom**.
- Other browsers with the app open notice the new version on their next request and reload their scores, so no screen mixes versions.

> Only one publish can run at a time. If someone else published first, publish fails safely: run the preview again against the new active version.




After publishing: v2 is Published and **Active**. "This version is live — every dashboard view shows its scores."



Site detail on the dashboard: the score breakdown now includes **Tractor fleets nearby 4.6 / 5** with its reason.

Check the result


- **Header chip**: shows the new version on every page.
- **Dashboard**: KPI cards, map colors, segment cards, charts and the ranked table all use the new scores.
- **Site detail**: the score breakdown lists every criterion of the active version, with points and the reason.
- **Methodology page**: the Active version card shows v2 · Custom.
- **CSV exports**: dashboard, screening and compare exports use the new scores.




Version History: v2 Active, v1 Previous / Original baseline, and the Activation log (Initial, then Publish v2 with its note).

11 · Edit an existing criterion

1. On the Methodology page (Scoring Criteria tab), click **Edit** on the criterion's card. The working draft opens with the **Edit criterion** side panel. You can also click **Edit** on any card inside a draft.
2. Change what you need: points, thresholds, bands, field, category, description or missing-data policy. **In plain English** updates as you type. To drop a rule, turn its switch off instead of deleting it.
3. Click **Apply to draft**. The card is marked Unsaved.
4. Save the draft, preview and publish exactly as in §9–10.



Example: Distance to eligible exit (linear, 20 points). Zero points at is changed from 5 to 4 miles, and the plain-English text now reads "...falling evenly to 0 points at 4 mi or more".



The card in the draft after **Apply to draft**: "+20 at ≤ 0.5 mi, linearly to 0 at ≥ 4 mi".




After saving, the difference is listed as **Modified**, with the old and new rule.

> Published versions, including v1, are never edited in place. Edit on the Methodology page opens a draft based on the active version. Edit inside an older published version opens a draft based on that version.

12 · Restore an older version

Use this to roll back, for example to return to the original workbook rules (v1).

1. On the Methodology page, open the **Version History** tab and click **View / restore** on the version you want.
2. The version opens read-only, with the note *"Published versions never change. Use Edit to start a draft based on this version, or Preview then Restore to make it live again."*
3. Click **Preview scores & rankings** to compare it with the active version.
4. Click **Restore this version…**, type the phrase shown (for example `RESTORE v1`) and confirm.



v1 opened from Version History: Published, Previous active, Original baseline · read-only.




Preview first, then **Restore this version…** becomes available.

> Restoring is recorded in the Activation log as a **Restore**. The version you restore from stays available, so you can switch back the same way.

13 · Custom criteria & custom data fields

Use a custom field to score information the workbook does not have, such as confirmed utility capacity, zoning approval or owner interest.




New custom data field: a Yes / No field entered manually.

Create the field


1. Open the **Data Fields** tab and click **+ New custom criterion**, or choose **Other — Custom Criterion** in step 1 of Add New Criterion.
2. Enter a **Name** and a **Description** (what the value means and where it comes from).
3. Choose the **Data type**: **Number** (optional unit, minimum and maximum), **Yes / No**, or **Category** (allowed values, one per line, at least two).
4. Choose **Where values come from**: **Entered manually** (per site in Site Details, with source evidence) or **Imported from a dataset** (CSV mapped by stable Site ID, with preview).
5. Click **Create field & continue →**. The field is created with every site **Unknown**. It changes no score until a criterion that uses it is published.
6. Continue with steps 2–3 (choose a missing-data policy), then **Add to draft**, save, preview and publish.

> The scoring engine reads only the typed values you record or import. It never runs formulas or code.



Data Fields tab: each custom field is a card with its type, source (Manual entry or Imported dataset), coverage bar, the versions that use it, and **Import values...** for imported fields.

Record values manually (Site Details)



Custom criteria data in a site's detail panel: a manual Yes / No value being recorded with evidence, and an imported value below it.


1. On the dashboard, open the site. In its detail panel, find **Custom criteria data**.
2. Click **Record value** on a manual field, choose or type the value, and write the **source evidence** (document, call, site visit or link). Evidence is required.
3. Click **Save value**. To remove a value, use **Clear (back to Unknown)**.

> Recorded values change the score **only after** the methodology is next previewed and published (or rescored).


Import values (CSV)

1. On the **Data Fields** tab, click **Import values...** on an imported field.
2. Choose a CSV file with a header row: `site_id`, `value` (or the field's name), and optionally `evidence`.
3. Review the preview: valid rows, new values, updated, unchanged, errors, and sites still Unknown.
4. If there are errors (unknown Site IDs, duplicates or invalid values), nothing can be imported. Fix the rows and choose the file again.
5. Click **Import *n* values**. Sites not in the file keep their current value, or stay Unknown.

```
site_id,value,evidence
2004_749_1,4.5,PSE&G hosting capacity map 2026-10
1201_2706_2,2.0,PSE&G hosting capacity map 2026-10
```



Import preview blocked by one error: line 5 has an unknown Site ID.



After fixing the file: 3 new values, 0 errors. **Import 3 values** is enabled.

14 · Good practice

- **One idea per version.** Small, focused changes are easier to preview, explain and roll back.
- **Write a real change summary**: what changed, why, and who decided. It is the audit trail for the C3 proposal.
- **Check the By segment view first.** The sites that enter or leave each segment's top 10 are the ones that change your shortlist.
- **Check missing data.** In Criteria impact, a criterion that touches only a few sites, or has a lot of missing data, may not be doing what you expect.
- **Keep scores comparable with the NOFA.** Prefer percentile within the segment for demand-style measures.
- **Prefer turning off to removing.** Switch a built-in rule off; it stays visible on its card and in the history.
- **Back up the database before publishing** anything significant, and before a workbook re-import (see docs/RELEASE.md).
- **Re-importing the workbook** recalculates v1's scores and re-applies a custom active version to the new data, recorded as a *Reimport* activation.

15 · Troubleshooting

What you see	Why, and what to do
"Methodology changes are only accepted from the trusted internal network."	Your computer is not in `Methodology:TrustedNetworks`. Work from the API computer, or ask the administrator to add your network.
"Cross-site methodology changes are not allowed."	The request did not come from the dashboard itself. Use the dashboard's own address.
Next → is disabled (Add, step 1)	No data field is selected yet.
Add to draft / Apply to draft is disabled	The criterion has an error. In plain English shows ✕ n to fix with the messages.
Save is disabled	Nothing has changed (it reads *Draft saved ✓*), or the validation summary shows errors. Fix the cards that show an error.
Preview is disabled	The draft has unsaved changes (save first), or is not valid.
Publish… is disabled	No current preview. Run **Preview scores & rankings** after your last save.
"The saved preview was computed for earlier rules."	The draft changed after the preview, or another version was published since. Run the preview again.
"Case *n* can never match"	An earlier band catches every site first. Reorder the bands, most restrictive first.
"Uses data that is missing for some sites"	A warning, not an error. Confirm the missing-data policy is what you want.
"Points must be between −100 and 100"	A points value is out of range.
Import blocked by errors	Fix the listed lines (unknown or duplicate Site IDs, invalid values) and choose the file again.
A recorded custom value did not change the score	Expected. Values affect scores after the next preview and publish (or rescore).

16 · Limits & reference

Item	Limit / value
Criteria per version	1 – 40 (at least one on)
Bands per criterion / conditions per band	Up to 12 / up to 4 (joined by AND)
Any points value	−100 to +100
Criterion name / description	80 / 600 characters
Criterion key	Starts with a lower-case letter; letters and digits; 2–40 characters; unique
Change summary / publish note	4,000 / 1,000 characters
Top *n* in the preview	1 – 50 (default 10)
Confirmation phrase	`PUBLISH v`*`N`* or `RESTORE v`*`N`*
Activation reasons	Initial · Publish · Restore · Reimport · Rescore
Custom field types / sources	Number, Yes / No, Category · Manual (evidence required) or Imported (CSV by Site ID)
Who can change	Trusted internal network only (`Methodology:TrustedNetworks`; default 127.0.0.0/8 and ::1)

Data fields you can score

The full list, with descriptions and coverage, is under **Data Fields → Built-in data fields**.

Group	Fields
Access	Distance to eligible exit · to truck road · to port · to Power Edison site
Site	Open land (estimated) · mapped / recorded parcel area · building coverage · lot short side · compactness · lots in site · property class (per lot) · freight / logistics business · other industrial use · owner-occupied hint · busy multi-tenant · year built
Truck demand	Trucks based within 3 / 5 / 10 mi · carriers and tractors within 5 mi · truck traffic (adjacent road, at exit, max) · large warehouses within 2 mi · truck stops within 2 mi · distance to truck stop
Charger gap	Distance to truck-capable charger · to any DC fast charger
Constraints	FEMA 100-yr flood status · Highlands Preservation Area / area · known contaminated sites · within 2 mi of a Power Edison site
Assessment	Assessed land value · improvement value · annual property tax · last sale price
Custom	Every custom data field your team creates (§13)

See also: **C3_Site_Finder_Dashboard_User_Guide.pdf** (the whole app) and **C3_Methodology_Workflow_Video.mp4** (this workflow as a narrated video), both in the `docs` folder.