EV EDISON · POWER EDISON · C3 SITE FINDER

Scoring Methodology Worked Examples

Fifteen ready-to-use examples: six new criteria, six edits to existing criteria, and three custom criteria with example data files. Each one was entered in the app and previewed on all 30,584 sites, so you can see its real effect before you try it.

How to read an example. Why is the idea behind it. **Enter this** lists the exact values, using the labels you see in the app. **The card will read** is the rule text the app shows on the criterion card after you add it, so you can check you entered it right. **Tested effect** comes from the app's own preview, each example on its own against v1 (the original workbook rules).

Which method to choose

Method	Use it when	Examples
Points by condition	There are clear thresholds or yes/no facts. Several bands give steps; negative points make a penalty.	A2, A4, A5, A6, C1–C3
Linear scale	"Closer is better" (or bigger is better) without steps. Points fall evenly between two values.	A3, E1
Percentile in segment	A demand measure that differs a lot between regions. Each site is compared only with its own NOFA segment.	A1, E3

Version 1.0 · November 2026 · companion to the Scoring Methodology User Guide

Example data is marked [example] and is fictional

Before you start

1. Open **Methodology**. To add a criterion click **+ Add New Criterion**; to change one click **Edit** on its card. Both open the working draft. Live scores do not change.
2. Enter the values from the example, then click **Add to draft** (or **Apply to draft**).
3. Name the draft, write a change summary (for example "A1: add tractor fleets nearby, up to 5 pts") and click **Save methodology as draft**.
4. Click **Preview scores & rankings** and compare with the tested effect below. Check **By segment** first.
5. Publish only if you want the change to go live. Otherwise click **Delete draft**. You can always restore v1.

> Try one example per draft to see its effect clearly. You can combine several in one draft later; their effects add up, but the top-10 changes are not simply the sum.

All examples at a glance

ID	Example	Scores that change	Top-10 places that change
A1	Tractor fleets nearby (percentile)	30,273	6
A2	Large open land bonus (bands)	8,300	20
A3	Close to a truck stop (linear)	13,411	6
A4	Expensive land penalty (bands)	2,028	8
A5	Industrial site on a busy truck corridor (two conditions)	2,375	11
A6	Owner-occupied penalty (yes/no)	5,933	3
E1	Exit distance: zero points at 4 mi instead of 5	25,518	1
E2	Open land: full 20 points from 4 acres instead of 3	2,464	8
E3	Fleets based nearby: up to 15 points instead of 12	30,086	4
E4	Turn off "No fast charger nearby"	8,271	8
E5	Unchecked flood status: −5 instead of −10	29,684	0
E6	Port: ≤ 5 mi +6 and ≤ 10 mi +3 (was +4 / +2)	11,720	1
C1	Utility capacity confirmed (yes/no, manual)	9	0
C2	Utility hosting capacity (number, imported)	44	0
C3	Zoning outcome (category, imported)	60	15

A = add a new criterion · E = edit an existing criterion · C = custom criterion with your own data. "Top-10 places that change" counts, over all six segments, how many of today's top-10 sites drop out.

Adding new criteria

A1 Tractor fleets nearby (percentile)

Why: Fleets with many tractor-trailers are the core customers for a heavy-duty hub. Scoring by percentile keeps it fair across segments.

Enter this

Where	Value
Step 1 · Data field	Search *tractor* → **Tractors based within 5 mi** (100% have data)
Step 2 · Method	**Percentile within the segment**
Step 3 · Criterion name	Tractor fleets nearby
Step 3 · Description	Percentile within the segment of tractors based within 5 mi.
Step 3 · Category	Truck demand
Step 3 · Maximum points	5

> **The card will read:** `+5 × percentile within the segment of Tractors based within 5 mi`

Tested effect (preview against v1)

Scores that change	30,273 of 30,584 sites (largest rise +5, largest fall +0, average change 2.5)
Ranks that change	30,295
Top 10 kept	S1 8/10 · S2 7/10 · S3 10/10 · S4 9/10 · S5 10/10 · S6 10/10 → **6** top-10 places change hands
Example entering	Seg 1: Ellis St (+8 adjacent lots) #12 → #8; Seg 1: 1222-24-26 Forest Pkwy #11 → #10
Example leaving	Seg 1: 82 E Browning Rd #9 → #11; Seg 1: 195 Borrelli Blvd #10 → #12
Criteria impact	avg 2.5 pts · min 0 · max 5 · 30,584 sites earn ≠ 0 · 0 sites with no data
Possible total	-53 … 125 pts

A2 Large open land bonus (bands)

Why: A hub that can add trailer parking and more chargers later needs room. Open land already earns up to 20; this rewards the largest sites a little more.

Enter this

Where	Value
Step 1 · Data field	**Open land (estimated)** (ac)
Step 2 · Method	**Points or penalty when a condition is met**
Name / Category	Large open land bonus · Bonus
Band 1	Label ≥ *8 ac* · Points **5** · if Open land (estimated) **≥ 8**
Band 2 (+ Add band)	Label *5–8 ac* · Points **3** · if Open land (estimated) **≥ 5**
Otherwise	0 pts

> **The card will read:** `≥ 8 ac: +5 · 5–8 ac: +3 · otherwise 0`

Tested effect (preview against v1)

Scores that change	8,300 of 30,584 sites (largest rise +5, largest fall +0, average change 1.17)
Ranks that change	30,059
Top 10 kept	S1 6/10 · S2 7/10 · S3 7/10 · S4 8/10 · S5 7/10 · S6 5/10 → **20** top-10 places change hands
Example entering	Seg 1: 1222-24-26 Forest Pkwy #11 → #7; Seg 1: Ellis St (+8 adjacent lots) #12 → #8
Example leaving	Seg 1: 19 Perina Blvd #3 → #12; Seg 1: 10 Heller Rd #5 → #13
Criteria impact	avg 1.17 pts · min 0 · max 5 · 8,300 sites earn ≠ 0 · 0 sites with no data
Possible total	-53 … 125 pts

Band order matters: ≥ 8 must come before ≥ 5, or the 8-acre band could never match.

A3 Close to a truck stop (linear)

Why: Drivers already stop near truck stops, so a hub next to one sees more trucks.

Enter this

Where	Value
Step 1 · Data field	**Distance to truck stop** (mi)
Step 2 · Method	**Linear scale between two values**
Name / Category	Close to a truck stop · Truck demand
Maximum points	3
Full points at	0.5
Zero points at	3

> **The card will read:** `+3 at ≤ 0.5 mi, falling linearly to 0 at ≥ 3 mi (Distance to truck stop)`

Tested effect (preview against v1)

Scores that change	13,411 of 30,584 sites (largest rise +3, largest fall +0, average change 0.65)
Ranks that change	29,764
Top 10 kept	S1 9/10 · S2 8/10 · S3 10/10 · S4 10/10 · S5 10/10 · S6 7/10 → **6** top-10 places change hands
Example entering	Seg 1: 1222-24-26 Forest Pkwy #11 → #10; Seg 2: 800 Route 68 (+1 adjacent lot) #15 → #8
Example leaving	Seg 1: 82 E Browning Rd #9 → #15; Seg 2: 30 Lake Dr #5 → #11
Criteria impact	avg 0.65 pts · min 0 · max 3 · 13,589 sites earn ≠ 0 · 0 sites with no data
Possible total	-53 … 123 pts

"Closer is better", so the smaller distance goes in **Full points at**.

A4 Expensive land penalty (bands)

Why: Very expensive land makes purchase or lease harder. A penalty uses negative points.

Enter this

Where	Value
Step 1 · Data field	**Assessed land value** ($)
Step 2 · Method	**Points or penalty when a condition is met**
Name / Category	Expensive land · Penalty
Band 1	Label *Land value ≥ $10M* · Points **−5** · if Assessed land value **≥ 10000000**
Band 2	Label *Land value $5–10M* · Points **−2** · if Assessed land value **≥ 5000000**
Otherwise	0 pts

> **The card will read:** `Land value ≥ $10M: −5 · Land value $5–10M: −2 · otherwise 0`

Tested effect (preview against v1)

Scores that change	2,028 of 30,584 sites (largest rise +0, largest fall -5, average change 0.22)
Ranks that change	28,964
Top 10 kept	S1 10/10 · S2 8/10 · S3 6/10 · S4 8/10 · S5 10/10 · S6 10/10 → **8** top-10 places change hands
Example entering	Seg 2: 360 Connecticut Drive #11 → #9; Seg 2: 94 Connecticut Drive #12 → #10
Example leaving	Seg 2: 400 Bordentown-Hedding Rd #1 → #18; Seg 2: 425 Rising Sun Rd #8 → #16
Criteria impact	avg -0.22 pts · min -5 · max 0 · 2,028 sites earn ≠ 0 · 0 sites with no data
Possible total	-58 … 120 pts

A5 Industrial site on a busy truck corridor (two conditions)

Why: An industrial parcel on a heavily used truck route is the ideal combination. Two conditions in one band must both be true (AND).

Enter this

Where	Value
Step 1 · Data field	**Property class (per lot)**
Step 2 · Method	**Points or penalty when a condition is met**
Name / Category	Industrial site on a busy truck corridor · Bonus
Band 1, condition 1	Property class (per lot) **any lot is** 4B
Band 1, + and condition	Truck traffic (max of adjacent / exit) **≥ 10000**
Band 1 points	4 (label *4B and ≥ 10,000 trucks/day*)
Otherwise	0 pts

> **The card will read:** `4B and ≥ 10,000 trucks/day: +4 · otherwise 0`

Tested effect (preview against v1)

Scores that change	2,375 of 30,584 sites (largest rise +4, largest fall +0, average change 0.31)
Ranks that change	23,250
Top 10 kept	S1 10/10 · S2 7/10 · S3 10/10 · S4 7/10 · S5 10/10 · S6 5/10 → **11** top-10 places change hands
Example entering	Seg 2: 11 Applegate Drive #13 → #8; Seg 2: 3 Applegate Drive #14 → #9
Example leaving	Seg 2: 401 Independence Road #6 → #11; Seg 2: Advantage Ct #7 → #13
Criteria impact	avg 0.31 pts · min 0 · max 4 · 2,375 sites earn ≠ 0 · 0 sites with no data
Possible total	-53 … 124 pts

A6 Owner-occupied penalty (yes/no)

Why: If the owner uses the site, a lease for a charging hub is less likely.

Enter this

Where	Value
Step 1 · Data field	**Owner-occupied hint** (yes / no)
Step 2 · Method	**Points or penalty when a condition is met** (the only method for yes/no fields)
Name / Category	Owner-occupied · Penalty
Band 1	Label *Owner-occupied hint* · Points **−2** · if Owner-occupied hint **is yes**
Otherwise	0 pts

> **The card will read:** `Owner-occupied hint: −2 · otherwise 0`

Tested effect (preview against v1)

Scores that change	5,933 of 30,584 sites (largest rise +0, largest fall -2, average change 0.39)
Ranks that change	30,220
Top 10 kept	S1 10/10 · S2 9/10 · S3 9/10 · S4 10/10 · S5 9/10 · S6 10/10 → **3** top-10 places change hands
Example entering	Seg 2: 94 Connecticut Drive #12 → #10; Seg 3: 1000 Blair Road #11 → #10
Example leaving	Seg 2: 278 Monmouth St #9 → #18; Seg 3: 32-34 Papetti Plaza #9 → #14
Criteria impact	avg -0.39 pts · min -2 · max 0 · 5,933 sites earn ≠ 0 · 0 sites with no data
Possible total	-55 … 120 pts

Editing existing criteria

E1 Exit distance: zero points at 4 mi instead of 5

Why: Make exit distance stricter: sites farther than 4 miles get nothing.

Enter this

Where	Value
Card to edit	**Distance to eligible exit** (Access) → Edit
Change	How points are calculated → **Zero points at**: 5 → **4**
Leave as is	Maximum points 20 · Full points at 0.5

> **The card will read:** `+20 at ≤ 0.5 mi, falling linearly to 0 at ≥ 4 mi (Distance to eligible exit)`

Tested effect (preview against v1)

Scores that change	25,518 of 30,584 sites (largest rise +0, largest fall -4.5, average change 1.44)
Ranks that change	30,175
Top 10 kept	S1 9/10 · S2 10/10 · S3 10/10 · S4 10/10 · S5 10/10 · S6 10/10 → **1** top-10 place change hands
Example entering	Seg 1: 1222-24-26 Forest Pkwy #11 → #10
Example leaving	Seg 1: 195 Borrelli Blvd #10 → #11
Possible total	-53 … 120 pts

E2 Open land: full 20 points from 4 acres instead of 3

Why: Require more room before a site earns the full 20 open-land points.

Enter this

Where	Value
Card to edit	**Open land** (Site) → Edit
Change	Band 1 condition: Open land (estimated) ≥ 3 → **≥ 4**; label ≥ *4 ac*
Also	Band 2 label *1.5–4 ac* (the label is text only; its condition stays ≥ 1.5)

> **The card will read:** `≥ 4 ac: +20 · 1.5–4 ac: +16 · 1–1.5 ac: +10 · 0.6–1 ac: +3 · otherwise −15`

Tested effect (preview against v1)

Scores that change	2,464 of 30,584 sites (largest rise +0, largest fall -4, average change 0.32)
Ranks that change	30,132
Top 10 kept	S1 9/10 · S2 10/10 · S3 7/10 · S4 10/10 · S5 8/10 · S6 8/10 → **8** top-10 places change hands
Example entering	Seg 1: 1222-24-26 Forest Pkwy #11 → #10; Seg 3: 1000 Blair Road #11 → #6
Example leaving	Seg 1: 19 Perina Blvd #3 → #12; Seg 3: 100 Wesley White Dr. #5 → #11
Possible total	-53 … 120 pts

E3 Fleets based nearby: up to 15 points instead of 12

Why: Give truck fleets based nearby more weight in the score.

Enter this

Where	Value
Card to edit	**Fleets based nearby** (Truck demand) → Edit
Change	**Maximum points**: 12 → **15**

> **The card will read:** `+15 × percentile within the segment of Trucks based within 5 mi`

Tested effect (preview against v1)

Scores that change	30,086 of 30,584 sites (largest rise +3, largest fall +0, average change 1.5)
Ranks that change	30,166
Top 10 kept	S1 9/10 · S2 9/10 · S3 10/10 · S4 9/10 · S5 9/10 · S6 10/10 → **4** top-10 places change hands
Example entering	Seg 1: Ellis St (+8 adjacent lots) #12 → #9; Seg 2: 360 Connecticut Drive #11 → #10
Example leaving	Seg 1: 195 Borrelli Blvd #10 → #14; Seg 2: 1092 Route 206 (+1 adjacent lot) #10 → #11
Possible total	-53 … 123 pts

E4 Turn off "No fast charger nearby"

Why: Drop a rule without deleting it: a nearby car DC fast charger is not a competitor for heavy trucks.

Enter this

Where	Value
Card to edit	**No fast charger nearby** (Charger gap)
Change	Turn the card's **On / Off** switch off (or Edit → Status off)

> **The card will read:** `Nearest DCFC > 2 mi: +5 · otherwise 0`

Tested effect (preview against v1)

Scores that change	8,271 of 30,584 sites (largest rise +0, largest fall -5, average change 1.35)
Ranks that change	30,413
Top 10 kept	S1 9/10 · S2 7/10 · S3 9/10 · S4 10/10 · S5 9/10 · S6 8/10 → **8** top-10 places change hands
Example entering	Seg 1: 1222-24-26 Forest Pkwy #11 → #10; Seg 2: 11 Applegate Drive #13 → #7
Example leaving	Seg 1: 1480 Grandview Ave #8 → #18; Seg 2: Advantage Ct #7 → #13
Possible total	-53 … 115 pts

Built-in criteria cannot be removed, only turned off. The card stays visible and is listed as **Disabled** in the differences.

E5 Unchecked flood status: −5 instead of −10

Why: Soften the penalty for sites whose flood status was never checked (only the top ~150 per segment were).

Enter this

Where	Value
Card to edit	**FEMA 100-yr flood** (Penalty) → Edit
Change	Missing data → Sites without data get **a fixed number of points** · Points −10 → **−5**
Leave as is	Band "In flood zone" −10 (checked sites in a zone keep the full penalty)

> **The card will read:** `In flood zone: −10 · otherwise 0 · missing data: −5`

Tested effect (preview against v1)

Scores that change	29,684 of 30,584 sites (largest rise +5, largest fall +0, average change 4.85)
Ranks that change	1,264
Top 10 kept	S1 10/10 · S2 10/10 · S3 10/10 · S4 10/10 · S5 10/10 · S6 10/10 → **0** top-10 places change hands
Possible total	-53 … 120 pts

Almost every score changes by +5, but only 1,264 ranks move: unchecked sites all shift together, and checked sites keep their lead.

E6 Port: ≤ 5 mi +6 and ≤ 10 mi +3 (was +4 / +2)

Why: Port traffic is a major source of drayage trucks; raise its weight.

Enter this

Where	Value
Card to edit	**Port** (Truck demand) → Edit
Change	Band 1 (≤ 5 mi) points 4 → **6** · Band 2 (≤ 10 mi) points 2 → **3**

> **The card will read:** `≤ 5 mi: +6 · ≤ 10 mi: +3 · otherwise 0`

Tested effect (preview against v1)

Scores that change	11,720 of 30,584 sites (largest rise +2, largest fall +0, average change 0.58)
Ranks that change	23,185
Top 10 kept	S1 10/10 · S2 10/10 · S3 10/10 · S4 9/10 · S5 10/10 · S6 10/10 → **1** top-10 place change hands
Example entering	Seg 4: 44-66 Mcclellan St (+1 adjacent lot) #11 → #10
Example leaving	Seg 4: 2701 16Th St #10 → #15
Possible total	-53 … 122 pts

Custom criteria with your own data

Custom criteria score data the workbook does not have. First create the field, then fill in values (per site, or by importing a CSV), then add a criterion that uses it. Sites without a value stay **Unknown** and get only the missing-data points.

C1 Utility capacity confirmed (yes/no, manual)

Why: Utility confirmation is the strongest evidence that a hub can be built quickly. It is recorded per site, with evidence.

Enter this

Where	Value
Create the field	Data Fields → ＋ New custom criterion · Name **Utility capacity confirmed** · Data type **Yes / No** · **Entered manually** → Create field & continue
Step 2 · Method	Points or penalty when a condition is met
Step 3	Name Utility capacity confirmed · Category **Bonus** · Band 1 *Confirmed* **+5** if Utility capacity confirmed **is yes** · Otherwise 0
Missing data	Sites without data get **0 points**
Record values	Dashboard → open a site → Custom criteria data → Record value → Yes / No + evidence → Save value. In this test: 12 sites (8 yes, 4 no).

> **The card will read:** `Confirmed: +5 · otherwise 0 · missing data: 0`

Tested effect (preview against v1)

Scores that change	9 of 30,584 sites (largest rise +5, largest fall +0, average change 0)
Ranks that change	8
Top 10 kept	S1 10/10 · S2 10/10 · S3 10/10 · S4 10/10 · S5 10/10 · S6 10/10 → **0** top-10 places change hands
Criteria impact	avg 0 pts · min 0 · max 5 · 9 sites earn ≠ 0 · 30,572 sites with no data
Possible total	-53 … 125 pts

C2 Utility hosting capacity (number, imported)

Why: Feeder hosting capacity decides how much charging the site can get without a long grid upgrade.

Enter this

Where	Value
Create the field	Name **Utility hosting capacity** · **Number** · Unit **MW** · Minimum allowed 0 · **Imported from a dataset**
Import values	Data Fields → Utility hosting capacity → Import values… → `utility_hosting_capacity_EXAMPLE.csv` (60 rows) → Import 60 values
Step 3	Category **Bonus** · Band 1 ≥ *3 MW* **+6** if value ≥ 3 · Band 2 *1–3 MW* **+3** if value ≥ 1 · Otherwise 0
Missing data	Sites without data get **0 points**

> **The card will read:** `≥ 3 MW: +6 · 1–3 MW: +3 · otherwise 0 · missing data: 0`

Tested effect (preview against v1)

Scores that change	44 of 30,584 sites (largest rise +6, largest fall +0, average change 0.01)
Ranks that change	43
Top 10 kept	S1 10/10 · S2 10/10 · S3 10/10 · S4 10/10 · S5 10/10 · S6 10/10 → **0** top-10 places change hands
Criteria impact	avg 0.01 pts · min 0 · max 6 · 44 sites earn ≠ 0 · 30,524 sites with no data
Possible total	-53 … 126 pts

C3 Zoning outcome (category, imported)

Why: Zoning can stop a project outright. A category field records the officer's answer, with a strong penalty for "Prohibited".

Enter this

Where	Value
Create the field	Name **Zoning outcome** · **Category** · Allowed values *Permitted* / *Conditional* / *Prohibited* (one per line) · **Imported from a dataset**
Import values	Import values… → `zoning_outcome_EXAMPLE.csv` (60 rows)
Step 3	Category **Site** · Band 1 *Permitted* **+4** if Zoning outcome **is one of** Permitted · Band 2 *Conditional* **+1** · Band 3 *Prohibited* **−10** · Otherwise 0
Missing data	Sites without data get **0 points** (use a negative fixed value instead if unchecked sites should rank below checked ones)

> **The card will read:** `Permitted: +4 · Conditional: +1 · Prohibited: −10 · otherwise 0 · missing data: 0`

Tested effect (preview against v1)

Scores that change	60 of 30,584 sites (largest rise +4, largest fall -10, average change 0.01)
Ranks that change	477
Top 10 kept	S1 8/10 · S2 7/10 · S3 8/10 · S4 6/10 · S5 7/10 · S6 9/10 → **15** top-10 places change hands
Example entering	Seg 1: 1222-24-26 Forest Pkwy #11 → #9; Seg 1: Ellis St (+8 adjacent lots) #12 → #10
Example leaving	Seg 1: 19 Perina Blvd #3 → #51; Seg 1: 195 Borrelli Blvd #10 → #101
Criteria impact	avg 0 pts · min -10 · max 4 · 60 sites earn ≠ 0 · 30,524 sites with no data
Possible total	-63 … 124 pts

Example data files

Two CSV files come with this guide, in the same folder. They use the **real Site IDs** of the current top 10 sites in each of the six segments (60 sites), with **fictional values**. Use them to practise importing; do not publish a methodology based on them.

File	Field	Values
`utility_hosting_capacity_EXAMPLE.csv`	Utility hosting capacity (Number, MW, imported)	0.5 – 6.0 MW
`zoning_outcome_EXAMPLE.csv`	Zoning outcome (Category, imported)	Permitted · Conditional · Prohibited

File format

```
site_id,value,evidence
0421_405_1,2.5,"[example] utility hosting-capacity map, Oct 2026 (fictional value)"
0409_431.18_7,3.0,"[example] utility hosting-capacity map, Oct 2026 (fictional value)"
```

- The first row is a header: `site_id`, `value` (or the field's name), and optionally `evidence`.
- `site_id` must match a candidate site exactly. Find it in the site detail panel or in the dashboard CSV export.
- Values must match the field type: a number (within the minimum/maximum, if set), *yes*/*no*, or one of the allowed categories.
- Each Site ID may appear once. Sites not in the file keep their current value, or stay Unknown.
- The import is previewed first. If any row has an error, nothing is imported until you fix the file.

Making your own real data file

1. On the dashboard, filter to the sites you are researching and click **Export CSV**. The export includes `site_id`.
2. In Excel, keep `site_id`, add a `value` column and an `evidence` column (source, date, who confirmed it).
3. Save as CSV, then import it from **Data Fields → Import values…**.

> Recorded or imported values change scores only after the next preview and publish of a methodology that uses the field.